# **SILENT SIGNS your house is in BIG trouble\***









TimberTech® decking combines striking looks with long—lasting durability and performance. Our proprietary capping protects all four sides of the deck board against rot, weathering, mildew, and splinters for years of low-maintenance enjoyment.

See the complete line of tough TimberTech® decking, railing, and lighting products at TimberTech.com.




# Table of CONTENTS

APRIL 2016 familyhandyman.com









#### **FEATURES**

Special Section: Deck & Patio

#### Stuff We Love

Live large in your outdoor space with waterproof cabinets and power wherever you need it.

#### 10 **O**utdoor lighting

With low-voltage systems, you don't need electrical experience to light up your yard.

#### 22 **Garden bench**

A classic style made easier with dowel joinery and techniques for perfect curves.

#### Soggy yard?

We'll walk you through the options, from downspout fixes to dry wells and French drains.

#### 48 6 silent signs your house is in trouble

Leaks, condensation and rot do their damage on the sly. Here's how to spot problems like these before it's too late.

### Table of CONTENTS

APRIL 2016 familyhandyman.com

#### **DEPARTMENTS**

#### 34 Handy Hints®

Smart ways to haul yard debris and clean and store your lawn equipment.

#### 58 **DIY Quiz**

Think you're a DIY whiz? See if you can ace this test.

#### Home Care + Repair

Spring is the perfect time to replace your patio door weather stripping.



#### **Home Tech**

DIY mobile apps to help you with design, leveling, math, buying materials and more.

#### **Top Ten Tips**

Buy the right refrigerator for your space, needs and budget.

#### 71 What Homeowners Must Know

How to extend the life of siding, appliances and tile.

#### Car + Garage

Small engine won't start? Fix it yourself and save!

New courses at the **DIY University** include Add Kitchen Storage. mydiyuniversity.com



#### **Pro Talk**

Tips for handling extension cords, long tools and folding metal sawhorses.

#### 82 **Pro Tips**

Fast and foolproof ways to get rock-solid handrails.

#### **Great Goofs®**

Paint-can shake-up, a pint-size roof safety system and pressure washer prowess.



#### **GOT A DIY QUESTION?**

Finding answers is easy at familyhandyman.com. Just use the search box at the top of the page to get expert step-by-step help with your project. Or register on the site and join our DIY Forum, where you can ask questions or give advice.

#### **CONTRIBUTOR GUIDELINES**

We issue a \$100 gift card for Handy Hints® and Great Goofs® submissions that we publish. Submit your original contribution, along with photos or sketches, by e-mail to:

handyhints@thefamilyhandyman.com greatgoofs@thefamilyhandyman.com

or mail to: The Family Handyman 2915 Commers Drive, Suite 700, Eagan, MN 55121

Please include your name, mailing address and e-mail address if you have one, and indicate to which department you are submitting. We reserve the right to publish your submission in any appropriate department. If we receive similar submissions, we will pay the person who submitted the item we actually use.

By submitting material (text, photos and illustrations) for publication, you grant Home Service Publications, Inc. and its parent company, subsidiaries, affiliates, partners and licensees unlimited use of the material and your name, and the right to rewrite or modify, reproduce and distribute the material in any and all media and in any manner or appropriate place. We may contact you via phone, e-mail or mail regarding your submission. If we select your submission for print, you will receive a \$100 gift card.

#### **READER SERVICES**

#### QUESTIONS ABOUT SUBSCRIPTIONS?

For new and gift subscriptions, change of address or help with a subscription problem, write to: The Family Handyman Subscriber Service Dept., Box 6099, Harlan, IA 51593-1599, or call (800) 285-4961. Or send an e-mail to FHMservice@rd.com. Allow two issues for address changes.

#### CUSTOMER INFORMATION

Reader's Digest may share information about you with reputable companies so they can offer you products and services of likely interest to you. If you don't want us to share this information, please write to: Reader's Digest Mailing List, Attn.: Circ. Dept., Box 6099, Harlan, IA 51593-1599. Please include a copy of your address label.

#### BACK ISSUES/ARTICLE COPIES

Some past issues are still available for \$5 each. Call (800) 285-4961 from 8 a.m. to 5 p.m. Central, Monday through Friday for availability and ordering. Photocopies of articles are available for \$3each. Send check/money order to: Back Issues, The Family Handyman, Attn.: Back Issues/Articles, P.O. Box 6099, Harlan, IA 51593-1599. To ask about the availability of past articles, send an e-mail to FHMservice@rd.com.

#### COMMENTS AND SUGGESTIONS

We welcome your ideas and opinions. Write to: The Editor, The Family Handyman, 2915 Commers Dr., Suite 700, Eagan, MN 55121. Fax: (651) 994-2250. E-mail: editors@thefamilyhandyman.

#### **BECOME A FIELD EDITOR**

Field Editors contribute ideas and experience to every issue of The Family Handyman. To join our crew of volunteers, e-mail us: Iwant2beaFieldEditor@ familyhandyman.com



# Learn the **SKILLS** you need...



# ...to do it YOURSELF

Save money, solve problems and improve your home with All-Access Membership to **DIY University**.

Membership gives you the tools you need to build your DIY skills and confidence:



24/7 access on any device to entire library of DIY classes



Hours of instructor-led videos with step-by-step directions



"Ask the Expert" assistance to your specific quesions

Got a handyman in your life? Membership makes a great gift! To join or give a gift membership go to:



MyDIYUniversity.com



# STUFF we love editors@thefamilyhandyman.com BY MARK PETERSEN waterproof outdoor kitchen If you use your deck or patio like a kitchen, why not furnish it like one? Trex has a new line of outdoor storage to help you do just that. There are base cabinets with built-in coolers, garbage cans and hampers. Or store your blankets and seat cushions in large, under-bench cabinets. There are a couple dozen different configurations to choose from. The panels are PVC (available in five colors), and the hardware is all stainless, making the entire collection 100 percent waterproof. A base cabinet with one drawer and one door costs \$998. That's not cheap, but impressing your friends and neighbors rarely is. For more info, go to trexoutdoorstorage.com.

QUESTIONS ABOUT SUBSCRIPTIONS? Call (800) 285-4961 or e-mail us at FHMservice@rd.com

#### EDITORIAL

Editor in Chief Editor at Large Senior Editor Associate Editors

Gary Wentz Ken Collier Travis Larson

Donna Rierhach

Peggy Parker

Jeff Gorton, Mark Petersen, Jason White

Senior Copy Editor Contributing Copy Editor Art Directors

Vern Johnson, Marcia Roepke Production Artist Photographer Contributing Editors

Mary Schwender Tom Fenenga Flisa Bernick Snike Carlsen Rick Muscoplat, David Radtke Josh Risberg

Lead Carpenter Office Administrative Manager

Senior VP. Chief Content Officer Catherine Cassidy Kerri Balliet VP, Content Operations Creative Director

Director, Digital Product Mgmt. Manager, Digital Product Mgmt. Senior Analyst, Digital Experience Analytics Assistant Product Manager

Senior Content Producer

Howard Greenberg

Alice Garrett

Brenda Schmerl Jennifer Richter Ashley Keefe

Collin Sharkey Karisa Langlo

Russell S Fllis

#### ADVERTISING

VP, Group Publisher Brand Sales Leader New York 646-293-6246

John Dyckman Greg Messina, John Dyckman, Richie Matz, Ray Rienecker, Daniel Tomkin Piner Ferrone

Midwest, 312-540-4824 West Coast, 310-479-7798

Catherine Marcussen

416-598-0101, ext. 220 416-598-0101, ext. 290 416-598-0101, ext. 210

York Media D. John Magner Mike Samways Sean Donovan, Haven Home Network

Classified and Small Display Ads: 212-779-7172, ext. 221

Marketing Director Digital Marketing Manager Senior Manager, Partnerships Alexandra Beaty & Digital Marketing

Associate Marketing Manager Art Director Advertising Coordinator Production Manager

Christina Masterson Ashley Martinez

Alexis Aliquo Ed Jackson Selena Cohen Leslie Kogan

President & Chief Executive Officer Chief Financial Officer Chief Operating Officer Chief Revenue Officer Chief Marketing Officer Chief Digital Officer SVP, Global HR & Communications

VP, Digital Content & Audience Development VP, Magazine Marketing VP, Business Development VP, Financial Planning & Analysis Publishing Director, Books VP, Consumer Marketing Planning

TRUSTED MEDIA BRANDS, INC. Bonnie Kintzer

> Dean Durbin **Howard Halligan** Richard Sutton Alec Casey Vince Errico Phyllis E. Gebhardt, SPHR; SHRM-SCP Diane Dragan


Chris Gavdos Beth Gorry William Houston Debra Polansky Jim Woods

#### EDITORIAL OFFICE

2915 Commers Drive, Ste. 700, Eagan, MN 55121; 651-454-9200 PUBLISHED BY HOME SERVICE PUBLICATIONS, INC.,

a subsidiary of TRUSTED MEDIA BRANDS, INC., a subsidiary of TRUSTED MEDIA BRANDS, INC.

The Family Handyman® (ISSN: 0014-7230) (USPS: 515-930). Volume 66, No. 4, 567th Edition. Published monthly (except bimonthly in July/August, December/January) by Home Service Publications, Inc., 1610 N. Second St., Suite 102, Milwaukee, WI Publications, Inc., 1610 N. Second St., Suite 102, Milwaukee, WI 52312. We may also occasionally publish extra issues and special issues (which count as two in a subscription). Periodicals postage paid at Milwaukee, WI, and at additional mailing offices. POSTMASTER: Send address changes to The Family Handyman Subscriber Service Dept., Box 6099, Harlan, IA 51593-1599; 800-285-4961. Subscriptions: In the U.S.A., its territories and possessions, \$24 for one year [10 issues]. For countries outside the U.S.A. subscriptions are \$28.97 ner year in American currency. U.S.A., subscriptions are \$28.97 per year in American currency. Canadian GST registration number R123771891. CPM agreement number 40065693. Printed in the U.S.A. Copyright ©2016 Home Service Publications, Inc. All rights reserved. Unauthorized reproduction, in any manner, is prohibited. The Family Handyman, Handy Hints and Great Goofs are registered trademarks of RD Publications, Inc. Wordless Workshop, Workshop Tips and  $\Omega$  are trademarks of RD Publications, Inc. Subscribers: If the U.S. Postal Service alerts us that your magazine is undeliverable, we have no further obligation unless we receive a new address within one year.





Call Today for FREE Information Kit,

Pricing and Factory Direct Coupon!

TOLL 800-456-2068

BurnCage.com



#### Power where it's needed

Nobody plans for an electrical outlet when designing and building a deck. After all, there's usually one on the wall right next to the door. But what if you want to plug something in near the outer edge of the deck? You could run an extension cord and hope nobody trips over it, or you could check out this new product.

The Red Dot Deck Grommet Pro makes it simple to add waterproof electrical outlets anywhere you'd like on a new or an existing deck. When not in use, it folds flush with the deck boards. Check it out at tnb.com, look for it at the home center or just search for "deck grommet pro" online. Expect to pay about \$60.



# Practically indestructible decking

Like other fiber cement products like siding and trim, PlyCem's CemDeck decking boards are fireproof and impervious to rot and insects. Composed largely of Portland cement and cellulose from recycled cardboard, they're also highly resistant to weather, impact and mold.

CemDeck deck boards are 12 ft. long and currently available in cedar-grained brown. There are two types of planks for two types of fastening options: a slotted edge version to receive hidden fasteners and a rounded edge for exposed deck screws. Expect to pay about \$2.70 per linear foot. Matching fascia is also available for stair risers and finishing off deck rim joists.

CemDeck is a brand new material, so it won't be widely available for a while. But if you're interested in using fiber cement decking down the road, maybe even later this year, check it out at architectural products.com/plycem.



#### Cable rails

Installing upscale cable rails on a new deck used to be a DIY challenge. It wasn't easy to collect all the cable, sheaths, thimbles, turnbuckles and whatnot and then cobble together your own system onto wooden 4x4 posts. Now you can buy high-quality components in kit form that not only look fantastic new but also stay looking that way for years—all the parts are made from stainless steel and aluminum.

Fairway Building Products is one company that has put it all together for you. It offers a very sophisticated cable rail attachment and tensioning system along with a finished aluminum post and rail system that's designed to anchor the cable. Watch a video, download the price book and find a dealer at fairwaybp.com.

Travis Larson, Senior Editor





Introducing Mold Killing Primer. A breakthrough primer that kills mold and primes at the same time. Allowing you to paint directly over mold, mildew and odor causing bacteria. **The newest innovation from Zinsser. Mold Killing Primer.** 







# YOU'VE GOT A PROJECT.

# TENESTEDING TO THE TENEST OF THE PROPERTY OF T



# FROM REPAIR TO ONE-OF-A-KIND MASONRY WORK, THERE'S A SAKRETE® SOLUTION FOR ALL YOUR CONCRETE PROJECTS.

SAKRETE® Flo-Coat Resurfacer is a highly flowable material that can be easily applied with a squeegee, making old concrete look like new again without the expense of replacement. The originator of pre-mixed bagged concrete, SAKRETE® has offered contractors and do-it-yourselfers innovative, readily available solutions longer than any other brand. Let us help you find the right product for your project. Visit us at sakrete.com or call 866-725-7383.





#### Serious heavy-duty driver and drill

I love Milwaukee's new impact driver and hammer drill; brushless motors for longer run-times, Milwaukee's best batteries and all the bells and whistles (LED lights, power meters, belt hooks, etc.). I've used these tools hard for a few months now and they haven't let me down. I was particularly impressed by the impact driver's speed selector, which can give you better control when it's set for slow speed.

The two tools are available as a set, with two batteries and a charger for \$299 at The Home Depot (model No. 2797-22). Plus, you'll find lots of other pro tools that use the same excellent battery platform.

Ken Collier, Editor at Large



#### 165-ft. laser measure

If you do much estimating or working alone, a laser measure can be a real timesaver. It's easy to operate: Hold the laser to one surface, turn it on and measure to a distance of up to 165 ft. You can also use it to calculate area, volume and angles, and record all your results wirelessly on your phone. There's also a handy digital level.

For many contractors and real estate agents, a laser measure is an essential tool. But DIYers may also find one handy: It's like a super-long, one-handed tape measure that you can slip into your pocket. You can buy the Bosch 165-ft. Laser Measure for about \$149 at The Home Depot and other retailers.

# DAYS' VNRKI

Contractors and do-ityourselfers rely on SAKRETE® for DIY repair and new installation projects. Sakrete helps complete projects faster and easier.

#### SAKRETE FAST SETTING PATCHER



- Rapid setting patching material that can be molded or sculpted into place
- For concrete repairs from 2" to 1/4"
- Repairs concrete steps, slabs, walks, drives and patios


#### **SAKRETE FLO-COAT®**


A flowable product used to rejuvenate



old concrete surfaces. It's a great alternative to expensive concrete replacement and its seamless application makes old, worn concrete look like new.

QUALITY, CONSISTENCY. PROVEN PERFORMANCE. 1.866.SAKRETE SAKRETE.COM





#### NO ELECTRICAL **EXPERIENCE NECESSARY**


Since most outdoor lighting is low voltage, it's safe and easy enough for any DIYer to install. In fact, the only special tool you'll need is a wire stripper.





### Install underground wiring after planting

To prevent accidental cutting of wiring for ground-level fixtures, install wiring after your landscape has been planted. That way you won't accidentally chop through it with a shovel. Also, don't install wiring in digging areas like garden beds, and be sure to bury low-voltage wire at least 6 in. below the surface.








Genovations® 100% PVC construction won't absorb water, which means you'll never have to worry about stains, fading, or mold.

Learn more at www.genovationsdeck.com



Get peace of mind—and help protect your identity.

The Family Handyman has teamed up with LifeLock to help protect you and the ones you love the most.

**1 Life**Lock

Special LifeLock offer:

### 30 Days FREE\* + 10% OFF Membership

Promo code: HANDYAD316 CALL TODAY 1-800-LifeLock

www.LifeLock.com

No one can prevent all identity theft.

\*Credit card will be required at enrollment. At the end of the no-cost 30-day trial period, if you do not cancel, your card will be billed automatically (\$8.99 mo/\$98.90yr for LifeLock Standard™ membership or \$17.99mo/\$197.90yr for LifeLock Advantage™ membership or \$26.99mo/\$296.90yr for LifeLock Ultimate Plus™ membership) plus applicable sales tax. You can cancel LifeLock services anytime without penalty by calling 1-800-LifeLock. Offer is for new LifeLock members only. Offer only available for LifeLock Standard, LifeLock Advantage™ and LifeLock Ultimate Plus™ memberships only. Not combinable with other offers.

LifeLock and the LockMan logo are registered trademarks of LifeLock, Inc.

# Keep your fixtures; upgrade your bulbs

For decades, halogen lights reigned supreme in low-voltage outdoor lighting systems, but LEDs have all but replaced them because they cost less to operate and last much longer. But you don't have to tear out all your old halogen fixtures to enjoy the benefits of LEDs—retrofit bulbs are available. Just be sure to replace each halogen bulb with equivalent wattage and the same base type.

Expect to pay about four times more for an LED bulb, but they use less energy and you'll get up to 20 years of life from one compared with only two or three years from a halogen. We paid \$18 for the LED bulb in this photo vs. \$4 for the halogen bulb.



#### **GO SOLAR?**


Options for solar landscape and deck lights have exploded at home centers. And there are some reasons to love them: instant installation, no wiring and no increase in your electric bill. Just don't expect the same kind of light you'd get with 12-volt systems. Solar fixtures typically produce fewer lumens, which means they're





#### DON'T OVERLAP POOLS OF LIGHT

The purpose of most deck lighting is ambience, and professional outdoor lighting designers say it's best not to create overlapping "pools" of light on decks and patios. So avoid mounting fixtures too close together. For decks, choose fixtures that cast a 4- to 5-ft. pool of light. Keep them 30 in. up off the deck's floor and space them up to 10 ft. apart. Overlapping lights on deck stairs and walkways can be a good thing, however, by providing enough light to help people avoid tripping.





SOLAR

DECK POST

LIGHT

SOI AR

PANEL


# The owner's manual for your house.











A **NEW BOOK** 

from the editors of The Family Handyman magazine that tells you:

- How to **SAVE \$100**—just by pushing a button
- Make appliances last years longer
- Cut heating and cooling costs the easy way
- Hire the best contractor
- The smartest thing you can do before going on vacation
- Learn how to repair concrete and take care of mold and mildew
- Plus, MAKES A GREAT GIFT!

**Get 100 THINGS EVERY HOMEOWNER MUST KNOW** 

Order yours today at **rdstore.com/HomeownerMustKnow** 


Also available nationwide wherever books are sold.

# **DESIGN TIP** Indirect lighting works great for patios Instead of focusing lights directly onto a patio, try lighting objects around it,

like boulders and trees. This eliminates glare and creates attractive shadow effects.

#### Kits for convenience


You can buy complete ground-level landscape lighting kits at a home center for \$40 to \$200. Kits are convenient and adequate if you only need a few fixtures. But the transformer sometimes called a power pack—will be too small if you decide to add more fixtures down the road, and style options for fixtures will be much more limited with a kit. For a deck lighting system, plan to buy individual components.



#### Skip the quick connectors

Some landscape lighting kits have preinstalled quick connectors, but they aren't what the pros use. Cheap connectors buried underground will work for a while, but they can corrode over time and fail. Cut off the factory-installed connectors and make splice connections using gelfilled wire connectors made specifically for outdoor use.





#### You can keep your old transformer

Any older low-voltage transformer can be used to power both halogen and LED lights—even if they're mixed on the same circuit—as long as you have enough wattage to spare in your old transformer. If your transformer isn't big enough to handle the additional load, add a second transformer or upsize your existing one.


#### **BUY THE RIGHT TRANSFORMER**

A "low-voltage" lighting system starts with a transformer plugged into a GFCI-protected receptacle. The transformer's job is to convert 120-volt household current to 12 volts before sending it through special outdoor cable to light your fixtures. Just a few years ago, you would have needed a 600- to 1,200-watt transformer to light a yard full of halogen lamps. But because LEDs use fewer watts than their halogen predecessors, smaller transformers-45 to 300 watts-are usually all that's needed.

So how big should you go? Just do the math! Simply add up the wattage for all the light fixtures you're planning to install, and use that number to pick the right transformer. Buy one slightly bigger than you need in case you decide to add fixtures in the future. Expect to pay \$40 to \$100 for a transformer at home centers, depending on the size.








#### **Run wire** under walkways

If you need to run wiring under an existing walkway, try this trick: Dig a small trench on both sides. Next, flatten the end of a piece of rigid metal conduit and use a sledgehammer to drive the conduit, flattened end first, horizontally under the walkway. Then cut off the ends of the conduit with a hacksaw, file off the sharp edges and feed your wire through the conduit. A 10-ft. stick of rigid steel conduit (the thick, heavy-duty stuff) costs about \$13 at home centers.





omeowners want new building products that provide more value with less maintenance and

are environmentally friendly. With the advent of an environmentally preferred treating product—micronized copper azole (MCA)—many consider treated lumber the most cost-effective, eco-friendly and easy-to-install decking option. (Plus, it doesn't get that greenish hue

that occurs with many older treating products.) And now there's something even better: a newly formulated, color-treated lumber that is on the verge of becoming mainstream, providing a unique, low-cost option for pros and DIYers.

ProWood Dura Color® pressuretreated lumber helps fill the gaps between everyday treated wood decking, cedar and redwood decking, and high-end synthetic decking. It's

not a topical stain that fades away; it's a colorant that's driven deep into the wood fibers, creating beauty that's guaranteed to stand up to the elements for years. The Dura Color treating process provides a rich cedar-tone or redwood-tone appearance that doesn't fade to gray, unlike cedar and redwood. The color is part of a treating process that includes an EPA-registered, waterborne wood preservative system to protect against termite attack and fungal decay (rot). In addition, new water-repellant stabilizer additives are helping MCA-treated wood decking like ProWood resist the effects of weathering.

So today you can get wood that protects against the elements and offers long-lasting, beautiful color.

Color-treated wood isn't new. Koppers Performance Chemicals (formerly Osmose Wood Preservation) is a leader in wood preservative technologies that has been providing color-treating solutions for years. In fact, Universal Forest Product companies have been

producing colored wood fencing for nearly a decade. But with the new color-treating technology, lumber decking has made significant strides, offering a better look for a treated lumber deck. Although composite and PVC decks have gained market share in recent years, pressure-treated wood decking still carries the lion's share of the market. And it's no wonder: It's inexpensive, easy to work with and can be found at any lumberyard.

In addition to decking, ProWood Dura Color is available in virtually any size dimensional lumber as well as finished products (like fencing and pergolas), giving DIYers more building options.



Latest advancements in color-treating technology let the woods natural characteristics remain visible



For more information, visit ProWoodLumber.com

# Classic GARDEN BENCH

**Dowel** construction makes it solid and surprisingly simple

ou've probably seen benches similar to this one in parks, porches or movies. That's because this classic style fits into any setting, rustic or elegant. If you've ever considered building one of your own, you might have been discouraged by the complexity of the project—all those parts, all that joinery... But scan the next few pages and you'll see how I simplified the building process. Dowels make the joinery easy but strong, and router templates guarantee that the curved parts will be perfectly uniform.

by David Munkittrick editors@thefamilyhandyman.com







#### **GLUE UP THE LEG STOCK**

Make the back leg stock from two 2x6s or three 1x6s. Use 2x4 cauls to spread clamping pressure evenly. Don't skimp on clamps, and be sure to use waterproof glue such as Titebond III.



#### **CUT A STRAIGHT, EVEN EDGE**

Nail a straightedge made from an MDF or wood scrap onto the lea stock with the straightedge overhanging slightly. Run the stock across a table saw with the straightedge against the fence to cut a perfect edge.



SHAPE THE BACK LEGS
Rough-cut each back leg with a jigsaw. Then make a template from 1/4-in. MDF and tack it to the leg. Run a top-bearing pattern bit around the template. The bit will cut only about halfway through the leg thickness.



#### Tools and materials


You'll need a dowel jig for this project (see p. 30). A planer, miter saw and band saw will come in handy but aren't absolutely necessary. You'll need two specialty router bits: a "pattern" bit and a "flush-trim" bit (1/2 in. diameter or larger, with a 1-1/4-in. cutting length). You can find both at some home centers or online, starting at less than \$20 each. You'll also need 1/4-in. and 3/4-in. roundover bits and a plug cutter to make plugs to cover the screw holes.


I used cedar lumber for my bench. Other good choices for outdoor furniture include redwood, teak and white oak. If you choose cedar, select stock that's free of large or loose knots and knotholes. If you prefer a knot-free look, buy wide stock and use the best of it. For example, a 2x10 board might yield enough knot-free stock for the legs, back and seat rails. Avoid any boards with a lot of white "sapwood" because it doesn't weather as well as the darker heartwood.

#### Make the legs

To make the leg stock, I planed 2x4s and 2x6s down to a thickness of 1-1/8 in., then glued them together for a leg thickness of 2-1/4 in. (Photo 1). If you don't have a planer, you can use three layers of 1x4s and 1x6s to achieve the same thickness (as shown on p. 26).

After the glue sets, you'll need a straightedge to guide the leg stock on your table saw. Quarter-inch MDF works well. Use brad nails to attach the straightedge to the leg stock so it slightly overhangs the stock along one edge. Run the stock through your table saw using the overhanging straightedge as a guide (Photo 2). The result is a perfect edge. Use the freshly cut edge against the fence to rip your leg stock to final width.







The vented BRUTE\* container makes backbreaking work easy with innovations you (and your back) will appreciate.










**COMPLETE THE BACK LEGS** Flip the leg over and make a second pass using a flush-trim bit. This bit has a bearing on the bottom and will follow the shape already cut by the pattern bit.



MARK THE DOWEL LOCATIONS Center a block of 3/4-in. plywood on each back slat. No need to measure—just center the block by eye. Mark each slat and the rail along both sides of the block. Label each joint with a letter as a guide for assembly later.



SET THE DRILL DEPTH Bore through a block of 1/2-in. plywood to make a stop collar for your drill bit. Insert the bit through the jig and adjust the bit to establish the proper depth for the dowels. Always add a little extra depth to allow for excess glue in the bottom of the hole.

Cut the front legs (B) to length. To shape the back legs (A), first make a template from 1/4-in. MDF. While you're at it, go ahead and make templates for the arms (C; Figure C), side seat rails (E; Figure D), seat supports (F; Figure E) and seat braces (J). Templates save time—it's so much easier to shape a thin scrap of MDF than a thick cedar blank. A template also produces perfectly matched parts with ease.

Use the back leg template to draw an outline of the leg onto the blank. Rough-cut the blank with a band saw or jigsaw. Attach the template to the rough-cut blank with brad nails and rout the profile using a pattern bit (Photo 3). Flip the blank over and finish the leg profile using a flushtrim bit (Photo 4). Use the other templates in the same way to create the arms, seat supports, seat rails and braces. Note: Do not cut the seat braces to final length yet. It's best to wait until the bench is assembled for final fitting. Also, lay out and rout the braces on a single board. Then cut them to length.

Cut and machine the seat rails (D), top rail (G), leg braces (H), seat slat (K) and back slats (L). Go ahead and rout the 1/4-in. radius on all the long edges plus the 3/4-in. radius on the top front edge of the front seat rail (D) and the front and back top edge of the top rail (G; Figure A). I also rounded over the ends and corners on the seat slats. It's a lot easier to shape and sand the parts now, before assembly.

#### Dowel the back

Dry-clamp the slats between the top rail (G) and the seat rail (D). Clamp the first and last slats in place then fit the others into place (see Figure A for correct spacing). You may need to add a clamp in the middle to hold all the slats in place. Mark for dowel locations with a layout block (Photo **5**). The layout block really speeds up marking for the dowel holes because there's no need to measure. Be sure to use a letter mark for each slat, top and bottom. Write the corresponding letter on the top or bottom rail. It's essential to glue up the slats in the same location as they were marked for drilling. With the slats and rails marked, it's time to break out the dowel jig.





### The most versatile tool in the box.

Squeaky door? Sticking window track?

Done. And Done.

Plus 1000s of other household uses.

www.BlasterCorp.com





# TOUGH

Expanding, Sticks to **Everything** GLUE








**For the Toughest Jobs** on Planet Earth

www.gorillatough.com

©2016 The Gorilla Glue Company



DRILL DOWEL HOLES Align the marks on the dowel jig with your marks on the bench part and lock the jig onto the part. It's best to drill the holes in two steps. Drill about halfway, remove the bit to clear out the wood chips and then finish the hole with a second plunge.



DRILL THE RAIL HOLES
The dowel jig can't position the holes for the lower back seat rail (D), so make a simple block jig. Align the dowel marks on the jig with the dowel marks on the leg and align the centerlines on both ends of the jig with a centerline marked on the leg.

#### CHOOSING A DOWEL JIG

Dowel jigs are inexpensive (starting at about \$20) and easy to use. They make very strong joints. But some jigs aren't a good choice for this project. Look for two features:

- It needs to fit over the 2-1/4-in.-thick legs.
- Interchangeable bushings or sleeves that allow you to drill pairs of 1/4-in. or 3/8-in. dowel holes.

I used the Deluxe Doweling Jig from woodcraft.com (\$65; item No. 811565) for this project.

Screw two 1/4-in, sleeves into the threaded holes of the jig. Chuck a 1/4-in. bit in your drill. Brad-point bits work the best for doweling because they drill a flatter bottom. Set the bit for the proper depth (Photo 6). For shorter dowels, you'll likely need a stop collar to achieve the correct depth.

Mount the jig on the end of a slat, aligning the marks on the jig with your pencil marks. On short, narrow stock like this, I use my bench vise to hold the stock and support the jig (Photo 7). Drill double 1/4-in. holes in the back slats. On the rails, set the jig on the first set of holes, drill, then loosen the jig and slide it down to the next set of marks.


#### Assemble the back

With all the 1/4-in. holes drilled, go ahead and assemble the back with dowels but no glue. You want to double-check to be sure everything lines up correctly first. Trust me; it's well worth the extra time and effort to do a dry fit before final assembly. If everything fits, reassemble with glue. To spread the glue in the hole, I use a 1/8-in.-diameter dowel as an applicator. Just dip the narrow dowel stock into your glue and then swirl it around the dowel hole. I also put a light coat of glue on each dowel with a small flux brush.

#### **Build the sides**

While the glue sets on the back assembly, mark and drill the double 3/8-in. holes for the side/leg assemblies. Use the assembled back to mark the dowel location on the back legs. Dry-clamp the back into position between the two legs, then mark for the dowel holes using the layout block. The back seat rail holes are located on the straight part of the leg but aligned with the angle of the back (Figure B). This won't allow you to use the store-bought jig.

Instead, make a jig from a block of hardwood approximately 1-1/4 in. x 1-1/4 in. x 6 in. Mark two lines across the middle 3/4 in. apart. Square the lines around the block. Use your doweling jig to drill a pair of 3/8-in. holes centered on the marks. Also mark two vertical lines centered on each end of the block. Finally, draw a centerline down the top portion of the leg that supports the back.







Drill the double holes at the top of the leg using the dowel jig. To drill the bottom holes, set the block so the dowel position marks on the jig align with the dowel position marks on the leg. Also be sure the centerlines on the jig and the leg align. Clamp the jig in place and drill (Photo 8).

#### Final bench assembly

Dry-clamp the side assemblies with dowels and check for proper fit. Glue up the two side assemblies. Then glue and dowel the back assembly and the front seat rail (D) to the side assemblies (Photo 9).

Now all that's left is to attach the arms and seat supports with screws (Photo 10). You'll want to hide the screws for the best appearance, so make sure to drill a 3/8-in. countersink hole first, then the pilot holes. Attach with stainless steel screws or other corrosionresistant screws such as deck screws. Use a 3/8-in. plug cutter to cut plugs. Glue the plugs into place with waterproof glue, making sure the grain in the plug aligns with the grain in the piece.

Finally, attach the seat slats. For the best look and fit, cut a 10-degree bevel along the front edge of the first slat and the back edge of the last slat. Attach the slats with stainless steel trim-head screws. The heads are so small on these screws that there's no need for a plug.

#### Apply finish

After you do a little touch-up finish sanding, you'll be ready to apply a finish. A quality outdoor deck stain is a good choice. I used a clear stain on mine, which greatly enhances the natural color of cedar. A darker stain obscures the wood a bit more, but it does offer better UV protection. For best results and the longest life for your bench, you should recoat it every year. Don't forget to add an extra dose of finish on the end grain of the wood where it contacts the ground.

Now you can sit back, relax and enjoy the view.



**ADD THE FINAL PARTS** Attach the arms, seat braces and rail supports with screws. Use stainless steel or coated screws to guard against rust stains. For the visible screw holes on the arms and rails, countersink first and insert plugs to cover the screws.

#### **Cutting List**

KEY	QTY.	DIMENSIONS	NAME
Α	2	2-1/4" x 2-1/4" x 33-3/4"	Back leg
В	2	2-1/4" x 2-1/4" x 24"	Front leg
С	2	1-1/2" x 3-1/2" x 21"	Arms
D	2	1-1/2" x 3" x 55-1/2"	Seat rail
Е	2	1-1/2" x 3" x 15-1/2"	Side seat rail
F	2	1-1/2" x 3" x 16-1/4"	Seat support
G	1	1-1/2" x 2-1/2" x 55-1/2"	Top rail
Н	2	1-1/2" x 2" x 15-1/2"	Leg brace
J	4	1" x 3-1/2" x 3-1/2"	Brace
K	6	3/4" x 2-1/2" x 60"	Seat slat
L	12	3/4" x 1-1/2" x 14-1/2"	Back slat
M	28	3/8" x 2-1/2"	Fluted dowel
N	48	1/4" x 1-1/2"	Fluted dowel



- Cool Shade in Seconds
- 99% UV Protection
- Great Relaxation and Entertainment Spot
- Exceptionally Affordable Prices as Low as \$499!
- Saves Energy, Helps Cut Air Conditioning Bills
- Motorized & Manual Models
- Easy to Use, Totally Retractable
- Screen Rooms
- Many Exciting Accessories
- Many Designer Color Choices
- Unsurpassed Quality
- 5-Year Limited Warranty
- No Risk Home Trial
- A Must Have for Decks and Patios

Learn how to transform an ordinary deck or patio into a beautiful, shaded outdoor room — a cool, protected retreat where you and your family will love to spend time.

SunSetter, the #1 best-selling awnings in America for over a decade, invites you to call, email, or send today for our **FREE Awning Idea Kit and DVD**. Discover how to outsmart the weather and protect your family while you turn your deck or patio into your favorite 3-season outdoor room — a lovely focal point of your home and a center for outdoor enjoyment.

A SunSetter puts you in control of the weather on your deck or patio. Relax and entertain outside anytime you want without worrying about hot sun, harmful UV

rays or passing light showers. It can be up to 20° cooler under your awning! A SunSetter gives you far more cool shade and protection than a tippy patio umbrella — yet it's so affordable you'll wonder why you waited so long to get one. **Get your Free Idea Kit and DVD today.** 



Find out more with absolutely no obligation. Get your FREE Awning Idea Kit and DVD in any of 4 simple ways:

- 1. Call Toll Free: 1-800-876-8060, ext. 31539 You can call 24 hours a day, seven days a week.
- 2. Email to ideakit@sunsetter.com

  Be sure to include your full name and mailing address.
- 3. Go to www.sunsetter.com
- **4. By Mail:** SunSetter Products, Dept. 31539 184 Charles Street, Malden, MA 02148. Be sure to include your complete mailing address and email address.



# Handy HINTS

FROM OUR READERS handyhints@thefamilyhandyman.com





#### Vinegar gets the gunk

I like to keep my lawn equipment really clean. For items like my string trimmer, I simply scrub off all the muck with an old dish brush and white vinegar. It takes about 15 minutes for my string trimmer to go from drab to fab!

Richard Johnson



#### **Garden hose roundup**

I store my garden hoses coiled up inside a round garbage can all winter. My lawn sprinklers fit well in the center. Come spring, I'm ready to go.

Norman Schock





#### Millions Demand America's Purest Silver Dollar. Shouldn't You?

#### Secure Your New 2016 Eagle Silver Dollars Now!

illions of people collect the American Eagle Silver Dollar. In fact it's been the country's most popular Silver Dollar for thirty years. Try as they might, that makes it a very hard "secret" to keep quiet. And right now, many of those same people are lining up to secure the brand new 2016 U.S. Eagle Silver Dollars —placing their orders now to ensure that they get America's newest Silver Dollar, in stunning Brilliant Uncirculated condition, before millions of others beat you to it.

### America's Brand New Silver Dollar

This is a strictly limited release on the 30th anniversary of one of the most beautiful silver coins in the world. Today you have the opportunity to secure these massive, hefty one full Troy ounce U.S. Silver Dollars in Brilliant Uncirculated (BU) condition. The 100-year-old design features a walking Lady Liberty draped in a U.S. flag on one side and a majestic U.S. Eagle and shield on the other.

But the clock is ticking...

# The Most Affordable Precious Metal— GOVERNMENT GUARANTEED

Silver is by far the most affordable of all precious metals — and each full Troy ounce American Eagle Silver Dollar is government-guaranteed for its 99.9% purity, authenticity, and legal tender status.

### A Coin Flip You Can't Afford to Lose

Why are we releasing the most popular Silver Dollar in America for a remarkably affordable price? We're doing it to introduce you to what hundreds of thousands of smart collectors and satisfied customers have known since 1984—GovMint.com is the best source for coins worldwide.

#### **Timing is Everything**

Our advice? Keep this to yourself. The more people who know about this offer, the worse for you. Demand for Silver Eagles in recent years has shattered records. Experts predict that the 30th anniversary 2016 Silver Eagles may break them once again.

#### 30-Day Money-Back Guarantee

You must be 100% satisfied with your 2016 American Eagle Silver Dollars or return them within 30 days of receipt for a prompt refund (*less s/h*). Don't miss out on this exciting new release. Call immediately to secure these American Eagle Silver Dollars NOW!

2016 American Eagle Silver Dollar BU Shocking Low Price \$16.95 ea. (plus s/h) LIMIT 10.

Additional 2016 Silver Eagle BU Dollars may be purchased for \$17.95 each. Limited to 50 total coins per household.

#### FREE SHIPPING on 9 or More!

Limited time only. Product total over \$150 before taxes (if any). Standard domestic shipping only. Not valid on previous purchases.


For fastest service, call today toll-free 1-800-969-0686

Offer Code ESB262-06

GovMint.com • 14101 Southcross Dr. W. Dept. ESB262-06 • Burnsville, Minnesota 55337

Prices and availability subject to change without notice. Facts and figures deemed accurate as of Januaty 2016. NOTE: GovMint.com® is a private distributor of worldwide government coin and currency issues and privately issued and licensed collectibles, and is not affiliated with the United States government. GovMint.com is not an investment company and does not offer financial advice or sell items as an investment. The collectible coin market is speculative, and coin values may rise or fall over time. All rights reserved. © 2016 GovMint.com.





#### **DOUBLE-DUTY VISE**

I have a metalworking vise in my shop, but occasionally I need a woodworking vise. Rather than buy another vise, I put wooden pads on the shaft of my metalworking vise. They protect the delicate pieces of my woodworking projects.


Rich Knight



#### Wheelbarrow leaf trapper

Moving leaves in a wheelbarrow is no fun. A couple of good bounces and your leaves are all over the ground again. To combat this, I took a 4-ft. piece of wire mesh fence and bent it around the top and sides of my wheelbarrow. Now I can load the wheelbarrow full of leaves and have them stay put as I wheel them to the compost pile.

**Casey Hankins** 



#### Grease gun holder

A grease gun is handy to have in the garage, but storing it can be messy. There's always a bit of grease that wants to ooze from the tip of the hose. That's why I made this holder. I used 3-in. and 1-1/2-in. pieces of PVC drainpipe and a couple of fittings, including a cap to catch any drips. I also cut a slot in the holder to accommodate the pump's handle. The only tricky part was cutting the slot, which I did with my jigsaw.

Steve Goodrich

### SAVETIME & MONEY



## Tackle DIY Home Improvement with Confidence!

- 100+ Handy Repair Guides for common household problems.
- **140+ DIY Projects** complete with clear directions.
- 500+ Time- and Money-Saving Tips from the pros.
- **100s of Step-By-Step Photos—**that SHOW you how to finish the job.
- **Bonus Sections** on tools, painting, lawn care & more.
- 288 pages filled with full-color inspiration.







Order your book online at

familyhandyman.com/FA16
or call 1-800/344-2560 mention Suite FHFC1VHO1S

Fixes

Here are your options

#### by **Jeff Gorton**

editors@thefamilyhandyman.com

Wet spots in your yard are a nuisance and an eyesore. Grass will die if it's underwater for too long. You can't mow over wet areas, and everyone tracks mud into the house. If the soggy area is close to your house, it can cause your basement to leak, or worse. So what's the answer? In this article we'll review the options. If you see a solution that looks right for you, go to familyhandyman.com and do a search on the topic for more details.



#### TRY SIMPLE FIXES FIRST

Before you start digging a trench or taking some other drastic action to get rid of a wet spot, step back and survey the situation to see where the water is coming from. The problem could be as simple as a downspout or sump pump discharge that's draining into a low area of your yard. Redirecting your downspout or running the discharge pipe from your sump pump to a different location might be all you need to do.

#### DRAW A DRAINAGE PLAN

If you couldn't find a simple fix for your soggy yard dilemma, you'll need another strategy. Start by making a sketch of your property showing the house, driveway, patios, street and other features. Then use a line level, builder's level or some other leveling method to determine high and low spots. Draw arrows to show how water flows and make notes to indicate the relative height of high and low spots. Keep in mind that in most cases you shouldn't plan to direct water onto your neighbor's property. And if you're hoping to discharge water into the street or municipal storm sewer, contact the city first to see what regulations apply.

A sketch will help you decide which of the following strategies is best for your situation. For example, if you simply have no way to drain water from a low spot to another location, your best option may be to build a rain garden or dry well.

#### CONSTRUCT A CREEK BED

You can solve drainage problems and create an attractive landscape feature at the same time with a dry creek bed. Build a creek bed to direct water away from a low spot in your yard. Or if the slope of the ground permits it, use a creek bed to drain a low spot.

Start by making a swale—essentially a gentle, shallow drainage ditch. Then line it with gravel or stones and add interest with boulders, a bridge or plantings.

Of course, you don't have to turn your drainage project into a creek bed. A simple swale is an effective and subtle way to control surface water. Obviously it's easier to create a swale before you seed or sod your yard, but if necessary, you can cut out the grass with a sod cutter and replace it when you're done regrading.



## **SAVE When You Grow A Zoysia Lawn From Plugs!**



To A **Fabulous** Lawn





#### **GRASS SEED WILL <u>NEVER</u> GROW A LAWN LIKE THIS!**

#### Save Water! Save Time! Save Work! Save Money!

#### **Grass Seed Is** For The Birds!

Stop wasting money, time and work sowing new grass seed each spring, only to see birds eat the seed or rain wash it away before it can root. Plant a genuine Amazoy™Zoysia lawn from our living Plugs



only once... and never plant a new lawn again!

#### **Zoysia Grows Where** Other Grass Doesn't!

Zoysia is the perfect choice for hard-to-cover spots, areas that are play-worn or have partial shade, and for stopping erosion on slopes. North, South, East, West – Zoysia grows in any soil, no ifs, ands or buts!

#### Each Zoysia Plug You Plant In Your Soil Is GUARANTEED TO GROW nin 45 Days Or We'll Replace it FREE

To ensure best results, we ship you living genuine Amazoy Zoysia Grass, harvested direct from our farms. Super Plugs come precut, ready to plant. Freestyle Plugs are not cut. Before planting, cut sheets into minimum 1" square plugs or any size you want with shears or knife. Then follow the included easy instructions to plant plugs into small plug holes, up to a foot apart. Our guarantee and planting methods are your assurance of lawn success backed by more than 6 decades of specialized lawn experience!

©2016 Zoysia Farm Nurseries, 3617 Old Taneytown Rd, Taneytown, MD 21787

#### **Eliminates Endless** Weeds And Weeding!

No more pulling out weeds by hand or weeds sprouting up all over your lawn. Zoysia Plugs spread into a dense, plush, deep-rooted, established lawn that drives out unwanted growth and stops crabgrass and summer weeds from germinating.

#### **Environmentally Friendly,** No Chemicals Needed!

No weeding means no chemicals. You'll never have to spray poisonous pesticides and weed killers again! Zoysia lawns are safer for the environment, as well as for family and pets!

#### **Cuts Watering & Mowing** By As Much As 2/3!

Many established Zoysia lawns only need to be mowed once or twice a season. Watering is rarely, if ever, needed even in summer!



Meyer Zoysia Grass was perfected by the U.S. Gov't, released in cooperation with the U.S. Golf Association as a superior grass.

#### **Stays Green In Summer** Through Heat & Drought!

When ordinary lawns brown up in summer heat and drought, your Zoysia lawn stays green and beautiful. The hotter it gets, the better it grows. Zoysia thrives in blistering heat (120°), yet it won't winter-kill to 30° below zero. It only goes off its green color after killing frosts, but color returns with consistent spring warmth. Zoysia is the perfect choice for water restrictions and drought areas!

#### Plant Your Way With Our **New Freestyle Plugs!**

Freestyle Plugs come in sheets that contain a maximum of **150**-1" square plugs. Freestyle Plugs allow you to make each plug bigger if you want you decide. Bigger plugs mean less cutting, less time planting.

#### **New Amazoy Super Plugs Now Available Online!**

New Super Plugs are precut into individual 3" x 3" plugs, ready to plant. They are now available and arrive in easy-to-handle trays of 15 Super Plugs. Save time and get your new lawn even faster! Order only online at www.zoysiafarms.com/mag or call 410-756-2311.

www.ZoysiaFarms.com/mag

Order Your ZOYSIA Plugs Now — Harvested Daily From Our Farms And Shipped To You Direct!

#### 'O 900 FREESTYL

FREESTYLE PLUGS. You decide how big to cut the plugs! Please send me guaranteed Amazoy Freestyle Plugs (up to 150 per sheet) as marked.

Quantity	Max Plugs*	Free Plugs	Grass Sheets*	Your PRICE	+ Shipping	SAVINGS	
	150	_	1	\$14.95	\$7.00	_	
	500	100	4	\$45.60	\$12.00	34%	
	750	150	6	\$63.50	\$16.00	40%	
	1100	400	10	\$87.50	\$22.00	50%	
	1500	900	16	\$125.00	\$25.00	57%	
□ 30" Step-on Plugger \$6.95 + \$3 shipping			☐ 4" Amaz	☐ 4" Amazoy Power Auger for 3/8" drill \$14.95 + \$5 shipping			

□ 30" Stand-up Amazoy Power Auger for 3/8" drill \$19.95 + \$5 shipping

Patent Office for our Meyer Zoysia grass.

Each grass sheet can produce up to 150-1" square plugs. See other options online at www.zoysiafarms.com/mag Amazoy is the trademark registered U.S.

Mail to: ZOYSIA FARM NURSERIES 3617 Old Taneytown Road, Taneytown, MD 21787

Dept. 5675

Write price of order here	\$	Payment method			
Md. residents add 6% tax	S	(check one) ☐ Check ☐ MO			
Shipping	\$	☐ MasterCard			
ENCLOSED TOTAL	S	□ Visa			
Card #		Exp. Date			
Name					
Address					
	State				
Zip	Phone				

We ship all orders the same day plugs are packed at earliest correct planting time in your area.

Order Now! www.ZoysiaFarms.com/mag Not shipped outside the USA or into WA or OR



#### **BUILD A RAIN GARDEN**

If you have a low spot in your yard that tends to collect and retain water, consider building a rain garden. A rain garden is simply an area of your yard that's designed to catch water and is filled with waterloving plants. It doesn't really solve a soggy yard problem, but a rain garden looks a lot better than a muddy hole. Plus, rain gardens are good for the environment. They reduce runoff and the lawn chemicals, pet waste and sediment that go along with it.

> A rain garden doesn't have to hold water like a pond. You can add drainage and use the rain garden to hold the excess water until it has a chance to drain away. A key part of rain garden design is choosing the right plants for the soil conditions. Typically native plants with deep fibrous roots work well. Go to familyhandyman. com and search for "rain garden" to learn more about how to build one in your yard.

#### ADD A DRAINPIPE

One of the best ways to get rid of water from a low spot is to simply drain it away through an underground pipe. For this to work, you need an area to discharge the water that's lower than the inlet. The drainpipe should slope

downhill at least 1/8 in. per foot. If you had a discharge outlet 100 ft. from the inlet, it would have to be about 1 ft. lower.

To create the drain, you'll have to dig a gradually sloping trench

from the source to the outlet. Then bury a plastic catch basin at the source and connect it to the discharge with PVC drainpipe. This system has a few advantages over a French drain (see p. 46). Since the pipe is solid, and not perforated, there's no need to provide gravel for drainage along the length of the drainpipe. Also, smooth-wall pipe drains water quickly, and if it gets clogged, you can use a drain snake to clean it out.



#### **DRAINPIPE DISCHARGE**

The discharge end of your drainpipe can be connected to a pop-up emitter that sits flush to the lawn when no water is flowing.

#### **DRAINPIPE** INLET

Position the inlet catch basin at the low spot of your soggy area. The grate will sit flush to the lawn for easy mowing.





**SELF-FEEDING** models available. No more force-feeding!

CHIP BIG BRANCHES up to 5.75" thick!

**COMMERCIAL STYLE** high-discharging models direct wood chips right where you want them.

MODELS that SHRED yard and garden waste as well as CHIP branches.



DRchipper.com



#### Turn Your Rough Driveway into a Smooth Ride!

DR® POWER GRADER

TOWS BEHIND your ATV or Riding Mower to remove ruts, potholes, and washboard.

#### GRADING DEPTH ADJUSTS

**EASILY** from your towing vehicle. Models with wireless remote control available.

**SAVES YOU MONEY** by loosening and redistributing existing driveway material.

NOW Starting at just \$799<sup>99</sup>!



ALSO GREAT FOR HORSE RINGS,

DRpowergrader.com

LOWEST PRICE EVER on DR® Leaf and Lawn Vacuums!

#### Perfect for SPRING CLEAN-UP!

The **NEW DR® Leaf Vacuum** is designed from the top down to make yard clean up easier, faster, and more thorough than ever before. And for a limited time we are offering them at incredible low introductory prices!

V

Rated #1 in Vacuum Power



1.299°

Stores Flat in Minutes

Converts to a Utility Trailer





DRrototiller.com



POWER STEERING!

Mow fields, brush, even 3" thick saplings with never-before ease...



NEW WIDE CUT MODELS (up to 34" cut) for faster mowing!

4-SEASON FUNCTIONALITY with quick-change PTO Attachments!

\$1,399°°
PLUS
FREE
SHIPPING!

20 HP, PRO MAX-34

Now Starting at

DRfieldbrush.com

FREE

6 MONTH TRIAL

EASY

SOME LIMITATIONS APPLY. CALL OR GO ONLINE FOR DETAILS

Call for a FREE DVD and Catalog!

Includes product specifications and factory-direct offers.


TOLL 800-456-2068



#### INSTALL A FRENCH DRAIN

A French drain is a versatile system for dealing with all kinds of drainage problems. It disperses water over a large area through a buried perforated pipe. The pipe must be surrounded by material that allows water to drain through. Conventionally this was gravel, but NDS sells a system called EZflow that includes the pipe and surrounding polystyrene aggregate in one convenient and lightweight package. A French drain system can be used alone or combined with a dry well.

A properly designed French drain system does not require an outlet. The water will simply soak into the soil as it flows along the perforated pipe. In fact, a French drain doesn't require an inlet on just one end either. You can construct the drain to accept water along its length, and disperse it underground.



#### INSTALL THE PIPE IN A TRENCH


Connect the lengths of tubing and place them over a bed of gravel. Then add gravel on the sides and over the top before covering the pipe. Perforated drainage pipe is also available with the sock in place.



46 APRIL 2016 familyhandyman.com



V Fast Shipping



√Parts for Your Car



V Huge Selection



XWaiting in Line



✓ Easy to Use Website










√ Happy Customers

ALL THE PARTS YOUR CAR WILL EVER NEED







#### CREATE A DRY WELL

A dry well is simply a large hole filled with gravel or some other aggregate that catches excess water and holds it while it soaks into the ground. You can increase the capacity of a dry well by burying special dry well barrels. These plastic containers collect water and hold it while it drains out through holes in the sides and bottom. The containers must be surrounded by gravel or another porous material to allow drainage. You can stack these plastic dry wells or place them side by side. In general, a dry well should be large enough to collect the first 10 or 15 minutes of a large rainstorm. Websites like ndspro.com provide guidance and calculators to help you determine the size of your dry well. You can also consult with a landscape contractor or soil engineer. You can increase the capacity of a dry well by connecting it to a French drain system. Search for "dry well" at familyhandyman.com.



DRY WELL

#### **DRY WELL**

Commercially available dry wells like this are easy to assemble and provide a holding tank for excess runoff water while it drains out the sides and bottom.

familyhandyman.com APRIL 2016 47



#### GOOF PROOF SHOW Installation System



#### StringA-Level<sup>™</sup>

#### Simultaneously Attach and Level a Continuous Stringer

#### **GOOF PROOF SHOWER WALLS**

**Simultaneously** attach and level a continuous stringer on which to stack heavy or large format tile vertically.







#### **Corner Shower Seat**

#### Fastest GOOF PROOF installation


#### **GOOF PROOF SHOWER SEAT**

- Easily Adjustable width 24" or 30'
- Six pre-drilled Mounting holes
- Level vials ensure correct pitch
- Waffle pattern assures optimal tile adhesion
- Full width tile support ledge

**Designed for New and Retro fit/Existing Installations** 








Measure

Mark E Industries, Inc. Toll Free: 1-866-771-9470 • www.goofproofshowers.com • info@markeindustries.com



#### SIGN: BULGE IN WASHING MACHINE HOSE



#### What it means: The hose is ready to burst

A bulging washing machine hose is an emergency. It may burst next year, next week or right now. But it will fail and it won't just leak—it will gush. In just a few minutes, it can do thousands of dollars in damage.

#### What to do: Replace rubber hoses with braided stainless steel

Immediately turn off the valves connected to the hoses. Before your next load of laundry, you'll need to replace the hoses. New hoses will cost you just \$20.

While you're at the home center picking up your new hoses, invest another \$10 in a pressure gauge that hooks onto a spigot or laundry room faucet. Your rubber hoses may have bulged because your water pressure was too high. It shouldn't be more than 80 psi. If it is, install a pressure-reducing valve (PRV)

before you damage other appliances and fixtures in your house. If you already have a PRV, it may be set too high or due for replacement.




#### SIGN: STAINS AROUND A BATH FAN



#### What it means: Condensation is forming inside the duct

The stain could be caused by a roof leak, but condensation inside the duct is the most likely cause. If you live in a cold climate, there's a good chance that the warm, moist air from the bathroom is condensing inside the duct and the water is seeping back down into the fan housing. It's soaking the drywall around the fan and may be ruining your fan motor or even the framing components in your attic.




#### What to do: Investigate, insulate and run the fan longer

Start by checking the damper inside the fan housing and the one on the vent outside. Vents are usually on walls or roofs, but sometimes they're in the soffits. A stuck damper can lead to heavy condensation.

A bath fan duct that's not insulated (or poorly insulated) gets really cold in the attic. A cold duct filled with warm moist air is a recipe for condensation. On exceptionally cold days, that condensed water freezes and then drips back down when the temperature rises.

Even insulated ducts get cold enough for condensation to form when the fan first starts up. If a fan is run long enough, the duct will warm up and dry out. Consider replacing the wall switch with a timer switch, which will run the fan for a set period of time.



#### **INSULATE THE DUCT**

You could wrap the existing duct in insulation, but it's usually easier to replace it with a duct prewrapped in an insulated jacket. To see how, search for "bath fan" at familyhandyman.com.

DUBLITY TOOLS LOWEST PRICES AVAINDED **QUALITY TOOLS AT RIDICULOUSLY LOW PRICES ARBOR FREIGHT** 

**Seli GREAT QUALITY Tools How Does Harbor Freight** 

at the LOWEST Prices?

We have invested millions

**GUN (572°/1112** 

Customer Rating ★★★★

VERTICAL AIR COMPRESSOR 2.5 HP, 21 GALLON, 125 PSI

CENTRALPNEUMATIC **Customer Rating** × × ×

state-of-the-art quality test

of dollars in our own

our factories, so our tools will go toe-to-toe with the

abs and millions more in

## ANY SINGLE ITEM **SUPER COUPON**

of the following items or beards: Irsale Track Club membership extended service plan git card, poten box item 3 day parking to sale tem, compressons, floor jacks, saw mills, storage cabines or cards. Tradies, members, welders, Anfinial, Coorer Dayron Labido, Frankin, Hercues, Medica Anfinial, Coorer Dayron, Somrida, Union, Anagard, Vilvini, Mor Valid on prop purchases, Nontransferable, Original coupon must be presented. Valid through 7/81°F in transferable, Original coupon must be presented. Valid through 7/81°F. Save 20% on any 1 item Limit 1 coupon per customer per day, purchased. "Cannot be used with other of the following items or brands: Insid extended service plan, gift card, open b

mp at \$499

raction of the price because

we cut out the middle man and pass the savings on to

/ou. It's just that simple!

Come visit one of our

And we can sell them for a

op professional brands.

600+ Stores Nationwide.

RAPID PUMP® 3 TON HEAVY DUTY STEEL

Customer Rating ★★★★ PITTSBURGH 68049/62326

Weighs 73 lbs

21256322

• 500 lb.

WORKLIGHT/FLASHLIGHT

4 PIECE 1" x 15 FT. RATCHETING TIE DOWNS aul Master UNIVERSAL TOOL STAND

2" SLIDING COMPOUND. 

61840/61297/68146 [BADLAND] EMOTE CONTROL

2500 LB. ELECTRIC WINCH Customer Rating

Customer Rating **Customer Rating** 



21317199 \$349.99 26", 4 DRAWER **US**\*GENERAL

580 lb.

**MOVING BLANKET** 

HaulMaster

comp at \$17.97 21251083 5 Customer Rating





SAVE 63%

6" DIGITAL CALIPER

**Customer Rating** \*\*\*



2.5 HP THICKNESS PLANER

21350150

**Customer Rating** \* CENTRAL

SAVE 363

omp at \$302.99

21348029

METRIC







60 LED SOLAR SECURITY includes 6V, 900 mAh NiCd Bunker Hill Security

LOT 62534/69643 sho

**Customer Rating** \*\*\*

comp at \$49.95

21336975



 HarborFreight.com 800-423-2567 600+ Stores Nationwide


Lifetime Warranty on All Hand Tools

Over 30 Million Satisfied Customers

100% Satisfaction Guaranteed

No Hassle Return Policy

#### **EFFLORESCENCE ON CHIMNEY BRICK**





#### What it means:

#### Too much moisture inside the chimney

Efflorescence is the white material that appears on brick. It occurs when moisture moves through masonry. That moisture picks up minerals and leaves them behind in the form of tiny crystals. The minerals themselves do no harm, and a small amount of efflorescence is common. But heavy efflorescence on your chimney is a cause for concern. It's a sign of moisture inside the chimney—and when that moisture freezes, it can slowly wreck the chimney from the inside out.

Even more alarming, your flue liner could be cracked or broken, and deadly combustion gases from your furnace, fireplace or water heater may be leaking into your home.

#### What to do:

#### Fix the crown or call an expert

Immediately have your chimney inspected by a licensed chimney sweep certified by the Chimney Safety Institute of America (CSIA). Search for "chimney" at familyhandyman. com for instructions on how to repair a crown and additional chimney maintenance tips.



CRACKS IN THE CROWN ALLOW WATER IN Water that gets inside the chimney through cracks in the crown can cause efflorescence and damage the bricks.





#### **SEAL THE CROWN**

Small cracks in the crown can be sealed with an elastomeric masonry sealer, but a crumbling crown will have to be replaced. Smear on the sealant by hand, then smooth it with a brush.

#### SIGN: MELTED GROMMETS ON WATER HEATER





# TEST FOR PROPER DRAFTING Close all the windows and doors and turn on all the bath and kitchen fans. That creates a worst-case scenario for backdrafting. Run some hot water and Light an incense stick and see if the smoke is drawn up the vent. INCENSE STICK

#### What it means: Deadly gases may be entering your home

Exhaust from a gas water heater is supposed to flow through a duct and out of the house. But sometimes, exhaust doesn't flow up and out. Instead, it "backdrafts," spilling deadly carbon monoxide into the air you breathe. One sign of backdrafting is damaged plastic grommets on top of the water heater, melted by the hot exhaust. This shows that your water heater has backdrafted badly on at least one occasion—and you must take action.

#### What to do: Get carbon monoxide alarms

Sometimes, the cause of backdrafting is obvious: A vent pipe may be disconnected from a vent hood, for example, or a vent may slope downward. But even a properly installed vent might occasionally backdraft because of high winds or other unusual circumstances. So the surest way to protect your family is to install carbon monoxide alarms. If you don't have CO alarms in your house, go get them today.

Install one on every level, outside sleeping areas, and within 5 ft. to 20 ft. of any sources of CO, such as water heaters, furnaces and fireplaces. If an alarm ever goes off, get out of the house immediately and call the HVAC repair service to correct the problem. The symptoms of CO poisoning are dizziness, headaches and vomiting. If anyone in the house is experiencing these symptoms, leave the house and call the fire department.







#### What it means:

#### Rot could be wrecking your house

Decks that are built right up to the bottom of a door often mean trouble. Rainwater splashes off the deck up onto the door. That much water is hard to keep out. Even if the flashing holds up, water may eventually find its way through the door components. This can ruin the siding, door and interior flooring, or worse, destroy the rim joist and other framing components both inside and outside your home.



#### **EXTERIOR DAMAGE**

It's hard to properly flash a door when the deck boards are snug against it. Water can find its way behind the flashing and destroy the ledger and siding below it.



#### INTERIOR DAMAGE

Splashing rainwater can work its way through the door and leak into the house, damaging the rim joist below.

Winner -



#### **INSTALLING GUTTERS WILL HELP**

If there's an overhang above the door, install gutters to divert the water that pours off the roof. To learn how, search "install gutters" at familyhandyman.com.

#### What to do:


#### Divert the water away

Diverting the water with gutters will help. However, the bottom line is that as long as the deck boards are up tight under the door, there's a chance of water infiltration. If you plan to build a deck, install it about 4 in. below the door threshold. And never let snow pile up against the door.

familyhandyman.com APRIL 2016 55



#### SIGN: THE WATER METER NEVER STOPS



#### What to do: Look for the leak

Indoor leaks usually create obvious signs. Look for water stains on walls or ceilings or a puddle on the floor. Also listen to toilets—a worn-out flapper on the flush valve creates a hiss and is a common cause of slow, constant water flow.

Outdoor leaks usually seep into the ground and can go on for years without being noticed. If your water meter is outside the house (warm climates only), the first step is to check the water line between the house and the meter. Shut off the main water valve at the house and check the meter. If it's still registering water flow, you know there's a leak between the meter and the house. Fixing this problem will likely require some excavation.

A leaking water spigot may go unnoticed if a hose is attached that runs out into the yard or garden. If you find one that keeps dribbling water, a new valve seat washer is probably the solution. If the spigot leaks at the top near the handle, replace the packing nut washer. To see how, search for "faucet repair" at familyhandyman.com.

Irrigation systems are another cause of hidden leaks. Check for irrigation leaks by shutting off the valve in the house that feeds the irrigation system. If the meter stops spinning, you've found the problem. Narrow the search even more by looking for wet spots in the yard or areas of grass that are especially green. A malfunctioning zone valve is usually the cause.





**CHECK YOUR SPRINKLER SYSTEM**A malfunctioning irrigation valve will allow water to continue to dribble out into the yard.

Affordable Hearing Aid Technology Only \$299!

Learn about our great digital technology at an affordable price.

#### A) Microphone

- B) Volume Control Wheel
- C) Program Button
- D) Long Lasting Battery
- E) Digital Signal Processor F) Receiver (Speaker)
- G) Sound Tube

**More Technical Information At:** www.AdvancedHearing.com/FH64

#### The Revolutionary HCX!

- Digital sound processing chip provides crystal clear sound and makes speech easier to understand without feedback
- Multiple memory programs adapt to most listening situations
- Nearly invisible thin tube design
- Long lasting size 13 batteries and a low battery warning
- 10 bands of layered noise reduction helps to emphasize voices while balancing out background noise
- 100% Money Back Guarantee

#### Digital Hearing Aid Technology... For Only \$299!

All hearing aids work the same way. The microphone picks up the sound and sends an electrical signal to the digital signal processor. The digital signal processor is the "brains" of the hearing aid. It takes the sound it receives and adjusts the sound to amplify important speech sounds as well as filtering out unwanted noise. (To ensure the best in quality, our digital processor is designed and manufactured right here in the United The States.) Once the processor has amplified the sound, НСХ™

it is passed to the **receiver** (also known as the speaker) which emits a corrected and amplified sound through the **sound tube** into your ear.

Most importantly, your new HCX hearing aids work at a fraction of the cost of name-brand hearing aids. In addition to the technical components of the hearing aid, you also have a **volume control** that can be modified with a light touch of the finger. Your new hearing aids come with 3 different audio programs that help you listen in different sound environments. You will love the Open-fit design, that is so light you probably won't even feel that you are wearing your hearing aids – you'll just be hearing clearly!

You can spend thousands for a high-end hearing aid or you can spend just \$299 for a hearing aid that just plain works (only \$279 each when you buy a pair). We are so sure you will love our product, that we offer a 100% Money Back Guarantee - Risk Free if you are not satisfied for any reason. It's time to get great digital technology at an affordable price!

#### 5 Star Reviews! \* \* \* \*



Wonderful Company! "I will definitely recommend your company to my patients." - Dr. Arun P.

**They Are Fantastic!** "I just received my HCX hearing aids and they are fantastic. Advanced Affordable is far superior and far more affordable!" - Chuck D.

#### **Studies Show That Hearing Aids** May Help Prevent Dementia.


A study by Dr. Frank Lin at John Hopkins University, found that adults with hearing loss are significantly more likely to develop dementia and at a faster rate. Fortunately, using hearing aids is an effective way to treat hearing loss and may help you maintain healthy mental activity.

**Read More Information At:** www.AdvancedHearing.com/Dementia

#### BUY A PAIR AND SAVE \$40! 1-877-687-8531

Free 1 Year Supply Of Batteries! —

\*Use Coupon Code When You Order: FH64 (Coupon Code & Price Valid For A Limited Time Only!)















DIRECTION MARCIA ROEPKE • PHOTOGRAPHY

BY TRAVIS LARSON editors@thefamilyhandyman.com

#### Put on your thinking cap and take this month's quiz to see just how smart you are when it comes to DIY. Here's how it works:

- There are easy, intermediate and really tough questions all mixed together.
- There may be more than one correct answer!
- The answers are on pp. 90-91.Get your DIY rating on p. 90. Good luck!

#### 1. What is this task called?

- A. Bull floating
- B. Flattening
- C. Troweling
- D. Screeding
- 2. True or False? Used motor oil works well as a substitute for bar chain oil in your chain saw.

#### 3. What is this part of a window called?

- A. Frame
- B. Muntin
- C. Parting stop





#### 4. Why do some window manufacturers fill the space between two or three layers of insulated glass with argon?

- A. Argon is molecularly bigger than the molecules composing air, making it less prone to leakage.
- B. Argon is much cheaper than nitrogen.
- C. Argon is denser than ordinary air, making it less thermally conductive.
- D. All of the above.

5. True or False? The term "attic bypass" refers to the ventilation air that enters through the eaves and exhausts through various attic vents. It prevents ice dams and reduces cooling costs in the summer and heating costs in the winter.



#### 6. Where are carbon monoxide alarms most needed?

- A. The garage
- **B.** Near the bedrooms
- C. Near gas-burning appliances like clothes dryers, furnaces and water heaters
- D. All of the above



7. True or False? A pattern bit is for making patterns to create many identical, elaborate parts.

#### 8. Why should you always store gasoline with a tightfitting cap?

A. The most volatile molecules evaporate quickly.

**B.** Moisture will find its way into the fuel.

C. If you've treated the fuel with stabilizer, it doesn't matter if the cap fits tight.

**D.** None of the above.

#### 9. On gas stoves with electronic ignitions, what is the most common reason a burner won't light?

A. The gas line feeding the burner is plugged.

**B.** The orifices on the burner are plugged.

C. The igniter needs replacing.

**D.** The igniter is dirty.

10. True or False? You should always call all your underground utilities before doing any digging in your yard. (You'll find the phone numbers you need on your utility bills or online.)

11. True or False? The best way to deal with grass clippings is to leave them on the lawn.



#### 12. What's wrong with this picture?

A. Table saws aren't designed for crosscutting, just ripping. B. His hands should be reversed on the wood and miter gauge.

C. The wood can get wedged between the blade and the fence after the cut is complete, making it hard to remove without shutting off the saw.

D. You shouldn't use the fence when crosscutting. Dangerous kickbacks can occur.



#### 14. The material being poured is called "SLC," which stands for:

A. Self-leveling cement **B.** Structural leveling

compound C. Self-leveling compound

D. Structural laticate cement



#### 13. Why in the world would you cut a hole in the drywall when you install a countertop?

A. To prepare for fishing wires for new backsplash outlets later.

B. It's an inspection hole to make sure there are no concealed wires.

**C.** The countertop is simply too long and it's a trick to make it fit. The tip of the countertop stays inside the wall.

D. The counter is being installed between two walls. This is a way to get it into place so you can scribe the end for fitting against the wall.



Find the DIY Quiz answers on pp. 90-91.

#### **HOME CARE** + repair

BY RICK MUSCOPLAT editors@thefamilyhandyman.com

## Stop patio door drafts!

Patio door weather-strip seals slowly degrade and wear, letting in small drafts that are barely noticeable. If you spent the winter kicking up the thermostat (or grabbing a blanket) just to be comfortable near the door, you've already wasted enough money on heat to buy several sets of weather-strip seals. If you open your patio door frequently or the door is exposed to sunlight, it pays to replace the weather stripping every 10 years. Spring is the perfect time to do this.

We bought all the seals for this early '90s Marvin sliding patio door for about \$65 including shipping. Replacing the seals is a one-person job, but enlist a friend to help lift the heavy door in and out of the track. You just need a screwdriver, a hammer, hooks and picks, and a putty knife. The entire job takes just a few hours. Here's the process.

#### Find the make and model

Some patio door manufacturers engrave their logo on the door pull lock hardware, but others hide the branding and model information. If you can't find a manufacturer logo or model label, look along the door edges or jamb for a gold sticker from the American Architectural Manufacturers Association (AAMA). If you find the label, shoot a digital







**UNSCREW AND REMOVE THE HEADER** Open the patio door so the sliding door is in front of the stationary section. Start removing the header screws from that end. As you reach the open part of the door, have a friend brace the movable door so it doesn't tip out. Then remove the entire header strip. (If the door trim overlaps the header strip, you'll have to remove it.)



**TILT AND LIFT** Tilt the top of the sliding door out far enough to clear the frame. Then lift the door up and off the bottom track (get help—it's heavy). Set the door on a drop cloth and lean the door against a wall.



**IDENTIFY AND LOCATE THE SEALS** The outer jamb seal is hard plastic with locking tabs and rubber sealing wings. The inner and track seals are made from a softer flexible material and are held in place with retainers.



**REMOVE THE JAMB SEALS** Grab the outer jamb seal at the top and pull it off. Then pull the leaf seal out of the inner part of the jamb.

photo and go to aamanet.org and click on "certified products directory" to decipher the codes and get the brand and model information.

If you can't locate the label, copy the numbers on the metal strip between the panes of glass. Then go to igcc. org to decipher the codes. If neither approach works, or the manufacturer no longer sells replacement weatherstrip seals, you'll have to use off-the-shelf weather stripping and come up with a custom fix (see "If You Can't Find Factory Parts," p. 62).

Next, measure the stationary and movable sections. Take a digital photo of the entire door, track and jamb. Then contact the manufacturer's customer service/parts department to order replacement parts.

#### Remove the door

Most sliding patio doors tilt into the room from the top and then lift off the bottom track. The door is usually held in place with a removable header strip, which has to come off first. Brace the door or have a helper hold the door




Starting at one side, slide a hook or pick behind the header seal and pry it away from the wood. Then slide the pick along the header as you pull off the entire header seal.



**CUT THE NEW SEALS**Using the old seals as templates, mark and cut the new seals to the proper length. Cut with a scissors, utility knife or hacksaw.



INSTALL THE NEW SEALS
Spread the locking tabs and snap the outer and header jamb seals into place. Push the inner leaf seal into the groove. Then slide the bottom seal into the track.



Slide the new pile seal into the groove on the mating side of the sliding door. Then attach new self-adhesive pile strips at the top and bottom of the stationary door.

upright while you remove the header retaining screws (**Photo 1**). Lean the door against a wall in a safe place after you lift it out of the track (**Photo 2**). The bottom rollers are usually dirty and the door latch can be greasy, so spread a drop cloth over carpeting to prevent stains.

#### Remove and replace the jamb, header, track and pile seals

Although weather-strip styles vary among manufacturers, this Marvin patio door is pretty common. The jamb has two seals: a hard plastic outer seal with locking tabs that snap into grooves on the jamb and a flexible "leaf" seal that's wedged into a groove on the inside part of the jamb (**Photo 3**).

Remove both jamb seals (**Photo 4**). Then remove the header seal (**Photo 5**). Next, cut the new seals to length and install them (**Photos 6 and 7**). Then replace the pile

#### If you can't find factory parts

If you can't locate manufacturer weather-strip seals in stores, try these sources:

- amweatherguard.com
- biltbestwindowparts.com
- strybuc.com
- swisco.com

If you've checked all online sources and still can't find an exact match, you'll have to improvise with off-the-shelf materials. V-seal can be used in place of factory jamb, header and track leaf seals. Just fold along the score line to form a "V." Remove the backing and stick it in place. Place EPDM foam rubber on the jamb and adjust the latch to accommodate the thickness. Use entry door seal strips to replace factory pile strips in mating areas.

seal on the stationary and sliding doors (Photo 8).

Clean and lubricate the bottom rollers using an allpurpose oil (Photo 9) and thoroughly clean the plastic or metal track that the rollers ride on. Then reinstall the sliding door and retaining header piece. Store your blanket in the linen closet—you won't need it anymore.



**LUBRICATE THE ROLLERS** Clean the bottom rollers with a grease-cutting household cleaner. Then apply a few drops of oil to the roller axles. Wipe off the excess before installing the door.

#### TIP FOR REPLACING A SHUTOFF VALVE

When you replace a compression-style shutoff valve, it's always best to use a new compression sleeve. We showed you how to saw off the old sleeve in our Oct. '15 issue. But sawing through the sleeve without cutting into the copper tubing can be tricky, and sometimes you just don't have enough room to use a saw. That's where a compression sleeve puller earns its keep (one choice is the Pasco No. 4661; \$25 at toolup. com). Crank out the screw and slide the jaw behind the compression nut. Then turn the screw until the pilot fits into the copper tubing. Continue turning until the sleeve slides off. That's it. Just slide on the new compression nut, sleeve and valve and then tighten.



## It's Here: Smarter Home Security

24/7 Protection. Exceptional Savings. No Annual Contracts.

For 100 years alarm salesmen have successfully tricked millions of homeowners out of thousands of dollars. How do they do it? By locking you into long-term contracts charging you \$30, \$40, even \$50 each month.

Protect your home and your wallet with SimpliSafe Home Security. Our alarm monitoring costs just \$14.99/ month, and we'll never lock you in a contract. Each year you protect your family with SimpliSafe, you'll save up to \$420...that's why the nation's leading financial expert, Dave Ramsey, recommends us to all his listeners. We are so sure you'll be happy that we offer you a 60-Day Full Refund Guarantee and FREE SHIPPING! Get more security, more freedom, and more savings.



"Protecting your family is important, but don't ever sign a contract. Do it the right way with SimpliSafe."

-Dave Ramsey, financial expert





Get your 10% off at SimpliSafe.com/handy

#### Home TECH

BY JASON WHITE editors@thefamilyhandyman.com

## Mobile apps for DIY

Need some help with your next home improvement project? Well, thanks to smartphones and tablets, there's an app for that! Some apps are obviously geared toward DIYers and professional contractors. Others, not so much—but you might still find them useful around the house. Apps are available for either iOS (iPhone/ iPad) or Android devices—or both in some cases. Here are some apps we love, and we think you'll love them too.

#### A level that fits in your pocket

Need a level right now? Download the free iHandy Level. It's great for helping you level small stuff like framed prints on walls. Just be sure to calibrate it for your smartphone before using it, which is done by setting it on a perfectly level surface and pushing a button.

Cost: Free

Compatibility: iOS and

Android



#### More sawdust, less math

Like woodworking but hate trying to add fractions? Fraction Calculator Plus takes a lot of the head scratching out of your projects. All you do is punch the fractions you want to add into the calculator and "poof"... out comes the right answer.

Cost: Free ad-supported and paid versions (99¢ for iOS; \$2.99 for Android)

Compatibility: iOS and Android



#### **DIY** tips wherever vou are

We might be a bit biased in our love for the **DIY Tip Genius** app, but that's because we made it! This app features clever ideas and project secrets from our experts here at The Family Handyman. It's sure to save you time, money and hassles. Download your free copy—it could mean the difference between a poorly done project and one you're proud of! OK, we're done bragging now.

Compatibility: iOS and Android



#### Plan, design and furnish your home

Thinking about new furniture, rearranging the living room or adding on? Floor Plan Creator, an Android tablet app, can help you with the design and layout. Start with the raw space and drag walls, windows, doors and furniture icons from the stock library. Then enter the size of each object to get a scaled view of the space. A stylus makes the app easier to use, but it works just fine without one.

Cost: Free

Compatibility: Android only



#### **Buying materials** made easy

The Home Depot Pro app is designed for professional contractors, but it's great for advanced DIYers too. You can check a store's inventory from the job site and order your materials from the app, and the store will have everything bundled and waiting for you to pick up. Our lead carpenter loves it. There's also a version for non-pros. Similar apps are available for other home centers like Lowe's and Menard's.

Cost: Free

Compatibility: iOS and Android



#### An engineer when you need one

The creators of Home Improvement Calcs claim it can do more than 170 types of calculations and unit conversions. It'll help you figure out things like how much concrete you need to fill a posthole or calculate the proper length and pitch for roof rafters.

Cost: \$1.99

Compatibility: iOS only



#### Check the weather

You might not think of a weather app as a DIY tool, but just wait till the next time clouds are moving in and you still need to get a second coat of paint on the house. The Dark Sky app gives you hyper-local weather, radar and storm alerts. It's remarkably accurate and just the thing when you need to know exactly when the rain will start and stop in your precise location.

Cost: \$3.99

Compatibility: iOS only

#### Top Ten TIPS

BY JEFF GORTON

editors@thefamilyhandyman.com

EMERGYGUIDE

## Replacing a refrigerator

With all the different styles, colors and features available, shopping for a new refrigerator can be fun. But the excitement can turn into a real headache if you get your new refrigerator home and discover it doesn't fit or that the door won't open far enough to pull out the crisper drawers. A good appliance salesperson can help you choose the best style and features for your budget and lifestyle. But here are some tips to consider that probably won't be addressed at the store.



#### Check the **EnergyGuide**

Use the EnergyGuide stickers to compare the annual operating costs of the refrigerators you're considering. Also, if you know how much your old refrigerator costs to run, you can figure out how much you'll save by buying a new, energy-efficient model. To do this, multiply the "estimated yearly electricity use" in kWh (kilowatt-hours) from the EnergyGuide sticker by the cost of your electricity per kWh. For example, if the tag shows an annual usage of 630 kWh and your electricity costs 8¢ per kWh, multiply 630 by .08 to arrive at an annual cost of \$50.40.



#### Make sure it'll fit!

Some appliances, like stoves and dishwashers, are made to fit standard-size openings in your cabinetry, but not refrigerators. You may find one the right width and then discover that it's too tall. To avoid surprises on delivery day, measure the width and height of the refrigerator space and jot it down before you go shopping. Allow at least an inch of extra space on all sides of the refrigerator for easy installation and adequate ventilation. Also make sure the new refrigerator will fit through doorways leading to the kitchen.



See if parts are available Before you purchase a refrigerator made in another country, check with


your local appliance repair service to see if parts are readily available. Parts for some foreign-made appliances are expensive and hard to get. Also ask about repair costs for the model you're considering.



#### Find out what your old refrigerator is costing you

Buying a new, energy-efficient refrigerator can save you money. But to calculate your savings, you have to figure out what your old refrigerator costs to run. First, check your electric bill to see what the utility is charging you per kilowatt hour (kWh). This number will likely be 7¢ to 40¢ per kWh depending on where you live. Next, find out how much electricity your refrigerator is consuming. The most accurate method is to plug your refrigerator into a meter that records how many kilowatt-hours of electricity are consumed while the refrigerator is plugged into the meter. The Kill A Watt meter is \$25 at amazon.com.

For example, let's say your electricity costs 10¢ per kWh, and your refrigerator consumes three kilowatt hours of electricity over a 24-hour period. Multiply the cost of your electricity (10¢) by the total kWh used (three) to arrive at 30¢. Your refrigerator costs 30¢ a day, or about \$110 a year, to operate. Your results will be more accurate if you record usage for a longer period. You can also go to energystar.org and enter the model number into the Refrigerator Retirement Savings Calculator to find the average energy usage for your model.







continuous insulation, standard framing, electrical channels, moisture control, **DIY Simplicity.** 



insofast.com/123 888.501.7899




Ask about haul-away and delivery Moving a refrigerator in and out of your house can be a nasty task, especially if stairs are involved. When you buy your refrigerator, check to see if the cost of removing your old refrigerator and delivering the new one is included, and if not, what the charges will be. And don't forget that if you have an icemaker, you'll need to connect the water. Find out if this is included in the delivery cost.



Use a braided stainless supply line Refrigerators with icemakers or water dispensers require a water supply line. Plastic tubing is cheap and easy to install, but it's not rodent-proof and can get brittle as it ages. If it breaks or gets gnawed through, the leak can cause thousands of dollars' worth of damage. Quarter-inch soft copper tubing is a better choice, but it's more difficult to install and prone to kinking.

Braided stainless steel supply lines are the best choice because they're durable and easy to connect. Simply thread the nuts onto each end of your supply valve and refrigerator tubing. Rubber gaskets ensure a leak-free connection, and the stainless steel covering protects the supply line. The stainless steel lines cost \$15 to \$30 depending on the length. You'll need a 1/4-in. threaded male compression fitting at the refrigerator. If your refrigerator doesn't have this connection, you'll have to add a fitting.





Make sure doors will clear

When you're shopping for a new refrigerator, don't forget to plan for how the doors will open. If you have an island close to the refrigerator, or a narrow kitchen, smaller French doors or double doors may be a better choice. If the refrigerator is against a wall, make sure you have enough clearance so the door can open completely. Otherwise you may have trouble opening interior drawers or removing them for cleaning. And remember that single refrigerator doors can swing in either direction depending on which side the hinges are on. Most refrigerator doors are reversible, but it's much easier to order the refrigerator with the correct door swing than to change it yourself.

Ask about smudge-free stainless steel

If you hate trying to keep your stainless steel appliances looking shiny, ask about new easy-to-clean finishes. Some brands offer stainless steel lookalikes that have the added advantage of holding refrigerator magnets. Others offer special types of stainless steel that resist smudges and are much easier to clean.



#### For Total Property Cleanup All Year!

The Cyclone Rake vacuums and mulches tons of grass, leaves, pine needles or any lawn debris while you drive. Hitches to nearly any riding mower or ZTR and holds up to 415 gallons of debris. It's powerful, easy to use and folds flat for storage. Great for yearround property care.

**GET OUR NEW 2016 FREE INFO KIT TODAY!** 

VISIT

Use Promo Code **FH416** when you call, or enter it on our website for a special offer on any Cyclone Rake purchased by 12/30/2016.



the dark. A Generac home backup generator senses a power outage and turns on automatically. Generac is chosen by 7 out of 10 customers!

#### NEVER lose essential power again-

- Heating and Cooling Systems
- Sump Pumps and Well Pumps
- · Refrigerators and Freezers
- Security Systems
- Home Offices

GENERAC SYSTEMS start at just \$1,899. Our complete information kit will give you full details on available systems and no-hassle installation. Your home power independence is just a phone call away!

CALL for your FREE Generator Ruver's Guide and DVD!

GENERAC

GENERAC




TOLL 800-731-0468 FreeGeneratorGuide.com

\*Price does not include installation.



Don't use a saddle valve Most icemaker connection kits include a saddle valve for connecting the icemaker supply line to your home's copper water pipe. Saddle valves are easy to install, but they're unreliable and prone to leaking. Instead, add a tee and a shutoff valve. If the connection isn't concealed in a wall or ceiling, you can avoid soldering by using push-fit connectors and push-fit valves like the ones shown here.



Protect your refrigerator
Power surges are fluctuations in voltage that can damage or degrade the electronics in your new refrigerator. Large power surges like those caused by lightning strikes can literally fry electronics, but even small surges originating from motors inside your house can cause cumulative damage to delicate electronics. And most new refrigerators have expensive, vulnerable

The best insurance against power surges is to replace your refrigerator outlet with a new surge protector outlet. Electrical codes may also require that the new outlet be protected by a GFCI (ground-fault circuit interrupter) and AFCI (arc-fault circuit interrupter). Check with your inspections department.

circuit boards.



70 APRIL 2016 familyhandyman.com

## WHILE SOME WAGE HOT WATER WARS, RINNAI FAMILIES HAVE DECLARED PEACE.



A shower. Laundry. Running the dishwasher. When dinner ends, the scramble to use hot water begins. It doesn't have to be that way. With a Rinnai Tankless Water Heater your family will have an endless supply of hot water for everything you need. Hot water wars over. Peace and harmony at home achieved.



To learn more about Rinnai's innovative lineup of high-efficiency water heaters, visit us at rinnai.us/tankless



#### What homeowners MUST know

BY GARY WENTZ editors@thefamilyhandyman.com



#### TRIM BACK BUSHES

Shrubs and trees touching your house seems harmless enough. But it's not. Leafy branches keep the siding damp, which promotes mold growth, rot and peeling paint. They also provide an attractive path for ants and other pests, which may decide to nest inside walls. They can even rub the paint off siding as wind drives them back and forth. So prune the branches back at least 6 in. from the house.

#### T'NOO OVERLOAD YOUR WASHER OR DRYER

You may save a little time, water or energy by cramming more clothes into your washer and dryer. But overloading any washer or dryer can damage motors, belts and other moving parts. So in the long run, overloading is an expensive bad habit.



Think twice before filing an insurance claim Filing an insurance claim almost always means higher premiums in the future. So it might be smart to pay for the repair out of your own pocket. Here's a general rule: If the total repair bill will be less than your deductible plus \$1,000, don't file a claim. Be especially careful with water damage claims. Water damage is a red flag to insurance companies since it hints at mold abatement costs or chronic plumbing problems and future damage.





#### Seal out grout stains

Grout is hard to keep clean because it's porous. So when you finally get grout clean, your next step should be to seal it. Grout sealer plugs tiny pores, repels future stains and make regular cleaning easier. The life span of sealer depends on its location and quality. On a kitchen backsplash, a good sealer will repel stains for a few years. In a shower that gets daily use, you may need to reseal every year.



#### Tighten coax connections

Finger-tight coax connections don't provide a solid path for the signal and often loosen over time. So after tightening with your fingers, give the nut an extra quarter-turn with a wrench.





SOME LIMITATIONS APPLY Call or go online for details.



#### Tub and shower makeover

When tub or shower fixtures grow old and ugly, most people go shopping for a new faucet, then call a plumber. But you can skip that expense by leaving the faucet valve in the wall and replacing the visible parts only. Tub and shower "trim kits" come in a huge range of styles; some are available at home centers, many more online. Just make sure the kit you buy will work with the brand and model of your existing faucet.







#### STORE ON A DOOR

A door that opens into a closet or utility room provides a handy surface for hang-up storage. The trouble is that most doors don't offer a flat, solid surface for fastening hooks or racks. The solution is to screw 3/4-in. plywood to the door. (On a hollow-core door, use screws and construction adhesive.) Then you can mount as many hooks or racks as you like.

#### **JOHNSON'S HEAVY DUTY HARDWARE**



#### **SUPPORTS DOORS UP TO** 400 LBS.

No wonder heavy, oversized wall mount sliding doors glide easily alongside the wall with Johnson's 200WM Series Hardware. This "barn door *style*" system supports doors weighing up to 400 lbs. and 1-3/4" thick. Includes track, 4-wheel ball bearing hangers, door guides and mounting brackets. Available with bronze or satin anodized fascia.



Engineered Excellence

www.johnsonhardware.com





## DIRECTION VERN JOHNSON • PHOTOGRAPHY PAUL NELSON

BY RICK MUSCOPLAT

editors@thefamilyhandyman.com



### Fix a "no-start" small engine

When a small engine won't start, the usual suspects are bad gasoline, a corroded or plugged carburetor, or a bad ignition coil. You can fix any of these problems yourself easily, cheaply and quickly. You'll not only save lots of money but also skip the hassle of hauling your lawn mower, snow

blower, pressure washer or whatever to a service center and home again.

Typical professional repairs start at about \$100. But if you do the work yourself and order the replacement parts online, you can usually save enough to justify replacing parts even if you're not sure they're bad. (Psep.biz is one source of discount small-engine parts.) We'll cover a few basic tests, explain how to order parts and show you how to replace a carburetor, an ignition coil and a recoil starter. You can replace any defective parts in just a few hours with basic hand tools.






**GIVE IT A BLAST OF "FUEL"** Remove the air filter and shoot a one-second burst of an aerosol petroleum-based lubricant (not starting fluid, silicone or Teflon spray) directly into the carburetor throat. Try starting. If the engine starts and then dies, that confirms you've got a fuel problem.



SHOOT THE MODEL AND SERIAL NUMBERS Shoot a digital photo of the engine model and serial numbers and date of manufacture, as well as any other engine data on the label. You'll need that info to order parts.



REPLACE THE CARB

Tighten a C-clamp on the gas line or turn the shutoff valve to Off. Then remove the fuel line and two carburetor hold-down bolts. Rotate the carburetor to disconnect the throttle linkage. Reverse the procedure to install the new carburetor.

#### Check the basics first

Engine problems may have their root in something very simple. If your machine has a shutoff valve, check that first to make sure it's in the On position. Next, make sure the engine has fresh gas. If the gas is more than 30 days old, replace it with fresh, stabilized gas. Next, check the air filter to make sure it's not clogged.

If the tank has fresh gas and you've primed the carburetor and set the choke but it still won't start, it's time to remove the spark plug. If the spark plug is wet with gas, it proves the engine is getting fuel. Dry off the plug with compressed air and examine it for signs of carbon buildup or oil deposits. Check the gap to make sure it's within specs. If you have any doubts about the plug's condition, replace it—they're cheap.

If the plug is dry, it's a sign of a fuel problem and most likely a messed-up carburetor. Shoot a substitute fuel (WD-40 or PB Blaster Lawn Mower Tune-Up) into the carburetor throat and then try starting the engine (Photo 1). If it won't start or fire with spray fuel, you probably have an ignition system problem, most likely a bad ignition coil. However, if it starts and dies, that proves the ignition is working and the problem is fuel starvation.

Check the fuel filter first by disconnecting the fuel line from the filter to the carb. Gas should run out. If it doesn't, replace the filter. If gas flows freely through the filter, then the problem is inside the carburetor.

Testing an ignition coil is a bit trickier. To do it right, you need a small-engine spark tester. Holding the spark plug boot close to the engine to check for spark isn't a reliable test because a bad coil can produce a spark in open air but fail when the cylinder is under compression. If you own several small engines, it may pay to buy a tester. (One choice is the Briggs & Stratton No. 19368; \$22 at repairclinic.com.) To learn how to use it, go to familyhandyman.com and search for "ignition coil." However, since the tester costs almost as much as a new coil (about \$45), replacing the coil without testing may be the way to go.

# Find the right parts

Lawn and garden tool manufacturers often use several different engine brands for a certain model, so you can't



Accessories Available for

Acura · Audi · BMW · Buick · Cadillac · Chevrolet · Chrysler · Dodge · Ferrari · Ford · GMC · Honda · Hummer · Hyundai · Infiniti Isuzu · Jeep · Kia · Land Rover · Lexus · Lincoln · Maserati · Mazda · Mercedes-Benz · Mercury · Mini · Mitsubishi · Nissan Oldsmobile · Plymouth · Pontiac · Porsche · Saab · Saturn · Scion · Subaru · Suzuki · Toyota · Volkswagen · Volvo · and more!

Order Now: 800-441-6287



American Customers
WeatherTech.com



Canadian Customers



European Customers
WeatherTechFurope.com





REMOVE THE OLD COIL Remove the two coil retaining screws. The instant they're loose, the coil will snap against the magnet on the top of the crankshaft. Grab the coil and yank it off the magnet.



Set the new coil in place and snug the retaining screws, but don't tighten them all the way. Align the crankshaft magnet to the center of the coil. Set the air gap using a business card as a gauge. Move the coil in and out until you feel a slight drag on the card. Then tighten the coil screws. Check the gap again. If it's right, reinstall the engine shield and cover.



REPLACE THE RECOIL STARTER ASSEMBLY Remove the engine cover retaining screws and lift the cover off the engine. Next, remove the recoil assembly hex-head screws. Then lift off the old unit and drop in the new one. Reverse the procedure to reinstall.

buy parts based on the model number of the mower or snow blower. Instead, you need the engine model and serial number and the date of manufacture to find the parts. This Toro lawn mower, for example, was built with a Tecumseh engine, while a different Toro mower may be built with a Briggs & Stratton engine. We found the Tecumseh engine information on a label (Photo 2). But other brands may stamp the numbers into the engine block, valve cover or engine shield.

Once you have the engine information, locate a parts list and exploded diagram by entering the brand and model number into a search engine. Find the engine manufacturer's part number and enter that into a search engine to find the lowest price or nearest seller.

#### Carb rebuild vs. new carb

These days we don't recommend rebuilding a carburetor. First, a brand new carburetor from a discount online seller usually costs less than a rebuild kit and a bucket of carburetor soaking solution. Plus, rebuilding a carburetor is time consuming and doesn't always work, especially if the internal parts are corroded.

Once you have the new carburetor in hand, remove the old one and swap in the new unit (Photo 3). After you reinstall the fuel line and prime the engine, it should start right up.

# Replace an ignition coil

If you've determined that you have a weak spark or no spark, go ahead and buy and install a new coil. Start by removing the plastic engine cover and setting it aside. Then lift off the gas tank and remove any engine shields to access the ignition coil. Remove the old coil (Photo 4). Then install the new coil and set the air gap (Photo 5).

# Replace a recoil starter

If the starter rope is broken, you can buy a recoil rebuild kit for about \$15. The kit contains a new rope, dogs and dog springs. Setting the proper spring tension can be tricky, and if you get it wrong, you'll break the spring and have to replace the entire unit. Frankly, we recommend skipping the rebuild and just replacing the entire recoil assembly (Photo 6). It's much faster, and the complete assembly (about \$40) includes a new housing and spring (set to the proper tension).

# PRO talk

BY MARK PETERSEN editors@thefamilyhandyman.com



# NO MORE POLE DANCING

As a professional cleaner, I haul around a lot of long-handled tools: mops, vacuum wands, squeegee extensions, etc. When I was driving between jobs, all those poles would dance around and get tangled up, making it nearly impossible to pull out my other tools. My solution was to build a simple rack out of scrap 2x4s and plywood. It took me less than an hour to throw together and cost nothing. Now I just need a good system to keep my mop bucket from doing the tango back there.

**Curtis Peterson** 



# Run cords along the building

My first boss was always shouting at us, "Kick the cords against the building." It was a good habit to get into. Cords next to the building won't get tripped on, stomped into the mud or trapped under the next delivery of trusses. They'll also last longer if they're not always being walked on, rolled over with wheelbarrows or crushed by 10-ton telehandlers.

Josh Risberg, TFH Lead Carpenter

# **Got something** for us?

If you have a tip, a brag photo or a project you'd like to share with fellow pros, send it to editors@ thefamilyhandyman.com. We'll send you a \$100 gift card for each one we publish.



# Stand-up sawhorses

I like folding metal sawhorses. As a siding contractor, I owned a bunch of them. I always installed a 2x6 on the top as a sacrificial surface so I could cut on the sawhorses without damaging them or a saw blade. I cut the 2x6 about 1/2 in. longer than the horse, leaving 1/4 in. on each side. That way, they would stand up on their own.

At the end of the job, I'd fold in the legs on each one, stand them up, and then run around and grab two in each hand. They were also easier to store in the upright position in my shop and my trailer.

Mark Petersen, Associate Editor

# geico.com

You could save 15% or more. Get a FREE rate quote today. 1-800-947-AUTO Geico.com



📑 Buv everythina

from one lug nut to a new fender at reliably low prices. Get your auto parts at RockAuto.com

#### **BUILDING & CONSTRUCTION**

101

**AZEK Building** Products offers premium, low maintenance exterior building products designed to last beautifully. AZEK.com 877.275.2935 877.ASK AZEK

**DRYLOK** Waterproofing by UGL Masonry Made

> Easy. See how easy it is to protect basement walls and other masonry surfaces from the damaging effects of water penetration with Fast Plug and DRYLOK Etch. United Gilsonite Laboratories. 1.800.272.3235 ugl.com

Self adjusting overhead door hinges to improve door performance while

lowering utility bills. "Best selling system ever made." 920-834-3848 GreenHingeSystem.com

pro'wood

ProWood® professional grade treated lumber offers a wide selection including colorinfused ProWood Dura Color®. ProWoodLumber.com

**Timber**lèch

TimberTech offers the ultimate high performance decking and railing for low maintenance living. It's our passion. TimberTech.com 800-307-7780

New Lee jeans with Active Comfort Denim. Our most comfortable,

best-looking Lee jeans ever. Comfort never looked so good. Lee.com

#### **KITCHEN & BATH**

104

Merican Buy a Champion,

tandard Be a Champion!

Every Champion toilet sold will help improve sanitation in a developing country. flushforgood.com (800) 442-1902

lonnson Engineered Excellence Hardware,

For Pocket Door

visit johnsonhardware.com, call 800-837-5664, or follow on Twitter @JohnsonHrdware.

11. MARK E Goof Proof Showers: Shower installations made easier with our own unique products. 1-866-771-9470 Markeindustries.com

NEOPERL

NEOPERL, Inc.

flow, stop and go" designs and manufactures water-saving products that enhance the stream quality and control the flow rate of faucets and shower products.

Neoperl.com

#### **OUTDOOR/LAWN & GARDEN**

13. FAIRWAY FAIRWAY® Vinvl •

Composite •

105

Aluminum Porch Deck & Balcony Guard Railing. Visit FairwayBP.com or speak to a railing expert at 1-800-598-5245.



Kubota-engineered and manufactured machinery and equipment, including

a full line of agriculture, turf and construction products. (888) 4-KUBOTA Kubota.com



or visit

Shop-FreeInfo.com

15. POLARIS Hardest working, Smoothest riding, The most powerful, fully featured vehicles for work, hunt and trail. Get the proof at Polaris.com

# 16. Zoysia Farm 🗸

Want a great lawn? Start with a better grass — Amazoy Zoysia Grass! 1-410-756-2311 Zovsiafarms.com

#### **PAINT & STAIN**

106

The innovative Paint Station™ family of

products - Paint Station™, Can Holster<sup>™</sup>, Side Kick<sup>™</sup> - are the PERFECT accessories for your next painting project! PaintStation.com

TOOLS

107

Grizzly Industrial, Inc. Purvevors of Fine Machinery since 1983. Grizzly.com 1-800-523-4777

#### 19. HARBOR FREIGHT

Harbor Freight Tools is the leading discount tool retailer in the U.S. selling great quality tools at "ridiculously low prices" in over 550 stores nationwide and on its website. HarborFreight.com 1800 423 2567



Mean Green Cleaner & Degreaser works better on tough grease and grime indoors and

out. It's TOUGHNESS YOU CAN TRUST. MeanGreenDegreaser.com

# 21. ROCKWELL

Tools for people that rock! Innovative professional power tools. Visit RockwellTools.com or call 866-514-ROCK for more information.

Why has Wiss been the #1 selling snip with pros for over 50 years? Precision, Performance, and Durability! WissTool.com

#### **MISCELLANEOUS**

108

SimpliSafe wireless home security SimpliSafe systems are easy to self-install, easy to

purchase direct online, and don't require a contract or a telephone line. 24/7 Professional Monitoring for just \$14.99 a month. That's smarter home security. Get 10% OFF at SimpliSafe.com/handy or call 888-799-1859

# 24. ROCKLER

Rockler Woodworking and Hardware is the nation's premier supplier of specialty hardware, tools, lumber and other high quality DIY and woodworking products. Rockler.com

#### IKEA **HOME TOUR**

IKEA

25. The IKEA® Home Tour Squad is hitting the road helping America with simple design solutions. A team of five IKEA® experts is touring the country and providing everyday families with free makeovers and helping them improve their life at home. Watch or join the IKEA® Home Tour at IKEA-USA.com/hometour.



No purchase necessary to enter or win. Sweepstakes begins 1/10/16 and closes 1/22/17. Open to residents of the U.S., its territories and possessions, ages 21 and over. Void where prohibited. For entry and other details including official rules visit WorkShop-FreeInfo.com.

# PRO tips

BY MARK PETERSEN editors@thefamilyhandyman.com

# Rock-solid handrails

Handrails can prevent nasty tumbles down the stairs, so it's important that they be sturdy. Looking good is also important because of their prominent place in the house. We asked Jerome Worm, our favorite trim carpenter, for some tips on installing handrails. He demonstrated a fast and foolproof way to measure, showed us a great way to assemble the rail and specified what hardware he liked best and explained why. These tips will help you hang an attractive, rock-solid handrail that will last as long as the house.

Jerome Worm has installed a couple miles of handrails in his 35-plus years as a trim carpenter.





# 1. Measure from the bottom stair nose to the top stair nose

The handrail needs to run the entire length of the stairs to make sure it's safe and code compliant. The easiest way to determine that distance is to hook a tape measure onto the bottom stair nose and measure up to the top. Our expert prefers to add 6 in. to that measurement to provide a 3-in. buffer on each end.



# 4. Mark the starting point and bracket height

Use a 4-ft. level to plumb up from the nose of the bottom step, and mark a vertical line on the wall. That line will indicate where the bottom end of the handrail should start. Next, measure up from the nose of the steps and mark an intersecting line representing the height of the bracket screw (see Step 3).



### 2. Mark the studs

Handrail brackets should be secured to the studs: drywall anchors aren't strong enough. These brackets need to be fastened a maximum of 48 in. apart, but check the specifications on the hardware you're using. Space the brackets 32 in. apart for round and oval handrails because they aren't as sturdy as the beefy, oak "bread loaf" style rail we're installing. Install a bracket on the studs closest to the top and bottom of the handrail. Mark the studs with painter's tape so you don't have to make pencil marks on the wall.



# 3. Find the bracket height with a carpenter's square

Mark the location of the bracket screw hole on the wall. not the top of the handrail. To find that measurement, set the handrail upside down on the stairs. Set a rafter square on a stair tread, right up to the edge of the stair nose. Next, set a bracket on the bottom of the rail where the screw hole lines up with the edge of the square. That dimension (5 in. in this case) is the distance you'll subtract from the desired height of the top of the handrail. We want the top of our handrail to be 36 in, high, so we'll make a mark on the wall 31 in. high.



## 5. Set other bracket locations with a square

Set a framing square on the skirt board, line it up with the mark indicating the bracket height, and note that number (see Step 4). Move the square up to the next stud that will support a bracket. and mark that number on the wall. If there's no skirt board, lay a 2x4 on the stairs and slide the framing square on that.

# Avoid 90-degree returns

Handrails need to meet the wall (or a newel post) at each end. These "returns" alert people that the railing has ended. Returns also protect folks from bumping into a sharp edge of the rail. Jerome cuts his returns so they die into the wall at a 45-degree angle instead of a 90-degree angle. This method looks good and prevents clothing, purses and other items from getting hooked on the end of the rail.






## Cut with the 'show' side toward the fence

Miter saws cause wood to tear out and splinter more on the side that rests against the fence. This may sound counterintuitive to you woodworkers, but when cutting handrail, it's better to have the tear-out occur on the "show" side of the rail, or the side that faces away from the wall. Tear-outs on the wall side of the rail will show up on the inside of the miter and are difficult to sand out. Rough wood on the outside of the miter can be sanded and rounded over much easier. Minimize tear-outs with a sharp blade and by cutting slowly and letting the blade stop spinning before raising it.

### Find the length of the return with a block

Code requires a space that's at least 1-1/2 in. between the wall and the handrail. To find the length of the return piece, cut a 45-degree angle on a scrap of wood, and then cut a block of wood to the thickness of the desired gap between the wall and the railing (1-5/8 in. in this case). Place the 45-degree angle up against the fence and slide the 1-5/8-in. block up to that. Mark the point where the two intersect (top photo). That mark represents the short side of the handrail return Transfer the mark onto the handrail (bottom photo). Cut the return off the same side of the rail where it will be installed. That way the wood grain will carry seamlessly through on the





# **Building code** requirements

- Handrails must run the entire length of the stair (bottom nose to top).
- The top of the rail should be between 34 in. and 38 in.. measured directly up from the stair nosing.
- There needs to be at least 1-1/2 in. between the wall and the rail.
- Handrails must die into a wall or newel post.
- Circular handrails must have a diameter between 1-1/4 in. and 2 in.
- Custom shapes are acceptable but may have a specific size requirement (check with your building official).


front of the railing.



## Glue and pin returns

Glue and pin the return pieces before screwing them together. Line up the two glued ends as accurately as you can before pushing them together. If you move them around too much, the glue can act as a lubricant, making them difficult to hold in place when you pin them together.

Hold the pieces in place with a 23-gauge pinner while the glue dries. Pinners are nice because they don't leave a big, ugly hole, and the pins are less likely to follow the grain of the wood and veer off course like larger-gauge brads are prone to do.



### Secure returns with trim-head screws


Let the glue set up for 15 minutes or so, and then strengthen the miter with a 2-1/2-in. screw driven in at the bottom. A self-tapping trimhead screw leaves a smaller hole and is less likely to split the wood. Regardless of the screw type you use, predrill a hole all the way through the first piece and about 1/2 in. or so into the second.





## Use tape to align the handrail

Fasten the brackets to the wall, but leave them loose enough so you can twist them into perfect position with the rail. This rail runs 3 in, past the top and bottom stair nose. Our expert wrapped tape 3 in. up the bottom of the rail in order to line up the rail with the tape that represents the bottom stair nose. Predrill holes into the handrail for the bracket screws, and finish tightening the brackets to the wall after all the brackets are secured to the rail.



These pure 1-oz. .999 fine investment grade silver bullets are replicas minted to almost the exact dimensions of a real .45 ACP cartridge. The splendid silver reproductions celebrate the cartridge designed for a Colt semi-automatic .45 pistol. Perfect for any budget at JUST \$29 each (#46458). 30-Day **No-Risk Home Examination:** Money-Back Guarantee.

**International Coins & Currency** 62 Ridge Street, Dept. N5593, Montpelier, VT 05602

1-800-451-4463

www.iccoin.com/n5593



Air filter clogged? Stop quessing!



- FILTERSCAN® WiFi Air Filter Monitor texts you when your HVAC air filter needs replacing
- ✓ Save energy. Improve indoor air quality. Protect your HVAC system.
- ✓ Easy installation

Order online or call 888-414-3569 "2"

cleanalert.com/filterscan-wifi

W W W . EHEAT. COM OR CALL 1-800-807-0107 \* VISIT

SAVE UP TO 50% OR MORE ON HEATING COSTS!\*





#### ENERGY SAVING

heats room as little as 4 cents per hour!"

#### ULTRA-SAFE

leave unattended 24/7; cool to the touch

#### HEALTHY

fanless - doesn't blow dust or dry the air, great installs in minutes, no drill required; for those who suffer from asthma or dry eyes

fanless design, auto dimming power light

#### STYLISH AND SLEEK

slim space saving design, 19"w x 22"h x 2" thin!

#### EASY INSTALL

120v & 220v hardwired and plug-in models available





www.wallbed.com

# **INCINOLET®**

electric incinerating toilets

## PROBLEM SOLVED!

Need a toilet conveniently located? Home, cabin, shop, boat or dock – INCINOLET is your best solution!

# SIMPLE to

install, maintain. Only electricity needed: 120 or 240 volts

#### **ULTRA CLEAN:**

waste reduced to sterile ash, as little as a cupful weekly. Dump in garbage.



**TOP QUALITY**: stainless steel, platinum odor control, quality construction for a lifetime of satisfaction.

# www.incinolet.com

Call 1-800-527-5551 for info, prices and personal attention.

RESEARCH PRODUCTS/Blankenship 2639 Andjon • Dallas, Texas 75220









Where will your customers look for the things they need to get the job done?

# The Workshop

**Advertise today.** 

Call 212-779-7172 x232 for more information.



# **BumpStep®**

HITCH MOUNTED BUMPER PROTECTION

- Fits any 2" receiver hitch
- Keeps your vehicle's bumper protected
- Helps against unsightly dents and scratches to the bumper
- Creates "step" for easy cargo access
- Molded from a patented composite resin



**Accessories Available for** 

Acura · Audi · BMW · Buick · Cadillac · Chevrolet · Chrysler · Dodge · Ferrari · Ford · GMC · Honda · Hummer · Hyundai · Infiniti Isuzu · Jeep · Kia · Land Rover · Lexus · Lincoln · Maserati · Mazda · Mercedes-Benz · Mercury · Mini · Mitsubishi · Nissan Oldsmobile · Plymouth · Pontiac · Porsche · Saab · Saturn · Scion · Subaru · Suzuki · Toyota · Volkswagen · Volvo · and more!

Order Now: 800-441-6287



American Customers
WeatherTech.com



Canadian Customers WeatherTech.ca



European Customers WeatherTechEurope.com







- Stain 100 ft of fence in just 5 minutes!
- Sprayer attaches directly to garden
- No masking, simply hose off over-spray.
- · One quart covers 600 square ft.
- Select from three natural wood tones; Natural Cedar, Dark Cedar or Redwood.

FiveMinuteFence.com







Phone: 717-737-4398

www.SNOJAX.com

**Stop Dangerous Snow Slides On Metal Roofs** SnoBlox-Snojax 671 Willow Street Lemoyne, PA 17043

# **DIY Quiz Answers**

**1.** (A) After the concrete is placed in the forms, the next step is to smooth the surface while forcing the aggregate slightly below the surface with a bull float. That leaves a thin layer of cement on the surface for final smoothing with a hand float and then a trowel.


**2.** False. First of all, used motor oil contains grit and acid, which can damage your chain saw bar, chain and drive sprocket. Second, used motor oil has a much thinner viscosity so it tends to get slung off rather than stay put and lubricate.

**3.** (D) The sash is the vinyl, aluminum or wood frame that contains the glass.

**4.** (**C**) Argon conducts about 67 percent less heat than ordinary air so it makes a window more energy efficient. Since argon is a noble gas, it exists as single atoms rather than molecules like oxygen and nitrogen. That means it's atomically smaller and actually more prone to leakage than ordinary air. Krypton is also used as a substitute for air. It's even more thermally efficient than argon but also costs more.

5. False. An attic bypass is any opening surrounding a ceiling or wall penetration that allows warm house air to escape into the attic. These can include holes that provide openings for vents, flues, electrical wires and electrical boxes. Using expanding foam is the easiest way to seal them.

**6.** (B) The single most important place is near sleeping areas. You're most vulnerable to CO poisoning while sleeping because when CO is present, your body can accumulate large amounts over several hours, killing you before you ever wake up. Putting CO alarms near gasburning appliances or garages will trigger nuisance false alarms. By the way, carbon monoxide is deadly because it strongly binds to hemoglobin, which is the protein in your red blood cells that carries oxygen. Since CO supplants the oxygen molecules, oxygen deprivation is what actually kills you.



7. False. A pattern bit has a top bearing that follows a pattern you've already made. Use the pattern to trace the shape on each raw piece of wood, then rough-cut the shape slightly outside the line. Then pin or hot-glue the pattern to the roughed-out wood and use the pattern bit to make a perfect replica of the shape.

**8.** (**A** & **B**) Gasoline is a mixture of hydrocarbons, additives and blending agents. When the volatile components evaporate, the remaining fuel loses its ability to combust properly. And water will find its way into the fuel, especially if you have an ethanol blend. Ethanol attracts and holds water.

# **WHAT'S YOUR LEVEL OF EXPERTISE?**

Beginner: 0 – 5 correct Intermediate: 6 - 12 correct DIY Guru: 13 - 15 correct



**9.** (D) When that spaghetti sauce boiled over, it coated the igniter with gunk, so the spark won't fire anymore. Clean it off with a toothbrush.

**10.** False. Wherever you live in the United States, dial 811 to have all your underground utilities marked.

11. True (usually). The clippings are a good source of nutrients as they decompose, and they also provide mulch to keep moisture in the ground. If you've let your grass grow too long, however, don't just mow it at the normal cutting height. The long cuttings will smother the lawn. Instead, just mow 1 in. at a time (or no more than one-third of the total length), with a couple of days between mowings.



**13.** (D) A length of custom post-formed countertop likely won't fit between two walls without damaging the walls or the countertop. So cut a little clearance hole just barely above the top surface to you can work it into the space. Then you can scribe the other end to fit.

**14. (C)** Self-leveling compound is used to protect in-floor heating elements and level uneven floors. It's also a good base for ceramic tile floors.

**15.** False. Unlike extension cords, plug cables are made of delicate carbon fibers. Over time they break down, causing high resistance, which degrades the spark. That results in poor combustion, misfires and lousy gas mileage. Replace cables between 60,000 and 100,000 miles or the interval given in your owner's manual.



**12.** (D) Using the fence for crosscutting is extremely dangerous. The board is very likely to get bound between the blade and the fence and get violently thrown back at you. But you can use the fence to replicate many identical cuts if you simply clamp a short block to the fence. That way the board you're cutting will never become trapped by the blade and fence.

# YOUR DECK DESERVES FAIRWAY VINYL • COMPOSITE • ALUMINUM RAILING



**CODE APPROVED\*** 

LIMITED LIFETIME WARRANTY

**EASY INSTALLATION** 

www.FairwayBP.com

\* Always review local building codes.

# Great GOOFS®

FROM OUR READERS greatgoofs@thefamilyhandyman.com

# ALL SHOOK UP

My wife asked me to touch up some paint in our kitchen, so I went down to the basement to grab a paintbrush. During that time, my helpful wife pried open the lid on the paint can and left it sitting loosely on top. When I returned from the basement, I picked up the can and shook it vigorously, sending paint flying all over the place. My wife wasn't pleased, but it sure worked faster than using a paintbrush!

Dave Farrand



Look out below!

I was afraid of falling off my roof while painting

a dormer, so I went to the back of the house, tied a rope around a large pine tree, tied the other end around my waist and climbed to the roof.

Just before I lowered myself toward the dormer, I heard a child's voice in the distance. I paused, walked to the edge of the roof in the back and saw that my 7-year-old son had untied the rope from the tree and wrapped it around his waist. He proudly looked up and said, "I've got you, Dad!"

Luckily, I was able to climb down and explain to him that this arrangement would not work. Then I retied the rope to the tree and asked my wife to guard it and my safety.

**Paul Roeber** 



Editor's Note: A rope around your waist isn't a safe way to prevent a fall. Always use safety equipment that's designed for the job, such as roof brackets and a personal fall arrest system (also called a roof harness).

# **Basketball** court foul

The basketball court in our backyard had seen better days, so my dad and I decided to try to clean it. We bought a used pressure washer, which worked great at first, blasting decades' worth of muck from the court's concrete surface. But after a few minutes, the pressure washer stopped working. We were so sure it was something mechanical that we tore the whole thing apart, stem to stern.

It was hours later when I finally thought about checking the wand. I removed the tip only to discover that a tiny pebble had somehow lodged in the pinhole-size opening. It took me about 10 seconds to clear the tip and several hours to put the pressure washer back together.

Joe Bosseler

Got your own DIY mistake? GET A \$100 GIFT CARD FOR YOUR GREAT GOOF! See p. 2.


















No other outdoor cooker can match the quality and versatility of a **Big Green Egg** — it truly is The Ultimate Cooking Experience!



BigGreenEgg.com



# **WORK KNOWS NO REST**

When you demand the ultimate in productivity, Polaris<sup>®</sup> delivers. Only the Polaris *RANGER*<sup>®</sup> 570 Full-Size has the power, comfortable ride and legendary *RANGER*<sup>®</sup> work ethic to haul more, tow more, and get more done. *LEARN MORE AT POLARIS.COM TODAY*.



WORK



RANGER" 570 FULL-SIZE SAGE GREEN

WARNING: The Polaris RANGER" can be hazardous to operate and is not intended for on-road use. Driver must be at least 16 years old with a valid driver's license to operate. Passengers must be at least 12 years old. Drivers and passengers should always wear helmets, eye protection, and seat belts. Always use cab nets or doors (as equipped). Never engage in stunt driving, and avoid excessive speeds and sharp turns. Riding and alcohol/drugs don't mix. All drivers should take a safety training course. Call 800-342-3764 for additional information. Check local laws before riding on trails. ©2016 Polaris Industries Inc.

SEE THE COMPLETE LINE AT
POLARIS.COM