

SLEEP HOT? SLEEP COLD?

Meet the NEW Climate360™ smart bed, the only smart bed in the world that actively cools, warms and effortlessly responds to both of you.*

Did you know 80% of couples say one of them sleeps too hot or too cold?[†] The revolutionary Climate360[™] smart bed warms your feet to help you fall asleep faster — then actively draws heat away to keep your body cool. So you both stay asleep, longer and deeper.

And science proves quality sleep is vital to our mental, emotional and physical health.





Active cooling and warming by zone on each side



Adjust firmness and comfort on each side



Automatically responds to you



Personalized insights for better sleep



Includes smart adjustable base for limitless adjustability




Raise your partner's head to alleviate snoring[‡]



REQUEST SPECIAL OFFERS | 1-877-316-7403 | sleepnumber.com/handyman

EDITOR'S LETTER



TO INSPIRE

THINK BIG, LEARN BIG!

hether you've been a subscriber for two decades like my dad or you picked up this issue from the newsstand because it caught your eye, I have no doubt you'll find something useful here. Our team takes great pride in putting together projects, tips and information pieces that not only entertain and inspire but also improve a home.

Our projects are a big source of that pride. They're fun to dream up and build, and they are our way of presenting a mix of basic and advanced skills. I've had the pleasure of growing up with this magazine and watching the projects evolve over 20 years. Some of my recent favorites are the Getaway—the not-so-tiny modern cabin (Sept. '21), the over-the-top Destination Garage (July/Aug. '21), Brad's Danish Modern Chairs (March '22) and Jay's Cabinet Face-Lift (Oct./Nov. '22). With the goal of inspiring you, we choose projects that compel us to think big, keep up with trends and push the limits of our skills.

The egress window I built for this issue is a perfect example. It's definitely not a standard egress window, and we realize that few readers will re-create this project exactly. When most people add an egress window, they dig a hole, install a window just big enough to meet the egress standards, fasten a window well to the foundation and then backfill. I'll show you all those steps—plus skills and tricks you can use for other projects around your home. We hope the steps we added to get a magazine-cover look will be both inspiring and practical.

If you're looking for even more inspiration, scan the code below and sign up for one or more of our newsletters. Whether a new homeowner, construction pro, gardener, tool lover or all of the above, you'll find ideas you can build on for your next project.


> MIKE BERNER SENIOR PROJECT EDITOR



facebook.com/thefamilyhandyman pinterest.com/family_handyman youtube.com/thefamilyhandyman instagram.com/familyhandyman

- facebook.com/thefamilyhandyman

- 🚺 tiktok.com/@familyhandyman





WATCHING MR. BUILD IT

ur streaming channel, At Home with Family Handyman, continues to expand its programming with new original series, including the upcoming premiere of Mr. Build It.

Mr. Build It, aka Alex Mazhukhin, has over 700.000 followers on his YouTube channel. He started in the DIY space in 2015 when he and his wife, Irina, an interior designer, bought a house in Boise, Idaho. "The house was a fixer-upper in need of a lot of work, and the budget to do it was nonexistent." Following other social media accounts for project inspiration, Mazhukhin says he began watching other people and then practicing on his and Irina's house.

In the new series, Mazhukhin says we can expect to see projects such as building a giant open kitchen, replacing a brown stone fireplace and building a real Swedish sauna in an old unused shed.

Mr. Build It is coming soon to At Home with Family Handyman, which is now available to stream on The Roku Channel, LG Channels, XUMO, fuboTV, Sling TV and more!



DO YOU CRAVE **MORE TIPS**

Our readers have the best ideas for simplifying everyday life. Tired of losing laundry in the space between the washer and the dryer? Fill it with foam pipe insulation! To get more tips, scan the code above or sign up at familyhandyman.com/ newsletter/

It's just \$10 and shipping is free.

ON YOUR HANDS?

You can do a lot to improve your home,

backyard and workshop! In this book,

you'll find more than 100 cost-saving

repairs, cosmetic updates and value-

adding projects you'll enjoy for years.

familyhandyman.com/WQE2





Mow your Zoysia lawn once a month - or less! It rewards you with weed-free beauty all summer long.

Ways Our Amazoy™Zoysia Lawn Saves You Time, Work and Money!

CUTS WATER BILLS AND MOWING BY AS MUCH AS 2/3

Would you believe a lawn could look perfect when watered just once? In lowa, the state's biggest Men's Garden club picked a Zoysia lawn as "top lawn—nearly perfect." Yet, this lawn had been watered only once all summer!

Plant Amazoy in an old lawn or bare ground. Set plugs into holes in the soil checkerboard style. Plugs spread to create a lush, thick lawn, driving out weeds. Easy instructions included with every order.

8 ENVIRONMENTALLY FRIENDLY
No weeding means no costly chemicals.
Amazoy Zoysia lawns naturally resist insects,
so you'll save money, while helping to protect
the environment. Never expose your family
and pets to weed killers and pesticide poison.

FOR SLOPES, PLAY AREAS, BARE SPOTS AND PARTIAL SHADE

Can't beat Amazoy as the low-cost answer for hard-to-cover spots, play-worn areas, partial shade and erosion on slopes.

Meyer Zoysia Grass was perfected by the U.S. Gov't, released in cooperation with the U.S. Golf Association as a superior grass.

5 IT STAYS GREEN IN SPITE OF HEAT AND DROUGHT

"The hotter it gets, the better it grows!"
Amazoy Zoysia thrives in blistering heat, yet it won't winter-kill to 30° below zero. It goes off its green color after hard frosts, and begins regaining its green color as temperatures in the spring are consistently warm.





Your Assurance of Lawn SUCCESS

Amazoy Zoysia Grass is

GUARANTEED

Guaranteed to grow new green shoots within 45-60 days or we'll replace it **FREE** – for up to 1 year – just call us. Valid on one order at a time, typically the most recent. We ONLY ship you mature, hardy field grown genuine Amazoy Zoysia grass harvested direct from our farms. Easy planting and watering instructions are included with each order.

© 2023 Zoysia Farm Nurseries, 3617 Old Taneytown Rd, Taneytown, MD 21787

6 CHOKES OUT CRABGRASS AND WEEDS ALL SUMMER

Your established Zoysia lawn grows so thick, it simply stops crabgrass and most summer weeds from germinating!

NOW 3 WAYS TO START YOUR AMAZOY ZOYSIA LAWN!

- 1) Freestyle Plugs come in uncut sheets containing a maximum of 150-1" plugs that can be planted up to 1 ft. apart. Freestyle plugs allow you to make each plug bigger and plant further apart less cutting and planting you decide.
- 2) New Super Plugs come precut into individual 3"x3" plugs ready-to-plant (minimum 1 per 4 sq. ft.). They arrive in easy to handle trays of 15 Super Plugs. Save time and get your new lawn faster!
- 3) Amazoy Approved Seed As The Zoysia Specialists for 70 years, we now have a Zoysia seed that meets our standards and homeowners expectations.

1,500 FREESTYLE
PLUGS - FREE!

Freestyle Plugs You decide how big to cut the plugs. Each grass sheet can produce up to 150-1 in. plugs. Plant minimum 1 plug per sq. ft.

Max Plugs	Free Plugs	Grass Sheets	Your PRICE	+Shipping	SAVINGS
450	-	3	\$ 47.50	\$22.00	_
750	+150	6	\$ 72.50	\$27.50	25%
1100	+400	10	\$110.00	\$40.00	32%
2000	+1000	20	\$180.00	\$65.00	46%
3000	+1500	30	\$240.00	\$75.00	52%

Super Plugs Precut plugs 3 inches by 3 inches READY TO PLANT Packed in trays of 15 Super Plugs. Plant minimum 1 plug per 4 sq. ft.

Super Plugs	Free Plugs	Tray	Your PRICE	+Shipping	SAVINGS
15	_	1	\$ 27.50	\$15.00	
25	+5	2	\$ 42.50	\$20.00	25%
60	+15	5	\$ 97.50	\$32.00	35%
120	+30	10	\$145.00	\$50.00	53%
240	+60	20	\$260.00	\$90.00	59%

EVERYTHING YOU NEED TO START AND MAINTAIN A CAREFREE BEAUTIFUL ZOYSIA LAWN

Scan QR code to learn more

PLANTING TOOLS • PLANT FOOD • WEED AND PEST CONTROLS
ORGANIC PRODUCTS • SOIL TESTS • GARDEN GLOVES • EDGING and more!



www.ZoysiaFarms.com/mag or 410-756-2311

Harvested Daily from Our Farms and Shipped to You the Same Day the Plugs are Packed Amazoy is the Trademark Registered U.S. Patent Office for our Meyer Zoysia grass.

Savings shown over aggregate base price and shipping



Improving America's Lawns Since 1953

Use Promo Code 5003



39 BASEMENT FLOORING
BUYING GUIDE
We walk you through
the best choices for

the best choices for resisting moisture.

46 STAIRCASE
BONUS SPACE
Five creative ways
to take advantage of
this triangular area.

52 FIX A LEAKY
BASEMENT
Here's how to diagnose the problem and how you can fix it—for good.

DEPARTMENTS

HANDS ON

64

HOME CARE

Compact tools we love, and a top-notch cordless compressor.

Security lighting mis-

takes that make your

property less safe.

72

READER INFO

Find out how to subscribe and send us hints and photos.

HANDY HINTS
Here's a sneak peek:
Draw a ruler on your
shop floor!

Spray foam insulation—when to do it yourself and when to call a pro.

BEST PRO TIPS

76

GREAT GOOFS

A nice, hot shower for the flowers, and more DIY howlers.



CRUISE CLOSE TO HOME®

on the Mighty Mississippi River

This extraordinary adventure along the legendary Mississippi begins the moment you step aboard our fleet of new American Riverboats. With fewer than 200 guests on board, you will explore local treasures and historic ports along the most storied river in America.

Small Ship Cruising Done Perfectly®



Call
866-975-1647
to request a
FREE *
Cruise Guide





PINT-SIZE TRIMMING SAW

he Stihl GTA 26 is a compact, hand-held battery-operated pruner weighing 2.7 lbs. The 1/4-in. PM3 chain makes smooth cuts with next to no vibration. The pruner also features an LED display and a comfortable rubber grip. The Stihl GTA 26 ships with a battery, a charger, lubricating oil and a carrying case.

With the battery fully charged, I started cutting a downed maple limb in my yard. The limb was

nearly 17 ft. long and close to 5 in. in diameter at its fattest.

The GTA 26 pruner cut up the branch in no time, although it required multiple passes and one rotation on the thick final cut. It is better on branches less than 2½ in. thick, but it handled thicknesses up to 3½ in. in a single pass. I made 83 cuts over 29 minutes before the battery died.

The safety components include a retractable chain guard and a trigger lockout switch.

Maintenance and lubrication on the GTA 26 are painless thanks to the toolless, single-wing nut bar and chain access. You can find the Stihl GTA 26 pruner at Ace Hardware for about \$180. JAY CORK PROJECT EDITOR

T-HANDLE HEX KFYS

Hex keys can apply more torque with a lower profile than a screwdriver, so

they can fit into places a screwdriver can't access. But what if you need a long reach to loosen a hex bolt? That requires an adapter for your drill or a separate set of T-handle hex keys. Craftsman created this 20-piece

L-to-T Hex Key Set, which includes a T-handle adapter for quick and easy conversion.

The kit consists of two 10-piece sets. One is metric, with hex keys ranging from 1.5 to 10 mm. The other is standard, ranging from 1/16 to 3/8 in. In just a few seconds, an L hex key can be converted

to a T-handle by placing it in the corresponding-

size opening and snapping the handle closed. Craftsman's Hex Key Set looks and feels durable. The hinged tool

racks—black for standard and red for metric—help quickly identify the sets in your toolbox. The 20-piece set is available for about \$20 at Lowe's and Amazon.

CRAFTSMAN

ETHAN O'DONNELL FOITOR

CRAFTSMAN



I don't use a torque wrench often, but as a tinkerer, I find it to be an essential tool. Torque wrenches come in various styles and ratings. Some are best for ultralight carbon fiber bicycle components, others for heavyduty farm or construction equipment.

The Performance Tool M206 Digital Torque Adapter is a small attachment that converts a standard ½-in. socket handle or breaker bar into a torque wrench with a rotating digital readout. It measures between 30 and 150 ft./lb. of torque, with five units (kg/cm, kg/m, ft./lb., in./lb., N/m) to choose from, and includes adapters for 3/8-in. and 1/4-in. sockets.

The adapter features a programmable interface with 10 adjustable preset values and informs you audibly and visually when those values have been reached. The manufacturer claims the torque wrench is accurate to +/-2%. I ran a simple test to verify, and it was in that range.

Once I programmed the torque settings for our vehicles, I rotated both sets of tires, and now we have the torque settings saved for future rotations.

Changing the oil on my motorcycle meant removing some covers and guards attached with delicate screws and bolts. In this instance, I freehanded it without presetting



any torque settings. This was more difficult because of the precision of the digital gauge.

The Digital Torque Adapter isn't difficult to use, but with its five buttons with multiple functions, I won't be discarding the owner's manual anytime soon. The Performance Tool M206 Digital Torque Adapter is available online for about \$65.

ETHAN O'DONNELL EDITOR



A COMPACT CONTRACTOR SAW **LOADED WITH FEATURES**

hether you're a DIYer or a contractor, I'm confident you'll like this new DeWalt saw. The compact size, combined with the rip capacity and collapsible mobile stand, make this tool a standout. Job site table saws—often called compact, benchtop or portable—are the smaller and easier-to-haul cousins of cabinet saws. They're perfect for a contractor or anyone with a small shop.

This DeWalt saw (model No. DWE7491RS) features a robust 15-amp motor, a cast aluminum table and a fullsize 5%-in. arbor that accepts 10-in. saw blades so you can rip boards up to 3 in. thick. The accurate rack-andpinion fence allows you to cut stock up to $32\frac{1}{2}$ in. wide—a best-in-class capacity. The sturdy, collapsible stand with wheels took only a few minutes to assemble. The saw comes with a 24-tooth blade, miter gauge, push stick, blade guard and 2½-in. dust port.

I look for maneuverability, power and precision in a job site table saw. I carried the saw up and down a flight of stairs, as well as in and out of the bed of my truck a few times. Even at nearly 100 lbs., it was very easy for me to handle. And that weight is a real plus when the saw is in use; it dampens vibration and keeps the saw stable.

To test the saw, I worked through the scrap pile in my garage. I ripped 2x6s, a variety of plywood, MDF, OSB and melamine, birch, oak and a 4x4 fence post. It easily cut everything I fed into it. The highlight was the rack-andpinion fence system. Its accuracy and ease of use are outstanding.

The toolless riving knife release makes switching between the riving knife and blade guard easy. You can buy this saw at home centers for about \$650.

BRAD HOLDEN DEPUTY PROJECT EDITOR



PEEL & STICK WALLPAPER

Wallpaper accent walls are popular, and new peel-and-stick papers are making them easier to do yourself. Tempaper features colorful designs for home offices, bedrooms or kids' rooms. It comes in 20½-in. wide x 5½-yd. or 11-yd. rolls. The wallpaper adheres to any smooth surface, and its adhesive back won't leave residue or damage your wall or paint whether you keep it up for a month or five years. The clear instructions cover prepping your wall, surfaces to avoid, tools you'll need, and application and removal steps. A feltcovered squeegee is included for removing bubbles during application.

For my project, I measured the height of the wall and precut the roll into shorter strips. I hung the wallpaper on a smooth, eggshell-finish painted wall after cleaning the surface with an isopropyl alcohol and water solution (1:1 ratio) per the instructions. The adhesive is strong, so fixing a mistake took some muscle. But even with force, the paper didn't rip or stretch. As with any wallpaper, aligning the patterns can be challenging, so buy more than you think you'll need. Tempaper is available at Tempaper.com for \$43 to \$125 per roll.

LAURA EIKEN CONTRIBUTING WRITER

ROSE GOLD & BLUE FINISH

DRESSED TO KILL & FULLY LOADED!

THE WATCH YOU'VE BEEN AFTER ALL THESE YEARS NOW ON SPECIAL OFFER!

The quest to find the ultimate men's watch has always been a difficult one in the world of fashion. A timepiece with the perfect look and functionality has long been the goal of both watch designers and enthusiasts alike.

After many years, mastering and honing the construction, design, and look. We bring you a durable rubber strap that will withstand everything the elements throw at it. Three precision sub-dials featuring a split second, minute, and second, as well as being water resistant to 3ATM's. This watch is the epitome of style and sporty design.

Your journey is at an end you can rest in the knowledge that this superb-looking timepiece will stand out on the wrist. High quality materials and design will endure the ravages of time both in terms of remaining fashionable and stylish yet durable enough to be worn every day whether at work, rest, or play.

When we first introduced this outstanding looking timepiece we sold out within days especially considering the very special low-cost offer of only \$99 plus S&H. To avoid disappointment hurry and order today using the toll-free number below and quoting the promo code or by visiting our online store and entering the code before checkout.

The Daniel Steiger
RENEGADE BLUE
NON OFFER PRICE \$599
(WITHOUT PROMO CODE)

83% OFF NOW ONLY \$99
PLUS S&H (WITH PROMO FH3MRN)



ORDER NOW TOLL FREE 24/7 ON:

1-800 733 8463

PROMO CODE: F H 3 M R N

ORDER ONLINE AT:

timepiecesusa.com/fh3mrn AND ENTER CODE: F H 3 M R N

• Rose Gold & Blue Finish • Comfortable Silicone Band • High Precision Quartz Movement
• Split-Second Chronograph • Blue Plating

CORD-FREE COMPRESSOR

ith my background in pentry, I'm familiar with the trials of dragging around an air compressor and nail gun from outlet to outlet to nail moldings, casings and trim, so I was eager to try this Metabo cordless air compressor.

The HPT 36V MultiVolt 2-Gallon Cordless Air Compressor outputs a max 135 psi and

can be powered by a single 36-volt battery or an AC adapter that plugs into an outlet (both sold separately). The brushless motor is nearly maintenance free. The tool features a ¼-in. brass industrial coupler and weighs less than 30 lbs. with the battery.

After charging the 4-amp hour battery and setting the psi to 90, I shot 15- and 18-gauge nails through ¾-in. underlayment.

While shooting 15-gauge nails, the compressor kicked on every 8 to 10 nails and took 16 to 24 seconds to refill. depending on the battery power. I drove 153 15-gauge nails on a single charge. Shooting 18-gauge nails, the tank refilled every 18 to 21 nails, and did this 21 times

before the battery

died, shooting a total of 412 2-in. nails. With the tool running at about 78 decibels. you'll want earmuffs.

This top-notch tool is worth every penny of the \$300 price tag. A Metabo battery and charger, sold separately, will cost about \$120. You can find them at Lowe's and Amazon.

> MIKE BERNER SENIOR PROJECT EDITOR



GO-TO UTILITY KNIFE

Every toolbox should have a quality utility knife. I usually have several, since they're often misplaced and I end up buying another one. On one such occasion I picked up the Irwin ProFlip Utility Knife.

The Irwin ProFlip mechanism allows quick one-handed opening and closing. Other features include a protected blade change button that prevents accidental blade release, onboard blade storage and a sturdy metal belt clip to keep it at hand. The Irwin ProFlip Utility Knife is available at Lowe's and online at Acmetools.com for about \$15.

ETHAN O'DONNELL EDITOR 1







DISCOVER WHAT YOU LOVE

100% Guaranteed Everyday Perfection

What's for dinner? Pure perfection. Like our extra-aged, juicy, and tender steaks, bigger and better burgers, and a feast of other favorites. The specially curated Omaha Steaks Flight solves any mealtime dilemma and simplifies your menu so you can enjoy a gourmet food experience from the comfort of home. It's that easy - and delicious.



Enjoy this special welcome price when you take \$30 OFF your first order. Use promo code FLIGHT30 at checkout.



Omaha Steaks Flight

20 Entrées + Sides and Desserts

- 2 Butcher's Cut Filet Mignons (6 oz.)
- 2 Butcher's Cut Top Sirloins (6 oz.)
- 2 Boneless Pork Chops (6 oz.)
- 2 Air-Chilled Chicken Breasts (5 oz.)
- 4 Omaha Steaks Burgers (6 oz.)
- 4 Gourmet Jumbo Franks (3 oz.)
- 2 Individual Scalloped Potatoes (3.8 oz.)
- 2 Caramel Apple Tartlets (4 oz.)
- 2 Chocolate Molten Lava Cakes (4.2 oz.)
- jar Omaha Steaks Seasoning (3.1 oz.)
- 4 FREE Omaha Steaks Burgers (6 oz.)

71668WKW separately \$282.95 | Package Price \$129.99



ARAN

Order Now! » OmahaSteaks.com/Discover4407 | 1.800.811.7832

4 FREE OMAHA STEAKS BURGERS

Ask for your FREE burgers with offer 71668WKW

Savings shown over aggregated single item base price. Photos exemplary of product advertised. Limit 2. 4 free 6 oz. burgers will be sent to each shipping address that includes 71668. Standard S&H added per address. While supplies last. Items may be substituted due to inventory limitations. First Order \$30 Promo is a one-time use code, valid only on the first order of \$129 by new customers or customers whose last purchase was 366+ days prior to current order date. One Code per customer, cannot be combined with other offers or applied to previous sales, Gift Cards, Wine, Gift Baskets, or Custom Cuts. Omaha Steaks reserves the right to amend these terms to vary or discontinue the offer without prior notice. All purchases acknowledge acceptance of Terms of Use: OmahaSteaks.com/terms-of-useOSI or call 1.800.228.9872 for a copy. Expires 04/30/23. | SRC0700



HANDY HINTS

(1) CLEVER SOLUTIONS FROM OUR READERS





21/8" 2" SCREW

MORE FOR YOUR MONEY

ext time you need to estimate a measurement and don't have a tape measure with you, use a dollar bill or a credit card. Each bill is slightly over 6 in. long, 3 in. folded in half and 2 in. folded in thirds. And they're slightly over 2½ in. wide. A credit card is about 3% in. x 21/8 in.

BRUCE KOPACEK



FENCE-POST HOLDER

As a novice sinker of fence posts, I was having a heck of a time keeping the post plumb while I poured concrete into the hole. My Workmate workbench saved the day.

Here's the system: Position the workbench over the hole, clamp the post in place in the workbench and plumb it, then pour the concrete. By the time you have dug the next hole, the concrete will be firm enough to gently lift the workbench off the post.

KEITH JOHNSON





FURNITURE STRIPPING HELPER

When stripping old paint or varnish, how do you get rid of the stuff once it's on your putty knife? Cut a semicircular opening in the side of an empty gallon jug, then clean the loaded scraper on the flat edge of the hole. When you're done, upend the jug and use the neck of the jug as a funnel to pour the stripper into another container. The stripper will be ready for reuse.

MATT KUDUK



















There's a DR® for every corner of your property— See more equipment online!



Go online to request your FREE PRODUCT CATALOG

GoDRpower.com

DR POWER EQUIPMENT



TRAILER WIRE SAVER

I finally got tired of the trailer wiring harness hanging down behind my pickup truck. It looked ugly and was always exposed to the elements. The solution was simple: a magnetic key storage box.


KEN MARETKA



EASY PAINT SEAL

I keep a roll of Press'n Seal with my painting supplies. It's perfect for covering roller trays, paint pails, rollers and brushes in between coats. This saves me so much time. I can keep all my painting tools covered and clean them just once, even after two or three coats. I even use it to cover coffee cans of leftover paint.


CINDY BOGGS



OVERHEAD STORAGE FOR GARDEN TOOLS

Rakes, shovels, brooms and other long-handled tools seem to be in the way no matter how they're stored in the garage. Here's a rack to keep them tidy: Cut two pieces of plywood about 12 in. x 48 in. and drill matching 2-in. holes in each, spaced about 6 in. apart. Mount the racks on crossties below your garage roof rafters or on floor joists.

A.J. TOKER



LONG-REACH VACUUM

PVC pipe connected to a vacuum hose lets you reach high spots or narrow crevices so you can suck up cobwebs around skylights or dust bunnies behind radiators. In the plumbing aisle, pick up a 10-ft. piece of PVC pipe as well as PVC and rubber reducer couplings that will allow you to connect your vacuum hose to a different-size pipe.







Basement Insulation with Built-In Framing



Apply Adhesive



Press in Place



- + Built-in Stud Framing
- + Electrical Raceways
- + Moisture Control

insofast.com (888) 501-7899



INSTALL ANEGRESS WINDOW

THE PAYOFF IS BIG: A BRIGHTER, SAFER BASEMENT

ne of the best investments you can make in your home is to add finished square footage, and for many homes, the basement is the best place to do that. What many people don't know is that the new habitable space in your basement requires an egress window to provide an exit in case of an emergency. Installing one is a big job, but the larger window will flood your basement with natural light and make it code compliant.

WHAT IT TAKES


TIME 5 to 7 days

COST \$5,000+

SKILL LEVEL Advanced

TOOLS

Mini excavator (rental), shovels, rakes, hand tamper, concrete saw, 8-lb. maul, drill, impact driver, circular saw/miter saw, table saw, oscillating multi-tool, hand seamer, basic carpentry tools



BEFORE YOU START


Adding an egress window is a big job, and it's important to plan your project to meet the building requirements in your location. Here are the steps I took before starting to excavate.

- APPLY FOR A PERMIT. This process could take a few weeks. My city required detailed plans of the well, the dimensions of the window and rough opening, the size of the header and a drawing of the property, including the house.
- **ENGINEERED DRAWING**. The retaining walls that made up our well were tall enough to require an engineer's approval. I sent my plans to a local

engineer who gave me a new drawing with a stamp of approval to include with my permit application. If you buy a manufactured well, this step is likely unnecessary, but the final call is with your city's building department.

CALL THE DIGGING HOTLINE. When you're digging, even just a few inches deep, call to have underground utilities located and marked. Digging is dangerous if you don't know where the utilities are.

If you skip this step and hit a gas, water or power line underground, you'll risk the lives of yourself and others, and you'll be on the hook for the costly repairs. So be sure to call 811 before your project. The process varies by state, so call a few days ahead of your project.



Pollowing my plans, I marked the location of the window well with marking paint. I rented a mini excavator to make the digging much easier. It was well worth the \$450 to avoid hand

digging. Have a plan for the dirt that's being removed; it will be more than you anticipate. We took the nearly 10 cubic yards of dirt to a nearby compost site.

ADD A DRAIN
Once the well was dug and free of loose dirt, I dug a trench underneath the house and fed a drainpipe to meet the drain tile system. This process was required by the city to prevent water from pooling and then freezing against the house, potentially damaging the foundation. The drain provides a path for water that collects in the window well to get to the sump pump. Once the drainpipe is in place, fill the well with clean rock.

Use any remaining loose dirt to create a slope toward the drain. Then cover the bottom surface with geotextile fabric and a 2-in. layer of clean rock, leveled and tamped. The fabric keeps the rock from settling into the dirt and causing the entire base to shift.

INSULATE THE FOOTING My window is 55 in. tall, and to make room for the installation, we dug down closer to the footing than I'd normally like to. Because we live in an area that experiences freeze/thaw cycles, the footing needed frost protection. My solution was to add two layers of 2-in. rigid insulation that was rated to 25 psi. (That rating is important to ensure the rock won't crush the insulation.) I cut out a hole to feed the drain through and positioned the insulation in the bottom of the well.

MEET THE BUILDER



MIKE BERNER, SENIOR PROJECT EDITOR, LIKES BEING IN THE TRENCHES TACKLING COMPLICATED PROJECTS.



MATERIALS LIST

ITEM	QTY.
Clean ¾" rock	7 tons
6x6 critical-structure treated timbers	s 30
2x4 x 8' pressure-treated lumber	4
2x6 x 8' cedar lumber	45
2x10 x 8' lumber	1
2x12 x 8' lumber	2
5⁄4x6 x 8′ cedar decking	45
4" x 10' perforated drainpipe	1
2" x 4' x 8' 25-psi rigid insulation	5
12' 6" x 27' 6" geotextile fabric roll	2
1" x 8' Z-flashing	1
3" sidewall flashing	8'
Flexible flashing tape	1 roll
Seam tape	1 roll
48" x 25' fiberglass screen	1 roll
21/4" x 11/2" x 72" steel angle	2
6" timber/lag screws	8
8" timber screws	200
1¼" concrete anchors	25-ct.
2½" concrete anchors	25-ct.
Composite deck screws	250-ct.
1¼" roofing nails 1	-lb. box
Silicone	



PRO TIP

The rock I'm using isn't "gravel" or "class V." When I call to order it, I ask for "¾ in. clean rock." It's an angular rock that's free of silt that could clog the drain. It compacts well, creating a solid base for the retaining wall and a drainage field.











FAMILYHANDYMAN.COM

MARCH 2023

ADD ROCK FOR THE TIMBER WALL BASE

I covered the insulation with another layer of fabric, then added 8 in. of clean rock on top. The extra layer of fabric will keep the sharp rock from puncturing the insulation. Make sure the rock is level and compact it with a hand tamper.

LINE THE WELL

Before laying the timbers, I lined the well with geotextile fabric. I unrolled the fabric along the dirt walls and folded it over the edges of the hole. The fabric will keep dirt from entering and clogging the drainage space behind the timbers.


7 BUILD THE RETAINING WALL

After you've established a level base of clean rock, start building the retaining wall. The first course of timbers must be level along the length and width of the well. You might have to tamp and move rocks to position this first course.

Each consecutive course will be placed by alternating the overlapped corners. As the timbers are stacked, check that they are plumb or leaning out slightly, and fasten each course to the previous one with 8-in. coated timber screws every 12 in.

BRACE THE END WALLS

To keep the ends of the retaining wall from being forced in during backfilling, I added a length of steel angle against the foundation, on the inside of the well. I drilled pilot holes with a hammer drill and fastened the angle to the block wall with construction adhesive and 1½-in. concrete screws. The retaining wall needs to be able to shift a bit, so don't fasten it to the steel angle.



BACKFILL THE WELL
Fill the space outside the well with clean rock. The rock allows water to drain away from the wall and gives it space to dry, adding longevity to the treated lumber. Leave about 4 in. of grade at the top to be filled with topsoil.

COVER THE BACKFILL
Fold the rest of the fabric over the rock and tack it to the retaining wall. Then cover the fabric with topsoil, maintaining a slight slope away from the well. The fabric prevents dirt and silt from clogging the drainage space.

INSTALL A HEADER Before cutting the hole in the wall, I needed to reinforce the rim joist with a header to span the new opening. I used the header span tables in the International Residential **Building Code to determine how** many 2x10s I needed to add to support the larger opening. I used construction adhesive and lag bolts to fasten two 2x10s, one at a time, to the existing rim joist. I cut each new ply 8 in. longer than the opening to ensure there was enough bearing on each side of the opening.













I ran into a challenge where our new well transitions to the stucco siding. My solution was to add a drip ledge above the well. This creates an eave over the window, allowing the water to shed in front of the window instead of onto it. It also makes a smooth transition from the existing stucco to the thicker insulation and cladding I'll add in the following steps.

ADD FLASHING The flashing behind the existing siding and water-resistant barrier is vital. To fit the flashing behind the stucco and felt paper, I lightly pried the layers from the house and cut any nails that were in the way with an oscillating multi-tool. Once the flashing was tucked behind the stucco, I pressed down on it to slope it away from the house.

FASTEN THE LEDGE I ripped a cedar 2x6 to about 4 in. wide and gave it an 8-degree bevel. Then I drilled evenly spaced pilot holes on its edge. I fastened the ledge to the rim joist with 6-in. timber screws.

CUT THE WINDOW OPENING


With the well structure built and the drip ledge and header installed, we were ready to cut the new opening. I measured my window and added $4\frac{1}{4}$ in. to the total height and width to determine the rough opening size. I transferred those measurements to the block wall.

Then, donning a rain poncho, ear and eye protection, and a respirator, we carefully cut the block. To keep the chain or blade from binding, we cut the bottom first, then the sides.

INSTALL THE WINDOW BUCKS

Once the cut blocks were removed. I filled the cores of the bottom wall blocks with concrete and fit window bucks around the opening. I cut 2x12 pressuretreated wood bucks to fit the width of the opening and fastened the top buck to the bottom of the sill plate with screws. Then I leveled the bottom buck with shims, gave it a slight pitch outside and fastened it to the core-filled blocks with concrete anchors.

Note: As you'll see in Photos 16, 17 and 19, I set the bucks proud of the block wall by 2 in. to line up with a layer of rigid insulation that will be added to the outside of the wall.






CONCRETE

side, keeping fumes and

puddles out of the house.







FLASH THE OPENING I used 6-in. wide flexible flashing tape to create a window pan. I started by covering the front of the sill, wrapping the tape up the sides about 6 in. Then I carefully stretched the tape around the corners and the front of the bucks. Next I applied the tape to each side, overlapping the tape on the sill. Finally, I covered the top of the bucks, making sure to adhere the tape up the block wall, sealing any entry points where water could get inside the framing.

Note: On a normal window, the flashing tape folds around the window buck and adheres flat to the block. That seals the gap between the block and the buck. In this application, you seal the gap with caulk and protect the wood with the tape.

PLACE THE WINDOW
Apply a continuous bead of silicone along the sides and top of the window bucks as close to the inside edges as you can get. Don't seal the bottom. Then, with a helper, set the bottom of the window in the opening and carefully tip the window in until the nailing flange meets the window bucks.

LEVEL AND PLUMB THE WINDOW

With your helper outside holding the window, head inside to position it. First, raise the window ½ in. off the sill and level it with a few shims. Then center the window and have your helper drive one roofing nail in each bottom corner of the window's nailing flange. Next, place a level against the hinge side and adjust it plumb. Use a few shims to keep it in place and check the other side.

Check the window to make sure it's level and plumb, and also check that the measurements from opposite corners are equidistant. Then drive a nail in each top corner of the nailing flange. Before nailing the rest of the window, place the level back on the sides. If there are gaps between the frame and the level, use shims to straighten the frame, then have your helper nail the sides and the top of the window's flange.

INSULATE THE WALL Believe it or not, the soil we removed from against the house was insulating the basement, and we need to replace it with a 2-in. layer of rigid insulation. I ripped a pressure-treated cleat to match the depth of the insulation and fastened it with concrete screws a few inches from the retaining wall. Then I pressed the insulation between the cleat and the wood bucks. I pressure-fit insulation all the way around the window and sealed all the seams with sheathing tape.

ADD A DRIP CAP
I cut a piece of 1-in.
Z-flashing to ½ in. wider
than the window. Then I used
a hand seamer to fold the ends
down to cover the sides of the
window. After nailing on the drip
cap, I covered the flange with
flashing tape to keep out water.







ADD FURRING STRIPS
Before dressing up
the inside of the well
with cedar, I ripped a pressuretreated 2x4 into ½-in. thick strips
and fastened them inside the
well every 2 ft. This will allow
water to drain away to keep the
cedar cladding and the timbers
free of rot.

INSTALL PEST SCREEN
To prevent pests from finding a home behind the cedar cladding, I lined the inside of the well with a roll of fiberglass screen mesh. I made sure the mesh was taut and stapled it to each furring strip.

I used cedar deck boards to clad the inside of the well. I cut each piece to length and fastened the boards to the timber wall with composite deck screws through each furring strip. I made sure each board was level so each course would line up at the corners.





BUILD THE STAIRS

I glued and screwed two 2x4s together, and then
I cut one end at 60 degrees and the other at 30. Starting with the bottom stair, I fitted each one into the corner, shortening each step as I worked my way up the wall. In my city, each step is required to be 12 in. wide, at least 3 in. away from the wall, with no more than 18 in. of rise between them. I added deck boards to the top and face of the stairs to match the rest of the well.

TRIM THE WINDOW
I used Boral TruExterior boards to trim the window. I ripped them to 1¼ in. wide and fastened them on edge with composite decking screws.

SEAL THE WINDOW
Caulk the trim to the window at the sides and bottom. I used a door-and-window sealant that remains flexible after curing. The caulk prevents water from getting trapped between the window and the trim. I capped the top of the retaining wall with cedar decking and finished the well with a few coats of tung oil.









BASEMENT DAYLIGHT



BRIGHTEN A DARK ROOM WITH AN LED "WINDOW"

BY BRAD HOLDEN


ant to bring daylight into a finished basement, but don't want the labor and cost of adding an egress window? If you don't need an egress window to meet code, here's a way to gain the light along


with the illusion of a beautiful new window. You won't get an outdoor view, but a basement window rarely gives much of a view anyway.

We used thin LED panels with adjustable color temperature, set in easy-to-build window frames. Getting power to the panels takes a little electrical work, but the lights are operated by remote control or a battery-powered switch that fits in a junction box, so you don't have to hard-wire a switch.









BUILD THE FRONT FRAME

The frame consists of a front and a back, each cut from 3/4-in. MDF. Determine the frame size needed for your light panel, and then cut the front and back frame pieces. We chose to make a 4-in. wide frame for our LED panel. You will have to decide what looks best in your room.

The front and back frames are identical in size, but the lengths of the parts are different so that the joints of the two frames overlap (see Figure A). Assemble the front frame using wood glue and pocket screws.


MATERIALS LIST

ITEM	QTY.	
3/4" x 48" x 96" sheet of MDF	1	
1/4" x 3/4" screen molding	16'	
Wood glue		
Sandpaper		
Paint and primer		
2' x 4' LED Even-Glow Tunable White	Panel	
Light (\$110) and remote control for LED panel		
(\$10) from superbrightleds.com		
14-2 NM-B cable		

FIGURE A LED WINDOW

OVERALL DIMENSIONS: 31"W x 55"H x 1¾"D

KEY	QTY.	DIMENSIONS	PART
Α	2	³¼" x 4" x 31"	Front frame top and bottom
В	2	³ / ₄ " x 4" x 47"	Front frame sides
С	2	³⁄4" x 4" x 23"	Back frame top and bottom
D	2	3/4" x 4" x 55"	Back frame sides
E	2	Cut to fit	Top and bottom trim
F	1	Cut to fit	Side trim



RABBET THE BACK FRAME Cut rabbets on the back inner edges of the back frame. These rabbets should be deep enough to allow the LED panel to sit flush with the back side of the back frame. For our LED panel, the rabbets are about 3% in. x 3% in.

ATTACH THE BACK FRAME Attach the back frame to the back of the front frame with glue and finish nails. If the top or bottom of your window frame will be visible, glue filler strips into the gaps created by the rabbets at the top and bottom.

ADD THE TRIM Corner trim is typical for window trim. Because our window frame is painted, we needed trim only on the face of the frame, so we used pine screen molding. Attach the trim with brad nails and wood glue. Putty the holes and sand off the excess when the putty is dry.

PAINT THE FRAME Sand the entire frame with 150-grit sandpaper, easing any sharp edges. After sanding, prime and paint the frame.





WHATIS AVAXHOME?

AWAXHOME

the biggest Internet portal, providing you various content: brand new books, trending movies, fresh magazines, hot games, recent software, latest music releases.

Unlimited satisfaction one low price
Cheap constant access to piping hot media
Protect your downloadings from Big brother
Safer, than torrent-trackers

18 years of seamless operation and our users' satisfaction

All languages Brand new content One site



We have everything for all of your needs. Just open https://avxlive.icu





/ SET THE PANEL

Lay a light bead of silicone in the rabbet and set the LED panel into the rabbet. You can skip this step if your panel is snug in the rabbet and won't tip out while you're installing the window.

7 RUN CABLE

Once you have determined the location for your window, cut a hole in the drywall for the LED panel's wiring box. Turn off power to a nearby outlet, verifying that it's off with a noncontact voltage tester. Run NM-B cable from the outlet to the hole. Leave enough extra cable to reach from the hole to the floor to make it easy to wire the panel. To learn how to bring over power from an outlet, visit familyhandyman.com and search for "add electrical outlet."

POWER THE PANEL

Hook up the conductors in the cable to their corresponding terminals on the LED panel. Secure the cable to the wiring box with a cable clamp.





HANG THE WINDOW Using 3-in. trim screws, hang the window, driving the screws into the wall studs.

FILL THE HOLES Fill the screw holes with wood putty or spackling. When the putty is dry, sand it flush and prime. Give the entire window a final coat of paint.

HANG THE BLINDS To complete the illusion, hang blinds inside the window frame. We found that having the blinds just slightly open really sells the look of daylight coming in. 🚯

MEET THE BUILDER



BRAD HOLDEN, THE DEPUTY PROJECT EDITOR, SAYS THIS SIMPLE LIGHTING PROJECT IS ONE OF HIS ALL-TIME FAVORITES.





THE RIGHT STEPS CAN SAVE YOU AND YOUR HOME

BY ETHAN O'DONNELL

n addition to being a headache, a flooded basement requires immediate attention in order to prevent further damage. And as long as you take a few precautions, you can tackle this job. So take a deep breath and follow these steps for managing water removal and quickly restoring your basement to its preflood condition.





DOCUMENT THE SCENE

Before you throw away any of your destroyed belongings, take a minute to document the damage. Taking photos of the flooded area, both inside and out, will greatly assist an adjuster if you decide to file an insurance claim. Document everything: damage to the dwelling, soaked boxes, electronics. furniture and furnishings, as well as the underlying cause of the flood.

CLEAN, CLEAN, CLEAN

If mold is present or likely, clean all vinyl or laminate flooring, solid wood, glass and concrete with a stiff-bristle brush, hot water and a household detergent. A solution of 1/3 cup bleach to 1 gallon of water should be used when mold grows from overland flooding or sewage. Items such as carpet, drywall, insulation and paper that exhibit mold growth should be disposed of as soon as possible. During cleaning, avoid oversaturating the area. Be careful not to mix bleach with other chemicals, use it in a well ventilated area, and protect your eyes and skin from harsh cleaning products.

After cleaning, run a dehumidifier in the area for a couple of days. Keep an eye out for any signs of mold or mildew growth. Your eyes and nose are your most valuable assets during this time. Be

on the lookout for common black or green mold spots, as well as pink or yellow staining on drywall, vinyl wall coverings and faux wall paneling.

A musty or earthy smell is often an indication of hidden moisture damage. If mold returns, fix the moisture problem and repeat the cleaning procedure. It is necessary to wait until the affected areas are completely dry before beginning to rebuild. The process may take several days, weeks or even months.



REMOVE WET ITEMS

Discard waterlogged and damaged items, particularly items that support mold growth, such as paper products, unwashable linens and fabrics, and furniture.

In order to reduce dampness in a basement, remove wet furniture as quickly as possible because cushions act as sponges and absorb liquids. If you intend to salvage other wet items, you should stage them in the garage or porch in order to allow the residual moisture in the basement to decrease.

During the interim, all plastic, glass, ceramic and metal items should be removed. Once they have dried and have been thoroughly cleaned, it's safe to put them back.

Caution: Inside any dwelling, no level of mold growth is considered safe. If you are unable to eliminate the odor or you discover a mold issue larger than 10 sq. ft., get in touch with an expert for mold remediation as soon as possible.

ADAPT YOUR APPROACH WHEN MOVING BACK IN-

You should keep the flooding incident in mind when you begin to move your belongings back into your basement.

Improvements such as drainage tile and sump pumps, landscaping your yard or adding a subfloor with a membrane to the concrete basement floor can all help keep your basement dry. For more information, see "Fix a Leaky Basement," p. 52.

Consider simple solutions too. Store important documents high, use plastic totes instead of cardboard boxes on low shelves, and buy aluminum or plastic furniture, rather than mold-prone particleboard. By doing this, you will save time, effort and money if your basement floods again.



your basement.

of furniture and clutter, it's time

blowers to dry carpet (assuming

the floodwater wasn't contami-

nated) and purchase or borrow

fans and dehumidifiers as pos-

sible. Make sure all walls and

flooring in the affected areas

are dried out. Don't forget to

empty the dehumidifiers and reposition carpet blowers and fans to reduce the humidity in

from family and friends as many

to aggressively dry out your

building materials. Rent floor



BACK-BREAKING WORK REQUIRES SOME HELP

Everyone feels the hurt as you age, but CBD can help you deal with it

By: Beth Giles

ife really does fly by. Before I knew it, my 60s had arrived, and with them came some new gifts from dear ol'
Mother Nature—frequent knee pain, stress, low energy and sleeplessness. Now, I'm a realist about these things, I knew I wasn't going to be young and springy forever. But still, with "golden years" nearly on my doorstep, I couldn't help but feel a little cheated. That is until I found my own secret weapon. Another gift from Mother Nature.

It began a few months back when I was complaining about my aches and pains to my marathon-running granddaughter, Jen. She casually mentioned how she uses CBD rub to help with her joint pain. She said that CBD gave her more focus and clarity throughout the day and that her lingering muscle and joint discomfort no longer bothered her. She even felt comfortable signing up for back-to-back marathons two weekends in a row this year. That made even this self-proclaimed skeptic take notice.

But I still had some concerns. According to one study in the Journal of the American Medical Association, 70% of CBD products didn't contain the amount of CBD stated on their labels. And, as a consumer, that's terrifying!

If I was going to try CBD, I needed to trust the source through and through. My two-fold research process naturally led me to Zebra CBD.

First, I started calling my family and

friends. Call me old fashioned but I wanted to know if there were people whom I trusted (more than anonymous testimonials) who've had success using CBD besides my granddaughter.

Secondly, I wanted cold hard facts.

Diving deep into the world of CBD research and clinical studies, I came across Emily Gray M.D., a physician at the University of California at San Diego (UCSD) Medical School and medical advisor to Zebra CBD who is researching the effects of CBD.

Dr. Gray wrote "early results with CBD have been promising and we have a lot of research underway now. I've had several patients using CBD with good success. It's important that you know your source of CBD and how to use it properly."

After hearing it from the doctor's mouth, I returned to my research, asking more people and was amazed by the number of close friends and family who were already on the CBD train. Apparently, I was the only one without a clue! And funny enough, a couple of friends who commented were using the same brand as my granddaughter—Zebra CBD. There was no consensus as to why they were using CBD, but the top reasons given were for muscle & joint discomfort, mood support, sleep support, stress and headaches, as well as supporting overall health & wellness.

Eventually, even the most skeptical of the bunch can be won over. With a trusted CBD source in mind, I decided to give it a go.

When I viewed Zebra CBD's selection

online, I was impressed by its array of products, including CBD oils called tinctures, topicals, chewable tablets, mints and gummies. After reading on their website that all their products are made with organically-grown hemp, I ordered... and it arrived within 2 days!

The first product I tried was the Rub.

Now this stuff was strong. Immediately after rubbing it on my knee, the soothing effects kicked in. It had that familiar menthol cooling effect, which I personally find very relieving. And the best part is, after two weeks of using it, my knee pain no longer affected my daily mobility.

The Zebra Sleep Gummies, on the other hand, had a different but equally positive effect on my body. To take it, the instructions suggest chewing thoroughly. This was simple enough, and the taste was, well, lemony. After about 15 minutes, a sense of calm came over my body. It's hard to describe exactly; it's definitely not a "high" feeling. It's more like an overall sense of relaxation—and then I fell fast asleep. Needless to say, I slept great and woke up refreshed. I haven't slept like that in a long time.

While it hasn't been a catch-all fix to every one of my health issues, it has eased the level and frequency of my aches. And it sure doesn't seem like a coincidence how rejuvenated I feel.

All-in-all, CBD is one of those things that you have to try for yourself. Although I was skeptical at first, I can safely say that I'm now a Zebra CBD fan and that I highly recommend their products.

Also, I managed to speak with a Zebra CBD spokesperson willing to provide an exclusive. If you order this month, you'll receive \$10 off your first order by using promo code "FH10" at checkout. Plus, the company offers a 100% No-Hassle, Money-Back Guarantee. You can try it yourself and order Zebra CBD at ZebraCBD.com/FH or at 1-888-762-2699.



THE BEST MATERIALS AND PRACTICES FOR A MOISTURE-PRONE AREA

BY STEVE MAXWELL

hen you're
choosing basement flooring,
style and comfort matter, but

your top consideration should be how well it can handle moisture.

As a starting point, you need to determine if there are any moisture issues in your basement. Obvious sources would be leaking pipes, water heaters, laundry tubs and floor drains, but there are also less obvious ones, such as moisture coming in through the foundation.

If you notice moisture entering through the foundation, you'll likely need to address the drainage around your home's exterior. Moisture coming in through the slab is less obvious; you'll need to run a test. Your flooring installer can do this for you, or you can perform the test on p. 53. If there's a moisture problem, the concrete must be sealed before you install any type of flooring.

The flooring you choose for a basement must be rated for below-grade installation. If you're not sure, check the product information and the manufacturer's website.





CARPET

Many people install carpet in basements because it makes the concrete floor warmer and more comfortable. That's a fine goal, but never make the mistake of installing carpet and underlayment directly on basement concrete. One reason is summertime mustiness. When humid summer air enters the carpet pile and comes close to the concrete underneath, that air can cool to the dew point, releasing fine droplets of water within the carpet or underlayment. That's why finished basements smell musty.

Always install basement carpet and underlayment on concrete that has been sealed or on top of a vapor-impervious subfloor. This will raise the temperature of the floor in winter, make your carpet more pleasant to walk on and, most important, prevent humid air from reaching the concrete and triggering mold growth. A common mistake is to install a vapor barrier on top of the carpet pad. This will trap moisture and cause mold growth on the pad or even the concrete.

Carpet tile is an excellent carpet choice for a basement. These tiles wick moisture and release it into the air. Like many luxury vinyl tiles, they're "loose lay," so they don't click together. Many are adhesive backed, but it's a special adhesive that prevents only side-to-side sliding. They can be lifted up individually for drying if they do get wet. Schmitz doesn't recommend wool or natural fabric carpets for basements, as those tend to retain moisture.











IT'S ENOUGH TO MAKE YOU BLUE IN THE FACE

Time to take a stand against overpriced watches with the Stauer Urban Blue, now only \$29

You need a new watch...the one you are wearing was made when Nixon was in office, but extravagantly-priced watches that add zeros just because of a high falootin' name are an insult to your logic. Why shell out big money so some foreign company can sponsor another yacht race? It's time to put an end to such madness. It's absolutely possible to have the highest quality, precision classic timepiece without the high and mighty price tag. Case in point: The Stauer *Urban Blue*.

Packed with high-end watch performance and style, minus the high-end price tag. It's everything a high-end watch should be: Sturdy stainless steel and genuine leather construction. Precision timing that's accurate to four seconds a day—that's more precise than a 27-jewel automatic watch priced at over \$6,000. And, good looking— with simple, clean lines and a striking metallic blue face.

"Blue watches are one of the growing style trends seen in the watch world in the past few years"—WatchTime"

Your great escape from the over-priced watch craze. At Stauer, we go directly to the source (cutting out the middleman), and engineer our own watch designs. This means we can offer a top quality timepiece that happens to only cost the same as two well-made cocktails at your favorite bar. So, while we're busy

revolutionizing the watch industry to bring you more real value, you can take your own stand against overpriced watches with the *Urban Blue*.

Your satisfaction is 100% guaranteed. Wear the *Urban Blue for* 30 days. If you're not convinced that you achieved excellence for less, send it back for a refund of the item price. The *Urban Blue* is one of our fastest sellers. It takes six months to engineer this watch so don't wait. Take a stand against overpriced watches in impeccable style. **Limited to the first 1900 responders to this ad only.** Don't miss out...call today!

Stauer Urban Blue Watch \$199†
Offer Code Price \$29 + S&P Save \$170

1-800-333-2045

Your Insider Offer Code: UBW550-02

BBB. ACCREDITED BUSINESS

You must use this insider offer code to get our special price.



14101 Southcross Drive W., Ste 155, Dept. UBW550-02 Burnsville, Minnesota 55337 www.stauer.com

† Special price only for customers using the offer code versus the price on Stauer.com without your offer code.

STAIRCASE BONUS SPACE

FIVE CREATIVE WAYS TO USE IT!

BY JAY CORK

n most multistory houses, the space under the stairs is enclosed and unused. But with a little time and creativity, you can turn that wasted space into something

special. Here are five ideas to inspire you.

WINE STORAGE

If you have a wet bar in the basement (or one on the way), consider building wine storage into your staircase. It's a beautiful project and frees up space in your bar or, depending on the size of your collection, maybe even an entire room.

START WITH THE CASEWORK

Build this wine rack as you would a fixed shelving unit, using ¾-in. plywood for the casework and shelves. Assemble and install only the casework—it will be much lighter to handle. Trim to match your style and apply the finish.

MAKE THE RACKS

It's easiest to attach the dividers before the shelves are installed. With a $2\frac{1}{2}$ -in. wide piece of scrap wood to space the dividers evenly, use a brad nailer to attach them to the shelves. Install the shelves with pocket hole screws.

TRIM IT OUT

Trim the wine rack with a style that matches your space. Frame it with a wide base trim to create a bold look. For jobs such as this, I like to use chair rail for a unique look.



SIMPLE SHELVING

This easy upgrade to an under-stair space adds both function and style. Recessed shelves don't require any structural changes to the wall or staircase. You can trim each shelf or just paint them to blend into the drywall as shown.

to match the

shelf box.

SIMPLE BOX CONSTRUCTION

The recessed shelf detail is easy to makejust assemble open-faced boxes to fit within the stud cavity using ½-in. plywood or MDF. Mark the stud locations and cut the openings in the drywall. Install the boxes flush to the drywall and apply trim.

Pro Tip: Whether you're painting or staining, finish the shelf boxes before installing them.

ADD ADJUSTABLE SHELVES

Increase storage and functionality with adjustable shelves. This can be done before installation or later as your needs grow. Use a shelf pin jig to drill the shelf pin holes accurately on both sides of the box. Cut the shelves 1/4 in. narrower than the internal dimensions and finish the shelves

PET LOUNGE

What better way to show some love for our pets than to make a space just for them! A dog just wants a bed of its own, and cats iust want to reinforce their superiority by sitting higher than anyone else in the room. This plan suits both!

A DOGHOUSE

You can simply cut a door into the wall, or frame out an entire under-stair hideaway for your buddy. Add a dog pillow for creature comfort, plus bowls for food and water, then your pup will have a room to call its very own.

ADD A CAT PERCH

This cat perch is easy. Make a $14\frac{1}{2}$ -in. square box to fit between the studs, cut away the drywall and screw it in. Trim it to match the style of your room. Your feline will love running up the carpeted, L-shaped steps to its perch. Position the steps over the studs for maximum strength.



HOME OFFICE SPACE


With more people working from home, the need has increased for a space to serve as "the office." Unfortunately, this is often the kitchen table, the couch, a spare bedroom or, worse yet, our actual bedrooms! Let's be done with that! Convert unused space under a staircase to a small but functional home office complete with a work surface, filing cabinets, shelves and a task light.

INSTALL A WORK

Design the space around an existing desk or design a desk to fit the existing space. A work surface is easy to make with particleboard and plastic laminate. Anchor it to the studs and it will be strong enough to stand on!

ADD CABINETS AND SHELVES

Add filing cabinets and shelves to fully outfit your new work-at-home digs. Store-bought filing cabinets with two drawers are typically 30 in. tall. Make sure they will fit under your work surface.







DAYBED READING NOOK

This nook with a daybed is a perfect hideaway for alone time with a glass of wine and your favorite book. It can also double as a guest bed for kids' sleepovers. It's like adding an entirely new room without nearly as much work.

ADD SHELVES

You know that teetering stack of books on your nightstand? You can move a few down here if you add shelves to the side wall. Build them into the stud wall and finish them with drywall for a clean look. A small nook on the back wall is perfect for a cup of coffee or tea.

STORAGE FOR MORE THAN BOOKS In addition to the space for books along the front of the bed, the area underneath the mattress can also

be used for blankets and pillows. 🚯

FIX A LEAKY BASEMENT


THESE STRATEGIES WILL HELP YOU DRY IT—PERMANENTLY

BY JEFF GORTON

leaks when it rains or is damp and smells musty in the summer, don't throw in the towel.


There are all kinds of ways to dry a wet basement, ranging from simple weekend fixes to more difficult repairs that you may want to hire a contractor to do.

In this article, we'll show you how to diagnose your wet basement problem and give you solutions to try yourself. We won't go into detail on how to complete some of the more difficult jobs, such as installing an interior drainage system, but we'll show you how they work and what's involved in their installation.



INSPECT YOUR FOUNDATION AND TAKE NOTES

It's important to do a thorough check of the ground around your foundation. For this you'll need a 4-ft. level, a tape measure and a notepad. First draw a simple sketch of your house and yard. Then use the level to check the slope of the ground around your foundation. Look for areas of sunken soil, garden beds with edging that protrudes to form a dam, and ground that slopes toward the house. Make notes on your sketch with arrows to show which way the ground slopes. This step will help you develop a plan for redirecting the water away from the foundation.





DETERMINE WHERE THE WATER IS COMING FROM

Water or moisture gets into basements through two sources. One is indoor humidity that condenses on cold surfaces, such as the sweat on a cold glass of lemonade on a hot and humid day. The other main source is water—or water vapor—coming in from the outside. Rainwater, melting snow or groundwater can saturate the soil around your foundation and leak in. Water can leak through cracks in the foundation or walls, or it can penetrate porous concrete or masonry walls in the form of water vapor.

To help you diagnose the problem, tape aluminum foil to your basement wall and inspect it a few days later. Moisture on the outside surface of the foil indicates high indoor humidity. Moisture behind the foil means moisture is leaking through the walls.




GET RID OF EXCESS HUMIDITY

Eliminate the sources of humid air. Seal leaky dryer vents with foil tape to prevent unwanted humid air from entering your basement. Don't just use duct tape; it'll eventually fall off.

Add a vent fan to your basement bathroom and make sure your family members turn it on during showers. Keep your basement windows closed during humid weather. And if you're still getting condensation on cool surfaces, run a dehumidifier to lower the indoor humidity.





PLUG HOLES AND CRACKS IN THE FOUNDATION


Not all foundation cracks are created equal, so it's important to identify cracks that can contribute to leaks. Plugging them probably won't solve basement leaks, but it'll help. Hydraulic cement works great for this because it can set up even under water, and it expands as it sets to seal the hole and lock the plug in place.

Use a cold chisel or an angle grinder fitted with a masonrycutting disc or diamond blade to enlarge the hole or crack into an inverted V, with the point of the V on the surface of the wall. Follow the package instructions for mixing and using the hydraulic cement.




INSTALL A SUMP PUMP

A flooded basement can cause expensive water damage and even be a health hazard. A sump pump transfers water from your basement to a place it can drain safely. Sump pumps must be installed at the lowest level of the floor. They don't have to be in a pit, but digging a pit in the basement floor is usually the best option. The pit is typically lined with a prefabricated plastic basin with a cover. Depending on the height of the water table, a submersible pump is installed in the pit or a pedestal pump is installed on the basement floor.



INSULATE BASEMENT WALLS

Insulate exterior walls to prevent condensation. In cold climates, insulating basement walls also saves energy and reduces your heating bill. But don't cover the walls with insulation if water is leaking in from outside; you'll just create a potential mold problem.



WATERPROOF BASEMENT WALLS

Paint-on waterproofing materials fill the pores in the concrete or masonry walls and prevent water from leaking in. To be effective, these coatings must be applied to bare concrete or masonry walls. Start by removing loose material with a wire brush. Then clean off any white powdery "efflorescence" with masonry cleaner.

Follow the safety and application instructions carefully. A common mistake when using masonry waterproofing products is to spread them too thin. The goal is to fill every pinhole to create a continuous waterproofing membrane. Brush the coating in all directions to completely fill every pinhole. Add a second coat after the first dries.





1/4" HP BENCHTOP **OSCILLATING SPINDLE** SANDER



MARNING! *1 G0723 ONLY \$279

8" BENCHTOP **DRILL PRESS**



MARNING! 11 G0925 ONLY \$119

10" 1/2 HP BANDSAW



MARNING! *1 G0948 ONLY \$375

10" 2 HP BENCHTOP TABLE SAW



121/2" 2 HP BENCHTOP PLANER



MARNING! ^{↑¹} G0505 ONLY \$395

6" BENCHTOP JOINTER WITH SPIRAL-TYPE CUTTERHEAD



MARNING! 11 G0946 ONLY \$349

THE CLASSIC 14" BANDSAW



G0555 ONLY \$749

1 HP DUST COLLECTOR



MARNING! *1 G8027 ONLY \$235




grizzly.com. 800-523-4777

Please visit grizzly.com for up-to-date pricing.

MARNING! †¹ : Cancer & Reproductive Harm

ne products we sell can expose you to chemicals known to the State California to cause cancer and/or birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov






INSULATE PIPES

Condensation can build on cold pipes, leading to dripping and more basement water problems. Cover cold water pipes with foam pipe insulation to stop condensation. The foam insulation is inexpensive and easy to cut with scissors. It also helps prevent pipes from freezing in the winter, which can cause serious flooding problems.

INSTALL A DRAINAGE SYSTEM

The best permanent fix for chronic basement leaks is to install drainage tubing below the basement floor and to connect it to a sump basket and pump. You can install a system like this yourself, but breaking out the concrete floor, burying the tubing and patching the floor is a lot of backbreaking work.



ADD GUTTERS AND DOWNSPOUT EXTENDERS

If your basement leaks after it rains and you don't have gutters, consider adding them. Gutters catch the rain and channel it to the downspouts, which direct it away from the house. Whether you're installing new gutters or already have them, be sure the downspouts have 4- to 6-ft. horizontal extensions to move the water away from the house. 📵

ONE ASSET SOARS ABOVE ALL OTHERS

GET YOUR FREE ULTIMATE GOLD INFORMATION KIT FROM U.S. MONEY RESERVE!

Gold provides the protection your portfolio needs to stand the test of time.

f you would have taken \$150,000 of your money and bought physical gold in 2000, you would now have over \$1 million at today's gold prices.* That's an incredible increase of over 600%—outperforming the Nasdaq, Dow, and S&P 500. Many analysts believe that the long-term gold bull run has only just begun and predict its current price to rise—even DOUBLE—in the future.

In today's volatile economic environment, it is essential to diversify with gold. If you have been waiting to enter the gold market, this is your opportunity to join the thousands of Americans who are protecting their future by transferring money into gold. Unlock the secret to wealth protection with your free Gold Information Kit—absolutely free from the experts at U.S. Money Reserve.

CALL NOW FOR YOUR FREE GOLD INFORMATION KIT

Order the Ultimate Gold Information Kit from the experts at U.S. Money Reserve, with over 65 pages of insider information!

- Why Own Gold NOW
- The Secrets to Gold Ownership
- Maximizing Your Profit Potential
- Exclusive Offers and Intro Savings

CALL TOLL-FREE TODAY!

1-877-465-3440

Vault Code: FH13



Call right now to receive two exclusive BONUS reports: 25 Reasons to Own Gold Now and Protection in the Risk Zone!













©2023 U.S. Money Reserve. *Based on the change in gold's price from \$263.80/oz. (10/27/00) to \$1,852.20/oz. (01/06/23). The markets for coins are unregulated. Prices can rise or fall and carry some risks. The company is not affiliated with the U.S. Government and the U.S. Mint. Past performance of the coin or the market cannot predict future performance. Prices may be more or less based on current market conditions. All calls recorded for quality assurance. Coins enlarged to show detail. Offer void where prohibited.









EST 1928 **WODCRAFT**®

HELPING YOU MAKE WOOD WORK®

Build with woodworker-tested, top quality exclusive tools. Learn more at woodcraft.com/woodriver

To Find Your Local Woodcraft Store, Visit Woodcraft.com Or Call 800-225-1153.



WORK-SHOP



KITCHEN & BATH

NEOPERL, Inc. designs and manufactures water saving products that enhance the stream quality and control the flow rate of faucets and shower products.





OUTDOOR/LAWN & GARDEN

Want a great lawn? Start with a better grass – Amazoy Zoysia Grass! Learn more: 1.410.756.2311 | Zoysiafarms.com



TOOLS

Since 1928 Woodcraft has been outfitting woodworkers and their shops with everything woodworkers want. Find the best tools, or the most amazing wood for your next project.

Woodcraft.com/catalog

















Grizzly Industrial, Inc. Purveyors of Fine Machinery since 1983. 1.800.523.4777 | Grizzly.com

BEST PRO TIPS

@ EXPERT ADVICE FROM THE JOB SITE



losed-cell polyurethane spray foam has some outstanding qualities—it has a high R-value, it expands into hard-to-reach areas, and it's resistant to water, mold and insects. Heck, it can even add structural support.

However, it is expensive, so we spoke with a couple of manufacturers and some pro insulators about where and when to use it, when to call in a pro with a truck-mounted unit, and when a DIY kit is the best option. We also assembled some great installation tips to help you spray safely and get the best value for your investment.

We used the Froth-Pak Insulation 210 two-component, low-pressure kit. It has an R-value of 6 per inch.

MEET THE EXPERT





SEALANT VS. INSULATION

Closed-cell spray foam sealant looks just like foam insulation, but it's not the same thing. Sealant is formulated to seal cracks and voids, or the perimeter of stud spaces before you install fiberglass insulation. Sealant should not be used to fill larger cavities because it loses its fire-retardant properties when applied in thick layers.

OPEN-CELL VS. **CLOSED-CELL FOAM**

Two kinds of spray foam are available: open and closed. Closed-cell foam costs more than open-cell, but the properties of closed-cell make it more popular. It's more resistant to water and can provide an air and vapor barrier (depending on the thickness). It also provides nearly double the R-value per inch over open-cell.

Open-cell insulation has one superior property over closed-cell foam—it works great as a sound barrier. It's often used under stairs and between walls and floors for that reason.

FOAM IS MEASURED IN BOARD FEET

Most two-part spray foam kits have a number assigned to them: 120, 200, 210, 600, etc. That number usually indicates how many board feet the foam will cover. So, a 200 kit will cover 200 sq. ft. at 1 in. thick.



TRUCK VS. KIT

Most insulating pros with truck-mounted units have a minimum charge that can be in the thousands, so buying a spray foam kit makes sense for small jobs and for when you need to insulate in stages over the course of a few days or weeks. Kits are also handy for insulating jobs in remote locations far from a spray foam company. You can buy kits that produce foam with the same R-value as the foam sprayed from truck-mounted units (just under R-7).

For large jobs, it makes sense to hire a pro because the cost will be considerably less than if you use a kit yourself. You'll also want to call in a pro if the weather is cold. Truck-mounted units have built-in heaters, which can spray foam at close to freezing temperatures. Kits require ambient and surface temps to be 65 degrees.

Keep in mind that a house will have to be vacated for up to 24 hours if a truck is called in, but many of the kit products allow you to inhabit the house immediately after spraying.

MAKE A PLAN BEFORE YOU PULL THE TRIGGER

Long before you don your safety gear, plan your work. (1) Clear the room of everything that could get in the way. (2) Mask everything else. (3) Decide which areas you'll spray first. (4) Place ladders or step stools where you'll need them. (5) Set up a fan or two to vent the fumes outdoors.

Before you start, shake the cans to mix the contents, and then shake them every few minutes after that. You'll have to install a new tip every time you stop spraying for more than 30 seconds—the foam sets inside the nozzle and clogs it. Spray foam kits come with extra tips, but it's a good idea to purchase more.



MASK WINDOWS AND DOORS

Use a hammer tacker to staple plastic to the framing around windows and door frames. Don't worry about covering gaps between the windows and the framing because you'll want to fill those with lowexpanding canned foam specifically designed for windows. Cover all the switch and outlet boxes with masking tape so they don't fill with foam.

PRO TIP: When you insulate exterior walls with foam, you don't need to use gasketed electrical boxes as you would if you were insulating with fiberglass—the foam will air-seal around the boxes.



are flowing evenly.

PETROLEUM

LUBE THE GUN WITH EVERY TIP CHANGE


The end of the gun needs to be lubricated before the first tip is installed and again before the tanks are stored after use. Many pros prefer to lube the tip of the gun every time they install a new tip. Kits will come with petroleum ielly lubricant. Always follow the manufacturer's instructions on operation, tip changes, storage and disposal.

BEST PRO TIPS



PICTURE-FRAME FIRST

Before filling the wall cavity, spray the perimeter with a ½-in. layer, which will expand to a 1-in. layer. These layers are called lifts. This will ensure that the foam penetrates any voids where the studs meet the sheathing and reduce the risk of bulging. If foam is sprayed into a large gap between the stud and the sheathing and then immediately covered by a thick layer, the pressure of the expanding foam can cause sheathing that isn't securely fastened to bulge out. Wait a few minutes after picture-framing the cavity before you go back and lay down the first layer in the center of the wall.



SPRAY THE RIM AND THE BOTTOM PLATE

A foam sill sealer is needed between the bottom plate and the concrete foundation wall. Voids in the wood or concrete or tears in the sill sealer can create gaps where air and insects can penetrate. While you're sealing the rim board, cover the bottom plate and top off the concrete as well. There's no need to picture-frame the joist spaces before filling them, but don't spray a lift more than 2 in. thick.



NEVER SPRAY A WET SURFACE

Never spray foam on a surface with a moisture level of more than 20%—the foam won't stick. If you're patching a wall that recently sustained water damage or was recently assembled with new wet lumber, test the moisture level before you spray. You can get a basic moisture meter at some home centers or online for less than \$40.



SPRAY 2-IN. LIFTS AND WAIT

The two most common spray foam installation mistakes are failing to wait for lifts to cure and spraying lifts that are too thick.

Always wait a few minutes before spraying additional lifts, and never spray a lift more than 2 in. thick. The foam needs time to cure before being covered with another lift. Uncured foam results in reduced R-values. The allowable thickness of lifts varies by manufacturer, so do your homework.

Gold You Can Trust!

At Prices Anyone Can Afford

Historically, gold has proved to be a reliable hedge against inflation and economic uncertainty. Plus, gold bars are a convenient and popular way to invest in gold. PAMP® gold bars are one of the most trusted gold investment products on the planet.

Who Is PAMP® Suisse?

In a nutshell, PAMP Suisse is the world's leading independent Precious Metals refiner. An acronym, "PAMP" stands for Produits Artistiques Métaux Précieux ("artistic precious metals products," in French). The company is completely independent of any government, and provides more than half of all the gold bars under 50 grams sold around "the world. They are so well respected in the gold industry, they are assigned as an 'Approved Good delivery Referee' to determine the quality of products by the London Bullion Market Association. Located in the southern part of Switzerland in Castel San Pietro, the company was founded in 1977.

The Highest Quality Standards!

PAMP Suisse Minted Gold Bars are certified, assayed, guaranteed, and struck in 999.9% pure

gold! These gold bars feature an obverse design portraying Fortuna, the Roman Goddess of fortune and the personification of luck in Roman religions. PAMP Suisse's exclusive Veriscan® technology uses the metal's microscopic topography, similar to a fingerprint, to identify any registered product, aiding in the detection of counterfeits. The tamper-evident assay card makes it easy to tell if the bar has been questionably handled, while guaranteeing the gold weight and purity.

Order Now for Doorstep Delivery!

Add gold to your portfolio. PAMP Suisse Minted Gold Bars are available here in a wide variety of sizes-from one gram to one ounce—at competitive prices. PLUS, you'll receive FREE Shipping on your order over \$149. Call right now to get your PAMP Suisse Minted Gold Bars shipped to your door!

PAMP Suisse Minted Gold Bars

1 gm Gold Bar \$96 \$89 + s/h 2.5 gm Gold Bar \$229 \$199 + FREE SHIPPING + FREE SHIPPING 5 gm Gold Bar \$449 \$379 10 gm Gold Bar \$735 + FREE SHIPPING \$699 Gold Bar \$2,229 \$2,049 + FREE SHIPPING

FREE SHIPPING! Limited time only. Product total over \$149 before taxes (if any). Standard domestic shipping only. Not valid on previous purchases. Actual sizes are 11.5 x 19 to 24 x 41 mm



1-800-973-9208 Offer Code PMP150-03 Please mention this code when you call.

Pamp® Suisse **Gold Bars from** Switzerland

High-Purity 999.9% Pure Gold

Affordable Fractional Sizes

Easy to Acquire PAMP Gold Bars! First Call, First Served!

World's Leading Precious Metals Refiner, Since 1977

999.9% Pure Gold

Individually Serialized Security



Accredited by the Swiss Federal Bureau, each Pamp Suisse Gold Bar is individually registered and sealed within protective CertiPAMP™ packaging with an integrated and official Assay Certificate that guarantees fine precious metal content and weight, protected with a removable film.



GovMint.com • 1300 Corporate Center Curve, Dept. PMP150-03, Eagan, MN 55121

GovMint.com® is a retail distributor of coin and currency issues and is not affiliated with the U.S. government. The collectible coin market is unregulated, highly speculative and involves risk. GovMint.com reserves the right to decline to consummate any sale, within its discretion, including due to pricing errors. Prices, facts, figures and populations deemed accurate as of the date of publication but may change significantly over time. All purchases are expressly conditioned upon your acceptance of GovMint.com's Terms and Conditions (www.govmint.com/terms-conditions or call 1-800-721-0320); to decline, return your purchase pursuant to GovMint.com's Return Policy. © 2023 GovMint.com. All rights reserved.

DON'T LEAVE FOAM INSULATION EXPOSED IN LIVING AREAS

To comply with building codes, spray foam insulation cannot be left exposed in living areas. It needs to be protected by a thermal barrier such as drywall. Rim joist cavities are one exception. They can be sprayed with foam and left exposed if the foam is less than 2 in. with a Class A fire rating.

Foam can be left exposed in nonliving areas such as attics and crawl spaces that are not used for storage, but the foam must either have a Class A rating or be covered by an ignition barrier such as drywall, mineral fiber insulation or a special spray-on coating. Fire and smoke specs differ among manufacturers, so always consult your local building official to confirm which foam you can use and where.



START AND STOP AT CABLES AND PIPES

Don't blast over pipes and cables on the first lift. Instead, shoot some foam underneath them at the same time you're picture-framing the stud cavities. This will ensure that the foam doesn't wrap over the cables and leave an uninsulated void behind the pipes or cables.



SCRAPE OVERSPRAY WITH A CURRY COMB

Run a straightedge along the outside of the studs and scrape down any high spots with a curry comb. Remove large chunks of foam with a handsaw. Curry combs are designed to groom horses and are available online or at farm supply stores for less than \$20.



TEST THE DEPTH WITH A CHOPSTICK

It's important to know how thick the foam is, but it can be difficult to judge, especially in rim joist spaces. You could buy a fancy pin depth gauge (not shown), or you could wrap a piece of tape around a chopstick at your desired depth and use it for testing.



COMBINE FOAM WITH FIBERGLASS

Fiberglass insulation can be used in conjunction with spray foam. The process is called "flash and batt." Just picture-frame the wall cavities and lay down one lift. Then fill the rest of the cavity with fiberglass insulation. This is a popular way to save money but still takes advantage of the outstanding air-sealing properties of closed-cell foam.

For 2x4 stud walls, the fiberglass insulation will have to be split to fit. In this case, we sprayed just under 2 in. of foam (R-10.8) and split 3½-in. R-13 batts in half (R-6.5) to achieve an R-17.3 insulation value. Never cram oversize batts into a wall cavity because fiberglass insulation loses R-value when it's compressed. @





Take your outdoor cooking to the next level with Bacon Up® Bacon Grease. NOW AVAILABLE in the outdoor cooking section of select hardware stores nationwide!

ACE.



HOMECARE

MAINTENANCE & REPAIR | STORAGE & ORGANIZATION | HEALTH

DOES LIGHTING YOUR PROPERTY MAKE IT SAFER?

Humans tend to fear what lurks in the dark, so it's only natural that our survival instincts bend toward illuminating our property. But does copious lighting really keep intruders away and make your home safer? It depends.

"The most common misconception is that more light means less crime, but that is not supported by the data," says Lt. Ryan Darr, who oversees criminal investigations at the Flagstaff, Arizona, Police Department. "Lighting can illuminate a potential target just as easily as it allows a legitimate user to see a potential threat or criminal."

More than two decades ago, Flagstaff was recognized as the world's first certified International Dark Sky City for its pioneering work to balance preservation of the night sky with concerns about public safety and economic security. The city police partner with experts such as Christian B. Luginbuhl, the president of the Flagstaff Dark Skies Coalition, to improve safety while mitigating light pollution.

BY KARUNA EBERL

Luginbuhl says there's no consensus among scientific studies examining light and crime.

"Sometimes lighting may decrease crime; sometimes it may increase it," says Luginbuhl. "The U.S. Department of Justice has concluded that the benefits of lighting are uncertain, even though many feel quite [unjustifiably] certain of the benefits."

HOW MIGHT LIGHTING MAKE A PROPERTY LESS SAFE?

Lighting intensity, placement and complementary security measures are more important than your quantity of light. Common lighting mistakes include:

■ BRIGHT LIGHTS: These constrict our pupils, preventing us from seeing what's in the shadows. "If you stick a light on the side of a building that shines in your user's eyes, it may actually make it more difficult to see if there is danger there," says Darr.

■ LIGHTING WITHOUT

SURVEILLANCE: This lets potential intruders see without turning on their flashlights, which might otherwise draw attention. "In fact, good lighting without surveillance may actually encourage criminal activity in some cases," says Darr.

■ EXCESSIVE AND MISDIRECTED **LIGHTING:** If it shines sideways or upward, it actually decreases visibility and creates a false sense of security. That may make people behave more carelessly.

"It's usually smarter to think about other more obvious ways to protect yourself or your property against crime," says Luginbuhl. These include locking your doors and walking at night with a companion.

And here's one more cost-free way: "Fostering community relationships where people watch out for each other, rather than close their windows and shades against the night," he says.

MOST EFFECTIVE WAYS TO USE LIGHTING TO DETER CRIME

Excessive lighting is detrimental, but well-planned lighting is vital to home security. Our experts offer these suggestions:

■ USE MOTION-ACTIVATED

LIGHTS: These can effectively spook any would-be intruder. "They can also be a helpful tool when bringing in groceries from the car at night or taking out the trash," says Shane Roberts, product marketing manager at Vivint, a home security company.

■ POSITION PRIMARY LIGHTS

OUT OF REACH: "Then no one can tamper with them," says Officer Mitch Trujillo of the Boulder Police Department in Colorado.

■ CHOOSE INTERACTION:

Lighting can interact well with security cameras and devices.

■ PUT FLOODLIGHTS ON A

MOTION SENSOR: These also light up dark corners around your

house. "Be sure to install them so they don't illuminate higher than the eaves of your house and are in areas that won't keep you or your neighbors up, like entryways, porches, garages and the sides of your home," says Mallory Micetich, a home care expert at Angi.

■ INCREASE EFFECTIVENESS

WITH AUTOMATION: Program lights to come on at various times of day or night to create the illusion someone is home. Apps such as Vivint's Spotlight

Pro offer remote control of your lights and their orientation. You can shine spotlights and strobes on people lingering too long.

■ USE LOW-POWERED **LANDSCAPE LIGHTING:**

This helps illuminate grounds otherwise cast in shadow.

■ SHINE LIGHTS DOWN: Target the areas you and your guests normally use. "Never point lights up into the sky," says Darr.

■ DON'T SHINE LIGHTS

SIDEWAYS: The increased glare will make it harder to see in the harsh shadows created.

PLACE LIGHTS AT THE MAIN **POINTS OF ENTRY:** Think about front and back porches, windows, pathways, garages and driveways, according to Roberts.

■ LESSEN LIGHT POLLUTION:

Choose warm-spectrum colors with lighting pointed downward and shielded on the top and sides. Install lights only where necessary and set them at the lowest brightness.

"We also do not suggest lighting areas you don't want people to use at night," says Darr.

"If you have a pathway that goes through an open space or forested area and it is isolated and dangerous to travel at night, putting up lights just provides people with a feeling that they should walk that way and might put them at even more danger. If only the criminal is watching an area, providing lights only assists them in choosing a target."

PROBLEMS WITH **EXCESSIVE LIGHTING**

Our country uses lots of extra lighting, and 99% of it serves no clear purpose, according to a recent report from the Department of Energy. Besides safety concerns, too much lighting creates a host of other problems, such as:

- EXPENSE: All those watthours add up. Plus, installing an outdoor lighting setup can cost \$2,000 to \$4,500, according to Micetich.
- WASTED ENERGY: Consuming excess electricity produces unnecessary carbon pollution.
- NEIGHBORHOOD

DISCOURSE: If your lights shine in your neighbor's yard, it can aggravate them while creating a hazardous situation on their property. "It can be nice to check in with your neighbors to make sure your outdoor lighting setup isn't impacting them," says Trujillo.

■ LIGHT POLLUTION:

Excessive light blocks out the night sky. "Not only astronomers and scientists enjoy looking at the stars and planets," says Darr.

- HUMAN HEALTH: Nighttime lights interrupt our sleep cycle. We're only beginning to learn the range of consequences, but one is an increased risk of cancer.
- ECOSYSTEM HEALTH: Light harms animals, because more than half of species are nocturnal. It also harms migrating birds and even trees.
- HAPPINESS AND

CREATIVITY: Dark, starlit nights give us a feeling of universal connection. They inspire us to create art like Vincent van Gogh's painting The Starry Night. Excessive lighting robs us of those nights.

OTHER VITAL STEPS TO DETER CRIME

"Lighting is a powerful tool," says Darr, "but by itself it does not prevent crime."

Lighting works best in conjunction with other tactics, such as surveillance, locking doors and windows, installing a home security system, and consulting local home security experts and landscape lighting designers. Some police departments, especially those trained with the Crime Prevention Through Environmental Design program, can help.

Finally, Darr recommends knowing your neighbors. "Places that encourage their residents to watch out for each other's property and also have security or surveillance cameras see a much lower chance of being victimized by crime," he says.



ALTERNATIVE USES FOR SAWDUST SAWDUST

Every fully stocked wood shop has a table saw. You can usually find a pile of sawdust under it, even if it's used only occasionally. If a shop has a belt sander or band saw, there's probably another pile of finer sawdust under that. Even people without stationary tools have sawdust accumulation on their workbenches.

Sawdust recycling may not be the first thing on the mind of DIY woodworkers, but it's a priority in large industrial shops. Because it's the main ingredient in particleboard, medium-density

fiberboard (MDF) and composite wood products, sawdust is a valuable resource to be carefully collected and sold. Small-scale woodworkers may not produce enough sawdust to sell, but that doesn't mean they should throw it away.

Of course, virgin sawdust from solid, untreated wood is the most valuable and versatile. It comes in handy in the shop, in the garden or around the house. Sawdust from engineered wood products like plywood, oriented strand board (OSB), MDF, particleboard or pressure-treated wood is toxic and shouldn't be used around plants or animals, but that doesn't make it useless.

Next time you sweep the shop floor or dust off your workbench, save that pile of sawdust. Here are some of the things you can do with it.

1. PREVENT SLIPS IN THE WINTER

Sawdust is a safe, noncorrosive salt alternative you can spread on icy walkways or driveways to provide traction. If there is vegetation nearby, use only nontoxic sawdust from nonengineered wood to avoid poisoning plants. When winter is over, the sawdust will decompose readily in higher temperatures.

2. KILL WEEDS

If you have any black walnut, you've got the makings of an effective weed killer. Spread black walnut sawdust on cracks in your walkways or driveway, and let the natural oils from the wood soak in. It'll kill the weeds. Don't use black walnut sawdust anywhere else in your garden, however; it will do the same thing to your plants.

3. DISPOSE OF OLD PAINT Can't figure out what to do with those

old paint cans with only a little paint left in them? It's illegal to throw them in the trash as they are, but if you pour in enough sawdust treated or untreated—it will soak up the paint and harden. You can then chip or scrape out the paint/sawdust mixture, safely throw it into the trash and reuse the can.

4. CONSIDER RECYCLING SAWDUST AS COMPOST

Sawdust has a high carbon-to-nitrogen ratio, making it a good substitute for dry leaves or whatever "brown" matter you toss in with your leafy greens to provide a good compost mixture.

Chemically treated sawdust shouldn't be put in a compost tumbler. But if you have a pile in the yard, you can leach the chemicals out of the mixture by dousing the pile with water a few times during the summer. Untreated sawdust is also an inexpensive, effective additive for composting toilets.

5. USE IT FOR YOUR PETS Nontoxic sawdust from nonengineered wood is fragrant and absorbent. Use it in several ways to make life easier for your pets. Not all woods are safe for every animal, so check

■ Substitute sawdust for cat litter. It isn't flushable, but you can bury used sawdust litter in the ground without hurting the environment.

with your veterinarian.

Spread it as a bed for your pet guinea pigs or rabbits. Use it for bedding for chicken coops and horse stalls.

6. STORE ROOT CROPS In the days before refrigeration, people stored carrots, potatoes, parsnips and other root crops in cold soil. Untreated sawdust can make a lightweight substitute.

Spread a layer of sawdust on the bottom of a wooden or cardboard box. Arrange the vegetables so they aren't touching one another, then fill the box with sawdust and store it in a cool place.



7. CLEAN UP SPILLS AND DUST

Here's another great use for chemically treated sawdust: Spread it on the floor to soak up spills. Wood fibers effectively absorb oil or paint spills in the garage, and it also soaks up pet urine and vomit. If you add some baking soda, the mixture will also deodorize. To clean a dirty or dusty floor, moisten some sawdust, spread it, then sweep it up.

8. MAKE YOUR OWN FIRE-STARTING BRICKS

You could also compress nontoxic sawdust into bricks, then throw them into the wood stove or fireplace as kindling. Mix the sawdust with water, compress it into a brick mold and let the bricks dry in the sun.

Another way: Moisten the sawdust, let it stiffen overnight, then form it into balls with your hands and dry it in the sun. Add a little melted paraffin or candle wax and lint from the dryer to make the bricks or balls easier to light.

9. DIY WOOD FILLER

Mix the fine dust that collects in the bag of an orbital or belt sander with shellac

to make wood filler. Avoid the common mistake of adding white carpenter's glue—that will turn the mixture into gray mush. Using shellac allows the filler to take stain and polyurethane. Wood glue doesn't allow this, so the filler ends up a different color when finished.

One advantage of wood filler made from sawdust: It has wood's natural color. To preserve that, apply a clear resin-like lacquer or polyurethane.

For a super-strong filler, go with epoxy.



DOUBLE THE LIFE OF YOUR WATER HEATER

water heater needs to be flushed at least once a year to remove sediment on the bottom of the tank. That's especially true if you have hard water. This task is easy to blow off, but skipping it is costly. The buildup reduces the heater's efficiency and causes premature failure.

One sign of excessive sediment buildup is a popping or rumbling sound caused by steam bubbles percolating up through the muck.

If you've never flushed your water heater or haven't done it in years, when you open the drain valve, the sediment will likely clog it and keep you from fully closing the valve after it's drained. Then you'll have a leak too. We'll show you how to drain the sediment and skip a service call. You'll need to get a few plumbing parts from a home center, a garden hose, a wet vacuum, pliers and a pipe wrench.

BUY THE PARTS

The key is to build a new full-port drain valve so you can remove the debris. You'll need a ¾-in. full-port brass ball valve with threaded ends, a 3-in. x 3/4-in. galvanized nipple, and a 3/4-in. MIP x G.H. garden hose adapter (like the BrassCraft/ Plumbshop No. HU22-12-12TP).

Then build a shop vacuum adapter. If your vacuum has a 2½-in. hose, buy a converter to reduce it to 11/4 in. (the Shop Vac No. 9068500 is one option). Make a vacuum hose-to-plumbing adapter (Photo 1) with a 11/4-in. x 11/2-in. female PVC trap adapter, a $\frac{3}{4}$ -in. MIP x $\frac{1}{2}$ -in. barb fitting, a second $\frac{3}{4}$ -in. x 3-in. nipple and a 24-in. piece of ½-in. I.D. vinyl tubing.

DRAIN THE TANK

Shut off the gas or electricity to the water heater and open a hot water faucet. Let it run full blast for about 10 minutes to reduce the water temperature in the tank. Then shut off the cold water valve at the top of the tank, attach a garden hose to the existing drain valve and route it to a floor drain. (Catch the sediment with a colander so it doesn't clog the drain.) Open a hot water faucet on an upper floor and the water heater drain valve. Let the tank drain until sediment clogs the valve and reduces the flow. Then close the upstairs hot water faucet and water heater drain valve.

Next, remove the blow-off tube and the temperature pressure release (TPR) valve and apply suction to the tank so you won't get soaked when you yank the old valve (Photo 2). Then swap the valves (Photo 3). Remove the vacuum hose from the TPR port and finish draining the tank.

Most of the sediment will flush out. To remove the rest, open the cold water valve at the top of the tank in short bursts to blast it toward the drain. If necessary, vacuum out the last of it (Photo 4).

When you're done, close the ball valve and remove the lever handle to prevent accidental opening. Then reinstall the TPR valve and blow-off tube. Refill the water heater and turn on the gas or electricity.

RICK MUSCOPLAT CONTRIBUTING WRITER

YUCK!

This is what the sediment looks like.



Glue α 1½-in. PVC x ¾-in. FIP adapter (A) onto a female PVC trap adapter (B). This allows you to attach your vacuum to ¾-in. pipe (see below). The barbed fitting (C) connects to tubing (Photo 4).



Remove the temperature pressure release (TPR) valve. Screw in the vacuum adapter. Attach the shop vacuum hose and turn on the vacuum.



Unscrew the old drain valve and install the full-port valve (closed position). Attach one end of the garden hose to the valve; run the other end into a colander and on to the floor drain.



Remove the full-port valve and suck out the remaining sediment with your shop vacuum adapter and vinyl tubing. See the final steps above.

DEEP-CLEAN YOUR MATTRESS

our mattress can host a lot of unpleasant stuff: dead skin cells, crumbs and dust mites. But it doesn't have to—here's how to deep-clean it.

The bed manufacturer Serta suggests using the handheld attachment on your vacuum to deep-clean your mattress every few months. Simply run the attachment across the mattress. If you have a pillow-top with seams and guilting, be sure to get in next to the stitching.

For spot cleaning, the Sealy mattress company recommends dabbing a mattress with mild soap and cold water. For tough stains, one option is a threepart combo of baking soda, hydrogen peroxide and water in a spray bottle. Consumer Reports recommends a spray bottle mixture of warm water and dish detergent to remove set-in stains.

Sweat and natural body oil can build up and make your mattress smell. To freshen it, sprinkle a layer of baking soda on the fabric, let it sit for a few minutes, then vacuum. Flip the mattress and repeat.

Finally, don't let all your deep cleaning go to waste. If don't have a mattress cover, get one now.

BRENDA PORTER-ROCKWELL CONTRIBUTING WRITER





FAMILYHANDYMAN.COM MARCH 2023 71

COMMERCIAL GRADE. ALL DAY POWER.





Planet Friendly

Commercial Grade



GOT A DIY QUESTION?

Finding the answers is easy at familyhandyman.com. Click on the three bars at the top left of the page and then search your topic to get expert step-by-step help with your projects.

GOT A HANDY HINT OR TIP FOR US?

To share your idea with us, submit a copy of your original contribution, including photos and/or sketches, by email to:

submissions@familyhandyman.com

Or mail to: Family Handyman, 1610 N. Second St., Suite 102, Milwaukee, WI 53212

Please include your name, mailing address and email address if you have one, and indicate to which department you are submitting. We reserve the right to publish your submission in any appropriate department, or elsewhere. Contributions will not be acknowledged or returned.

By submitting material to us, you grant Home Service Publications, Inc., its parent company subsidiaries, affiliates, partners and licensees worldwide use of the material without time limitation, including the right to use your name and city/state/province in connection with any such use. We reserve the right to modify, reproduce and distribute your material in any medium (now or hereafter existing) and in any manner or appropriate place, including but not limited to magazines,

LITTLE FREE LIBRARY

Tom Prouty of Ulysses, PA, built this library in memory of his grandson, Parker, who passed away in 2019. It's a beautiful tribute to a special boy who loved to read. Our thanks to Jackie Sprouse for sharing!

> promotional merchandise and marketing, and other related materials.

By submitting material to us, you represent and warrant that you have full authority to grant the rights set forth above and that your material will not, in whole or in part, infringe the intellectual property rights, rights of privacy or publicity, or any other rights of any third party. You further represent and warrant that you have attained the legal age of majority in your state/province (18 in most states/provinces). If you're a minor under the law of your state/province, your parent or guardian must submit on your behalf.

CUSTOMER CARE

For subscriptions, payments, account info, renewals, gifts and other inquiries, email: customercare@familyhandyman.com or visit: familyhandyman.com/customercare

You can also write to: Family Handyman Customer Care, PO Box 6099, Harlan, IA 51593-1599

Single copies of past issues are available for purchase at our affiliate, shop.tasteofhome.com. The cost is the cover price (\$5.99) plus \$1 shipping and handling for each copy.

COMMENTS AND SUGGESTIONS

We welcome your ideas and opinions. Write to: The Editor, Family Handyman, 1610 N. Second St., Suite 102, Milwaukee, WI 53212. Email: feedback@familyhandyman.com

TO REQUEST PERMISSION TO REPRINT

If you'd like permission to reprint any material that appears in Family Handyman, please write to us with the nature of your request. Please include as much detail as possible relating to your intended use of the material and specify the issue date and page number (or URL, as applicable) where the material originally appeared. Please send an email to permissions@tmbi.com

FAMILY HANDYMAN® ISSN: 0014-7230, USPS: 515-930. Vol. 73, No. 1, 623rd Edition. Published 7 times per year: March, April/ May, June, July/August, September, October/November, December/January/February by Home Service Publications, Inc., 1610

N. Second St., Suite 102, Milwaukee, WI 53212. We may also occasionally publish extra issues and special issues (which count as two in a subscription). Periodicals postage paid at Milwaukee, WI, and at additional mailing offices. POSTMASTER: Send address changes to customercare@familyhandyman.com, visit familyhandyman.com/customercare or write to Family Handyman Customer Care, PO Box 6099, Harlan, IA 51593-1599. SUBSCRIPTIONS: In the U.S.A, its territories and possessions, \$24 for one year (7 issues). For countries outside the U.S.A., subscriptions are \$28.97 per year in American currency. Canadian GST registration number R123771891. CPM agreement number 40065693. *Printed in the U.S.A.* Copyright ©2023 Home Service Publications, Inc. All rights reserved. Unauthorized reproduction, in any manner, is prohibited. *Family Handyman*, Handy Hints, Great Goofs and Build It. Fix It. Live It! are registered trademarks of Trusted Media Brands, Inc. Wordless Workshop, Workshop Tips and a retrademarks of Trusted Media Brands, Inc. SUBSCRIBERS: If the U.S. Postal Service alerts us that your magazine is undeliverable, we have no further obligation unless we receive a new address within one year. **CONSUMER INFORMATION:**Family Handyman may share information about you with third parties for the purpose of offering products and services that may interest you. If you would rather not receive such offers via postal mail, please write to: Family Handyman Customer Mailing List, PO Box 3122, Harlan, IA 51593-0188. You can also visit www.tmbi.com/preference-center to manage your preferences and opt out of receiving such offers via email. Please see our Privacy Policy at www.tmbi.com/privacy-policy

Chief Content Officer, Home & Garden Content Director Creative Director Deputy Editor, Projects Deputy Editor, Digital Deputy Editor, Contributors & Community Senior Editors

Senior Editor, Projects Editor, Projects Editor Associate Editor Associate Assigning Editor Contributing Editor Deputy Editor, Copy Desk Senior Copy Editor Copy Editors

Contributing Copy Editor Lead Carpenter Editorial Services Associate Art Director Junior Art Director Senior Photographer Associate Photographer Senior Video Producer Senior Manager. New Digital Products Instructional Designer, Consumer Products

Jeanne Sidner

Amv Novak Vern Johnson **Brad Holden** Ryan Van Bibber **Berit Thorkelson**

Donna Bierbach

Harrison Kral Shay Tilander Mike Berner Jay Cork Ethan O'Donnell Alex Shoemaker Mary Flanagan Joe Cruz **Dulcie Shoe** Ann Walter Sara Strauss Kara Dennison Elizabeth Pollock Bruch Pat Borzi Josh Risberg Peggy McDermott Jennifer Mahoney Mariah Tuggle Tom Fenenga **Doug Deutscher** Kellen Berg Michelle Bombard

Sarah Denkinger

BUSINESS

EVP, Media Sales VP, U.S. Licensing VP. Sales - East VP, Integrated Sales VP, Marketing Midwest Advertising Director West Coast Advertising Director Director, Sales Analytics & Operations New York, 646-518-4215

Midwest, 312-540-4824

Classified & Small Display Ads Advertising Coordinator Production Manager VP, Insights Lab Associate Director, Research

Lora Gier Pete Holfelder Jr. Cory Rotkel John Dyckman Alison Miller Kim Krubeck Hinrichs Isabella Carrado Gisele Myer

Kari Nestor Abbe Simmons Liz Spitaleri **Monica Weiss** Megan Roberts Kathy West Jennifer Izzo **Nancy Forman**

Selena Cohen **Bonnie Myers Babette Lazarus** Sebastian Rodriguez

TRUSTED MEDIA B RANDS, INC.

President & Chief Executive Officer President, Digital Chief Content Officer Chief Financial Officer Chief Marketing Officer Chief Revenue Officer Chief People Officer Chief Technology Officer Chief Product Officer SVP, General Counsel VP, Associate General Counsel/ Chief Privacy Officer VP, Benefits & Compensation VP, Consumer Marketing VP. Consumer Marketing Planning VP, Data Science & Modeling VP, Operations VP, SEO & Partnerships Content Director, Strategy & Performance

Bonnie Kintzer

Vince Errico **Beth Tomkiw** Kanuj Malhotra Michelle Korchinski-Ogden Rose Ferraro Jennifer Tyrrell Nick Contardo **Emily Christner** Mark Sirota Paul Gillow


Heather Schwartz Linda Alexander Jim Woods Tom Argiriou Michael Garzone Jen Keller Nicole Doster

EDITORIAL OFFICE 1610 N. Second St., Suite 102, Milwaukee, WI 53212





This <u>IS</u> Energy Independence.



There is no better way to heat with wood.

More convenience, safety and savings than any other method of wood heat.



CentralBoiler.com

*On qualified models and installation. US Internal Revenue Code Sec. 25(C) effective Jan. 1, 2023, for heating a residence. Consult a tax professional with any questions. ©2023 Central Boiler - ad7869





World's Best Bed! Eliminates dressers, box spring, wobbly bed frame & dust. Fits in very small rooms. Top quality materials. You custom design your bed from 30 options. Ready to ship UPS in two days. It's a complete bedroom suite in one piece, plus, we also make the world's most comfortable mattress.

Solid wood, ball-bearing slides, 1000 Lb. Cap. 50 Yr. Warranty

Call: 800 851-9213

www.ultimatebed.com



The NEW sub-compact, easy to use MAGNATRAC® RT1150, is the perfect solution for homeowners that need to tackle all those tough jobs! Landscape your property, plow snow, skid logs for firewood, make gardens, make food plots and trails...even dig a small pond!



SAVE MONEY! Stop paying others to do jobs you could easily do yourself.



EASY TO USE! No shifting gears, just instant power to forward and reverse.



MADE IN THE USA! Quality craftsmanship, by American workers!



Get Your FREE Info Kit! 1-262-624-0424
Mention Promo Code: FHM323

The Workshop





ATHENA PHEROM♥NE 10x INCREASES AFFECTION FROM WOMEN



Created by
Winnifred Cutler,
Ph.D. biology U. Penn,
post-doc Stanford.
Co-discovered human
pheromones in 1986
Effective for 74% in
two 8-week studies
Blend with aftershave or

cologne. Worn daily lasts 4-6 mos. Or use straight

PROVEN EFFECTIVE IN BOUBLE BLIND STUDIES



ATHENA PHEROMONEStm
increase your attractiveness
Athena 10Xtm For Men \$99.50
10:13tm For Women \$98.50
Cosmetics Free U.S. Shipping

▼ Pete (IN) "3 orders "This product is amazing! I have been in sales all my life and 10X is terrific for sales! I see a great difference in the way people interact with me; people want to be around me and spend more time with me. I know there is a lot of skepticism out there about pheromones, but your product is the only one with scientific information to back it up. 10X really works!"

SAVE \$100: 6-Pak special
Not in stores 610-827-2200
Athenainstitute.com

Athena Institute, Braefield Rd, Chester Spgs, PA 19425 FHD





8 CIGARS only \$10

FIRST-CLASS PREMIUM CIGAR SAMPLER

When it comes to cigars, no one even comes close to Cigars International and we're ready to prove it to 'ya with an outrageous intro offer: 8 premium handmade cigars for just \$10.* Go ahead, price shop this one and prepare to be stunned. When you're ready, we're here waiting with the world's largest selection of premium handmade cigars at the planet's lowest prices, delivered fast and fresh. That's our quarantee.

<u>Includes 1 each of</u>: HC Series • Villazon • Mark Twain • Chillin' Moose Arganese • CAO • Macanudo • Toraño

Visit: CigarsIntl.com/SA8540

Enter complete web address or search keyword: SA8540

1-888-244-2790 Mention code SA8540 | Item #: CA92-SP



*Plus \$39 s/h. Purchase may be subject to state, local or excise taxes where applicable. First-time purchasers only. One per customer. No sales to anyone under the age of 21. We do not ship to Utah. For shipping information δ restrictions please visit www.CigarsIntl.com/SHIP. Offer expires 4/15/23.





Have U.S. Coins or
Paper Money to Sell?
Get Top Dollar!
We Make it Quick and Easy.
Littletoncoin.com/CoinsToSell
*Currently purchasing
U.S. currency within the U.S. only.

Offer Code: 23U426

Mail Coupon Today! For Faster Service Visit LittletonCoin.com/Specials

FREE National Park Quarter!

You'll also receive a handpicked trial selection of fascinating coins from our No-Obligation Coins-on-Approval Service, from

which you may purchase any or none of the coins – return balance within 15 days – with option to cancel at any time.

Special Offer for New Customers Only YES! Please send me the following: QTY DESCRIPTION TOTAL American Silver Eagle Dollar National Park Quarter FREE Shipping FREE Sales Tax FREE TOTAL \$35.08 Order Deadline: 12:00 Midnight, April 30, 2023 Check payable to Littleton Coin Co. Charge my: VISA ☐ MasterCard ☐ American Express ☐ Discover Exp. Date Card #: E-Mail Mail To: Littleton Coin Company Offer Code: 23U426 1309 Mt. Eustis Rd. Littleton NH 03561-3737



Serving Collectors Since 1945

JSTRATIONS: STEVE BJÖRKMAN

GREAT GOOFS

100 LAUGHS AND LESSONS FROM OUR READERS



THE NEW FANDANGO

While I was installing our expensive new ceiling fan, I noticed a red caution tag, but I was eager to proceed, so I figured I'd read it later.

I followed the directions and included the extra bracing. When I was done, I proudly called in my wife. As I flipped the switch, the fan immediately unscrewed itself from the threaded support pipe, came whirling down and crashed to the floor. The fan was destroyed, there were ugly scratches in our new hardwood floor and you can guess what my wife had to say! When I got around to reading

the red tag, here's what it said:
"After the pipe is screwed in, use the locking screw provided to lock the pipe onto the main support."

STEPHEN FINEGAN

DUMPSTER DIVING

During a major remodel, I hauled a pickup load of rotted boards to the landfill. The dumping area had huge trash containers, each about the size of a railroad boxcar, set down in a pit.

I backed up to a container that was empty except for a pile of cardboard. I thought the boards would slide off the pickup easily because they were wet and slippery, but they didn't budge. So I gave a mighty pull—they all came loose and I went flying over backward into the trash along with them! I wasn't hurt, but I was embarrassed. I stacked up cardboard to help me climb out before anybody recognized me.



FAUCET FUMBLE

One summer, my wife installed a new spigot so I could water my plants. After an hour of tinkering, banging and grumbling in the crawl space, she emerged triumphantly. I attached the hose and began showering my crocosmia, but I noticed the nozzle was getting hot.

"Sweetie? The hose is spraying hot water!" I called to her.

"Well, it's a black hose that's been sitting out in the sun. It's just warm from that," she replied.

Minutes later, the water was still steaming. She had connected the spigot to the hot water line! Boy, was she annoyed to head back into that crawl space.

KATE ADAMS



"After suffering with extreme foot pain for months, I can finally walk again with no pain. They are truly miracle shoes!" – Carol D.

See more miracle testimonials at gdefy.com

CLINICALLY SHOWN TO RELIEVE PAIN

GDEFY® shoes are the first and only shoes clinically shown to reduce pain in a clinical study by Olive View UCLA Medical Center, as published in the Journal of the American Podiatric Medical Association in 2022.









800-429-0039

www.gdefy.com

60-Day Money Back Guarantee!

Mighty Walk \$145 MED/WIDE/X-WIDE AVAILABLE This product is not intended to treat, cure or prevent any disease.

Women



TB9024FLP Black TB9024FGP Gray/Salmon

TB9024FGS Gray 2

Men

TB9024MBL Black/Silver TB9024MLU

TB9024MLU Black/Blue TB9024MGS

TB9024MGS Gray \$20 OFF orders of \$100 or more

Promo Code PH2CQS5
Expires June 30, 2023

FREE EXCHANGES & RETURNS

Plus Free Corrective Fit Orthotics for plantar fasciitis, stability & support!





