THE CEILING LIKE A PRO

From stained to spotless with no mess, no fuss

STEP BY STEP


Fast facelifts for furniture



Upgrade your D 0 0 25

- How to hang Fit a handle
- Install a garage door opener







It is easy to select the right Dunlop products for your project

Whether you're tiling over existing tiles, repairing a concrete floor before tiling, waterproofing a laundry or grouting a water feature, the Dunlop range of DIY building products provides you with a complete and simple solution.









for all your tiling solutions

MARCH ISSUE









Subscribe to Handyman pl21

This issue

9 HANDY STUFF

Give your house kerb appeal without breaking the bank

14 BUYER'S GUIDE

Make your place easy to spot with stand-out numbers

Home

16 LUXURY DESIGN

Create a haven around a bathtub

27 DREAM BATHROOM

Plan the space for a perfect reno

31 UPDATE YOUR KITCHEN

Revamp the hub of the home

34 SPACE SAVER

Install a pull-out in the pantry

Decorate

36 TIMELESS STYLE

Get beach-house decorating tips from an expert

44 FROM TRASH TO TREASURE

Turn cast-offs and garage sale finds into fabulous furnishings



Renovate

50 DOOR DECISIONS

Choose the right external and internal doors to suit your decor

54 EASY DOORWAY MAKEOVER

Replace a door and jamb to give a room a great new look

60 CEILING REFRESH

Repaint this large surface and add downlights and fans

64 HOW TO PAINT A CEILING

Get a top-quality finish every time with tips from a pro

72 POWER UP

Automate the garage door so it's a breeze to open

78 CONQUER GARAGE CLUTTER

Add storage and workbenches to create a versatile workspace

Build

80 WALL OF BOOKS

Install French doors and shelves to open up a room and add storage

86 SUSPENSION SHELVES

Build sturdy shelving using pine and lengths of wire rope

91 READERS' PROJECTS

Take inspiration from the handiwork of these DIYers

Outdoor

104 TIMBER PLANTER

Make a self-watering raised bed

109 PREPARE BEDS FOR WINTER VEG

Sow seeds for a bumper crop

116 PLANT A HERB POT

Create a mini edible garden

Garden

118 THIS MONTH

Head into the garden to get it ready for autumn

122 FRAGRANT FAVOURITES

Plant sweet peas to enjoy their old-fashioned charm next spring

124 GROW ASIAN GREENS

Sow the seeds of leafy vegies now for a stir-fry garden in just weeks

128 WEED ATTACK

Keep a watch out for invaders so they don't destroy the backyard

134 DIY DESIGNER POTS

Decorate a pot plant with a stencil design and terracotta paint

136 5 EXTRAORDINARY USES FOR BANANAS

Use this fruit to feed plants, deter aphids and more





ScotchBlue™ Painter's Tapes






What you don't want to happen






✓ Sharp

X Poor paint line





✓ Sharp

X Adhesive Residue






✓ Sharp





ScotchBlue™ Painter's Tape gives you the edge.

www.scotchblue.com.au







THIS ISSUE



Stiff, squeaky doors are a thing of the past, thanks to a breakthrough in hinge technology from Zenith.

The new DURAsmooth range of hinges features a unique polyamide coating over the hinge pin to provide greater durability and smoother door operation.

Suitable for indoor and outdoor use, DURAsmooth hinges come in a wide variety of styles (itwproline. com.au/zenithdurasmooth).

EDITOR'S LETTER

ur clever cover this month features a bathroom door you can physically open!

It's amazing how interior doors can change the personality of the room.


In this issue, there's a buyer's guide to new interior doors, on page 50, plus how to replace a damaged or worn-out door, on page 54, and install a handle in three easy steps, on page 58.

Autumn is upon us

We're leaving the summer behind, so it's time to venture back into the vegie garden and get it ready for winter.

On page 109, we show you how to clear out beds, plus refresh and prepare the soil to sow seeds for winter crops. We even recommend suitable plants for your region.





Farewell Frank and Gun

This month, we're saying goodbye to Technical editor Frank Gardner and Technical subeditor Gun Arvidssen.

Frank has been at *Handyman* for 11 years, and the number of projects he's produced is phenomenal. His knowledge of everything from building to landscaping is second to none.

He is retiring to spend time with his lovely wife Janice. Luckily for us, he'll still be casting his keen eye over stories to ensure a continuation of the quality and accuracy of our projects.

Gun is going to work on other projects he has underway. He's been with us for five years and has created and subedited many projects with his incredible accuracy barometer in full focus. They've set the bar high for our team in future issues.

Happy DIYing,

MANAGING EDITOR
LEE DASHIELL



OMORE INSPIRATION

Renovating the bathroom and need inspiration? Pinterest lets you create and organise boards of your favourite pictures. It's a great way to find and share ideas for your next DIY project.

Check out the *Handyman* boards at <u>pinterest.com/diyhandyman</u> or scan this code with your phone.



Pinterest



STRUCTURE YOU CAN RELY ON



FLOORING TO LAST A LIFE TIME





UNNECESSARY STRESS



WHEN THOUSAND OF PEOPLE CAN TRUST RELIABLE MAINTENANCE





BUILDING TRUST

Available at SUNNINGS Warehouse bunnings.com.au



Handyman

EDITORIAL

EDITOR-IN-CHIEF SUE CARNEY
MANAGING EDITOR LEE DASHIELL
DEPUTY EDITOR ARTEMIS GOUROS
ART DIRECTOR KATE TIMMS
CHIEF SUBEDITOR AMANDA SHAW
TECHNICAL EDITOR FRANK GARDNER
TECHNICAL SUBEDITOR GUN ARVIDSSEN
SENIOR WRITER DANIEL BUTKOVICH
GRAPHIC DESIGNER CONNIE LEUNG
EDITORIAL COORDINATOR ASHLEIGH PERRIOTT
DIAGRAMS STEPHEN POLLITT

ADVERTISING

GROUP ADVERTISING DIRECTOR SHERON WHITE T: 61 2 9018 6280
ADVERTISING SALES MANAGER KRISTINA FROHLICH T: 61 3 8844 5542
ACCOUNT MANAGER NSW CRISTIAN ARRATIA T: 61 2 9018 6253
ACCOUNT MANAGER QLD & DIRECTORY CURTIS WOODWARD T: 61 2 9018 6254
NEW ZEALAND HAWKHURST MEDIA SERVICES KERRY MCKENZIE
T: 64 9 589 1054 E: kerry@hawkhurst.co.nz

MARKETING

MAGAZINE MARKETING MANAGER GALA MECHKAUSKAYTE
WEBSITE MANAGER BRONWYN POVOLNY

PRODUCTION

PRODUCTION MANAGER BALAJI PARTHSARATHY T: 61 2 9018 6115

PUBLISHING

DIRECTORS WALTER BEYLEVELDT, LANCE CHRISTIE
PUBLISHER, MANAGING DIRECTOR WALTER BEYLEVELDT
OPERATIONS DIRECTOR ASIA PACIFIC ADINA GHERMAN

READER'S DIGEST ASSOC. INC.

PRESIDENT & CEO BONNIE KINTZER
VICE PRESIDENT & COO INTERNATIONAL BRIAN KENNEDY
EDITOR-IN-CHIEF INTERNATIONAL MAGAZINES RAIMO MOYSA
EDITOR-IN-CHIEF THE FAMILY HANDYMAN KEN COLLIER

AUSTRALIAN HANDYMAN MAGAZINE

GPO BOX 4353, SYDNEY NSW 2001 E: handyman@readersdigest.com www.handyman.net.au

SUBSCRIPTIONS AND ENQUIRIES

T: 1300 138 900

E: customerservice.au@readersdigest.com



Published by Reader's Digest (Australia) Pty Ltd
(ABN 810005654711 80 Bay St, Ultimo, NSW 2007
© 2015 Reader's Digest (Australia) Pty Ltd
Prepress by Sinnott Bros
Unit 7, 108-120 Silverwater Road, Silverwater NSW 2128
Printed by Times Printers Pte Ltd,
16 Tuas Ave 5, Singapore 639340
Distributed by NDD Distribution Pty Ltd



Handyman magazine is printed on PEFC-certified paper, providing an assurance that the paper is produced from sustainably managed forest, recycled and controlled source.

All content ©2015 Reader's Digest (Australia) Pty Ltd, all rights reserved. Reproduction without permission is prohibited. All prices and information are correct at the time of printing. Prices quoted are recommended retail prices and may vary. All material sent to *Handyman* (whether solicited or not) will not be returned.

All do-it-yourself activities involve a degree of risk. Skills, materials, tools and site conditions vary widely. The editors have made every effort to ensure accuracy but the reader remains responsible for the selection and use of tools, materials and methods. Always obey local codes and laws, follow manufacturers' operating instructions and observe safety precautions.

Reader's Digest (Australia) Pty Limited collects your information to provide our products and services and may also use your information for the marketing purposes of RD and/or selected corporate partners. If the information is not provided you will be unable to access our products or services. Our Privacy Policy at www.readersdigest.com.au/nrivacy-policy contains full details on how your information is used lincluding how we may share your information with our affiliate companies in the US or other overseas entities), how you may access or correct information held and our privacy complaints process.

STANLEY.

WE ALL NEED AT LEAST ONE VICE



STANLEY QUICK CLOSE VICE

The STANLEY Quick Close Vice features an aluminium base and tough steel jaws with removable non-marking pads. The lever arm allows for quick opening and closing and screw threads tighten to a variety of work surfaces.



J00073







Add a splash of colour to the front porch with the Aubergine Eden Moderno Planter, \$6. This thick-rimmed pot is lightweight, looks great and measures 195 x 165 x 125mm. It also comes in blue, taupe, green and charcoal. bunnings.com.au

HANDY STUFF

Light the way

Guide guests to your door with an exterior Brilliant Artemis 2W LED Stainless Steel Up/Down Light, \$60 (brilliantlighting.com.au). This durable cool white light can be positioned up or down and requires a licensed electrician to install it.


Mail it

Stand out in the street with the steel **Aurora Centric** Letterbox, \$250. It has a newspaper slot, can take envelopes up to A4 in size and is easy to install. northcotepottery.com

KERB **APPEAL**

Bring the outside of your home back to life without breaking the budget

WORDS ASHLEIGH PERRIOTT



Step up Plan a pathway

with WestStone 30-50cm Schist Waterworn Steppers, \$17 each, from Bunnings. With their neutral colour palette, they can be used for entertaining areas, paths, courtyards and stepping stones for a timeless, weather-worn look.

Slick it on


Brighten up the house Roof & Trin with Dulux Roof & Trim Semi Gloss, \$199 for 10L. It resists dirt and stains, has UV protection, a 15-year guarantee and is available in popular Colorbond colours. dulux.com.au

Dulux











FOR THE DOER



Ding dong

For an old-fashioned feel to your entrance, install a Brassline Ship Bell, about \$25. Available in polished brass or bright chrome finishes, it comes with a mounting bracket. The solid brass construction ensures a true bell sound when rung.

delfarchitectural.com.au

Breeze along

Music lovers will enjoy
the soothing sound
created by the breeze
running through this
Gardman Natural Ring
Bamboo Wind Chime,
\$18 (brunnings.com.au).
Individually hand-carved
from bamboo with a cover
made of coconut, the wind
chime is 70cm high.

g , nu). ved cover

In chime

You'll never leave your guests out in the cold with the Arlec Portable Remote Control Door Chime, \$30. With no wiring required, it's easy to install and has two chime tones. It uses two C-sized batteries, which aren't included.

arlec.com.au

Boot scoot

No more fussing over muddy shoes with the Bayliss Outdoor Boot Scraper Mat, \$20 (bayliss.com.au). A compact 30 x 34cm in size, it's specially designed to remove mud or other mess from the bottom and sides of a shoe in one motion. The tough coir bristles and galvanised wire construction make it durable and allow dirt to fall through so it's easy to clean by shaking or hosing.

Steel style

Bring the breeze inside and stay safe with the Bastion Sutton Screen Door, \$199. Measuring 2032 x 813mm, it is available in black or white with a steel frame and mesh. bastiondoors.com.au



Swing through

Put the final touch to your new fence with Mr Pickets Arch Profile Cypress Pine Gate, \$78, from Bunnings. It's naturally termite-resistant, prefabricated and ready to install, all you have to do is attach hinges and a latch. Suitable for painting, clear-coat sealing or an oiled finish, it measures 1800 x 900 x 40mm.



In the zone

Fortify your home
with a Corinthian
Madison Veneer
Unglazed Door, \$439. It's
constructed for thermal efficiency
and noise reduction, and the veneer
has a 40 balance attack level (BAL)
rating for homes in bushfire zones.
corinthian.com.au



Fence facelift

Bring an old fence back to life with Walpamur Exterior Fence Finish, \$55 for 10L (duluxgroup.com.au). Designed to be durable, the paint is

also water-based, making fast work of the clean-up. It can be used on surfaces such as sawn timber, pine pickets and lattice.



Pick it right Get creative with your fence edging using Cypress Windsor 900mm Fence Pickets, about \$2 each, from Bunnings.

BOUNDARY FENCING & GATES ANY COLOUR, SIZE OR STYLE ONLY 1 QUALITY - HIGH



DIY Boundary Fencing and Gates available easily at Bunnings Warehouse, either off the shelf from our standard range or custom made in any colour, size, angle or style you need. Just visit Bunnings Warehouse special orders desk and ask for a Protector Aluminium custom fence solution.











Stand out on the street with a Sandleford Windsor Brass

HOUSE NUMBERS

Make it easy for visitors to spot your place by drawing attention to the entrance with eye-catching numerals

WORDS ASHLEIGH PERRIOTT

Bold as brass

150mm Numeral, about \$14.

Budget beauty

Help guests find the place fast with a Sandleford Victoria Plastic White 85mm Numeral, \$4.

Retro metro

Dress up the front door with a Sandleford Metro Brass 50mm Numeral, \$5.

Modern marvel

Bring your home bang up to date with a Sandleford Ultra White Acrylic 90mm Numeral, \$7.

Classic copper

Upgrade your kerb appeal with a Buzon Lorenzo 200mm Copper Numeral, \$30.

Tasteful tones

Make the entrance elegant with a Sandleford Glass Black 140mm Numeral, \$21.

Hold tight

To stick to any surface, use a Sandleford Stainless Steel Self Adhesive 75mm Numeral, \$7.

Weather warrior

Remove the risk of rust with the durable Sandleford Metro Stainless Steel 50mm Numeral, \$4.

Night bright

Stay visible with Sandleford Breeze Self Adhesive Yellow 60mm Numerals, \$2 each.

Back to black

Keep it simple with Sandleford Victoria Plastic Black 85mm Numerals, \$4 each.



Tall 'n' trim

Grab the attention of passersby with Sandleford Neo Stainless Steel Self Adhesive 160mm Numerals, \$11 each.

Steel it

Go for a sleek look with the

Sandleford Segway Stainless

Steel 100mm Numeral, \$17.

17





a timeless style and spa-like ambience.

A black-and-white scheme creates a clear canvas that allows the shapely lines of a bathtub to dominate.

cold and inhospitable.

If no natural light is available, use bright downlights above the vanity and softer feature lights for the tub. > Black and white creates the look of a high-end hotel bathroom.

The latest in contemporary design from the leaders in tapware, dorf.

arc basin mixer

- · Understated, minimalist design
- · The straight lines and curved edges are perfectly suited to contemporary bathroom styles
- Advanced features including adjustable flow to optimise water and temperature control












arc overhead shower* arc shower system*








arc toilet roll holder arc towel ring







arc soap basket



bunnings.com.au

dorf



Lifting the lid on choosing a toilet

While they often look similar, many toilet suites don't deliver on what you actually need: ease-of-use combined with quality that lasts.

Caroma delivers on every count. By continually investing in toilet technology, Caroma is committed to developing toilets that are beautiful, always perform and are designed to last.

caroma.com.au






withstand 150,000 flushes







Country charm

The rustic look works very well in bathrooms in older homes. Warm white walls are offset by timber and other natural finishes and materials.

To perfect the country look, install a traditional clawfoot bath with old-fashioned tap fittings in the centre of the room.

If you can't fit a freestanding tub, create a peaceful space around a bath surround using quaint accessories.


While white is the dominant colour for the walls, dark tiles can create a striking monochrome effect. Lay black and white tiles in a pattern to further reinforce the style.


Timber is ideal for benchtops, and door and window frames. Use other natural materials like wicker for storage baskets or a clothes hamper.

Keep a country-style bathroom bright and cheerful with framed artwork and photos. Flowers, candles and towels will add functional decorations to the room.









IT'S ALL ABOUT THE PIN

The Zenith® DURAsmooth™ polyamide pin coating technology delivers:

SMOOTHER ACTION



Zenith® DURAsmooth™ marks the latest generation in door hinge technology. It offers greater durability than a standard door hinge and provides a smoother door operation.



The most comprehensive range of hinges



Customer Service:
1300 721 738
www.itwproline.com.au/zenithdurasmooth



White walls, rich timber and natural finishes are country-look essentials.

Bring colour to a dark-tiled room using towels and accessories.

Accessories and storage

It's no use having a beautiful bathroom if it's always a mess, so any renovation must take your storage needs into account to keep the space tidy and organised.


A vanity cupboard with drawers or a medicine cabinet are the most common options, but there are lots of other solutions to bathroom storage.

Utilise vertical space by opting for a wall-hung vanity with shelves underneath. Line them with baskets for toiletries and towels, using bright colours for a modern look or natural fibres like wicker for a traditional feel.

Spare towels can also be folded or rolled and tucked into pigeon holes.

Trolleys on castors are a sleek solution for decorative items and have the added bonus of being portable.

For soap and toothbrushes, you can maintain the minimalist look by attaching metal holders to the wall with suction cups or adhesive.





Everloc Xpressions Dental Station, \$43. everloc.com.au

Naleon Adhesive Toilet Roll Holder, \$24. naleon.com.au

His vs hers dream bathrooms

Wouldn't it be nice to have a bathroom all to yourself? A UK online bathroom retailer has conducted research to discover just what men and women really want in a dream bathroom. The guys wanted gadgets, glass walls and neon lights, plus a sunken bath from which to watch the multimedia plasma TV. The girls were after a more classically styled and relaxing space with a freestanding bathtub and walk-through rain shower.

.....,

......





PICTURES AUSTRAL



The IXL Tastic[®], heat, vent and light units, clearly the best choice for bathroom heating.

Australia's favourite bathroom heat, vent and light units are all about you!

Designed to warm you instantly with infra-red heat lamps, IXL Tastics are available in a variety of models to suit your needs and are packed with safety features and energy saving devices.

You can choose from 2 or 4 heat lamps, classic vent, ducted or self sealing back draught flaps. All ranges include a 5 Year in-home warranty.

The IXL Tastic range is clearly the best choice.

Call 1300 727 421 or visit www.ixlappliances.com.au









See the full Mondella bathroom and kitchen range in selected Bunnings Warehouse stores or visit the Bunnings Warehouse website



Dream bathroom

Start your renovation with a solid plan to get the designer space you've always wanted

A great way to make a home more liveable and add value is to renovate the bathroom. Designing it DIY makes your

money go further, leaving extra room in the budget for luxury fixtures.

Take time to plan your renovation to avoid having to remodel again a few

years down the track. Decide what features you need and think about future lifestyle or family change.

Measure the space and design the bathroom on paper, experimenting with different layouts. Keep in mind that using existing plumbing will reduce overall renovation costs.

If space is an issue, prioritise the changes that make the biggest impact, both practically and visually, and think about storage and natural light.

Adding a bathtub can transform the room, but decide whether you'll actually use it, as the money and space can be used for other features.

27



Consider windows and natural light when designing the layout.

Set your budget

Once you have a layout on paper, work out the cost of a full renovation compared to a cosmetic update and determine what you can afford.

If your bathroom has good bones, you can make an instant impact by replacing the vanity and fittings.

Figure out how much you can save with DIY and decide what you'll need a tradie for. Remember, all plumbing and electrical work must be done by a qualified professional.

Focus on quality

To get the most value and the biggest impact from your reno, choose the best quality products you can afford to get a designer look and maintain that wow factor for years to come.

Throughout the reno, take a step back and look at the project as a whole to make sure you're happy. Changes made early on will cost much less than



NALEON[™] No Drilling. No Mess. No Fuss.





Stainless Steel Twin Cup & Toothbrush Holder 6580

Stainless Steel Towel Ring 6577



THE SIGNATURE COLLECTION

mounts to almost anything

Instantly transform and organise your bathroom with these premium suction products from NALEON™

Use our exclusive NALEON™ Mounting Disc which is included to mount on porous surfaces such as plaster and timber.

BEWARE OF IMITATIONS.

Only trust and use NALEON™ Products





Now any room can be a bathroom.

Saniflo gives you the flexibility to create a bathroom anywhere in your home without any major plumbing work. Saniflo macerator pumps are easy to install and can pump up to 5 meters vertically. A simple and cost effective way to turn your dream bathroom into reality.

Call 1300 554 779 or visit saniflo.com.au



Sanislim dimensions Unit: W 447mm H 270mm D 131mm. Outlet diameter: 20mm.





Yes. You can.





Kaboodle 600mm Three-drawer Base Cabinet Carcass, \$204.

greater flexibility in style choices.

buyers if you ever want to sell. >

A neutral scheme makes it easy to create any type of look, from country to contemporary, and it won't scare off

Kaboodle Raisin Laminate Benchtop, \$266 per linear metre.





Alfresco living

Creating a home with a seamless transition between indoor and outdoor living spaces is an entertainer's dream, especially if you go one step further and also extend the kitchen.

If installed under shelter and protected from the elements, kitchen cabinetry can be used outside.

On a covered deck or verandah, partner frosted glass cabinet doors

with stainless steel, installing another sink in a large benchtop, and adding a bar fridge.

A great eco-friendly substitute for stained timber, bamboo benchtops can be used inside and out.

In the main kitchen, stacked slimline wall cabinets double storage space and have a minimalist aesthetic. Include lots of deep drawers with subtle handles in the base cabinetry.



Kaboodle 900mm Three-drawer Base Cabinet Carcass, \$258.



Kaboodle 50mm thick, 2400 x 600mm Bamboo Benchtop, \$550.



XPRESSIONS bathroom accessories


















шшш.everloc.com.au

- Innovative Design
- Easy to Install
- Patented suction system
- Durable Stainless Steel & Polycarbonate
- Holds up to 15kg
- No tools required
- Designed in Australia



holding capacity*

*The weight rating applies to suction cups installed guide only. The maximum weight bearing ability of this product will vary from surface to surface. This product is designed for use only as illustrated on front of packaging.

> warehouse bunnings.com.au



SPACE SAVER

Maximise kitchen storage and improve access to narrow cabinets using a slide-out shelving solution

WORDS AND PICTURES DANIEL BUTKOVICH

arrow kitchen cabinets limit the number of items that can be stored inside and can also be tricky to access.

Slide-out shelves and baskets are a great way to organise a deep cabinet, as they provide convenient storage for a range of groceries and allow them to be seen easily.

Choose the system

There are a range of pull-out solutions for different spaces such as corner cabinets or under the sink.

As this pantry was mostly used for storing cans and bottles, a sturdy three-tier pull-out with a 25kg capacity was mounted to the base of the cabinet for maximum strength.

Pull-outs are commonly attached to the door panel to transform the cabinet into a large drawer, but they can also be installed unattached.


If securing to the door panel, measure the distance from the base to the frame, then mark this position on the door to determine the correct height.



Install the pull-out ▼




Remove the door
While supporting the cabinet door,
loosen the screws holding the hinge
to the cupboard, then remove the
door and hinges. Also remove the
hinges from the door panel if it is to
be attached to the pull-out.



Attach the runners to the frame and position the assembly inside the cabinet, ensuring it is in the closed position. Align the frame with the front of the cabinet and mark the screw holes on the cabinet base.



5 Drill pilot holes
Use a cordless drill to make pilot holes in the base of the cabinet. Secure the runners to the base of the cabinet using screws, then separate the frame from the runner and remove it from the cabinet.



A Mark the frame location
Draw the outline of the frame
on the back of the door panel, then
position the bracket in the centre of
the outline and mark the holes. Drill
pilot holes and secure the bracket to
the door panel with screws.



5 Attach the door panel
Fasten the bracket to the runners again, then secure the frame to the bracket loosely with screws. Check alignment by closing the cabinet and adjusting the alignment screws, then tighten the rest of the screws.




6 Insert the basket
Attach the basket to the plastic clips on the frame. Stock the pantry, ensuring the weight of the contents doesn't exceed the weight capacity. Adjust the cabinet door using the alignment screws, if necessary.



36 MARCH 2015 Australian Handyman MARCH 2015





Natural selection

Light woods mix effortlessly with tropical greens in the interior of this beautiful home.

A vintage German teaching chart demonstrates a variety of ferns and sets the leafy tone, while the collection of seashells emphasises the coastal connection.


On the chair, a classic striped ticking fabric in green, rather than the more usual blue or red,



TO A PERFECT FINISH!







Island dreaming

This room just begs you to take an afternoon siesta, don't you think? The light wood tones and vivid yet soothing greens all add to the inviting feel.

A mosquito net over the bed creates a heavenly canopy, cascading onto a variety of soft linens.

The bed frame
is impressive in scale,
and the intricate
carved wooden
tile feature and
whitewashed tone add to
its hand-crafted appearance.

Just the inclusion of one cushion displaying a palm tree motif instantly transports the dreamy setting to a far-flung island. Taupe linens brought into the scheme balance the brighter colours.


TIM NEVE

A chandelier of wooden shards floats over the space, as if in homage to sea life. You could imagine it moving in the late afternoon coastal breeze, bringing refreshing coolness to the balmy evening.

Sliding louvre doors are highly functional, creating privacy when closed, while allowing cooling sea breezes in through the panels.

A bamboo cloche is hung by knotted rope as a temporary bedside pendant.


The real purpose of such an item is to cover and protect delicate plant life, so it is ideal in this green-toned scheme.



This is an edited extract from Sandcastles: Interiors Inspired by the Coast by Tim Neve (Murdoch Books, \$50).



www.woodhouse-edgeline.com.au



Select from the Woodhouse EdgeLine® range of products to complete your internal fitout.

- Dual coat white primed finish
- Ready for your final topcoat application and finishing
- Made from plantation radiata pine
- Available in a range of sizes and profiles



Contact your nearest building materials centre or scan this QR code for information on the Woodhouse® EdgeLine range.





FROM TRASH TO TREASURE

Scour council clean-ups, garage sales and op-shops for hidden gems to upcycle

PROJECTS TRACY MARYON AND AMANDA SHAW

ar too much stuff is thrown away nowadays and takes up valuable space in landfill, so it makes sense to recycle what you can.

So before you cast off those items because they're looking a bit worse for wear, think again, as they can easily be given a new lease of life.

It'll save you money, too, because you won't have to replace them.

Need a new picnic hamper? Then get down that old wicker basket that's been gathering dust on the top of the kitchen cupboards and do it up.

Want a chair for the balcony? Dig out the tired-looking one that's been lying around in the garage forever.

Or consider checking out garage sales, markets, council clean-ups and op-shops for easy-to-revamp items.

This basket and folding chair were roadside finds. All it took to upcycle them was a quick wash and spray.

We used Rust-Oleum 2X Ultra
Cover Paint + Primer in Key Lime for
the basket and Lagoon for the chair.
TIP When you're spraying, work in
a well-ventilated area or outside on a
still day and put down drop sheets.





Table rescue

This cane table was in a sorry state when it was salvaged from a heap of sodden furniture on a nature strip.

The paint had peeled off and it was covered with cracks and divots. The wicker around the legs was missing in places and the original top had been replaced with unsightly Perspex.

It almost looked beyond saving, but after a hose down, the damaged sections were filled and sanded, the missing wicker was replaced and the table was then primed and sprayed.

For a decorative finish, the top was covered with leftover wallpaper.

The cane magazine rack was a \$5 charity shop find and was simply sprayed the same colour as the table.



Zinsser Bulls Eye 1-2-3 Primer-Sealer Stain Killer, \$25 for 1L. rustoleum.com.au



Prepare the table


Wash the table with warm soapy
water and let it dry. Repair any damage
with timber filler and sand smooth
all over with 180 grit abrasive paper.
Remove the wicker wrapping from the
base of the legs and use it to replace the
missing wicker at the top by rewinding,

then securing using a hot glue gun.



2 Apply the paint
Using a paintbrush, apply two coats of primer to ensure good coverage of the Perspex top and any damaged areas. Spray with two coats of paint, allowing it to dry completely in between coats.

TIP We used Rust-Oleum 2X Ultra Cover Paint + Primer in Ivory Silk.



The revived table and magazine

rack make an eye-catching pair.

Decorate the top

Measure the diameter of the top
from the edge of the recessed section,
then make a template. Cut a piece of
wallpaper to size, lay it pattern-side
down on a flat surface and put the
template on top. Draw around it with
a pencil, cut out the wallpaper circle
and secure using wallpaper paste.



Armchair refresh

SPRAY

When spraying wicker, it's worth investing in a spray gun because it's easier and quicker, plus you'll get a better finish.

And it's bound to be used again, as you're sure to catch the recycling bug.

This chair cost \$20 at a garage sale, and all it took to spruce it up was a hose down, a coat of primer and a topcoat.

We chose a creamy shade to complement the new cushion covers.

The foam inserts from the old cushions were used as templates. The fabric was measured and cut, then the pieces sewn together, leaving the backs open. The foam was inserted into the covers and the backs were stitched closed.



PRINTED CARPET RUNNER





www.ideal-diy-floors.com.au IDEAL helpline 03 9562 8298



Spotted at an op-shop and bought for a couple of dollars, this veneer wine rack got a facelift and is now a fun and functional piece that would look great in any kitchen or living space.

You'll be ready to pop your bubbles when entertaining and it's guaranteed to be a great conversation starter.

There was slight damage to the rack, so the cracks were filled with timber filler, then lightly sanded, and any loose bits of veneer were glued back down. The rack was finished off with two coats of spray paint.

The rustic bedside table was found dumped by the side of the road and makes an ideal stand for the rack. It was simply sanded back to give it a distressed look.

Rust-Oleum 2X Ultra Cover Paint + Primer in Lagoon, \$11 for 340g.



GREAT PRODUCTS FROM THE FILLER SPECIALISTS

A dull veneer wine rack becomes a fun talking piece,



TIMBERMATE® WOODFILLER

The secret ingredient? Water!

Wood putty • Grainfiller • Edgefiller • Crackfiller

- · Will not shrink, sink, crack or fall out No waste and non-flammable
- · 13 colours or make your own
- Takes all stains and coatings
- · Interior grade
- · 100% Australian made



- Wood
- Concrete · Cement sheet
- Steel Plasterboard
- Masonry



TOMMY TAPE® Self fusing silicone tape

- · For home, marine, electrical and auto Can be applied under water, on extreme temperature items, around odd shapes
- Repair, insulate and protect



Adhesive free • Self fusing • Watertight • Airtight



Just mix with water

No waste, easy to use

100% Australian made

Non-shrinking & water-resistant

WAXSTIX® TOUCH-UP CRAYONS

Comes in 13 different colours

TIMBERMATE carry a wide range of coloured wax sticks to repair scratches on timber surfaces. No beeswax to leave white marks. Keep your timber looking new.



www.timbermate.com.au Phone: (03) 9873 4811

EARL'S MULTFIL®

WOOD HARDENER

Restores rotted wood

Ready to use directly from the container

Earl's® Wood Hardener penetrates into soft rotted

Then just fill with Earl's® Powder Putty when dry.

wood fibres, restoring them to near original strength

- · Ready to use
- Spreads easily
- Interior\exterior use
- Long shelf life
- · Comes in white and a range of popular decking colours











Handyman.net.au.MARCH 2015 MARCH 2015 Australian Handyman

Internal doors

An easy way to spruce up a room is to install a new door. The original internal ones can be quite ordinary, and replacing them with modern or classic doors can instantly improve the look of the house.

Timber doors provide an interesting texture that breaks up plain walls. They work equally well for old and new homes, with designs to suit any space.

Corinthian Doors has a large range of European-inspired internal and external doors (corinthian.com.au).










The Slimline Cavity Frame, \$145, fits

53





Handyman.net.au MARCH 2015 MARCH 2015 Australian Handyman



EASY DOORWAY MAKEOVER

Replace an old internal door and give the entrance to a room a bright new look

PROJECT JOHN BOWLER MAIN PICTURE STUART SCOTT

here are lots of reasons you may need to hang a new internal door at your place.

A major renovation can change the layout of a home while building an extension can add doorways, creating the need for new doors.

Replacing old or mismatched doors is also an easy and affordable way to instantly refresh interior spaces, particularly if you're painting walls or updating floors.

Hanging a new door, including the jamb and hardware, is a simple DIY project that can be completed in just one day. And doors can be purchased in kit form with a jamb that already has the hinge housings.

Jambs and doors can also be bought separately, offering a greater variety of sizes and styles.

If you're installing a new jamb as well as a door, you will need to check

the doorway studs for plumb, then measure the size of the opening to determine the door size.

For this project, we installed a 2040 x 820 x 35mm hollow-core door and separate 92 x 30mm jamb.


Hollow-core internal doors have additional blocking inside one edge, identified by a sticker that marks where the lockset should be installed.



Zenith 100mm Fixed Pin Polished Chrome Butt Hinge, about \$7 for two. itwproline.com.au



TYPE	USE
Timber screws, 20mm x 8g	Hinges
Timber screws, 50mm x 8g	Jamb
Bullethead nails, 65 x 3.25mm	Jamb
Bullethead brads, 40 x 2mm	Architrave




MARCH 2015 Australian Handyman MARCH 2015

♥ Install a door and jamb



Make the jamb

LCut two stiles equal to the height of the door, plus 20mm clearance, and a head piece the width of the door, plus 46mm for two gaps and two stiles. Cut a housing to the rebate depth at each end of the head. Chisel out the waste.



Attach the hinges
With the hinge in the door recess, drill a pilot hole towards the back of the hinge hole so the screw will pull the leaf tightly into the recess. Secure the hinge with a screw, check the clearance, then drive in the remaining screws.



7 Secure the jamb

Position the jamb and align the hinge side with the wall cladding. Drive a single nail at the top packer, using a spirit level to plumb the jamb. Secure with nails through the packers, punching the heads below the surface.



Set out the hinges

Mark hinge locations on the door, 200mm from the top and 250mm from the base. Transfer the locations to the stile, tracing around a hinge to mark each recess. Use a combination square to mark the depth of the recess.



Cut the hinge recesses

Mark the hinge recesses on the edge of the door 2mm narrower than on the jamb to stop the door from binding on the jamb. Use a sharp chisel to make relief cuts to the depth of each recess, then pare out the waste.



Assemble the jamb

On a pair of level sawhorses, assemble the jamb around the door and drill clearance holes through the head. Drill pilot holes into the stile ends and secure with screws, then check that the door opens smoothly.



Trepare the opening

Secure packers in the opening at the hinge locations, and equally spaced above and below, to correct for any studs that are out of plumb. Use a long spirit level to check for alignment and to ensure the top gap is consistent.



Pack the lock side

Align the lock side of the jamb, using wedges to create a 3mm gap around the door. Attach the jamb with one nail, then close the door and check the gap. Move the wedges in or out to adjust, then secure the jamb with nails.

Add the architrave

Set the architrave 5mm back from the inside jamb face. Cut left and right architraves with mitred tops, securing with brads. Mark the head piece from the gap and cut to size, attaching with PVA adhesive and brads. >

VARTA Indestructible Built to Survive. WYARTA


















www.built-to-survive.com



Fit a door handle Y


After installing a new door, you will need to fit a latch and handle, collectively called door furniture. Whether you choose a passage set, or a privacy set with a locking function, it will normally include instructions and a fitting template.



Drill the holes
Fold the template around the edge of the door to mark the hole locations. Use a spade bit to drill the 25mm latch hole, a twist bit for the 6mm rosette holes and a holesaw to bore the 35mm spindle hole.

Install the latch

Insert the latch and mark around the face plate, then chisel out a recess so it sits flush. Secure the latch, mark where it strikes the jamb and drill a corresponding 25mm hole. Chisel out a recess for the strike plate as before.



Attach the handle
Install the strike plate, then
insert the spindle through the door.
Put the handles on the spindle, attach
the rosettes using machine screws,
then tighten the grub screws in the
handles. Replace the rosette covers.





To find out more about our range of door hardware contact us on:

ECLIPSE

13 14 18

CONTEMPORARY

TRADITIONAL



he ceiling in this 1980s house was showing its age and, during winter, a few of the glass panels around the fire in the living area were broken. This allowed smoke to escape and rise to the ceiling, which created sooty stains.


Halogen downlights were installed when the house was built and many weren't working. There was constant upkeep required replacing bulbs, not to mention ongoing costs.

Also, the ceiling in this living space was already fairly low and the timber and brass fans visually made it appear even lower.



Remove the stains

Scrub the smoke stains on the ceiling with a long-handled brush using white vinegar, then sugar soap, to cut the grease in the soot and remove the worst of the stains.



Prepare the ceiling
Have an electrician remove the lights and fans, then repair any holes with plaster. Apply a coat of stain blocker with a roller to prevent residual stains leaching through to the topcoat.



Install new fittings
Apply 2-3 coats of good-quality
ceiling paint over the stain blocker
with a roller. Have an electrician install
LED downlights and modern white
ceiling fans to update the room.

61

MARCH 2015 Australian Handyman MARCH 2015

LED vs halogen lights

Electricity bills are one of the biggest household expenses, after the rent or mortgage. And surprisingly, lighting contributes to up to 30% of that bill.

There is a significant difference in energy consumption between different types of lighting. This is measured in kilowatt-hours (kWh), with 1kWh being equal to a 1000W electrical appliance running for one hour.

LED bulbs have a power rating of 7-20W while halogen bulbs are rated anywhere from 35-500W. Halogens can use nine times the power to create the same amount of light.

In a house with 20 downlights,

over five years, the electricity bill for halogens alone would be about \$3810 while LEDs would cost about \$705. **HALOGEN BULBS** run electricity through a filament, which heats up and creates light. Ninety percent of the electricity used creates the heat while 10% creates light, making them less efficient than LED bulbs.

LED BULBS use small semiconductors rather than filaments to produce light. Eighty five percent of the energy is used to create light, so they stay cool and contribute less to household heat. LIFE SPAN is also an important consideration, as halogen bulbs can

last up to 2000 hours while LED bulbs have a life span of up to 50,000 hours. This means an LED bulb could last 25 times longer than a halogen one.



What you need

Restore a dingy ceiling by cleaning off stains, then painting it with stain blocker and ceiling paint. Replace any dated fans with new white models to create a sense of space and install energy-efficient LED downlights.





Dulux Preplock Stain Blocker, \$146 for 10L, and Light & Space Ceiling, \$148 for 10L. dulux.com.au



Arlec 140cm Aluminium High Velocity Three-blade Ceiling Fan, \$90. arlec.com.au



HPM 10W White LED Fixed Dimmable Downlight Kit, \$50. hpm.com.au







MARCH 2015 Australian Handyman MARCH 2015





Use a good primer
Roof leaks, overflowing sinks
and tobacco smoke can all
leave ugly stains that are hard
to conceal with regular ceiling paint.

Apply stain-blocking primer to cover any stubborn ceiling marks. Try Zinnser Smart Prime, which is formulated for this purpose and water-based for easy application.

Zinsser Smart Prime, \$84 for 3.75L. rustoleum.com.au





Cut in and then roll
Use a paintbrush to cut in
at the edges of square-set
ceilings. Doing this before you
roll means the majority of the brush
marks will be covered with the roller.

Carefully brush paint along the edge of the ceiling in 3m sections, then roll that section. This keeps the cut-in section wet until you roll, which allows the paint to blend in better.

Bill says it's also less boring to alternate between cutting in and rolling, making the task of painting a whole ceiling less tedious.



Purchase ceiling paint
As a general rule, you will achieve the best result by using paint that's specially formulated for ceiling application.

You need paint that doesn't spatter, dries slowly and is flat rather than glossy. Premium ceiling paints have added pigments to make the ceiling look brighter.

They can also be tinted if you don't want to stick to a white ceiling.

British Paints White Ceiling Paint, \$36 for 4L. britishpaints.com.au



Overlap the edges onto the walls

If you also plan on painting the walls, overlap the paint onto them a little bit when cutting in. Then when you paint the walls, you will cover the overlap as you cut in to the ceiling at the top of the walls.

Some painters like to skip the overlapping and cutting-in steps and save time by mashing the roller into the corners instead.

Bill doesn't recommend this method as it's sloppy, builds up excess paint in the corners and can leave runs or a thick paint line on the wall.











Opt for simple accessories
When it comes to painting equipment,
Bill prefers low-tech solutions.

You can buy extendable paint poles, but he suggests using simple timber broom handles with a thread because they are light, inexpensive and will get the job done.

Use a thick roller cover

Lambswool covers are the key to a good finish, and while more expensive, they're easy to clean and can be re-used.

They are ideal for getting as much paint on the ceiling as possible in a short amount of time while minimising spatters.



LAMBSWOOL ROLLER

SYNTHETIC ROLLER



Go gently on textured ceilings
Painting a textured ceiling is tricky. If
it has never been painted, the water in the paint can loosen the texture and cause it to fall off. Ceilings that have been painted are probably safe.

colour choice, search online for

examples of rooms you like.

Try rolling paint onto a small section first and if the texture becomes

loose, painting the ceiling is risky and the necessary repairs will need to be carried out before painting.

Bill says the best tip for rolling on paint is to avoid overworking it. If the ceiling needs a second coat, wait for the first one to dry completely, then roll another perpendicular to the first. TIP If possible, spray on the paint, as it's less likely to loosen the texture.





SMART.FAST.EASY™

MONARCH MINI is a brand new innovative range of sealants, fillers, adhesives & accessories.

The MONARCH MINI's unique compact size sealant cartridge features a shorter length and smaller diameter making it easier to control and apply material. The perfect sized cartridge means having the right amount for your project and less waste.

- ✓ EASY TO USE
- ✓ LESS WASTE ✓ PREMIUM QUALITY

Available at SUNNINGS

73

POWER UP

Add an automatic door opener to take the grunt out of accessing the garage

WORDS FRANK GARDNER

ired of getting in and out of the car just to open and close the roller door on the garage, especially on rainy days?

There is an inexpensive solution if you are prepared to DIY install an electronic roller door opener.

Chamberlain roller door openers cost just a few hundred dollars from the hardware store and can be installed by one or two people in as little as two hours using just a few standard tools.

Each door opener kit comes with an instruction manual, which should be read thoroughly before proceeding with the installation.

You'll also need to check the measurements of the garage door, as the maximum allowable height is 4.5 metres, with a maximum door area of 16 square metres.

The door must also be spring balanced and the axle diameter no more than 35mm.

Check all requirements carefully before purchasing an automatic door opener. >

Chamberlain HandyLift Deluxe Rolling Garage Door Opener, \$347. chamberlaindiy.com.au



If the garage roller door has a base handle, remove it and attach the weight bar using the handle holes.


Or, if there is no handle, centre the weight bar to mark and drill two 5.5mm holes. Position the bar on the roller door and secure with the supplied bolts, washers and nuts.






MARCH 2015 Australian Handyman Handyman.net.au MARCH 2015

▼ Install a rolling door opener



1 Test the door

Lead the door to ensure it is well balanced, and not sticking or binding, by disabling all locks. Lift the door to halfway and move it up and down a few times. The door should remain spring balanced. If it doesn't hold or binds anywhere, call a qualified door technician to make adjustments.



Program the settings

Untie the door, then raise and lower by hand to check the operation in manual mode. Plug in the opener and turn it on, then use the buttons to program it for right- or left-hand operation, open and close limits, and force settings. Cycle the door up and down so the force is set and learned.




Fit the stop collar

Install the stop collar on the shaft of the roller mechanism on the end opposite to where the door opener will be attached. Fit the stop collar hard against the boss of the door drum, tighten with a socket and check that the U-bolt holding the door shaft to the bracket is secure and tight.



Test the safety reverse

Position a 40mm thick timber offcut flat on the floor and lower the door. If the door stops on the offcut, reprogram the limit settings and repeat the test. When the door reverses off the timber offcut, remove it and run the door opener through a full cycle.



🔽 Install the opener

Take the rope through the release handle and manual release cable. Open the door fully and tie it up, supporting the weight on a ladder. Remove the U-bolt and wall bracket. Slide the opener over the door shaft, engaging the drive legs in the drum wheel, and clamp. Refit the U-bolt and bracket.



What you need

To DIY install a Chamberlain electronic door opener all you need are basic hand tools.

- TIP Make sure a powerpoint is located near the garage door.
- LadderAdjustable wrench
- Socket wrench with 8, 10 and 13mm extended sockets
- 300mm socket extension bar
- Phillips head screwdriver

bunnings.com.au

- Tape measure
- Spirit level >

CHAMBERLAIN. Automate Your Existing Garage Door



For more information visit

chamberlaindiy.com.au



Sectional door

Before automating a sectional garage door, it's important to do research to ensure the opener matches the door.

A Chamberlain sectional door opener suits doors less than 16 square metres in size with a curved track and maximum door height of 2.2 metres.

The opener must be securely suspended, so check out the wall and roof above the garage door.

Sufficient structural supports need to be in place and if you have a ceiling, extra support brackets and fastenings may be required.

If you don't have an additional access door to the garage, you'll need a quick-release accessory to allow manual entry in case of power failures or breakdown.

Before installation, lift the door halfway, then release it. It should stay in place if it's balanced and supported by its springs. Raise and lower the door to check for binding, and call a technician to adjust it if necessary.

You'll need a 240V powerpoint located close by to plug in the opener. If not, call an electrician to install a new one, don't run an extension cord.




Chamberlain Powerlift Plus Sectional Garage Door Opener, \$347. chamberlaindiy.com.au

...........

Cyclone-proofing

New homes in cyclone areas are required by the building code to have wind-resistant garage doors. You can't power them up DIY, but you can have an opener like the Merlin CyclonePro professionally installed. gomerlin.com.au



Install a sectional door opener 🔻



Install the header bracket

Close the door and mark the vertical centreline of the door on the wall or ceiling above it. Fully open the door and draw an intersecting horizontal line at least 50mm above the high point of the door. Centre the header bracket on the horizontal line and secure with the supplied screws.

Assemble the rail

Separate the rail ends and add the centre pieces, sliding the rail connectors over the joins. Adjust the nut on the pulley assembly to tension the belt. Slide the rail bracket onto the power head and secure with brackets. Position the rail bracket against the header bracket and pin together.




Secure the brackets

Prop the opener in position and open the door, centre the rail over the door and position a 50mm spacer in between. Bend the hanging brackets and secure to both the ceiling and rail brackets. Add a centre rail bracket in the mid position of the rail, securing to the ceiling with hanging straps.



1 Attach the door arm

frame of the door, then pull the manual release cord to disengage the trolley. Slide the trolley 300mm from the header bracket, then install the curved arm onto the door bracket and connect with two bolts to the straight arm at a 20° angle.



C Program the settings

Plug in the opener and turn it on. Open the rear access panel to set the travel limits of the door using the program and arrow buttons. Run the door through an up and down cycle and use the buttons to set the force. If the door won't open or shut properly, check it isn't binding or sticking.



Test the safety reverse

Position a 40mm thick timber offcut flat on the floor and lower the door. If the door stops on the offcut, reprogram the settings and repeat the test. When the door reverses off it, remove the timber offcut and run the door opener through a full cycle.

76

79





he average garage houses more than just the car and a lot of the time it's too full

of other items to be used for parking.

Whether it's a home for power tools, gardening equipment, outdoor gear or leftover parts from past DIY jobs, it doesn't take long for the garage to end up a jumbled mess.

Clean and compact

To clear clutter and make accessing tools easy in a busy garage, choose and install a storage system.

If you're low on space and need functional work and storage areas, make the most of the walls. Go for the four key solutions and add a shelving unit, hooks, workbench and lockable cabinet.

Safe and secure

Whether you have kids or security concerns, selecting lockable drawers and cupboards allows tools and chemicals to be stored safely.

If combined with wall-mounted shelves and cabinets, and other adaptable components, you can create a garage that is organised with expensive or dangerous items kept secure and out of reach.

Store smaller, frequently used items in the drawers and low shelves, adding plastic tubs on high shelves for little-used equipment.

A pegboard is a handy way to use vertical space to keep hand tools within reach of your workbench.



Romak Two-door Steel Mobile Garage Cabinet, \$199.



Romak Single Door Wall-mounted Garage Cabinet, \$99.



Romak Four-piece Pegboard Garage Storage System, \$179.



Qiq Fix 1800mm MDF Garage Work Bench, \$269.



78 MARCH 2015 Australian Handyman MARCH 2015

WALL OF BOOKS

Transform an outdated space with French doors flanked by shelves

PROJECT DAVID RYAN WORDS FRANK GARDNER MAIN PICTURE GEOFF BECK

■ he best home layouts use space efficiently and provide plenty of storage. In this home, an unused fireplace and a 1970s-style timber panelled wall made the room look dated.

It was opened up by cutting a hole in the wall to install French doors, allowing natural light to enter the room and giving access to the garden.

Floor-to-ceiling shelves were then installed on either side of the doors to display books and ornaments, and provide storage for CDs and DVDs.

An overhead shelf completes the installation and gives the French doors a sense of depth with the bookcases painted to match.

The bookcases are built from MDF and trimmed with ribbed edging, from Porta Mouldings (porta.com.au).

The measurements are easily adapted to suit the dimensions of any space around a door, as the simple design consists of two bookcases with an extra shelf mounted overhead.

The sides of the bookcase boxes are two layers of 18mm thick MDF, with

the overhead shelf supported between them on the doorway cover panels.

To ensure stability, secure the bookcases to the wall studs. Mark the stud positions on the walls, then transfer the locations to the bookcase battens. Drive screws through the top and centre battens into the wall studs.

Cut the parts using a circular saw and straightedge guide or have them cut by the supplier for a small fee.


Secure the shelf

Once the bookcases are built and secured in position, cut the overhead shelf to fit between them, supported on the shorter cover panels.

Secure the shelf with screws driven from inside the bookcases. then attach the overhead shelf sides using adhesive and screws.


To finish, give the bookcases a built-in look by cladding the baseboards with skirting.

Cover the gaps between the bookcases and the ceiling using the same profile of moulding, mitring the corners to fit. >



MARCH 2015 Australian Handyman Handyman.net.au MARCH 2015


Build the bookcases



Mark the shelf positions Position two sides face to face with all edges flush. Mark the shelf hole heights across the front edges, then square the lines across the inside faces. Set a combination square to 50mm and use it to mark the shelf pin centres, then repeat for the mullions.




Secure the baseboards Use adhesive and screws to secure the baseboards flush with the front edge of the bookcase base. Position the mullions between the bookcase base and fixed shelf and the bookcase top and fixed shelf, securing with adhesive and screws.



Drill the shelf pin holes Use a 5mm brad point bit to drill 10mm deep shelf pin holes at the intersections of the marked lines, using a depth collar or masking tape on the bit to ensure accuracy. TIP Drill the shelf pin holes the whole way through the mullions.




Attach the back Secure the battens using screws, then attach the cover panels with screws driven from inside. Turn over the bookcases and use screws to attach the back panels to the top, sides, fixed shelves and mullions, working down one side, then across the top.



Assemble the bookcases Create a rounded profile on the front edges of the shelves using a router with a 6mm roundover bit. Position the top, base and fixed shelves between the sides, securing with interior PVA adhesive and screws through the pilot holes.



Add the trim With the bookcases in position, drill pilot holes through the battens to secure them to the studs. Use adhesive to secure the skirting and cornice. Cut the trim to fit, apply PVA to the front edges of the sides and mullions, then tape the trim in position until dry.



Build durable furniture

For projects such as bookcases to look great and stand the test of time, it's crucial to cut the materials accurately and assemble the pieces using strong joints and appropriate fasteners.

To cut sheet materials accurately and reliably with a circular saw, use the factory edge of an 18mm sheet of MDF as a cutting guide.

Cut a strip about 150mm wide and measure the offset distance from the inside edge of the circular saw base plate to the outer face of the blade.


Clamp the MDF strip this distance away from the cut line and run the circular saw along the factory edge.

The simplest way to secure the fixed shelf is to use adhesive and screws, but for added strength, or to build a bookcase without adjustable shelves, use one of the methods below.




Secure fixed shelves Y

A bookcase should have at least one fixed shelf to add structural strength and rigidity, allowing the remaining shelves to be supported on adjustable shelf pins. The most popular ways to secure them are using a housing joint, a cleat or biscuits.




HOUSING JOINTS utilise a groove cut to one-third the thickness of the timber, generally using a router. This joint is strongest when secured with screws that pull the shelf into the joint, as adhesive does not bond porous end grain as effectively as long-grain surfaces.



clears with screws are strips of timber positioned to support a shelf. Securing cleats to the sides, and often to the shelf, with screws allows for some adjustment and the joint is made stronger using adhesive.

TIP Effective construction relies on the cleats being cut accurately.



strong and hide the joinery for a seamless finish. The slots for the biscuits are made using a biscuit joiner, with at least two biscuits at the end of each shelf.

TIP For a wider shelf, cut more biscuit slots for extra support.



- Are you buying an investment property?
- Are you looking for a better deal on your current mortgage?
- ✓ Are you looking to renovate?

Whatever your home finance needs, Contour Finance can help you.

Contour Finance has been looking after residential property, commercial property and business finance for more than 14 years, partnering with many highly regarded professionals to complement your long-term financial needs - financial planners, accountants, equipment and motor vehicle finance, insurance, property research and legal services.

With access to more than 40 lenders Australia-wide, you're guaranteed the best possible deal for your needs.

Find out how you can save thousands on your mortgage - visit www.contourfinance.com.au or call **0468 992 287** to book your FREE consultation!











SUSPENSION SHELVES

Join pine boards with wire rope to make shelving that borrows a design feature from bridge construction

hese floating shelves look lightweight, but they are actually very strong and are able to support as much weight as a conventional bookcase.

Wire rope stretches very little under load, allowing the shelves to utilise similar design principles to those used in suspension bridges.

Secured to battens spaced to line up with the wall studs, the shelves are separated by cleats that add strength.

The cleats are attached to the battens using brads and PVA adhesive,

with a single screw and cup washer added to each for a decorative look.

The shelves get narrower as they go up but can also be left the same width. For this project, the front lower edges were chamfered using a router, but they could be left square instead.

Cut the pine components to size using a mitresaw and the wire rope to length with heavy-duty side cutters or linesman's pliers.

Apply two coats of stain and a clear finish to the shelves, battens and cleats before assembly.

Using wire rope

To suspend these shelves, you'll need two lengths of 3.2mm stainless steel balustrade wire, which is readily available from hardware stores.

Balustrade wire can be bought by the metre, and each piece needs to be at least 2100mm long. To be on the safe side, buy 5m of wire.


The wire is threaded through the shelf holes, with adjustable stops added to both sides of each shelf to provide support. Leave a tail at the base and cut it off at the end.

Anchoring the wire rope

Thread the wire rope through the shelves, then use a 25mm Forstner bit to make recesses for 20 x 5mm washers and anchor the wire. TIP Some adjustable stops have a slot so they can be secured after the wire has been threaded.



1 SECURE the top cleats 5mm from the end of the battens with adhesive and brads. Use a 4mm twist bit to drill a hole for the wire through each cleat and batten at a 45° angle.



2 THREAD the wire rope through the shelf holes, adding adjustable stops for both sides of each shelf as you go. Slide the stops into position against the shelves and secure with an Allen key.



3 ANCHOR the wire by drilling two recesses in each batten behind the angled holes. Loop the wire, secure with a screw and washer, then fill the recesses with epoxy adhesive.



MARCH 2015 Australian Handyman MARCH 2015

Make the shelves



Prepare the shelves

Use a 4mm twist bit to drill holes for the wire rope through each shelf, 350mm in from the ends and 25mm from the front edge. Apply masking tape to improve the visibility of the setout marks, then position the top shelf on the battens, 279mm in from each end, and secure with brads.



Mount the shelving

Cut two temporary support blocks from scrap 90 x 45mm timber and position the shelves against the wall. Find the stud locations, mark with tape and drive a screw through the top of one batten into the wall. Check the shelves are level, securing the battens with three screws in each.



Assemble the unit

Secure a pair of cleats to the battens under the top shelf with PVA adhesive and brads, then attach the next shelf to the cleats using brads. Continue attaching cleats to the battens and shelves to the cleats in order, finishing with the base cleats under the last shelf.




Tension the cables

Pull the wire rope tight using an offcut of timber as a tensioning lever. Use a torpedo level to check the shelves for level, adjusting as needed. Use an Allen key to tighten the grub screw in each adjustable stop, locking the stops firmly in position above and below each of the shelves.




Reinforce the joints

Turn the shelves over and use a try or combination square to check all joints are 90°. Drill pilot holes to drive screws into the shelves through the battens. Turn the shelves right way up to drive a screw with a cup washer through the centre of each cleat. TIP Thread the wire before drilling.



Add the dome nuts

Use a pair of heavy-duty side cutters or linesman's pliers to cut the wire rope to length. Leave about 5mm of wire protruding below the adjustable stop under the base shelf, then cap the cut end for safety by attaching a dome nut over it using hot-melt glue or silicone.



® CUTTING LIST		
PART	SIZE	NO.
Pine		
Top shelf	1500 x 140 x 19	1
Upper shelves	1500 x 184 x 19	2
Lower shelves	1500 x 235 x 19	2
Battens	1727 x 42 x 19	2
Cleats	285 x 30 x 19	10
Base cleats	195 x 30 x 19	2

TYPE	USE
Brads, 25 x 1.5mm	Cleats
Particleboard screws, 40mm x 8g	Battens
Particleboard screws, 75mm x 8g	Battens
Particleboard screws, 18mm x 8g	Wire rope anchor
Dome nuts, 5mm	Base shelf

and ceillings walls When preparing plaster walls ready for painting 73 screw a broom handle into a Rocket Pole Sander to erboar reach higher up walls and ceilings without a ladder. Then attach a Rocket Sanding Mesh sheet which makes light work of even heavy plaster stopping, without clogging. For a perfect finish choose Rocket - premium sanding pla solutions, affordable prices.

To view our handy renovation videos, scan here.





Look in the sandpaper section at Bunnings.



For more information call 1 300 745 536 or www.sikkens.net.au



You Tube youtube.com/user/sikkensaus





Fold-up workbench

Handyman reader Brent Adcock crafted a foldaway workbench for next to nothing by salvaging all the materials for the project from skip bins on new-home building sites.

He used boards left over from roof construction to build the main frame, with the backing of the bench made from salvaged flooring materials.

The benchtop and doors are framed with roofing batten offcuts, while the plywood used for the doors and work surface were recycled from a discarded packing crate.


For the legs, Brent used dressed all round (DAR) timber that had been concrete formwork in a past life.

Even the offcuts weren't wasted, as he transformed the scraps into a rolling box for storing his power tools.

The workbench folds up when not in

use to save space and protect tools.







ce to play all year round.

93

92 MARCH 2015 Australian Handyman MARCH 2015

success with the children.

'They love their new area, and it

is easy to sit under the pergola next

to it and watch them play.' >





95

94 MARCH 2015 Australian Handyman MARCH 2015

97



Facade facelift

Handyman reader Ross McNeilage had his work cut out for him when he decided to rejuvenate the front patio of his 1920s Californian-style bungalow.

Before repainting, he first needed to replace the wrought iron posts and fix the sagging '60s verandah floor.

Ross propped up the verandah and installed 100mm cypress timber posts. He then rebuilt the floor using tongue and groove boards, concealing the nails for a professional finish.

After sanding, he completed the revival with three coats of decking oil. CASH \$300 FOR DIY

We love to share what our readers are working on, whether it's building a deck, revamping a room, landscaping the yard or



MARCH 2015 Australian Handyman Handyman.net.au MARCH 2015

What's new

Head instore to set yourself up to tackle those pre-winter tasks to get your place ready for cooler weather



SEAL IT using Monarch Mini White Silicone for wet areas, \$3.30 for 150g.



HIT IT with a Hart 450g Rubber Mallet, \$17.98, with anti-vibration handle.



FIX IT using an Ozito 18V Brushless Drill Driver, \$149, with one-hour rapid charger.



DRILL IT with Sutton Impact Supabits for timber, metal and plastic, from \$4.93 each.



CUT IT using an Ozito 250mm Universal Compound Slide Mitre Saw, \$299, which cuts timber, metal and plastic.



STICK IT in place with Sika Post Fix concrete alternative, \$27, for use with wood, cement, metal or plastic posts.



WATER IT using a UV-treated Pope 18m Greenstream Hose with perma-fit connections, \$19.98.



WARM UP with a Glow Rustic Fire Pit, \$199, made from weather resistant steel with a rusted finish.



GATE UP the fireplace with a Folding Fire Guard, \$79, for a fast safety solution.



FILL UP the Firewood Log Basket, \$29.95, for a stylish storage solution with a faux-leather finish.



Stacked stone reborn

Make over walls outdoors or in with this lightweight stacked stone that can be painted any colour. It's made from strong polyurethane panels and features unique interlocking finger-join edges.

*------



Fomestone Kuta Stacked Stone, \$34.97 for 0.5m coverage.



Fomestone Aspen Sandstone, \$34.97 for 0.5m coverage.

MARCH 2015 Australian Handyman MARCH 2015

Handyman BUYER'S GUIDE

Take the DIY option for your home improvement projects by choosing the best tools and equipment from our market round-up



a perfect new kitchen, right at your fingertips

Stand in your old kitchen, have a quick look around and just for a moment, visualise a beautiful new kitchen imagined and designed by you. At kaboodle, we believe that everyone should be able to unleash the interior designer within, so we've created the kaboodle kitchen planner at kaboodle.com.au.

Jump online and check it out today!











Handyman BUYER'S GUIDE

Reach one of the most receptive purchasing audiences available.

For bookings or enquiries contact Alek Jovanoski on (02) 9018 6255 or email alek.jovanoski@rd.com

NALEON


No Drilling. No Mess. No Fuss.

MADDISON ADHESIVE LARGE BASKET



- 6kg Holding Power
- Rust Resistant
- Clear Acrylic Shatter Resistant base
- Mounts to most smooth surfaces.
- Easy to install/remove
- Ideal for around the home, office and caravan





Superway

Compact

Termite Baiting


Stations are

now available

call us now







Market your products

today with the

Handyman

BUYER'S GUIDE

Reach one of the most

receptive purchasing

audiences available.



FROM THE PEOPLE WHO MAKE CHEMICALS FOR THE PEST CONTROL INDUSTRY

"DIY" Termite Baiting System and White Ant Termite Bait

Finally, a complete "DIY" TERMITE treatment. No more pest controllers needed. As easy as 1-2-3.

- 1 Install Superway Termite Baiting Stations around your property & inspect for activity every 2-3 weeks.
- 2 As soon as the Baiting Stations become active, apply the Termite treatment to the station. (Superway owned & APVMA approved)
- 3 Termite colony destroyed re-use **Baiting Station**

FOR A FREE INFORMATION PACK. SEE CONTACT DETAILS BELOW:







D LOKKLatch DELUXE from both sid of the gate! · Ideal for metal or wood gates

LIFETIME

D&D Technologies

- . No rust, binding or staining
- Tough & durable construction
- Easy to install (one drill hole)
- Can be rekeyed to match doors
- Adjusts vertically & horizontally
- Used by fencing professionals



SUNNINGS

For bookings or enquiries contact Alek Jovanoski on (02) 9018 6255 or email alek.jovanoski@rd.com

Timber planter

Build a self-watering raised bed from treated pine to grow salad greens

veryone loves to grow fresh salad greens, tomatoes and herbs. But backyard crops need regular water to thrive. Too much or too little can result in problems like rot, wilt and split fruit.

A weekend away can be enough to kill off a thriving vegie patch if there's no-one around to do the watering.

To avoid the problem of withered crops, build these self-watering timber planters and use them to grow edibles.

Not only do they look good, but they also keep animals at bay and you can leave them for weeks on end without having to worry about water.

How they work

These self-watering planters are also called sub-irrigated planters, or SIPS, because they allow the plants to sip water whenever they want.

Built as a box with posts and a floor attached to joists, the timber used is MGP10, F7, H3 treated pine, as it's long lasting for outdoor use in exposed situations above ground.

Cut lengths of 70 x 35mm timber in half using a circular saw and fence guide to make the posts.

When the box is ready, add a pond liner to retain water, then position the socked agricultural pipe and fill with soil mix. The secret to the success of these raised beds lies in the use of the socked agricultural pipe.

Once you fill the agricultural pipe reservoirs, they allow air to circulate and water to wick up to the roots of the plants whenever needed.

Watering plants from below means the roots stay moist and there's less evaporation, so you don't need to water as much.

TIP The clear plastic tube allows any overflow water to drain away.

Garden saver ▼

Here are the top reasons to build a planter box for growing edibles.

- 1 It saves your back and knees.
- You'll have fewer weeds.
- 3 The simple sub-irrigation system saves water.
- 4 Have fresh food year-round.
- S You can create the soil mix.
- 6 Crops are safer from animals.
- It can go in a yard or on a deck.



Build the planter



Build the box ends
Position the end boards on
a level workbench, aligning them
with the corner to keep the assembly
square. Lay three posts across the
boards, one on each end and one in
the centre, securing each post with
two screws into each board.



Mark the joists
Cut a timber block to 340mm
long to use as a flooring depth guide.
Position the block against the side
of each post inside the box and
mark the top of each joist and floor
cleat on the sides of the posts using
a carpenter's pencil.



Add the agricultural pipe
Secure the capping with screws,
then evenly space three lengths of
agricultural pipe in the box. Wedge
the ends tightly against the box and
pack soil mix around the pipes to keep
them straight. Cut a hole at one end of
an outside pipe for the PVC filler tube.



Position and clamp the side boards on a level workbench, aligning them with the corner to keep the assembly square. Mark the post locations at 600 and 1200mm from one end. Position and secure each post with two screws into each board.



Secure the floor

Attach the floor cleats to the end posts then secure the joists to the side posts using screws. Position the floor boards hard against the posts and mark the notches to be cut out with a jigsaw. Lay the flooring and secure to the joists with decking screws.



Install the overflow tubing
Drill a 12mm diameter hole
in the end of the planter box opposite
the filler tube just above the height
of the agricultural pipe. Cut a hole in
the top of the pipe next to the box hole
and position 12mm tubing from the
agricultural pipe to the drainage hole.



Assemble the box
Stand up the ends and sides on
a level surface and align the corners,
positioning the ends in between the
sides. Clamp each corner and measure
the diagonals to check for square,
then secure the corner posts to the
sides using screws.




Attach the pond liner

Lay the pond liner inside the box, smoothing it across the floor. Fold the liner neatly at the corners and secure it around the inside top of the box using staples. Trim off any excess liner flush with the top of the box using scissors or a utility knife.



Pill with soil and plants
Blend soil in a wheelbarrow to
make a lightweight mix. Shovel the
soil into the planter, finishing 25mm
below the capping, then fill the pipes
with water until it overflows. Add
the plants and mulch, giving the soil
surface an initial water.



ohnsons



world kitchen

Grow & cook the flavours of the world

















Johnsons World Kitchen is a new and unique range of packet seeds comprised of distinctive vegetables and herbs that are essential ingredients in regional cuisines around the world. Cuisines of the Americas, Asia, France, Europe and the

Every pack includes a recipe tip, and with more recipes available on the Johnsons website there's no shortage of exciting cooking ideas!

Mediterranean are all at your fingertips with these exciting and delicious varieties.

Johnsons World Kitchen seeds are now available at Bunnings and independent garden centres nationwide.

.......





OUTDOOR




The first job is to pick all of the remaining crops, and either enjoy them now or preserve them for future use. You can make sauce from excess tomatoes, or oven-dry them.

Freeze surplus basil by tearing the leaves, putting them in ice-cube trays and covering with water.

The frozen leaves can be used in winter soups and stews simply by adding the ice-cube to the pot with the other ingredients.

Trim herbs such as oregano and marjoram, then hang the clippings in a warm, dry spot indoors. Store the dried leaves in an airtight container.



Remove all the finished plants from the vegetable garden and put them on the compost heap.

Pull up any weeds, making sure you get the roots as well. Weeds compete with plants for

soil nutrition and leave them open to attack by insects and diseases. Dig the whole patch with a fork or spade, incorporating any

remaining mulch into the soil. Break up the clods until you have a nice crumbly soil.

Manutec Soil pH Test Kit, \$16. manutec.com.au



Test the soil pH

The majority of vegetables like a soil with a pH of about 6.5. And as soil has a tendency to slowly become acidic through fertilising, it is always a good idea to test it every couple of years.

Checking soil pH is easy with a testing kit. If it is too acidic you can rectify it with dolomite, garden lime or a liquid lime.

Make sure you follow the directions on the packet.

4 Condition the soil

Before planting, the soil will need conditioning with mushroom compost, or cow or chicken manure.

Dig the compost or manure lightly into the soil, then rake it, making sure it is crumbly, level and smooth. It will eventually break down, supplying the soil with beneficial organic matter.

Conditioners also encourage earthworms, which break down root mats and open up tunnels for oxygen and water to penetrate the soil.

The plant roots take nutrition from the nitrate-rich mucus that coats these tunnels.

Compost is free and makes a great conditioner, as it helps to regenerate the soil and increases the water-holding capacity by at least 30% as well.

And by recycling organic waste, you're keeping it out of landfill.

Seaweed products are also soil conditioners.


Often mistaken for a fertiliser. liquid seaweed promotes beneficial micro-organisms in the soil, which in turn boosts the health of the plant.

*------

Garden Basics Seaweed Liquid Concentrate, about \$6 for 750ml, from Bunnings. Water the bed

Give the bed a good watering at least a day before you plant.

This will help the manure and compost to break down and settle prior t you planting seeds or seedlings.




Adding a mulch, such as sugar cane, lucerne hay or pea straw, conserves moisture by reducing evaporation, prevents weed growth by restricting light and modifies the temperature of the soil by cooling or warming it.

As the mulch breaks down, it adds structure to the soil by supplying it with beneficial organic matter. >



110





OUTDOOR Herbs Plant rosemary, bay, sage, oregano and thyme for winter staples such

as soups, stews and casseroles.

Sow seeds of coriander, rocket, mizuna, chervil and parsley. >

HERE'S TO TAKING THE HARD **OUT OF HARD WORK.**



Turbo Diesel Single Cab 2WD

caradvice

Mahindra Genio was recently reviewed by <u>CarAdvice.com.au</u> with a 7 out 10 for Performance & Economy, 7 out of 10 for Cabin Space & Comfort, 7 out of 10 for Price & Features and an overall score of 6.5 out of 10. A higher overall score than many of the mainstream

Mahindra

MAHINDRA AUTO NETWORK - For Test Drive phone 1300 696 244 or visit www.mahindraauto.com.au

NSW - Sydney (Kirrawee, Pennant Hills, Campbelltown), Narromine, Griffith, Tuggerah, Leeton, Narrabri, Armidale, Maitland, Goulburn, Queanbeyan, Bombala, Tweed Heads. ACT - Mitchell. QLD - Brisbane (Lawnton), Atherton, Townsville, Proserpine, Mackay, Kingaroy, Nambour, Toowoomba, Warwick. VIC - Campbellfield, Wangaratta, Ballarat, Benalla, Frankston, Kyabram. WA - Cannington, Wanneroo. #1.2 tonne payload for Single Cab 2WD Genio with standard light truck tyres at 60psi. Max GVM 2980 kgs for all models. Please check your operators manual prior to operation. *Pricing is valid until 30th June 2015 or while stocks last. Images may show overseas model or illustrate non standard equipment. DMM2925.



Sow the seeds

There is a greater variety of vegies to choose from if you grow them from seed. It's also less expensive, as a packet of 50-100 seeds costs the same as a punnet of 6-12 seedlings.

If you seal and store the packet, you'll have about three years' supply.

Certain vegetables grow better from seed, planted directly where they are to grow, rather than from transplanted seedlings.

Direct-sow broad beans, radish, silverbeet, peas, Asian greens, spinach, parsnip, beetroot and carrot.

You can buy propagating sets to get your seeds off to a good start,

but an even cheaper alternative is to re-use seedling punnets as a DIY propagator or mini greenhouse.

Place plastic wrap or a clear plastic freezer bag over the seed container, then seal it. Remove the plastic when the seeds have germinated.

Cardboard egg cartons make great punnets for large seeds. Fill them with seed-raising mix and plant a seed in each section. When they've germinated, cut out the individual sections and plant them in the ground.

The cardboard will soon break down in the soil and your seedlings won't suffer transplant shock. Seed tapes, which are strips of soft paper containing evenly spaced seeds, are easy to use and effective. You simply lay the tape in the ground, cover it with soil, then water it.

TIP Water transplanted seedlings with a seaweed concentrate to help prevent transplant shock.



HomeLeisure Reko Seedling Trays, about \$3 for eight. homeleisure.com.au





Plant a herb pot

Turn a terracotta strawberry planter into a miniature edible garden for a patio

strawberry planters are tall containers with holes around the sides that feature protruding cups to support the plants.

They're ideal for a selection of culinary herbs, as trailing varieties can be planted in the side holes and plants with a more compact habit can be grown in the top of the pot.




Prepare the pot

Position an offcut of PVC pipe
or a long cardboard tube in the centre
of the strawberry pot. Hold the pipe
steady on the base of the pot, then
fill around it with potting mix as far
as the first planting holes.

But while these tall planters make growing and harvesting herbs easy, water can be distributed unevenly, resulting in some plants drying out and others becoming waterlogged.

To keep herbs in a strawberry pot well hydrated, simply include a central core of fine gravel at planting time to help improve drainage.



Plant the herbs

Add trailing varieties to the side holes of the pot, pushing the herbs through from the inside and firming the potting mix around them. Work your way up, adding plants and potting mix until you reach the top.

What you need


- Strawberry pot
- PVC pipe or cardboard tube
- Vegetable and herb potting mix

......

- Assorted herbs
- Gravel or small stones
- Liquid seaweed solution



Fill the pipe with gravel to the level of the potting mix, then ease out the pipe, leaving the core of gravel behind. Make planting holes to add herbs to the top of the pot, watering in well with seaweed solution.



MARCH 2015 Australian Handyman MARCH 2015



Top pick

If you're looking for a geranium to bring a burst of colour to the garden in even the highest temperatures, Pelargonium x hortorum 'Fantasia' is simply unbeatable when it comes to vigour and heat tolerance.

Blooming throughout summer and early autumn in some areas, 'Fantasia' grows up to 36cm high, spreads to 30cm and shows excellent uniformity throughout the entire season.

Featuring huge and colourful semi-double blooms with dark-green foliage, this landscape gem performs equally well in beds or pots.

Give it a position in full sun in well-drained soil and water lightly so the soil doesn't become soggy. Feed when in bloom and deadhead regularly.

'Fantasia' comes in striking solid shades and bicolours, including White, Salmon, Dark Red, Strawberry Sizzle, Purple Sizzle and Raspberry Twizzle.

чинини жилининини

Book chub



The new book from healthy living guru Lee Holmes Eat Clean, Green and Vegetarian (Murdoch Books, \$35) will inspire you to get stuck into creating an edible garden and overhauting your diet.

More than just a collection of recipes, this beautifully put together book contains everything you need to know to turn your eating habits around, plus buy local and organic food.

Featuring an easy-to-follow chart on essential vitamins and minerals, a breakdown of Lee's top 10 supercharged vegies and a guide to what's in season, it makes eating green super easy. >

To-do list

except cold areas. SPRAY fruit trees to guard against pests and diseases. LIFT and dry onions from late summer onwards. DIG new beds and borders to prepare for autumn planting.

✓ SOW seeds of Aussie natives like wattles and banksias. REPOT indoor plants and

on with this month. PLANT citrus trees in all zones hanging baskets.

A fantastic way to colour up your place is to display seasonal blooms year-round in window boxes.

They are a great alternative to garden beds where space is limited, and need less maintenance than hanging baskets but provide even more visual impact.

Instead of drilling holes in the frames for brackets, use hangers that hook over the windowsill to hold the planters securely in position.



Prune and train climbers

Cut back rampant growth on vigorous climbers after flowering and tie in new stems before growth slows down. TIP Prune wisteria regularly.




Tie the stems Space out the main stems evenly and at an angle from the vertical. Secure to the support using soft twine tied in a figure of eight.



2Gut the stems
Trim wayward stems to just above a leaf joint. Take semi-ripe cuttings for propagation from climbers like bougainvillea and mandevilla.

Committee Straighten Committee Commi



Give grass a boost for good autumn growth to see it through winter.

- **GARDENIA**
- **HIBISCUS**
- CITRUS LAWNS
- ROSES



Prine now

Cut back plants after flowering and summer fruit trees after harvesting.

- WESTRINGIA
- **PENSTEMON**
- PEACH TREE FUCHSIA
- SALVIA

Harvest now

Pick summer and autumn fruits off vines and trees.

- **CUCUMBERS**
- GRAPES
- **PUMPKINS**
- NECTARINES







Subscribe now!

- NEVER MISS AN ISSUE
- FREE DELIVERY
- ONLY \$4 PER ISSUE
- SAVE OVER 38%



Call today

for your chance to WIN \$55,000 when you order and pay for your subscription.

VISIT HANDYMAN.NET.AU/SUBSCRIBE OR CALL 1300 550 001 WEEKDAYS (LOCAL CALL COSTS)

Open to residents of Australia and New Zealand aged 18 years or over. Starts 01/01/15. Ends 31/03/15. All prize draws held at Reader's Digest, 80 Bay Street, Ultimo NSW 2007 at 10:30am. Draw dates: Rush For Riches 10/04/15. Winners of prizes valued at over \$250 will be published in The Australian on 24/04/15. All winners will be published on the Promoter's website from the business day following the prize draw. Promoter: Reader's Digest (Australia) Pty Ltd, (ABN 81000565471), 80 Bay Street, Ultimo, NSW. NSW LTPS/14/06864, VIC 14/4790, ACT TP14/02656,





Plant these old-fashioned blooms now to enjoy their delicate charm and beautiful perfume in spring

WORDS AND MAIN PICTURE CHERYL MADDOCKS

■ he sweet pea (Lathyrus odoratus) first arrived in England from Sicily in 1699 and has been bred continuously since then.

In the language of flowers, the sweet pea symbolises blissful or delicate pleasure, which arises from the tradition of giving posies as gifts.

The sweet pea was so popular in the early 1900s that it became the symbol of Edwardian England.

Over the centuries, hundreds of cultivars have poured onto the market. While there are fewer cultivars today, the old-fashioned sweet pea will always be available.

It also has a proud place in the history of science, as it was one of the main plants used by Gregor Mendel (1822-84) in experiments that led to the development of his genetic theory.

While there is more to the sweet pea than its looks and perfume, not all varieties are fragrant, so check the packet before purchasing.

In the garden

Most sweet pea cultivars reach 2-3m in height and they need support in the form of a tripod, wire mesh fence or trellis. Dwarf cultivars are available for pots, window boxes or garden beds.

- **SOW** seeds directly where they are to grow in damp soil. Don't keep seeds overly wet during the germination period, as overwatering is the most common cause of seed failure.
- WATER every couple of days after the seedlings have emerged.
- **POSITION** in a sunny spot that is sheltered from strong winds.
- SOIL should be full of organic matter and well drained. If it's slightly acidic, apply dolomite or lime.
- MULCH around seedlings with lucerne hay or sugar cane.
- FEED as the flowers start developing with a complete soluble fertiliser.
- PICK the flowers frequently, as sweet peas are similar to pansies in that the more you pick, the more you get.

You can also grow tall cultivars in a large pot supported by a tripod.

To grow sweet peas in containers, use a quality potting mix. Position 2m high bamboo stakes about 50mm apart and 100mm from the edge of the pot, leaving enough room to plant the seeds or seedlings.

Draw them together at the top and tie with string, then plant one sweet pea at the base of each stake.



tacular sweet pea show

spring, sow the seeds now.



MARCH 2015 Australian Handyman

about \$4. mrfothergills.com.a

Handyman.net.au MARCH 2015



Grow Asian greens

Create a stir with homegrown leafy vegies full of exotic flavour

WORDS CHERYL MADDOCKS

rom Thai and Chinese to
Vietnamese and Malaysian,
Australians love Asian food.
Whether we're whipping up
a stir-fry or going out for sushi or
yum cha, we just can't get enough.

And the good news for Asian food buffs is that the greens they love to eat, like bok choy, tatsoi and Chinese broccoli or cabbage, are easy to grow.

Plant seeds now and you'll have an organic stir-fry garden in weeks. If space is limited, you can also grow them in pots in a sunny position.

The flowers of all Asian greens are edible and make pretty garnishes.

Not only are they easy to grow, fast to crop and tasty, these greens are good for your health. Rich in folate, vitamins C and K, betacarotene, potassium, magnesium and calcium, they're also low in kilojoules.

Asian greens belong to the Brassicaceae family, along with broccoli, Brussels sprouts and kale.

All members of this plant family, according to considerable research, are reputed to prevent cancer and are potentially anti-inflammatory.

TIP Grow Mr Fothergill's Sprouts
Alive! Asian Greens Mix to add to oriental-style salads.



124 MARCH 2015 Australian Handyman MARCH 2015 125

What to grow ▼



BOK CHOY

A fast-growing Asian green with tender and crunchy pale green or white stalks, bok choy is also called Chinese white cabbage and pak choi. Pick it while young or wait about six weeks for it to mature. USE in noodle dishes, soups and stir-fries. Add young leaves to salads or steam whole and serve with oyster sauce and sesame oil.



TATSOI

The deep-green leaves of tatsoi, or Chinese flat green cabbage, have a slightly nutty flavour. To pick continuously, remove the outside leaves from the rosette separately. USE the young leaves in salads to add crunch. Steam the leaves and stalks and season with soy sauce and garlic. Lightly cook in stir-fries or add to soups at the last moment.



CHOY SUM

This popular Asian green, also called choi-san and Chinese soup green, has large leaves and delicate tasting stems. Harvest while young or allow it to mature. You can eat the entire plant, including the small yellow flowers. USE the stems and leaves in soups. Steam and serve as a side dish or add it to stir-fries.



CHINESE BROCCOLI

Known as Chinese kale, kai lan and gai lan, this green produces much smaller flower rosettes than the common broccoli. It is harvested about nine weeks after sowing, just before the flowers start to open. USE the whole plant, including the stem, leaves and flowers. Add to stir-fries, or steam and serve with soy sauce and fried garlic as a side.




CHINESE CABBAGE

Also called wong bok and nappa cabbage, this variety forms a densely packed head of fine textured and crinkly leaves that are blanched in the centre. There are varieties that are ready for harvest in 10 weeks. USE its sweet, delicate tasting leaves as a wrap or base for steaming fish, in coleslaw and Asian salads, or add at the end to soups and stir-fries.



MUSTARD GREENS

Mizuna, or Japanese mustard, is a milder-flavoured variety while mibuna is slightly stronger. The large-leafed red mustard is hot, especially the older leaves. Treat them as a cut-and-come-again crop, picking the outer leaves first. USE the young leaves to give tang to Asian salads. Put barbecued fish on a bed of raw mustard leaves.



Sowing seeds

Asian greens grow very easily from seed and transplanted seedlings will often bolt to seed.

■ SOW seeds directly where they are to grow. Choose a position that gets 5-6 hours of sun a day and seedlings will appear in just a few days. If you sow the seeds too thickly, the seedlings can be thinned and the young leaves used in salad mixes.

- SOIL should be free draining and enriched with manure or compost before planting.
- WATER daily to keep the plants growing quickly and to prevent them bolting to seed.
- MULCH the soil with lucerne hay or pea straw to help retain moisture.
- FEED weekly with a soluble plant food when the seedlings have reached about 100mm high.
- HARVEST while the plants are young. Most Asian greens reach their full size in about eight weeks.

■ CHECK for caterpillars of the cabbage white butterfly, as they eat the leaves.

Use an organic spray insecticide like Eco-Neem (ecoorganicgarden.com.au) or sprinkle Derris Dust on the foliage to deal with the caterpillars.

Snails and slugs will also munch on Asian greens, so use beer traps or environmentally friendly snail bait.

PowerFeed Organic Plant Food, \$13 for 1L. seasol.com.au



DRGANIC



Unstoppable flowers that flourish!

- Masses of flowers
- Tolerate wind and rain
- · Perform in full sun and high heat
- Brilliant for landscapes and containers



12 Colours available:

- Blush Pink
- - Hot Coral Red
- Light Coral
- · Carmine Red
- Deep Rose
- Magenta · Corona
- Electric Orange Orange · White

Sunpatiens are available at your local Bunnings Garden Centre



Check what can stay and what must go before you pull up plants

WORDS MONICA NYE

ne of the least favourite but essential chores that must be performed regularly in the garden would have to be weeding.

Because they are often attractive, easy-to-grow plants that thrive, weeds can quickly become invasive and destroy other less rigorous plants if they are left unchecked.

Weeds Australia has produced a national watchlist of plants that should be avoided in your garden at all costs (weeds.org.au/wons). If allowed to take root and spread, they quickly turn the backyard into an unkempt mess.

Manager of
the government's
National Weeds
Strategy Project John
Thorp, says, 'Weeds are any plants
growing out of place, such as on
paths, in lawns or in a home garden,
that a person wishes to control.'

THORP

State of origin ▼

Location is key in weed warfare, as species that are classified as a dangerous weed in a particular state or territory may be seen as a welcome garden plant in another.

'Australia is affected in most places by weeds, but they change because we go from the tropics to temperate climates,' says John. 'What may be an indoor plant in Tasmania could easily be considered a weed in the tropics.

You also get subtropical vines which scramble over canopies.


'They're a problem, especially up the Macleay River area in New South Wales where they really damage the bushland,' says John.



An international weed,

water hyacinth infests aquatic

systems on every continent.



Garden invaders

There are 32 weeds listed by the federal government as having national significance. Many, including the most common one, lantana, are referred to as garden escapes.

'That is, they've literally escaped from the garden,' explains John.

'Birds typically spread the plants by picking up the seeds and flying over the neighbour's place, dropping a few along the way and eventually heading into bushland.

'The culprits include a range of black birds like the currawongs, which are frugivores.'

Some of the most common backyard plants that turn into weeds this way include the fast-growing asparagus weed, which the birds prey on for their berries.

Other widespread garden weeds are brooms, which come in different coloured varieties but are most common with yellow flowers. All types of broom, regardless of colour, are prolific seed producers.

Cat's claw creeper, Madeira vine and cacti are also garden weeds.

'Cacti are a major problem if you are in a dry place,' says John.

'Australia was overrun at one time with a type of cactus, the prickly pear. The opuntioid cacti are a whole group of plants that could easily invade entire dry parts of Australia.'

Plant right Y

To ensure the plants that are stocked are not dangerous to the environment, every Bunnings store has a Greenlife Buyer.

National Greenlife Buyer David Hardie says, 'One of the key selection criteria is suitability for local climate and conditions.


'Our team also works closely with regulators to ensure we are always stocking the right plants.

Bunnings is committed to not selling environmental weeds that

may have a negative impact on the natural environment.'

David adds there are now more non- or less-invasive plant cultivars than in the past and recommends the state and territory plant guide at growmeinstead.com.au.

To control weeds, there is a wide range of herbicides and weedmats available instore. Mulching is a good way to prevent them occurring in the first place, as is cutting spent flowerheads from plants.



Disposal methods

Once a plant becomes a concern, it needs to be eradicated completely by preventing seeding and reproduction.

'But the real problem with weeds spreading and propagating isn't the birds, it is humans incorrectly disposing of garden waste,' says John.

'Many people dump waste in the bush or recycle clippings as mulch thinking they're being green, but it's really just spreading weeds further.

'The correct disposal method for a large amount of material is using an enclosed system like a skip bin, or taking the waste to the tip,

making sure that it is tied down securely in a trailer.

'Otherwise, use the green bin and dispose of clippings, weeds and other waste material through your normal rubbish removal service.'

John also gives the big thumbs down to the backyard burn-off.

'It is illegal in many parts of Australia, especially in summer, and the heat from a burn-off opens seeds so they can germinate. Weed residue can also be carried in the smoke.'

Weeds are also a major problem in waterways, as they damage and pollute delicate aqua ecosystems. >

thicketst 131

GARDEN



Water invaders

'Athel pine is a shade tree which people use in arid lands,' says John.

'It becomes weedy and, like the water hyacinth, which was once an attractive pond plant with its blue flowers, it invades major watercourses.

'They are presently trying to control 600km of it in the Finke River, which is the largest dry river in the world, running from above Alice Springs to below the South Australian border.



'These trees are often found in recreation areas, caravan parks and the banks of rivers,' says John.

Many of the 100 willow tree varieties pose a double threat as they grow on both land and water.

'Willows have a very short seed life, from two to six weeks, and this very brief propagation period means they can cross-pollinate and produce seed rapidly, so they're now threatening our waterways.'

Growth season

The vigour of a weed's growth depends on which time of year the rainfall occurs. For most of southern Australia, this would be in spring and for the tropical north in summer.

Regardless of location, rainfall and season, once any type of weed takes hold, it's hard work getting rid of it.

'If you are going to successfully keep weeds down, you can never take the pressure off, as it requires dedicated persistence to keep them under control,' says John.

Pulling up weeds

The Sydney Weeds Committee offers advice on how to weed manually (sydneyweeds.org.au).

Always wear gloves and use a hand trowel to remove the entire root so the plant can't resprout from any remaining root system.

RAKE background mulch.

INSERT the trowel and carefully loosen the soil around the roots.

PULL the plant free, grasping it by the stems or the leaves while freeing the roots with the trowel.

REMOVE the plant and shake off the excess soil.

REPLACE the disturbed soil and

any ground mulch.

Place the entire plant or any part capable of reproducing, such as tubers, rhizomes, berries, seeds or other propagules in a bag and remove from the site.

Other debris material can be mulched on site.

Nine national weeds ▼

132 MARCH 2015 Australian Handyman

DIY designer pots

Transform plain outdoor plant pots with a stencil design in terracotta paint

Tt's easy to add personality to pots with a painted design. Terracotta paint is water-based and is actually made of real clay, so it withstands the weather, retaining its painted shape without bleeding.

Create your own stencil and use it to customise pots.

Once the paint is dry, simply fill the pots with soil and plant up.




Megatreat Liquid Terracotta Paving Paint, \$12.58 for 350ml.

What you need


......

- Outdoor pot
- Paintbrush
- Terracotta paint
- Craft knife
- Pencil



Make the stencil L Choose and print a design, then use a photocopier to enlarge or reduce it to the desired size. Position the paper on a cutting mat and cut out the design using a craft knife.







Kangaroo paws echo the desig

that has been painted on this po

7 Paint the pot Apply terracotta paint to the marked design on the pot using a small paintbrush, making sure to get a clean edge. Let it dry for two hours, then apply a second coat.

What's on this March

Adult D.I.Y. Workshops

Saturday 28 February Windows and doors	Sunday 15 March D.I.Y. projects
Sunday 1 March Windows and doors	Saturday 21 March Gardening
Saturday 7 March Outdoor project	Sunday 22 March Gardening
Sunday 8 March International Women's Day	Saturday 28 March Painting and plastering
Saturday 14 March D.I.Y. projects	Sunday 29 March Painting and plastering

Our workshops are held every weekend at 11am, 12.30pm and 2pm. For specific topics, ask instore or go to bunnings.com.au. If you live in South Australia, speak to a team member or visit bunnings.com.au for details about our great one-on-one D.I.Y. workshops. These workshops run from 10am to 4pm each Saturday and Sunday.

Kids' D.I.Y. Workshops

Saturday 28 February	Sunday 22 March
Dress-ups	Grow your own
Sunday 1 March Craft	Saturday 28 March Fun with paint
Saturday 7 March	Sunday 29 March
Nature	Decorator
Sunday 8 March	

Woodwork

Saturday 14 March Garden creatures

Sunday 15 March St Patrick's Day

Saturday 21 March


Garden craft

For more information on other instore events or to book, call (03) 8831 9777 or visit bunnings.com.au











MODERN **STARTS WITH CORINTHIAN**

THE DECO COLLECTION

When entering a room the first thing you see is the door. So when designing your modern home, inspiration starts with Corinthian. The Deco Collection uses clean lines and geometry to open up a world of modern design for your home. When Georgia Ezra, of G.A.B.B.E Interior Design, is tasked with creating a stylish, modern room, she starts with Corinthian. Watch Georgia styling an interior at Corinthian.com.au

so let the door lead your interior design."

GEORGIA EZRA, G.A.B.B.E INTERIOR DESIGN



