

HE LET US ENTERTAIN YOU DECK



©2016 Copyright James Hardie Australia Pty Ltd ABN 12 084 635 558 ™ and ® denotes trademarks and registered marks owned by James Hardie Technology Ltd.



VISIT THREEBIRDSRENOVATIONS. COM

"Looks like a deck, feels like a deck, but it's completely different."
- Bonnie from Three Birds Renovations




Resistant to rotting, splintering, warping, termites and spilt champagne, HardieDeck * is the smarter way to entertain in style.

HardieDeck[™] | @

DISCOVER MORE AT HARDIEDECK COM AU

NOVEMBER ISSUE





page 122

REGULARS

HANDY STUFF

Freshen up the bathroom with new fittings and accessories

BUYER'S GUIDE

A round-up of coffee makers for a daily DIY brew

BASIC SKILLS

Learn how to operate a random orbital sander

ORIGINS

Discover all the hard facts about concrete

GET THE MAG

Subscribe and save 38% off the cover price

SEE THE WORLD

Take a tour around the streets of New York City

Build

20 DECK WITH A VIEW

Build circular decking platforms for entertaining

30 FENCE AND CLEAN THE POOL

Install glass fencing and get the water crystal clear

38 MAKE A BBQ BENCH

Create an outdoor preparation area for summer

44 BACKYARD DINING

Choose the best barbecue ready for alfresco cooking





COVER PHOTOGRAPHY STEVE PERRIOTT



















Renovate

48 GREEN DREAM

A new home blends in perfectly with the surrounding rainforest

57 STAY COOL IN SUMMER

How to keep the heat at bay in your home and garden

64 FRAME THE BATH

Build a sturdy timber structure to support a built-in tub

Decorate

66 PAINT THE FLOOR

Give a new look to concrete or timber flooring with paint

72 SOLID FORM

Innovative ways to use concrete in all styles of interiors

76 CEMENT DESIGN

Make contemporary homewares DIY using plastic moulds

Outdoor

3 DIY GARDEN MAKEOVERS

Quick and easy projects to transform your backyard

96 OUTDOOR OVERHAUL

Turn a bare, unused garden into a living and dining space

100 INSTALL A NEW GATE

Upgrade a side passage by patching up old posts and hanging a gate

106 CHOOSE THE RIGHT LADDER

Get the best equipment for the job and learn how to avoid injury

110 GARDEN PLAYGROUND

Provide hours of entertainment for the kids over the holidays

112 XMAS LIGHTS

Illuminate your place with a dazzling festive display

Garden

122 THIS MONTH

Prepare the garden for the summer months ahead

126 GET SET FOR THE HEAT

Tackle a few jobs now to help the backyard survive the hot season

134 CREATE A LOW-ALLERGY GARDEN

Help avoid hay fever or asthma by growing the right plants

142 GROW SALAD GREENS

Plant a combo of lettuces and leafy greens in beds or pots

152 COOL SUMMER CROP

Add cucumbers to your vegie patch for a refreshing salad staple

156 FIX FENCE PALINGS

Replace old or broken palings for a budget-friendly makeover

160 POP QUIZ

Test your knowledge of cats by identifying these breeds




LOVE THE COVER?

Turn a bare deck into an entertaining area with outdoor seating and accessories

MAIN PICTURE STEVE PERRIOTT









New, lockable MagnaLatch®







THIS ISSUE



EDITOR'S LETTER





few months ago, I went on a trip to New York City. My sister Helen has lived there for years but for some crazy reason I hadn't visited before.

Manhattan in midsummer is incredible. I expected the energy, but I wasn't prepared for all the flowers in hanging baskets, sidewalk planters and window boxes. It felt like every street was in full bloom.

So I came home ready for summer and now it's finally almost here. And November is the issue when the whole team gears up for outdoor living.

Get ready for summer

Features editor Ashleigh kicked things off with the fabulous circular deck on the cover. Turn to page 20 to find out how it was built and to get the look.

I added a practical project to the mix. Last month I mentioned replacing a rotten gate and this issue has the before and after pics. Turn to page 100 to see the difference hanging a picket gate and painting it white makes to the side passage of the house.

The hanging baskets of flowers on the fence really spruce up the area and look great from the bedroom windows.

Senior editor Daniel had great fun building a barbecue bench for cooking alfresco. With plywood cabinets and a hardwood top, it looks designer but is easy and budget-friendly to build. Check out his handiwork on page 38.

Happy DIYing,




PRODUCT OF THE MONTH

Designed for indoor or outdoor use, Protector Aluminium Decorative Screens are a great way to increase privacy and create zoned areas.

Made from powdercoated aluminium, they won't rot or rust and don't need painting, and are easily installed DIY using brackets (protectoraluminium.com.au).





Easy ceiling makeover

If your bathroom or kitchen ceiling has condensation mould or flaking plaster, here's the perfect solution. Beautiful, white high gloss
Panelscape PVC Ceiling Panels just slot together in a tight, flush, mould free, almost invisible join to make a continuous waterproof ceiling.
Simply glue the lightweight panels straight over your existing ceiling or timber frame. Your
Panelscape ceiling will always look new. No painting is ever required.

Panelscape is available through hardware and plumbing outlets for about \$24 per square metre in sizes 250mm wide x 1.8M and 2.4M in length x 5mm thick.

For a free brochure and sample please phone (03) 9460 8000 or email info@handihome.com.au.

www.handihome.com.au.

and yman

EDITORIAL

EDITORIAL DIRECTOR LYNN LEWIS
EDITOR ARTEMIS GOUROS
ART DIRECTOR KATE TIMMS
CHIEF SUBEDITOR AMANDA SHAW
PROJECT EDITORS STUART SCOTT, ADAM WOODHAMS
SENIOR EDITOR DANIEL BUTKOVICH
SENIOR SUBEDITOR NICK BANKS
DESIGNER NORI BEPPU
FEATURES EDITOR ASHLEIGH PERRIOTT
WEBSITE PRODUCER TALISA CLAVIJO
DIAGRAMS STEPHEN POLLITT

ADVERTISING

GROUP ADVERTISING DIRECTOR SHERON WHITE T: 61 2 9018 6280 ADVERTISING SALES MANAGER KRISTINA FROHLICH T: 61 3 8844 5542 ACCOUNT MANAGER NSW CRISTIAN ARRATIA T: 61 2 9018 6253 ACCOUNT MANAGER QLD CURTIS WOODWARD T: 61 2 9018 6254 CLASSIFIEDS ALEK JOVANOVSKI T: 61 2 9018 6255 NEW ZEALAND HAWKHURST MEDIA SERVICES KERRY MCKENZIE T: 64 9 528 7103 E: kerry@hawkhurst.co.nz

MARKETING

MAGAZINE MARKETING MANAGER GALA MECHKAUSKAYTE
DIGITAL MARKETING MANAGER BRONWYN POVOLNY

PRODUCTION

PRODUCTION MANAGER BALAJI PARTHSARATHY T: 61 2 9018 6115

PUBLISHING

DIRECTORS WALTER BEYLEVELDT, LANCE CHRISTIE
PUBLISHER, MANAGING DIRECTOR WALTER BEYLEVELDT
OPERATIONS DIRECTOR ASIA PACIFIC ADINA GHERMAN

READER'S DIGEST ASSOC. INC.

PRESIDENT & CEO **BONNIE KINTZER**VICE PRESIDENT & COO INTERNATIONAL **BRIAN KENNEDY**EDITOR-IN-CHIEF INTERNATIONAL MAGAZINES **RAIMO MOYSA**EDITOR-IN-CHIEF *THE FAMILY HANDYMAN* **KEN COLLIER**

AUSTRALIAN HANDYMAN MAGAZINE

GPO BOX 4353, SYDNEY NSW 2001 E: handyman@readersdigest.com www.handyman.net.au

SUBSCRIPTIONS AND ENQUIRIES

T: 1300 300 030

E: customerservice.au@readersdigest.com



Published by Reader's Digest [Australia] Pty Ltd [ABN 81000565471] 80 Bay St, Ultimo, NSW 2007 ©2016 Reader's Digest [Australia] Pty Ltd Prepress by Colourpedia Unit 7, 108-120 Silverwater Road, Silverwater NSW 2128 Printed by Times Printers Pte Ltd, 16 Tuas Ave 5, Singapore 639340 Distributed by Gordon and Gotch Pty Ltd



Australian Handyman magazine is printed on PEFC-certified paper, providing an assurance that the paper is produced from sustainably managed forest, recycled and controlled source.

All content ©2016 Reader's Digest (Australia) Pty Ltd, all rights reserved. Reproduction without permission is prohibited. All prices and information are correct at the time of printing. Prices quoted are recommended retail prices and may vary. All material sent to *Handyman* (whether solicited or not) will not be returned.

All do-it-yourself activities involve a degree of risk. Skills, materials, tools and site conditions vary widely. The editors have made every effort to ensure accuracy but the reader remains responsible for the selection and use of tools, materials and methods. Always obey local codes and laws, follow manufacturers' operating instructions and observe safety precautions.

Reader's Digest (Australia) Pty Limited collects your information to provide our products and services and may also use your information for the marketing purposes of RD and/or selected corporate partners. If the information is not provided you will be unable to access our products or services. Our Privacy Policy at www.readersdigest.com.au/privacy-policy contains full details on how your information is used (including how we may share your information with our affiliate companies in the US or other overseas entities), how you may access or correct information held and our privacy complaints process.

STANLEY FATMAX.

CARBON FIBRE A WHOLE NEW LEVEL LEVEL

STANLEY.









STANLEY FATMAX® CARBON FIBRE LEVEL

The NEW STANLEY FATMAX® Level features a box beam design, made from Carbon Fibre Composite so it's strong and lightweight. Includes a bridged centre vial for easy marking, slim end caps for access in tight corners and 0.5mm/m accuracy. Available in 1200mm.

*20% Lighter than the STANLEY FATMAX Pro Box Beam Level (43-648)

Available at SUNNINGS Warehouse

TRENDING this month

Handyman magazine handyman.net.au



Go to handyman.net.au/store-spices



JOIN US ON FACEBOOK OVER 50,000 DIYERS AND GROWING!



FAST FACT

Tropical rainforests are home to over 50% of the Earth's animal species.





















BATHROOM

ESSENTIALS

Give a dingy bathroom new life with a fresh set of fittings and accessories

WORDS ASHLEIGH PERRIOTT



Flexible fluid

Install the WELS 4-star rated Dorf Vixen Retractable Sink Mixer, \$310. Made from brass and soft flexible PEX hose, it's available in chrome, or matt black or white with chrome accents to suit any home.

dorf.com.au



Benchtop bowl

Replace your tired old basin with the Clark 505mm Cellini Single Bowl with Tap Landing Overmount Sink, \$450. This 20L stainless steel sink features a pop-up waste device.

clark.com.au



Bold basin

Pop the on-trend Mondella Vivace Matte Black Basin, \$169, on your vanity for a fresh new look. Made of vitreous china for a tough finish, the basin comes with a five-year warranty and is easy to install.

mondella.com.au



Remove bulky bottles from your shower with the Modena by Enzo Barelli Soap Dispenser and Holder, \$23. Screws and brackets are included to attach the modern chrome-finished dispenser to your wall with little fuss.

stefani.com.au




Tooth trestle

Pick up a pair of the quirky Propaganda Tooth Toothbrush Holders, \$27 each. Available in white or gold, these ceramic holders are 6.5cm tall and can each hold four brushes. >

yellowoctopus.com.au





Create your dream bathroom for a stunning price with **CONCERTO**, one of seven unique and affordable styles from Mondella.





Twin tub

Enjoy a relaxing soak in a sophisticated Caroma Urbane Freestanding Bath, \$1949. Ideal for small spaces but large enough for two people, it sits flush against a wall.

caroma.com.au



Realistic rainfall

Treat yourself to the luxurious WELS 3-star, 9L per minute, Estilo Chrome Square Shower Head, \$33. Fitting all standard shower arms, this chrome-plated head features an adjustable ball-joint connector and a 12-month warranty.

estilo.com.au



Safety spray

Add the flexible Handi Home Supplies 2m Three-function Tap Spray, \$30, to your family home. It offers soft shower, handy cleaning and massage spray functions and an on/off setting on the handle.

handihome.com.au



Designer dryer

Set your towels aside to dry in style with the Evoque Chrome Vogue Towel Rack, \$25. Quick and easy to assemble and clean, this freestanding, three-tier rack features a slimline design and modern chrome finish.

barben.com.au



Topnotch towels

Replace tatty, worn towels with plush Morgan & Finch Boston Towels, Face Washer and Bath Mat in Ink, from \$27. Woven from pure combed cotton and available in a range of colours, they have a classic rib texture for a cosy addition to the bathroom.

bedbathntable.com.au



The IXL Eco Tastic® & IXL Eco Ventflo, clearly the best choice for bathroom heating and ventilation.











FCO TRTUMPH

The IXL Eco Ventflo is available in two sizes and is the must have ventilation unit for your bathroom. With powerful extraction, self-sealing draught stoppers and suitable for installation directly above a shower, keeping your bathroom free from unwanted moisture build up and cold draughts has never been easier.

The Eco Tastic products look sleek, stylish and unobtrusive, but still have all the energy-saving features that you have come to expect from the genuine IXL Tastic. Featuring genuine IXL heat lamps and unique back-draught flaps that seal the unit when it's off, Eco Tastics help new homes meet 5 Star energy guidelines. And of course, there's a 5 year in-home guarantee.

Practical, green and elegant? Absolutely.







Rapid refinish

Freshen grout without any fuss Grout Pen, \$14 for 5ml. The pen is ideal for creating new grout re-whitening discoloured or faded grout on existing tiles.

whiteknightpaints.com.au



Sure seal

Seal your shower in just two hours with Selleys Wet Area Speed Seal Silicone Sealant, \$12 for 300g. It has a five-year mould-resistant guarantee and is non-corrosive.

selleys.com.au



Fissure fix

Try the quick-setting PC Marine Epoxy Putty, \$16 for 57g, to quickly repair fibreglass, PVC, boats, spas and swimming pools. To use, just knead the non-toxic putty prior to application for a waterproof finish.

timbermate.com.au

Surface switch

Refresh the look of bathroom tiles with the Rust-Oleum Tile Transformations Tile Coating System, \$107. The durable finish covers outdated tiles and doesn't require a primer. The two-step system is simple to apply.

rustoleum.com.au






Floor facelift

Revive a bathroom with Davco Rejuvenation Grout, about \$27 for 1.7kg. Available in six colours, it is mould and bacteria resistant.

parexdavco.com.au









BUYER'S GUIDE

COPPES MAKIERS

Double delight

Have barista-style coffee at home with the Sunbeam Café Series Espresso Machine plus Multi-Capsule Handle, \$999. It features a milk steam wand. sunbeam.com.au

Warm wake-up

roast using the Breville Aroma Style Electronic Drip Coffee Maker, \$70. It has a pre-set timer and an LCD display. breville.com.au

Start the day with a ready-to-drink

Traditional tool

Try the Avanti Six-cup Espresso Maker, \$30, to make coffee. The traditional Italian-style brewer can be used on gas or electric stovetops. avantihomewares.com



Benchtop barista

Skip the line at your local cafe with the Breville Duo-Temp Pro Coffee Maker, \$400, featuring low pressure pre-infusion and precision dosing of coffee grinds. breville.com.au

Get your morning cup of java for less with the latest machines to DIY at home

WORDS ASHLEIGH PERRIOTT



Espresso express

Get the Medallion Silver Nespresso with Aeroccino3 by KitchenAid, \$799, for a fast and fuss-free coffee. It can be used with a range of 23 different coffee pods. nespresso.com.au



Countertop cuppa Use the theatrical KitchenAid

Siphon Coffee Brewer, \$279, for a fresh black coffee. It comes with a cleaning brush, scoop and three reusable filters. kitchenaid.com.au

Stovetop special

Bring out the best in your beans with the Atomic Coffee Machine, \$550. The Italian stovetop design has a group head, steam wand and cup. bontradingco.com.au



Backpack brew

Make your coffee wherever you are with the portable Handpresso Wild Hybrid Espresso Maker, \$185.

Designed for use with ground coffee or ESE pods. thedesigngiftshop.com

Pressed perfection

Simplify your daily morning routine with the easy-to-use Baccarat Venice Eight-cup Plunger, \$70. All you need is ground coffee and boiling water. house.com.au

Transform an unused area into a fabulous entertaining space with a custom-designed circular deck PROJECT SCOTT MANUELLE PICTURES STEVE PERRIOTT 4 Days \$2799 COST NOVEMBER 2016 Australian Handyman





Build the frame


Drive a timber stake into the centre of the area and hammer in a nail. Tie a stringline to the nail and attach the other end to a spray paint can 1950mm from the centre. Pull the stringline taut and mark out the circle.

Mark the location of the bearers and joists, then dig 300mm deep footing holes at the bearer ends and in the centre of bearers that are over 1500mm long.

Join the bearers and joists using nails to form the frame. Cut angled rim joists and secure around the perimeter, trimming the joists to fit if required.

Set the bearers
Use offcuts to support the
bearers at the correct height and
check for level. Secure the stirrups to
the bearers over each hole using screws.

Mix up the concrete and pour it into the footing holes, ensuring the stirrups are centred. Prod the concrete in the hole to remove any air pockets, then smooth to finish. Allow the concrete to set, then remove the offcuts.



The three decks are connected to each other and the existing patio with ramps. To make a ramp, cut the end joist at the ramp position, then butt join the ramp frame joists to the outer joist and secure to the ramp bearer.

MARKING PAINT

Cut ramp joists at a 9° angle at both ends, then secure between the ramp bearer and the outer joist. Reinforce the ramp joists with noggins if required, then secure decking boards to the ramp joists. TIP To attach a new bearer, secure the stirrups to footings using Dynabolts.

Lay the boards


Secure the centre board first, using a stringline as a guide. Work outwards, laying every sixth board and use spacers between each board to give a 5mm gap.

Drill countersunk holes and secure the boards to the joists using

two decking screws for each joist. Lay the remaining boards, ensuring there is an overhang at each end.

Butt join the boards over the joist centres, cutting them at a 2° angle using a mitresaw to minimise gaps. TIP Including wastage, this deck used 120m of 140 x 25mm merbau boards.





BEARER



Finish the deck

Sand the boards using fine grit abrasive paper, then sweep the surface clean.

To allow immediate coating of the boards, wet them with water, then apply tannin remover, scrubbing with a stiff bristled brush. Leave to soak in for 15 minutes, then thoroughly hose away using a pressure washer.

Wash the boards with timber cleaner, then rinse with water and allow to dry completely. Apply two coats of decking oil, using an applicator to coat three boards at once in long, even strokes.



Cabot's and Aquadeck are registered trade marks.





Enjoy the natural beauty of timber with fronwood® Decking. The ideal choice for your next decking project, treated with new generation protective preservative. Its unique 'blonde' appearance provides a great base element for paints and stains to showcase the true characteristics of natural timber

- Good looks without the high price tag
- · Lightweight and easy to handle
- H3 Treated helps protect against fungal decay and termite attack
- Produced in Australia from sustainably grown Australian plantation pine
- This product comes with a guarantee* from Koppers Performance Chemicals




132 32

www.chhwoodproducts.com.au/ironwood

ner:While the products in this document possess the characteristics described, no entation is made that the products will be effective in all locations and circumstances. Much depends upon building design, construction practices and the environment in which the products are used. Products must be installed in accordance with Carter Holt Harvey recommendations, industry



SUNNINGS warehouse



Hidden hatch

On the second level of the backyard, a matching merbau poolside deck links the two entertaining areas.

The deck conceals the pool pump and equipment, with a discreet trap door built-in to allow access.

To make the hatch, a hole the size of the pump was cut out of the deck, including the joist. The cut joists were reinforced using two 140 x 45mm noggins to create the frame.

The door is constructed from 70 x 45mm treated pine, with the cut decking boards secured to the frame so they align with the rest of the boards.


Four 100mm stainless steel hinges were secured to the back side of the hatch frame into a decking joist.

The handle cutout was created by boring two 25mm holes in the middle board 100mm apart using a spade bit, then joining the holes with a jigsaw.



Smooth the cutout handle for a finger-friendly grip by routing the edge with a round-over bit








Discover a world of possibilities for beautiful wall and ceiling finishes with easycraft. Visit **easycraft.com.au** and get inspired to start a project for your home today.



CIRCULAR DECK






CREATE A MOZZIE FREE ZONE WITH









NSTALL GLASS PANELS



Reinforce the deck

Mark the post positions on the underside of the decking boards, then cut noggins from 140 x 45mm treated pine to fit snugly between the joists. Secure the noggins at the post positions using 100mm bugle screws. TIP The noggins prevent the boards from splitting under lateral load.



Apply a bead of silicone along the top edge of each panel with a caulking gun. Position the handrail on the top of the panel, lowering it from right to left and pressing firmly to spread the silicone evenly, wiping away any excess. TIP Use a silicone that is applied white and dries clear.



Attach the posts

Position the posts 70mm from the edge of the deck. Use 14g x 75mm stainless steel bugle screws to secure the posts to the decking boards and noggins. Insert the plastic sleeve into the post with the stainless steel plate on the grub screw side, then slide the cover plate over the post.



Secure the end cap

Once the silicone has cured, attach the end cap to cover each end of the handrail using the supplied grub screws, tightening with an Allen key. For panels adjoining a fence, secure the cap to the post with screws. To secure to a wall, drill holes and insert wall anchors, then attach with screws.



3 Secure the panels

Working with a helper and wearing glass-gripping gloves, lift the glass panels into the posts, ensuring each plastic sleeve insert remains in position. Tighten the grub screws using an Allen key to secure the glass. TIP Slip lengths of pool noodle over panel edges to prevent chipping.



6 Clean the fence

Use methylated spirits and a microfibre cloth to clean away excess silicone sealant, as well as dirt or fingerprints, from the rails and the glass panels. Ensure the cloth is clean before use to avoid scratching the steel or glass. TIP Avoid water marks by cleaning panels regularly with diluted vinegar.



Top cleaning tips

Maintaining your pool requires a lot less work than having to clean it after neglect. To save time and cash, try these easy tricks to keep the water perfect all year round.

Invest in an automatic pool pump or a robotic cleaner to remove the majority of the debris that falls in.

To protect your pool during spring and autumn when plants are dropping large amounts of leaves and flowers, use a pool cover to keep them out. A cover will also come in handy during summer, as it can combat evaporation, assisting with keeping the chemical balance in check.

Keeping pool water clear can be time-consuming, but a basic floating chlorine dispenser can save you time and prevent problems such as algae, unpleasant odours, eye irritation, slippery surfaces and discoloured water.

If it becomes too much work, call a professional service to sort it for you.



Don't neglect a pool or restoring the water to safe swimming conditions may take weeks


Test the water
As a result of rain, use and debris, the pH and chemical levels of a pool are in constant fluctuation. To avoid issues such as eye irritation, you'll need to regularly test your water.

Compare the test stick to the chart.

DIY test kits measure the levels of each key chemical element and provide a chart to achieve perfect swimming conditions.









It's important to comply with safety regulations around a pool.

Stay safe

Pool safety regulations are similar nationwide in Australia, although there are a few regional variations.

National standards require a pool fence be at least 1200mm high with gaps of 100mm or less and nothing climbable nearby.

The gate must swing away from the pool and be self-closing, with latches fitted on the pool side, 300mm from the top of glass gates or 1500mm from the ground for metal.

GET THE LOOK


Everton Aluminium Mini Post, \$73 each. everton.com.au



Kmart Cove Outdoor Ottoman, \$20. kmart.com.au



Morgan & Finch Mondello Beach Towel, \$60. bedbathntable.com.au



Protector Aluminium 2.45 x 1.2m Black Ulti-m8 Flat Top Pool Fence Panel, \$79. protectoraluminium.com.au



Mojo Classic Pinstripe MyLounge Outdoor Cushion, \$150. mojobrand.com.au



Assorted Proteas, 140mm, about \$18. bunnings.com.au

A PLANET FIRST FOR POOL SAFETY





THE ONLY LATCH ON THE PLANET WITH CHILD PROOF SAFETY BUTTON

Award winning Tri Latch from G8Safe – the world's first pool gate latch with dual action safety button that prevents children using implements to push up the button. No other latch offers the level of safety and quality you get from a trilatch.

MAKE IT SAFE, MAKE IT G8SAFE

Proudly endorsed by:

Royal Life Saving



G8Safe offers a range of high quality hinges and latches to suit many applications, including our best selling Mega Value Kit, containing everything you need for a child safe pool gate.

All available at Bunnings Warehouse. Scan QR code or visit g8safe.com.au to view our range.



G8SAFE

CREATING WAVES FOR POOL SAFETY

MARIE A BBQ BENCH

Top plywood cabinetry with hardwood beams to create an outdoor prep area

PROJECT DANIEL BUTKOVICH PICTURES SUE FERRIS

he entrance area of this inner city townhouse was bare and unused. A more private rear courtyard was used as a garden, but the covered front verandah was ideal for an outdoor entertaining area.

A cabinet was designed to fit across a 2200mm wall and be used as a food prep area for an existing gas barbie.

Featuring ample storage, it was built high enough for the edge of the barbie to tuck underneath one end.

The cabinet was built from formply. Designed for concrete formwork, it's strong and moisture-resistant. Karri beams from Porta were used for the benchtop, as the hue of the hardwood warms up the space (porta.com.au).



Don't toss an old barbecue, give it a new setting with a custom-made bench instead







Make straight cuts
Accurate cuts are essential when making cabinets, as small deviations can leave doors misaligned. It's also important to avoid splintering on ply edges.

1 SET THE BLADE DEPTH
Adjust the base plate so the blade protrudes only half a sawtooth more than the thickness of the timber to reduce splintering.

upstroke, so always cut with the good side facing down.


2 USE A CUTTING GUIDE

To cut a ply sheet lengthways, clamp another sheet to it and use the factory edge as a guide, allowing for the offset of the saw blade. For smaller cuts, use a cutting guide.

Circular saws cut on the



BUILD THE BENCH




Assemble the frame

Position the side panels upright and use bar clamps to support them, then position the base panel against the edges of the side panels. Predrill holes in the base panel, then secure to the side panels with screws. Position the top panel against the side panels, predrill and secure with screws.



4 Hang the doors

Secure two hinges to each door 65mm from the top and base. Position the door in the cabinet and support with wedges, then mark the location of the hinges on the cabinet frame. Predrill the top holes of each hinge and secure with screws, test the hinge, then drive the remaining screws.



Turn the cabinet upright. Mark the midpoint on the front of the cabinet and insert the divider panel, clamping in position. Secure the divider through the top and base panels using screws, so it is flush with the cabinet front. Position the back panel and secure with screws into the top, base and sides.



5 Install the benchtop

Move the cabinet into position flush against the wall. Position the beams on top and clamp in place, then mark the cutting line across all the beams and cut using a circular saw. Predrill holes, then secure through the underside of the top panel using four screws for each beam.



Turn the cabinet upside down, position the castor braces on the base panel and align with the side, front and back edges, securing with screws. Mark the position of the castors on the braces, then drill 8mm clearance holes and secure the castors with bolts, tightening with a spanner.



6 Finish the timber

Sand the benchtop using a random orbital sander and 150 grit abrasive paper, then sand with 240 grit paper. Wipe the benchtop with a tack cloth to remove any dust and debris, then apply two coats of Danish oil using a paintbrush, following the grain of the timber. Attach the doorhandles.



Primed and ready to use building solutions for your outdoor projects.



Woodhouse Weatherproof® is a complete range of Primed and H3 Treated products, designed for use in outdoor construction. Whether it be a new pergola, adding handrails to a deck, cladding an extension or adding the finishing trim to your project, there is a product to meet your construction needs.

Pink Primed with a genuine PPG Primer and H3 LOSP Preservative Treated against fungal and insect attack, Woodhouse Weatherproof® is a product of choice for all exterior, above ground applications.


Select from the full range of Woodhouse Weatherproof® products available at Bunnings.





woodhouse-weatherproof.com.au

BBQ BENCH



FRONT VIEW

SIDE VIEW





© CUTTING LIST		
PART	SIZE	NO
Formply		
Top panel	1600 x 600 x 17	1
Base panel	1600 x 600 x 17	1
Side panels	600 x 600 x 17	2
Back panel	1566 x 600 x 17	1
Divider	600 x 583 x 17	1
Cabinet doors	590 x 380 x 17	4
Castor braces	600 x 200 x 17	2
Hardwood		
Benchtop beams	2200 x 240 x 40	3

® FASTENERS		
TYPE	USE	
10g x 50mm galvanised timber screws	Cabinet, castor braces, benchtop	
5g x 15mm zinc-plated timber screws	Hinges	
M8 x 50mm galvanised hex head bolts	Castors	

Attractive & Versatile **KARRI TIMBER**





Karri hardwood is an attractive timber with colour hues that add lightness and warmth to any surrounding, making it a popular timber solution for your project.

Karri is suitable for various above-ground external applications, including:

- Decking
- Benches & seats
- Pergolas
- Garden beds & retaining walls
- Structural beams
- Screening





ABOUT KARRI HARDWOOD...

- Class 2 above ground durability
- Hard-wearing & durable
- An Australian certified hardwood
- Stress rated F27 Beams
- Versatile & attractive ideal for exposed applications
- Sand, machines and stains well



Ask about Porta's Karri hardwood range at your nearest hardware outlet

Q Find it at Bunnings Backyard dining

Get set for a summer of alfresco cooking, eating and entertaining

ooking and eating alfresco when the weather warms up and the days get longer is a true Aussie pastime.

Depending on the size of your yard and how much money you want to spend, there is a wide range of options available, from pizza ovens to barbecues and outdoor kitchens.

Pizza or wood-fired ovens create a rustic feel in the backyard and are ideal for making bread and, of course, pizza. They are also a great option for cooking roasts and vegies.

Chargrillers use charcoal as their fuel, giving the food a distinctive, smoky flavour, making them a real favourite with barbecue enthusiasts.

ABOVE Chapala Large BBQ Pizza Oven, \$549, and stand, \$269. BELOW Jumbuck Charcoal Kettle BBQ with Pizza Ring, \$390.





Gas barbecues

The top option for the serious outdoor chef, a full kitchen will include just about all you need for cooking up a feast, no matter the occasion.

Gas barbecues are ideal for outdoor kitchens, as they're efficient and easy to clean. Available as two-, four- or six-burner models, you can choose between portable or built-in units.

If you're short on space, a portable barbecue is a great solution, as it can be moved out of the way when not in use.



A gas barbie can be used to cook an entire meal, from meat to veg and even dessert



Random orbital sander

Random orbital sanders are ideal for DIY. The powerful motor makes them capable of quick surface removal, and they can also be used for fine sanding.

Unlike a standard orbital sander, the base disc moves in a random orbital pattern, allowing the sander to remove surface material without leaving circular marks on the timber.

They feature abrasive paper discs that attach using hook-and-loop pads or pressure-sensitive adhesive. The discs have holes that align with those in the base plate for dust extraction.

Keep a random orbital sander moving at all times for an even finish, guiding it along the workpiece at a rate of about 25mm per second.

TIP Wear safety goggles, a respirator and hearing protection when sanding.





O APPLY LIGHT PRESSURE

Don't press too hard on the surface when sanding, as this will slow down the sander, resulting in scratches on the timber. Grip the handles gently but firmly and let the sander do the work.



MARK THE SURFACE

For an even sanding job, draw a squiggle across the timber using a pencil, then sand until the mark is removed. Repeat for each grit, applying lighter pressure with the pencil for finer grit papers.



OCHANGE THE DISC

Sanding discs clog and deteriorate quickly, after which point they no longer remove surface material. If you're doing a lot of sanding, change discs every 30 minutes.



PANDRKING RESPECT MY UNIFORM

Guide Dogs

GREEN DREAM

A contemporary home in tropical north Queensland was designed to be in harmony with the surrounding rainforest

WORDS SITA SIMONS PICTURES SEAN FENNESSY





Tropical template

In a region typically dominated by residences constrained by the prevailing forces of nature, Anne-Marie and Jesse went with it instead of against it, and the build is testament to that lack of fear of the environment.

'Jesse wanted to respond to the conditions, rather than attempt to overcome them. We saw so many examples of homes that don't take into account the vagaries of living in the tropics,' says Anne-Marie.

'Even the traditional Queenslander


work here. This climate can make life uncomfortable, so you have to take it into account every step of the way.'

The site also presented challenges, not least of which was access. Combine this with a tight budget, and the sheer effort of the project becomes clear.

Doing most of the work himself, Jesse says it was hard to find tradies, even when he could work them into the budget. So he and Anne-Marie persevered, making countless trips up and down the unsealed drive in the ute.

'Jesse is a changed person. We







While most builds want to maximise light, this home needed to minimise it and create plenty of shade while still bringing light to the living areas.

What Jesse and Anne-Marie knew from experience is that people in the region don't spend much time indoors.

'People hang out in their sheds or garages. If they have a barbecue or a party, they have it there, as these spaces have good overhangs, or they use the area between the house and shed or garage,' says Anne-Marie.

'A lot of the big agricultural sheds here also have massive doors each side that open up to let the breeze through.'

To create this same effect, two thick concrete slabs form the roof and the floor, providing a muted, natural colour palette and a feeling of being cocooned within.

The overhangs shade the central living area, and expanses of panelled glass allow in the light. >



Multi-Purpose

MULTFILL

Interior & Exterior Filler

- · Pre-mixed & ready to use
- Fine Filler, spreads easily
- · Long shelf life, no waste
- · Will not shrink, sink or fall out
- · Sands easily, will not clog sandpaper
- No acrylic, latex or solvents, VOC free
- Paintable for interior & exterior use



Ideal for decking

NO WASTE

SETS HARD

Comes in white and a range of popular decking colours...

ONE TUB DOES IT ALL

Use on Brick, Plasterboard, Wood, Steel, Plywood, Concrete, Cement Sheets & More

For more information visit our website www.timbermate.com.au or call us on 1800 354 811











Handyman

NOVEMBER 2016 Australi

The design of the house meant that the least amount of trees had to be felled



Shapely layout

The long, winding driveway leads you to the garage, which has a retaining wall behind. This forms the level for the laundry and a workshop.

A flight of stairs at the front of the house takes you to the living areas, kitchen and a terrace, complete with a cantilevered breakfast nook.

The steep site meant suspending the two layers of concrete at the front of the house and creating a retained level area at the back. The lawn provides the connection to the forest.

Two wings feed off the central living spaces, with one wing being accessed through a bookcase that operates as a door. This wing houses the master bedroom, ensuite and a walk-in wardrobe.

The other wing consists of a guest bedroom and bathroom, plus an office and a creative space.

'This is somewhere that we can make a mess,' says Anne-Marie.



Interior inspiration

In contrast to the strong, raw materials that form the structure, the treatment of the interior is soft and lush.

Pink may seem an offbeat choice, but it's a perfect complement to the green rainforest, as they are opposite on the colour wheel. Trends hold no interest for Anne-Marie.

'Your interior should reflect your style and personality, so I only buy what I love,' she says.

'I value things that have been made by people I know, like an artwork by Jesse's brother and wall-hangings my mum made. A freestanding bath enjoys a panoramic forest view.

'They make me feel good and as though the space is authentically ours. It takes time to put things together, upcycling furniture as you go. It's always an ongoing process.'

Anne-Marie followed the themes Jesse had brought in through the architecture, reflected in round motifs such as the bathroom tiles, the round table and rug, and circular stools.





Natural living

It took more than two years to finish, but the huge effort of the build was all worthwhile. Living in Planchonella House has brought levels of enjoyment Anne-Marie didn't anticipate.

'I grew up on a farm and when I first met Jesse, he would tell me that architecture can change your life, but I had no comprehension of what that really meant,' says Anne-Marie.

'And I didn't get it until we moved in. I knew this house was going to be great, but I didn't actually think it would change me. I was wrong.

'Living in this environment, with natural ventilation and loads of natural

light, it affects you physically and biologically. It makes you happier, calmer, and more in the moment.'

The house has a character all of its own. The concrete changes colour, depending on the light, creating different atmospheres.

And after the necessary clearing to build the house, nature will now partially reclaim it.

There's an element of this house that is challenging you to live in it, to surrender to something greater. It's a changing tableau.

'It is not a show house in any way at all. It's comfortable and lived in,' says Anne-Marie.

✓



The interior themes take simple cues from the architecture and the environment



EZYLITE Solar Roof Ventilation



For more information go to www.ezyliteskylights.com.au or visit your nearest Bunnings store.



Wind Free Operation







Combine a few simple, cost-effective strategies to cool your home and help the garden survive the hot season

WORDS SITA SIMONS

Install insulation

In the home, about 25-30% of heat is lost through the ceiling, so it makes sense for your comfort and your wallet to add insulation.

Installing insulation between the ceiling joists is a straightforward DIY job, and the key is to measure and cut precisely. Keep all the offcuts to seal any gaps at the end.

NOVEMBER 2016 Australian Handyman

Even a small gap can greatly reduce the insulating value, so fit batts snugly, avoiding gaps around ducts and pipes, and tape up holes and joins.

Make sure the ends of multi-cell and concertina foils are well sealed. Also ensure that corners of walls, ceilings and floors are properly insulated, as these are areas where heat leaks most often occur.







Get more tips for keeping cool
Visit facebook.com/HandymanMagazine

Smart windows

Double-glazed windows provide an effective heat barrier, increasing the number of surfaces from two to four.

The glass can be coated with a low-emissivity treatment that reflects infrared and UV radiation. Tinting the windows can also provide heat-blocking, and is easy to DIY.

Shading the windows with insulated curtains or good-quality blockout blinds keeps sunlight out.

Team with awnings or umbrellas outdoors and you will develop a good heat barrier that will help the temperature to drop inside.

Focus on the windows to reduce the temperature indoors.

Installing energy-efficient windows is one of the best ways of improving thermal performance

Clever landscaping

Garden landscaping should serve double duty by working to shade the house and also to protect the plants so the garden flourishes and survives throughout the summer.

Avoid planting trees haphazardly and carefully plan to gain maximum shade properties. Deciduous trees planted on the northern and western side of the house will provide shade in summer without impeding sunshine in winter.

Vines are quick growers and they can be grown over screens and used to cover windows, shielding the inside of your home from direct sunlight.

Outdoor shade
Awnings over windows



Shade structures help protect plants and the lawn.

Water features
Incorporating a water
feature can help make the
immediate area more comfortable
through evaporative cooling.

Choose one with a circulating function or a running fountain to discourage mosquitoes.

Installing a small pool also increases the evaporative efficiency, and there's the added bonus of having a spot to dip your feet in on a hot day.



Spread mulch

Australia's long, hot summers can mean a scorched lawn and wilted plants, but there are a few strategies to minimise damage.

Heat causes the evaporation of moisture from the soil, so protect it with a layer of mulch at least 20mm thick for fine mulches and 80mm for coarser material.

Mulching is particularly important for plants with shallow or delicate root systems such as citrus, camellias and azaleas.




Lawn care

A dry, brown lawn may not look great, but it is actually in survival mode, using its ability to become dormant in order to endure harsh periods.

After a good soaking of rain, the turf usually springs back.

Keep the lawn green by raising the mower by at least 30mm when cutting, so the grass blades remain longer and provide better shade for the soil.

Avoid cutting the grass too short in the hottest months.



Australian natives do well in hot, dry conditions and need minimal maintenance. Look for succulents, agaves, grevilleas and westringias to form the foundation of a good drought-tolerant garden.

Potted plants need more care than those in the ground. Water twice a week through summer, and

regularly check to see if they are in need of more water by sticking your finger 25mm into the soil. If it feels dry, it's time to water.


Moving pots close together helps to create humidity, cooling the plants.

A slow drip from a tap or hose gives potting mix a thorough soaking without the water flowing straight out of the drainage holes.













Haron 400 x 200mm Aluminium
Eave Vent, \$21 for two.
haron.com.au

Acol Ezylite 200mm Premium
Solar Roof Vent Fan, \$255.
ezyliteskylights.com.au



Dynabreeze 450mm Industrial Floor Fan, \$107. bunnings.com.au



Dynabreeze 450mm Industrial Wall Fan, \$109. bunnings.com.au



Knauf Insulation Earthwool 210 x 430mm Ceiling Batts, \$72 for 11. knaufinsulation.com.au



Water Magic Red Rib Amphora Water Feature, \$449. northcotepottery.com ∕∕

Mitsubishi Heavy Industries Reverse Split Air Conditioner, \$1631. mhiaa.com.au



Love your ceiling and the savings.

You'll love Earthwool® insulation because it's so easy to install in your ceiling and it will help you **save up to 30%*** on your power bill.

Super-soft Earthwool insulation is made using recycled glass and features high R-values, which is the measure of thermal performance. The higher the R-value, the better for your thermal comfort and your wallet.

For more information, visit thinkinsulation.com.au

*yourhome.gov.au





Q Find it at Bunnings

FRAME THE BATH

Create a strong timber structure to support the weight of a built-in tub

full bathtub can weigh hundreds of kilograms, so it needs a strong frame to support it on all sides.

You can create a frame for a bathtub using structural timber, securing it to the wall studs and the floor for maximum strength.

When the frame is built, line the inside with fibre cement sheets. Before installing the tub, lay a mortar bed so the base of the tub is supported.

What you need Bathtub

Bathtub
Structural timber
Hailgun
Pencil
Measuring tape
Circular saw
Spirit level



Line the outside of the frame and tile it to match the rest of the bathroom



Mark the frame height

To determine where the top of the frame will be installed, measure the height of your bathtub, then add another 80mm to account for any variations in the height of the floor. Mark this point on the wall studs.



Install the noggins

Measure the distance between each of the wall studs at the mark, then cut noggins to size and secure between the wall studs using a nailgun.

TIP The noggins provide a base for wall linings once the frame is installed.





3 Measure the tub

Position the bath with one end 70mm from the wall to allow for the width of the frame. Measure from the wall to the other end of the bath and add 70mm. Cut the top and base rails for each side of the frame to this size.





Mark the stud positions

Use an offcut to mark the location of four studs on each rail, with one at each end and two spaced evenly along the rail no more than 600mm apart. Measure and cut eight studs 95mm less than the desired height of the frame.



5 Assemble the sides

Secure the studs in position by butt joining them to the rails at their marked locations. Repeat for the ends, with rails 30mm shorter than the width of the tub to create a 15mm ledge to support the tub.




6 Construct the frame

Position one side against the wall and the other side parallel, with the ends in between. Secure to the wall studs with nails, then secure the sides to the ends. Insert the tub and check that it is supported on all sides.

PAINT THE FLOOR

Give timber and concrete a colour treatment for a new look without spending big bucks

WORDS SITA SIMONS





able to withstand foot traffic.

And painting a floor comes with its own set of rules to achieve a long-lasting and resilient finish.

Remember that it's very hard to return a painted floor to a natural timber look because the paint soaks into the grain, so be sure you want to go ahead with it before committing.

One steadfast rule for painting floors is to apply thin layers of paint, allowing each to dry thoroughly before applying the next. The longer

and work quickly, making even, long strokes. While a roller is the quickest method to apply paint, a paintbrush is best for uneven timber floors.

In theory, any type of paint can be used, but specialist formulations are designed to be more hardwearing.

Finish with a coat of polyurethane, using satin for a more matt finish, and gloss for a high-shine look.

As with all painting projects, a professional-looking end result is dependent on the preparation. >

Prepping and painting

On coated timber, punch in any protruding nail heads, then fill the holes. Sand the floor evenly using an orbital sander and 120 grit sandpaper.

Previously painted or clear-sealed floors only require a light sanding for the paint to adhere well.

Old lining boards with carpet laid over the top may need a heavier sanding to create an even surface.

Vacuum well and clean the floor, allowing it to dry thoroughly, then mask off the skirtings and doorframes.

Working from the furthest corner, apply primer, then at least two thin coats of paint, allowing each to dry as per the directions.

Finish with a clear polyurethane and allow to harden for at least 48 hours before walking on it or putting furniture back in the room.





An imperfect paint finish can be part of the appeal, but sealing well is key





Simple stone and concrete care.



Discover our complete range of DiamondCoat surface sealers, and stone and concrete care products in the paint section of Bunnings.

For seven days a week support, simply call 1800 655 711



To give paths and driveways a facelift, use paving paint. Old and tired paths and driveways can detract from that all-important kerb appeal, especially if you are planning to sell.

Painting is a low-cost option that is easy to DIY. Dark-coloured paint will hide cracks and imperfections, but the preparation work is important for a professional finish.

Sweep well and clean the area with a pressure washer. Mask the edges and mix the paint. For an even first coat, you can thin the paint with 100ml of mineral turps per litre.

Allow the first coat to dry overnight, then apply another coat, letting that cure for up to seven days. Use a long-handled roller to paint large areas.

Take care to mask all edges as paving paint is difficult to clean up.

TOP PICKS



White Knight Ultra Pave, \$75 for 4L. whiteknightpaints.com.au



Rust-Oleum RockSolid Fast Patch, \$40. rustoleum.com.au

Cabot's Water Based CFP Floor, \$114 for 4L. cabots.com.au




Feast Watson Satin White Floor Paint, \$90 for 4L. feastwatson.com.au



Slip ratings

When it comes to the safety of painted floors in private residences, the National Construction Code stipulates it is at the risk of the homeowner. The general exception is stairs, for which you may need a slip rating.

Each state and territory is responsible for endorsing and amending the code, so check with your local council to see if particular restrictions apply.



MAKE YOUR DREAM GARAGE A REALITY WITH ROCKSOLID FLOOR COATING.

- For garages and interior concrete, timber & tile floors.
- Done in 24 hours, set for a lifetime.

EARTH BROWN

- 20X stronger than epoxy for superior durability.
- Stunning metallic colours, high gloss finish.



THIS CHANGES EVERYTHING.

RustOleumRockSolid.com.au





bunnings.com.au

© 2016 Rust-Oleum

SOLID FORM

Take concrete indoors with these innovative ideas for surfaces, furniture and accessories

WORDS SITA SIMONS

he word may conjure images of dense cityscapes and austere architecture, but concrete is having its moment in the sun.

An affordable material with many applications, concrete is integral to the building industry, and has become very popular for interiors as well.

Concrete finishes suit an industrial look and have long been favoured by designers for modern residences and repurposed commercial buildings, but it's not limited to one style.

It's labour and cost effective to use and, as it's renewable and sustainable, concrete has green credentials, too.

The raw quality of concrete makes it ideal for all kinds of interiors, and it works well with other natural materials such as timber and stone.

In an industrial-style setting, concrete pairs well with stainless steel.



Kitchens and bathrooms

Incorporating concrete into kitchen and bathroom design has really taken off in the last 10 years, due to its practical nature and versatility.

The look of concrete is endlessly variable, depending on the aggregates that create texture, which can be anything from quartz to seashells, and the oxides and dyes used to generate different colours.

There are different types of concrete and varying classes of finish. Although it is possible to DIY, getting the best results is a specialised job which is best left to the professionals.

All concrete is going to need some level of grinding back to make it even and smooth, but polishing can be done to different degrees to produce anything from a very raw look to a highly mirrored finish.



Concrete is not only for industrial-style interiors. It suits many different looks, depending on the application





- 1 Table by Kolorum, \$68. en.dawanda.com
- Handmade bowl, from \$50. etsy.com
- 3 Candle holders, from \$50. habitat101.com
- 4 Dala Horse, \$39. mintinteriordesign.com.au
- S Vase by MenschMade, \$250. thedesigngiftshop.com
- 6 Clock, BetonIDEE, about \$145. en.dawanda.com
- 7 Blossom Clock, \$185. downthatlittlelane.com.au

is a particularly important aspect of working with concrete,

number of decorative items, from

The simplicity of the material and the wide possibilities for creative applications has seen a boom in concrete homewares that shows no signs of waning.

Trend forecasters predict that concrete art will be a big feature in the coming year and concrete furniture and homewares will continue to be popular inclusions in interiors.



Concrete vs cement

Although the two terms are often used interchangeably, concrete and cement are not the same thing. Concrete contains cement, sand, aggregrate and water.

The aggregate includes materials such as gravel or crushed stone.

The most common type of cement used today is Portland. A British cement manufacturer, Joseph Aspdin, developed the material in the 1800s and gave it this name, as it resembled Portland stone, a type of limestone.


He discovered that adding clay to limestone and superheating it

allowed the resulting mixture to set into a rock-like material.

Portland is a type of hydraulic cement, which means that when water is added, it starts the chemical reaction that causes the cement to set, holding the aggregate and sand together to form concrete.

Before the concrete is allowed to cure, the mixture needs to be poured into a mould so that it will harden into the desired shape.

The longer the mixture is kept damp, the stronger it becomes. Carefully controlled curing is key to achieving the most durable result. 9





CONCRE MATE **Expanding Cement**

Sets in 30 mins

 Harder than concrete in 28 days



Expands & Grips



Use Concremate to patch or embed items in

Brickwork - Stone - Tiles - Plaster Terrazzo - Concrete







Embed in Concrete











For more information visit our website www.timbermate.com.au or call us on 1800 354 811





CEMENT DESIGN

Make industrial-look homewares using plastic containers as moulds

PROJECTS AND PICTURES SUE FERRIS STYLING GEMA BENEITEZ

ast becoming a staple of chic modern interiors, cement is no longer simply seen as the ugly, utilitarian building material it was in the past.

As it is so easy to mould, it is used increasingly as a material to make industrial-look, designer homewares.

Here, we show you how to create succulent planters, a wine cooler and drink coasters DIY, using a simple cement and sand mix and a variety of basic plastic moulds.

What you need

Cement and sand mix
Cement plasticiser
Plastic moulds
Plastic bottle
Thick plastic sheet
Cardboard sheet
Polystyrene foam sheet
Sticky tape
Concrete paving sealer







Pour the cement

Pour a thin layer of a sand and cement mix into a wide plastic mould. Centre a narrow mould in the mix and tape in position. Fill the mould to 10mm below the rim, then tap to remove air bubbles.



Remove the mould


Allow the cement to set completely, then carefully remove the narrow plastic mould and dispose of it. The mould should come out easily but, if not, cut it away with a utility knife.



🚱 Finish the planter

Cut away the wide plastic mould from the cement using a utility knife to release the planter. Drill a hole for drainage through the base of the planter using a diamond core bit.





🕧 Create the templates

Mark and cut out the template on the plastic sheet, then repeat this for the cardboard sheet. Cut the top off the plastic bottle, leaving 50mm extra than the height of the wine cooler.



🚱 Cut the templates

PLASTIC TEMPLATE

Secure the bottle

Cut a hole in the polystyrene foam

the plastic bottle. Position the bottle

in the hole in the polystyrene foam,

with the cut end facing downwards.

PLASTIC BOTTLE

POLYSTYRENE FOAM

to snugly fit the circumference of

Add the template

Put the plastic template on a cutting Put the template on the polystyrene mat. Cut along the solid lines and foam over the bottle, with the top score and fold along the dotted lines. of the template facing down. Make Tape the template securely together, sure the top edges are equidistant to then repeat for the cardboard template. give a symmetrical opening.



6 Add the cement

Secure the template to the polystyrene foam with tape. Add the cement using a trowel, tapping the sides to remove air bubbles. Tape the cardboard template around the plastic to stop it bulging.



6 Remove the templates

Once the concrete is completely set, remove the templates using a utility knife. Turn the cooler the right way up and cut the excess plastic from the bottle in the centre of the cooler.



WOOD HARDENER

PRE-MIXED • WATER-BASED • NON TOXIC



Earl's® Wood Hardener penetrates into soft rotted wood fibres, restoring them to near original strength. This means you can repair even the most damaged wood, ready for full restoration.

NO NEED TO DIG OUT ROT

IT'S AS SIMPLE AS 1, 2, 3

- 1. Simply apply, allow to dry
- 2. Fill with Earl's MulTFill or Earl's Powder Putty
- 3. Paint





* Area shown has been treated with Earl's* Wood Hardener and the filled with Earl's* MulTFIII and painted

Use Earl's® Wood Hardner on:

Fences • Weatherboards • Window sill/sashes Playground Equipment - Door Frames - Posts Decks - Panelling - Fence Palings - Furniture Outdoor Tables/Chairs • Decorative beams


For more information visit our website www.timbermate.com.au or call us on 1800 354 811











10 Cut the mould

Mark the height of the coaster around a plastic container with a marker pen. Cut along the line, leaving a little extra height at the top to make the mould easier to remove.



Add the cement

Fill the plastic mould with a sand and cement mix using a trowel, ensuring it is evenly spread. Gently tap the side of the mould to remove any air bubbles.



® Remove the mould

Once the concrete is completely set, carefully remove the coaster from the plastic mould. Use a small paintbrush to apply concrete sealer to the coaster.



SIKASIL® POOL

Neutral curing silicone sealant for swimming pools and permanently wet areas



- Suitable for use in pools and permanently immersed wet areas
- ▶ High chlorine resistance
- Extremely high resistance to fungal attack
- Excellent UV and weathering resistance
- Available in white and clear

Sikasil®-Pool is suitable for joints in and around swimming pools, areas under permanent water immersion and frequently wet areas, such as shower rooms in sports halls or leisure facilities, between ceramics, tiles, concrete, glass, metals and other typical building substrates.







DIY TIP

Use premixed bags for small jobs, and hire a mixer or have concrete delivered by truck for larger projects such as paths or driveways.

THE HARD FACTS

Since ancient times, concrete has been one of the most versatile building materials available, and today few modern buildings are constructed without it.

Concrete can be shaped with formwork and is extremely durable, giving it many DIY uses, including for driveways, paths, deck and fence post footings, and slabs for sheds.

It can also be used as a design element inside the home, and concrete floors, walls, furniture and homewares can create a modern industrial look.

Modernise an interior with exposed concrete walls.

Learn the lingo

Often confused, concrete, cement and mortar are very different. **CONCRETE** is a malleable mix of cement, sand, aggregate and water that can be cast in almost any shape and sets rock hard.

CEMENT is the binder, made from limestone and clay heated and ground with gypsum into a powder. MORTAR is a mixture of sand, cement and water, and is used as a bond for brickwork and paving.

Mixing concrete

Concrete for floors, paths and footings is comprised of four parts 10-20mm aggregate, two parts fine sand and one part cement.

To make concrete, combine dry ingredients in a wheelbarrow, then add water and mix to a creamy consistency.

Handyman magazine on youtube

youtube.com/handymanmagazineAU





Subscribe for more handy how-to videos





follow us **(f) (2) (3) (0)**



Pick up the latest products for the home and garden instore



Brighten up outdoors with a Gardenglo Hanging Crackle Ball Lantern, \$5.



Create a seasonal display of blooms in a Wicker'd 30cm Hanging Basket, \$19.98. Decorate balcony railings with Wicker'd 50cm Troughs, \$29.98 each, with fitted plastic liners.



Green up small spaces with woven resin rattan Wicker'd 35cm Wall Baskets, \$19.98 each.

Guide the way with Gardenglo Pearl Grey 22cm Solar Path Lights, \$22 each.

Relax in a Decorium Freestanding 1715 x 825 x 535mm Bath, \$2179, with integrated overflow.



season with the Arlec 130cm

Ceiling Fan with LED, \$169.

Beat the heat with the energy efficient Arlec 130cm Ceiling Fan, \$139, for indoor use.

SAFETY TIP

Always wear a weight belt and team up with a friend or two when moving heavy items to prevent a back injury, or hire a professional.



Protect precious items while relocating with a 1.8 x 3.2m Premium Moving Blanket, \$29.95.



Prune plants precisely with the powerful Cyclone Telescopic Ratchet Bypass Lopper, \$69.98.



Roll bulky items into place with the 590 x 490mm Wrap and Move Moving Dolly, \$29.95.



Scrub grease and grime away
with Selleys Sugar Soap, \$14.98 for
5L, in an easy-pour bottle.



Repair holes in skirting and architraves with Polyfilla Sandable Gap Filler, \$7.34 for 380g.



Clip back bushes with Cyclone Telescopic Hedge Shears, \$59.98, with non-stick PTFE blades.



POWER UP THIS SUIVILER









*Chargers and batteries come with a 3 year replacement warranty.

Available at SUNNINGS warehouse





INSTALL THE POND



Dig the hole

Find a spot in the garden that will allow the pond to be viewed from different angles, avoiding a full-sun location, as this will restrict algae growth. Position the preformed pond in the location, marking around it with a spade. Remove it, then dig the hole roughly to the form of the pond.



4 Plant up the sides

Add plants around the sides of the pond, mixing the textures, colours and heights of the plants to create a natural, organic look. Use taller plants towards the rear of the pond, tapering the height towards the front, to frame the view of the pond. Sweep away any soil from the pond.



Install the pond

Position the pond in the hole, ensuring there are no protruding rocks or roots. Sit the pond so its lip is above the soil, then mulch level to prevent debris washing in when it rains.

TIP If the soil is rocky, dig a bit deeper

than required and line the inside with

pavers or use coarse river sand.



6 Add the pebbles

Wash the pebbles or gravel to remove any silt, then add a layer to the base of the pond. Remove the filter cage from the pump and screw it onto the large filter block. Position the pump in the deepest area of the pond, running the cord to an electrical source as discreetly as possible.



Level the pond

Stabilise the pond by adding loose soil to fill any voids around the edges. Check the pond is level side to side and back to front with a spirit level. Add further loose soil around the edges if the pond is still not level. Check again using a spirit level until the pond is completely level.



6 Fill with water

Position the light in the layer of pebbles or gravel, then wait until dark to adjust the angle to the desired spot. Fill up the pond with water, then carefully mulch around the plants and switch on the light.

TIP Add fish and aquatic plants to bring the pond to life.



Whites Wires 1800 x 900mm

Framed Panel Plant Trainer,

\$66. whitesgroup.com.au

Birdies Aluzinc Corrugated Steel And

Timber 1100 x 1100 x 400mm Garden Bed,

\$149. birdiesgardenproducts.com.au

Galvanised wafer screws

Framed mesh

Fence posts

SBUILD THE BEDS



Secure the panels

Cut the top of the fence posts to a 45° angle. On each side of the mesh panels, predrill three holes at the top, middle and base. Secure the mesh about 20mm in from the face of a post at the desired height, then secure it to a second post at the same height. Secure the other mesh panel to the remaining post.



Secure the frame

Position the second panel in the remaining post hole. Clamp to the mesh panel post, ensuring it is at the right height and position, then secure with screws. Check for level across the top of the climbing frame and check the posts are plumb. Fill the holes with the excavated soil.



② Dig the post holes

Measure the position for the post holes for the mesh frames using a tape measure. Mark the holes with line-marking paint, then dig the holes to about 200mm deep.

TIP The mesh frame will become self-supporting once the second panel is added at right angles.



5 Line with newspaper

Assemble the second garden bed, then lay about six sheets of newspaper over the base of both beds to form a weed barrier. Add the included filter fabric over the top of the newspaper, to provide an extra filtration layer for drainage. Water the paper down to stop it blowing away while exposed.



(3) Make the main bed

Assemble the 1100 1100 x 400mm garden bed, which will have the mesh frame behind it, following the instructions. Position the completed garden bed beside the post holes. Install the mesh frame in the post holes at the rear of the bed, and support it temporarily.



6 Add the soil

Fill both of the garden beds with soil or potting mix until they are nearly completely full, gently tamping down as you go to remove any air pockets in the soil. Add the plants, positioning smaller plants at the front of the bed and taller plants towards the rear, then mulch.





Areas close to the walls of your home that get little natural light can be challenging spaces to grow plants.

The level of shade dramatically limits planting choices, while the conditions created make for less than ideal growing conditions.

Turning one of these neglected spots into a quality garden space isn't as simple as just popping in a couple of plants and hoping for the best.

The shady conditions will likely have created underlying issues that need to be dealt with before planting.

This shaded area was very dry, as it was hemmed in by walls on three sides. Here's our guide to turning the space into a green asset.









1 Tidy the area

Remove weeds and any plants that are beyond salvaging from the area, tidying up the plants you want to keep. Clear away the mulch from the area. Blend through compost and soil wetter, then scatter a fertiliser.



Position the plants

Lay out the garden, positioning the shortest plants at the front, leaving them in pots. Step back and check the arrangement from another perspective to ensure the plants are in the correct position. Rearrange as required.




3 Dig the holes

Dig the planting holes, then add compost or soil improver and a small amount of pre-soaked water-storage crystals to each hole before adding the plants. Water thoroughly, giving all plants suitable coverage. Add mulch.







SHERLOCK

SHERLOCKLASTSLONGER.COM.AU



PREMIUM SPRAYER RANGE 1300 745 826 www.silvan.com.au SUNNINGS warehouse

PLANT SELECTION

Although there are a few notable exceptions, such as bromeliads, clivias and most ferns, most garden plants don't like deep shade. So you need to look beyond the regular palette of plants.

If you live in a sub-tropical area, you'll be spoilt for choice. In other areas, provided you don't get frost or severe cold, many plants considered as sub-tropical or even as indoor plants will survive and thrive in shade.

For this particular shady area, here's what we used.

Golden cane palm (Dypsis lutescens) is often grown as an indoor plant in cooler areas, and will thrive in a warm sheltered part of the garden.

It's an unusual palm as it forms a multi-trunked clump.

Native ginger (Alpinia caerulea)
makes a dramatic backdrop
planting, as it can reach 2-3m
in height. It has striking red
leaves and white flowers.
Irrigation is a must as it
needs reliable moisture.



Liriope 'Stripey White', which is planted here with dwarf cordylines, has that magic combination of variegated foliage and long strappy leaves.

It's a hardy shade lover that can tolerate most climates.



Cordylines are very useful in the shade. They are available in a huge range of colours and foliage forms.

Many can get too tall, but they will reshoot quickly if you simply cut off their heads.



Don't let your kids hang out with the wrong



Protect your family from PESTS and the BACTERIA they carry.







O Find it at Bunnings

OUTDOOR OVERHAUL

Turn an unused backyard into an alfresco dining and entertaining area

A ussie backyards used to cater to the basic needs of a family with space for kids to play and a place to hang washing up to dry.

But our lifestyles have evolved and outdoor areas are now places to garden, relax, dine and entertain.

The layout of this home was dated and needed rejigging. A new deck took

the place of the concrete patio, and the covered pergola was swapped for a modern roof with an open design to maximise the natural light.

Bifold doors replaced the back wall of the house and the garage was converted into an outdoor room. The two are linked by the new deck, which was styled as an alfresco dining area.



A bar table is a great way to fit more seating on a deck that already has a dining setting







and barbecue. The converted garage has a sink, fridge and dishwasher for easy outdoor entertaining.

As a final touch, a spa was built into the deck for an all-season luxury escape in the backyard. >







Holman GreenWall Vertical Garden Kit, \$49. holmanindustries.com.au



INSTALL ANEW GATE

Patch up and replace old posts to hang a timber garden gate

PROJECT DANIEL BUTKOVICH STYLING ARTEMIS GOUROS
PICTURES SUE FERRIS

he gate in the side passage of this suburban home was broken and needed replacing. A timber post had rotted and was no longer structurally sound, causing the gate to fall off its hinges.

As the old gate was a standard size, it was easily replaced with an off-the-shelf product, saving the time and effort of building a new gate.

While the post on the house side supporting the gate was completely degraded and had to be replaced, the other post needed only minor repairs.

The damaged surface of the fence post was scraped away, and wood hardener applied to the bare timber. Wood hardener stops rot and preserves timber, and filler can be applied over it for a complete repair.



Use a paint sprayer to make painting large surfaces quicker and easier



Closed Round Top Treated

Pine Gate, 1500 x 900m,

\$98. bunnings.com.au





REPLACE THE GATE



🕧 Repair damaged timber

Use a wire brush to remove soft, rotten timber and flaking paint. Apply wood hardener to the timber, drilling small holes first to allow it to penetrate. Apply flexible exterior filler, then shape it with a spatula and allow it to cure. Sand and paint the post with two coats of exterior paint.



Secure the hinges

Align the tab on the top hinge with the edge of the gate top rail. Mark the hole positions and drill pilot holes using a 3mm drill bit, then secure the hinge using 10g x 35mm wafer head screws. Repeat for the lower rail. TIP Ensure hinges are positioned at least 900mm apart.

Replace the post

Measure the old post, then remove it by loosening the bolts securing it to the bracket. If the bolts are rusted, cut them using an angle grinder. Cut the new post to size, then paint it with two coats of exterior paint. Secure the post to the brackets using M8 x 75mm bolts.



f Hang the gate

Position the gate, supporting it at the correct height. Check for level, then mark the hinge hole positions on the post. Drill pilot holes using a 3mm drill bit, then secure the hinges to the post using 10g x 35mm screws. Check that the gate opens and closes properly, adjusting the tension if required.



Paint the gate

Lay the gate flat and sand both sides using a random orbital sander and 150 grit abrasive paper. Use bar clamps to support the gate upright, then paint both sides of the gate using a paint sprayer and water-based exterior paint, diluting with water up to 10% if required.



Install the latch

With the gate closed, hold both sides of the latch in position and use a square to mark the location of the tops. Secure the keeper using the supplied screws, then align the latch body and secure, ensuring the gap between the keeper and the body is less than 10mm. Check that the latch closes automatically.

Choosing gate hardware

Gates that allow access to the backyard need to provide adequate security, especially if there are small children or pets in the family.


Self-closing hinges ensure that the gate won't ever be left open, as the adjustable tension mechanism means the gate always swings closed.


Installing a lockable magnetic latch further improves security, and means a padlock isn't required to keep the gate locked.

Designed for use on pool fences, these latches can be used on any gate and attach on the rear with no visible fasteners for a streamlined look.



Maximise security by installing self-closing hinges and lockable gate latches





DIY TIP

Use galvanised or stainless steel screws when securing gate hinges and latches to prevent corrosion and ensure longevity.

Trim a gate

On the other side of the same house, another garden gate also needed to be replaced, as the pickets had fallen off and the rails were rotting.


The opening was slightly narrower than standard size, but the cost of the timber to build a new gate was more than the cost of a readymade product.

To save time and money, a new timber gate was bought and trimmed

to size. The rails on the latch side next to the first picket were cut down using a circular saw.

Once trimmed, the gate was hung using galvanised T-hinges and painted in position, then a simple pad bolt installed.

To prevent overspray and to coat all the areas of the open picket design, it was given two coats of exterior water-based paint using a brush.



CHOOSE THE RIGHT LADDER

Stay safe at home by getting the ladder to suit your DIY needs

WORDS AND PICTURES ADAM WOODHAMS

f asked to consider what are the most potentially dangerous tools you have in your garage, your mind may jump straight to drills, chainsaws and power saws.

But the truth is that a ladder is one of the most hazardous pieces of equipment you can use.

And you may also think that most accidents involving a ladder occur in the workplace but, surprisingly, 80% are home-based DIY accidents.

Perhaps the most alarming statistic is the height required for a fall to be serious, with accidents from as low as a metre recording significant numbers of serious injuries and even fatalities.

Here are our tips on selecting the right ladder and how to use it safely.



Watch your step

The vast majority of ladder accidents occur from the simplest of things, such as going up and down incorrectly, the ladder moving, or overbalancing.

To avoid injuring yourself, follow this handy guide to ladder safety.

- WEAR closed-toe, non-slip footwear.
- KEEP the treads and rails of the
- ladder clean and free of any dirt.
- REPLACE a bent or damaged ladder.
 ENSURE the ladder is standing and
- ENSURE the ladder is standing and resting on a stable and solid surface.

- USE a 1:4 ratio to avoid slippage. For every 4m in height, the ladder feet should be 1m away from the surface it is resting on.
- STAY at least 3m from power lines.
- DON'T use items such as loose bricks to prop up or level ladder legs.
- TAKE care when leaning against poles or tree trunks, or use a ladder with a pole or trunk support.
- CHECK that any locks or braces are secured before climbing.
- MAINTAIN three points of contact while climbing and working.

- AIM to keep your shoulders inside the line of the rails when extending your arms, to avoid overreaching.
- FACE inwards, towards the rungs.
- DON'T stand any higher than the third rung from the top.
- AVOID work that requires vigorous pushing or pulling while on a ladder.
- DON'T work on anything directly above you that may fall on you. Set the
- ladder to one side and a little higher.
 CLIMB down to change the position of a ladder rather than attempting to

move it while you're still on it. >





Intended for higher-reach jobs, single and extension ladders are generally considered for outdoor use.

A single ladder is a set length, whereas an extension ladder usually works in two stages and can be easily extended to a range of heights using a pulley and locking mechanism.



Short on storage space? The compact Bailey 135kg Triple Extension Ladder, \$259, extends to a height of 4.15m and folds down to just 2m (baileyladders.com.au).



With no hinges, pulleys or locks that can wear over time, single ladders, such as the 3.6m Bailey Aluminium Pro 11 Single Ladder, \$246, tend to be very long lasting.



Ideal for extra-high tasks, the Bailey 3.2-5m 130kg Aluminium Leveller 10 Extension Ladder, \$374, has built-in levelling features for easy set-up and added safety.



No less important than the ladders themselves are the accessories that help to add height, improve safety, and make certain jobs easier to do.



The Gorilla Aluminium
Outrigger Ladder Accessory,
\$50, can be fitted to almost
any ladder and provides
more stability against walls
(gorillaladders.com.au).



Simple to fit onto the end of most extension ladders, the durable Gorilla Ladder Bumpers, \$12 a pair, reduce the risk of the ladder slipping and protect the surface.



0

Designed to protect gutters, the Ladder's Little Helper, \$50, has a non-slip surface to resist movement on the gutter at the resting points (ladderslittlehelper.com).

SAFETY TIF

Check the load capacity of the ladder, as one suitable for 120kg or less should be considered for light domestic use only.

WORK PLATFORMS

Although not technically ladders, work platforms are useful for elevated jobs such as painting indoors and out.

Look for models with legs that can be independently height adjusted, which are ideal for use on steps.

Perfect for more vigorous

jobs, the Gorilla Adjustable Height Work Platform with Connecting Brackets, \$156, can be raised from 600mm

STEP OR A-FRAME

Useful for both indoors and out, stepladders are easy to handle and store. There are a few variations on the A-frame type.

to a height of 900mm.

A variation on single-sided stepladders, the Gorilla 1.2m 150kg Aluminium Platform Ladder, \$293, has a non-slip platform and supporting 900mm hand rail at the top.

0

With a fold-out shelf to hold paint or tools, the Rhino 1.8m Single-sided Aluminium Step Ladder, \$84, is a versatile, all-purpose option for indoor jobs (rhinoladders.com.au).

0

The Bailey 2.1m Pole Support Dual-purpose Aluminium Ladder, \$214, is climbable on both sides. It also opens out to function as a single ladder and features a tree quard. •



Garden playground

Make summer fun for the kids by creating an exciting space in the backyard with playsets, swings and sandpits

or kids, the warmer days and the start of the holiday season mean spending more time having fun outdoors.


A purpose-built playground in the backyard will provide an ideal, dedicated place for them to climb, swing and play all day, every day.

There is a whole range to pick from, so consider the age of your kids and the size of your yard before choosing.

Ideal as a Christmas gift, here are a number of the great options that are available this summer.



Give the kids a great hideaway with the Swing Slide Climb Shack Timber Cubby House, \$299.



Provide a place for children to play with the Swing Slide Climb Spider Net Swing, \$119.





Q Find it at Bunnings

XMAS LIGHTS

Give your place a seasonal glow with festive outdoor lights and decorations

eep the Christmas spirit shining brightly this year by dressing up the front of the house and the garden with dazzling decorations.

Fairy lights and garlands can be used to light up plants, doors and roof lines, but don't stop there.

For a really fun and festive look, decorate the front lawn with inflatable

Santas and reindeers, or add statues to light up the night.

Illuminate garden pathways with colourful stakes to welcome guests and guide them to the door.

And use laser lights to project coloured beams and white snowflakes for a vibrant visual display with a classic Christmas theme.



LASER LIGHTS

- 1 Verve Red And Green LED Projector Garden Light, \$99.
- 2 Verve Snowflake LED Projector Light, \$39.



SOLAR STAKES

- 1 Lytworx Solar Reindeer Stake Multicolour, \$8.
- 2 Lytworx 95cm Santa Stop Here LED Solar Stake, \$25.
- 3 Lytworx Candy Cane Solar Stake, \$25 for 10.










INFLATABLES

- 1 Inflatable 270cm Santa On Sleigh with Three Kangaroos, \$119.
- 2 Inflatable 180cm Santa with Tractor, \$129.
- 3 Inflatable 120cm Reindeer, \$49.
- 4 Inflatable 180cm Santa In Chimney Remote Up & Down, \$99.



- 1 Lytworx Santa Climbing Silhouette, \$99.
- 2 Lytworx Kicking Leg Deer, \$59.
- 3 Lytworx Shooting Star Silhouette, \$79.





[©]SEE THE WORLD [≫]

New York City in the summer



↑ Most sidewalk beds have 'Curb your dog' signs, but this one must be an autumn leftover. ← Outside the New York Public Library on West 42nd Street is this bed filled with begonias, cannas and pennisetum.

Manhattan bloomingWhen people imagine New

York City they think of skyscrapers and subways, but this concrete jungle has some of the best urban plantings in the world.

Manhattan in particular is surprisingly lush. There is the famous and enormous Central Park, plus lots of green squares dotted about the island.

From hanging baskets on street lamps to window boxes on brownstones and verdant sidewalk beds, there is garden inspiration to be found on every street.





0

Urban plantings dampen street noise, improve the air and are wildlife friendly

Handyman BUYER'S GUIDE

Take the DIY option for your home improvement projects by choosing the best tools and equipment from our market round-up








Off The Grid? **No Worries**

Kits from \$3,129



Power your off arid house, shed, stables or cabin with our Prewired Solar kits.

Includes Batteries & Panels shipped direct to you for easy DIY

installation.

rpc.com.au 02 6689 1430

Check our website

or call us for a quote.







Handyman BUYER'S GUIDE



Renovation Electrical Specialists

Are you renovating your home at the moment? Do you need a reliable electrical company? **FREE** quotation on request. Sydney Area.

Please Phone 0468 366 182 Email info@westcork.com Web www.westcork.com.au Lic. No. 297332C ABN; 91 610 783 536



national electrical and communications association





- Class 2 above-ground & Class 3 in-ground
- F27 strength rating (beams)
- Dressed all round with pencil round edges
- Attractive native Australian hardwood

1300 650 787 **porta**.com.au

To order please visit Bunnings Special Orders or Trade Desk.



KILL TERMITES THE EASY WAY!

FROM THE PEOPLE WHO MAKE CHEMICALS FOR THE PEST CONTROL INDUSTRY

westcork

"DIY" Termite Baiting System and White Ant Termite Bait

Finally, a complete "DIY" TERMITE | treatment. No more pest controllers needed. As easy as 1-2-3.

- 1 Install Superway Termite Baiting Stations around your property & inspect for activity every 2-3 weeks.
- 2 As soon as the Baiting Stations become active, apply the Termite treatment to the station. (Superway owned & APVMA approved)
- 3 Termite colony destroyed re-use Baiting Station

FOR A FREE INFORMATION PACK, SEE CONTACT DETAILS BELOW:




We have lots of products to help you with weeds and pests. Check out our whole range on our websit

www.superway.com.au

1300 302 938















WHAT'S IN COLOUR

• FOXGLOVE 'RUBY GLOW' is a new and exciting variety for 2016 that blooms in spring then all summer long.

Featuring low-mounding green foliage and an upright habit, this foxglove cultivar grows up to 60cm high and 50cm wide.

Borne on tall flower spikes, the outward facing blooms are a rich ruby red with peach-coloured throats. The blooms start to open at the base of the stalks and slowly move up, for an extended show of spectacular colour.

This showy plant is excellent for adding drama to beds, grows well in pots and makes an excellent cut flower.

Give 'Ruby Glow' a position in full sun in well-drained soil and water regularly during the growing season.

To-do list

Prepare the garden to beat the summer heat for a lush and colourful landscape.

Foxglove 'Ruby Glow'

- ✓ CONTROL fruit fly with traps, baits and spray.
- ✓ TIE tomato plants to stakes and trellises.
- ✓ MULCH containers to keep potting mix moist.
- ✓ DIVIDE bearded iris.

- MOW regularly but don't cut grass too short.
- ✓ PLANT pots and hanging baskets with annuals to colour up outdoor areas.
- ✓ CHECK pumps in ponds and water features are working to avoid stagnant water that attract mozzies.
- ✓ TAKE herb cuttings. >

RIGHT) BALL HORTICULTURAL



Vertical gardening

A fast, easy way to green up small outdoor areas without losing floor space is to garden vertically. And for a display that is both decorative and practical, grow herbs on your walls.

To make vertical gardening super simple, go for a Greenwall kit from Holman, choosing a style to suit your space (holmanindustries.com.au).



BOOK CLUB

Say so long to superfoods and

The Essential Edible Pharmacy

by Sophie Manolas (Exisle, \$35).

A clinical nutritionist, Sophie is passionate about good food in a down-to-earth, fresh is best way. This book features recipes for over 60 commonly available nutrient-dense foods, so you can eat your way to a healthier you.

hello to everyday eating with






Pixel Pot kit, \$79

Work gloves

Do all your garden jobs with just one pair of gloves. Lynn River Showa 306 gloves, from Bunnings, are designed to reduce fatigue and feature breathable high-grade foam and a water-repellent coating. So they're ideal for watering, digging, pruning, weeding or mowing.



Prune now

Lightly trim or deadhead early spring-flowering plants.

- NATIVES
- **O SHRUBS**
- HEDGES
- **OCLIMBERS**
- ROSES

Harvest now

Pick or cut these in-season vegies and greens.

- ASPARAGUS
- BEANSPROUTS
- **CABBAGE**
- **O RHUBARB**
- SILVERBEET

Cabbage

Feed now

Give plants in growth regular applications of liquid fertiliser.

- ROSES
- **OPAWPAW**
- **VEGIES**
- HERBS
- BANANAS

Banana





Build complete privacy screens that span longer distances, anchors securely to the ground for a complete freestanding solution using long-life powder coated aluminium.



Long-life aluminium Professional look

Quick and easy

more info & full range

www.screenup.com.au



The easy way to build

timber screens & retaining walls


Saves you HOURS



Heavy Duty Retaining Post System

The system has the strength and long-life of high tensile, galvanised steel, and is flexible enough to cater to single, double and triple sleeper height in 50mm and 75mm thicknesses.





more info & full range www.retainit.com.au











Eliminate weeds

It is important to get rid of weeds when they first appear, as they compete with plants for the nutrients in the soil and leave them vulnerable to diseases and attack by insects. Here's how to win the war on weeds.

- PULL them up by hand, removing the roots as well. Remove a weed as soon as you see it, as one can quickly turn into hundreds once it goes to seed.
- LEAVE annual weeds that haven't gone to seed on the surface of the soil, where they'll break down, conditioning

the soil. Leaving them in the original spot adds mulch and saves you the trouble of taking them to the compost. • PUT weeds that have gone to seed, perennial weeds and hard-to-kill bulbous weeds in a plastic garbage bag. Tie up the bag and leave it in the sun for 4-6 weeks to rot, then toss the rotted weeds onto the compost heap. • SPRAY weeds on pathways and between pavers with vinegar. Take care the spray doesn't drift onto any plants you don't want to kill.

Rejuvenate the soil

Healthy soil is the key to good gardening and it will also hold water for longer to help your plants withstand the heat.

Soil needs to be reconditioned regularly for plants to perform well, and the end or start of each season is the ideal time to add conditioners.

Organic matter conditions your soil and keeps your plants healthy by supplying nutrients.

- **GADD** a layer of compost, mushroom compost, or cow or chicken manure to the surface of the soil.
- APPLY a seaweed product to help promote beneficial microorganisms.



Make your life easier and save time by moving your garden waste and cuttings about in a cart, such as the Sherlock 67L Poly Tray Cart, \$89 (sherlocklastslonger.com.au).

Featuring a steel chassis and four pneumatic tyres on steel rims, it's ideal for all your general garden maintenance needs.



Add mulch

Spreading a good layer of mulch on garden beds is essential in summer, as it helps retain moisture in the soil, keeps the soil cooler and suppresses weeds.

Water the soil well before and after applying mulch.

• FLOWERS AND VEGIES Add a 75mm layer of lucerne hay, pea straw or sugar cane mulch to flower and vegetable gardens. Ensure it is clear of stems to prevent fungus or rot developing.
• SHRUBS Spread coarse woody

• SHRUBS Spread coarse woody materials, such as cypress pine bark or eucalyptus mulch, on shrub beds.

Always add manure or apply Yates Dynamic Lifter under the mulch, as these materials can draw nutrients out of the soil to the detriment of plants as they break down.

• POT PLANTS For pot plants, mulch with lucerne hay.

TIP Use inorganic mulches such as gravel, scoria and pebbles on succulent beds and gardens in fire-prone areas.






> Well connected

At this time of year, watering is a top priority to promote good growth, so it's the ideal time to make sure your hose fittings are properly connected to the hose and don't pull out or leak.

Hose connectors using Grip 'N' Lock Technology from Holman are a good solution. They are available in plastic, \$5, and brass, \$10 (holmanindustries.com.au).



WAYS TO BEAT THE HEAT

Prevent your garden suffering from the blistering heat with these tips.

• GIVE the garden a good soaking the evening before a day of unusually high temperatures has been forecast. If that's not possible, water early in the morning.

Water deeply around the roots of plants, shrubs and trees, as that's where the water is needed most.

• DON'T be overly concerned if plants wilt a little in extreme heat. They are tougher than you think and will bounce back when the weather cools in the evening.

Vulnerable plants can be sprayed with Yates DroughtShield, which will

help reduce the amount of water lost through the leaves and also protect them from wind and sunburn.

- SPRAY the outside of terracotta pots with Yates Pot A Seal to help prevent moisture loss.
- APPLY a wetting agent such as Seasol Super Soil Wetter & Conditioner if you find the garden is drying out too quickly, even after a good watering.

Wetting agents help to improve penetration of water into the soil.

If the garden has been mulched, remove the mulch and apply the wetting agent directly to the soil, then replace the mulch.





220L Compost Tumbler

Our most versatile compost bin. Perfect for small areas and quick decomposition of compost mulch.



www.relngarden.com.au

Make your own compost

Compost is nature's way of building soil fertility. It conditions the soil, provides food for soil microorganisms and improves the structure of the soil and its water-holding capacity. It is also a convenient way to dispose of organic matter.

There are various ways to make compost. You can create a traditional heap on the ground, use one of the various compost bins or tumblers, or make compost in a worm farm.





How it works

The ingredients you add to your compost heap will determine how it functions, so it's important to get them right.

Too much carbon slows decomposition, while too much nitrogen will make the heap smell.

A ratio of 30 parts carbon to

one part nitrogen is ideal.

NITROGEN MATERIALS Grass clippings, vegetable food scraps, garden refuse, animal manures and green garden clippings.

CARBON MATERIALS Leaves, sawdust, straw, chipped wood products and shredded paper.

How to make a heap

Ideally, there should be two piles of compost going at once, the completed pile that is decomposing and one in the process of being built.

A heap can be made on the ground, but using an enclosure makes it easier to maintain and prevents any loose materials from being blown about.

Wood, bricks, concrete blocks or even chicken wire wrapped around stakes are suitable for enclosures.

You can throw the compost ingredients on the heap, ensuring you have the carbon/nitrogen ratio right, but the traditional way to make a heap is to layer it.

- **© START** with a 300mm layer of plant waste, then add a thin layer of blood and bone, manure, organic topsoil, or compost from a finished heap, which breaks down the compost material. You can also buy compost activators.
- CONTINUE adding to the heap in layers until it is about 1m high.
- KEEP the heap damp, not mushy, and don't mat it down, as this impedes aeration. Water with a seaweed product to provide micronutrients.
- **TURN** the heap regularly, turning the outer parts into the middle where the heat is. The more often you turn it, the quicker your compost will be ready.

WHAT CAN GO WRONG?

Heap is too dry

- © CAUSE This is a sign that there is too much carbon in the heap.
- REMEDY Add manure and other nitrogen-rich ingredients to the compost.



Doesn't heat up

- CAUSE If the pile does not heat up, this is a sign that it is lacking in nitrogen.
- REMEDY Add high-nitrogen materials such as grass clippings, manure or blood and bone. Turn the heap regularly. Cover with insulating material in winter.



A bad smell

- CAUSE A smell like rotten eggs indicates there is insufficient air or a lack of carbon in the heap.
- REMEDY Add high-carbon materials such as dead leaves, old stems, sawdust or straw, then turn the heap. Add dolomite or wood ash to reduce acidity.



Rodents in the heap

- CAUSE Rodents search for food in the compost and like the warmth of the heap.
- © REMEDY Turn the heap regularly to discourage habitation. Don't put any dairy products, seafood or meat in the heap.



Heap is too wet

- CAUSE Too many nitrogen materials in the heap.
- REMEDY Add dry shredded newspaper, leaves or straw to the compost.



Seedlings appear

- CAUSE When the heap has not been hot enough to kill seeds, seedlings will grow in the heap.



Worm Farm & Compost Conditioner

Balances pH levels, adds extra nutrients and prevents pests in your compost bin.





Feed the worms coffee grounds, tea leaves, crushed eggshells, fruit (except citrus), cooked grains, bread, pasta, chopped fresh and cooked vegetable scraps and newspaper.

Don't feed them citrus, onions, meat, cheese, oil or too much dairy.

After about two months, the rich castings build up and worm juice accumulates. Dig the castings into moist soil or add to potting mix.

Mix the worm juice with nine parts water and use on pot plants, flowers and vegetables.



Find a semi-shaded spot for your farm, as worms don't like excessive heat

Chop food

finely so it's

easier for your worms

to digest.



Watering made easy





/holmanindustries.com.au



/holmanindustries



/holmanirrigation




HOLMAN Retractable Hose Reels are available in 10m, 20m & 30m and feature the unique hose locking mechanism. Stop the hose in any position you want. Tidy up your hose and protect it from the tough Australian sun.

HOLMAN - 50 Years and still proudly Australian Owned.









Native kangaroo paw is a nose-friendly option.

Guard against allergies

Fortunately, asthma and allergy sufferers don't have to rip up their plants and replace them with concrete. It is possible to live in harmony with many plants.

As a rough guide, most brightly coloured flowers are pollinated by birds or insects, so their pollen does not float about in the air and trigger allergic reactions.

Other plants on the safe list include most Australian natives, which are pollinated by birds.



To help reduce your risk of allergies so you can enjoy gardening or simply spending time outdoors, here's a guide on what plants are good to grow and those that are best avoided.

Trees

For creating privacy and shade, trees are important inclusions in the garden, and there are plenty of suitable choices.

• GROW Lilly pilly, Agonis flexuosa, banksia, cabbage palm, eucalyptus, melaleuca, callistemon, prunus, magnolia, pawpaw, Nyssa sylvatica, citrus and flowering crab apple.

• AVOID Oak, liquidambar, maple, ash, hazel, elm, willow, birch, plane tree, mulberry, cypress, olive and white cedar (Melia azedarach).

✓ Cabbage palm

✓ Magnolia

✓ Lilly pilly



× Maple







Shrubs

Ideal for use as hedges, shrubs also form the middle storey of the garden. GROW Banksia, bottlebrush, gardenia, French lavender, abelia, rosemary, weigela, rhododendron, leptospermum, tibouchina, roses, yucca, camellia, azalea, plumbago, westringia and flax.

• AVOID Privet, grevillea, wattle, albizia and hazelnut.



Climbers

Useful for adding greenery in small spaces, climbers can be trained over trellises or walls to block out ugly views or increase privacy.

GROW Passionfruit, kiwifruit, mandevilla, ivy leaf geranium, crimson passionfruit, banksia rose, clematis, climbing roses, star jasmine, hardenbergia, edible passionfruit and the wonga vine.

AVOID English ivy.





Lynn River

YOU'RE IN SAFE HANDS

306





306

ONE GLOVE FOR ALL WEATHER CONDITIONS

The Showa® 306 is a unique combination of high grade foam latex coupled with a flat latex coating on the palm. The result is a water repellent finish with exceptional grip, dexterity and breathability. This exclusive technology from Showa® offers reduced perspiration in hot conditions and improved dryness in wet conditions.

You will only ever need one type of glove - whatever the weather.

WWW.LYNNRIVER.COM.AU










Grasses Like other plants, the flowers of

lawn grasses and ornamental grasses produce lots of pollen. But there are pollen-free types. GROW Greenlees Park Couch or Buffalo for lawns, and native ornamentals such as weeping grass (Microlaena stipoides) and kangaroo grass (Themeda triandra). • AVOID Exotic lawn grasses such as bent and rye, and couch varieties, except Greenlees Park. >



No other Petunia plant can boast the starry-speckled pattern of this unique bloom!

- White speckles against a deep purple-blue backing recreate a clear night sky.
- You'll get lost gazing at the myriad of patterns each flower is totally unique.
- Let this petunia spill from hanging baskets and patio containers for an eye catching display this summer.



Golden rules

The Asthma Foundation of Victoria (asthmaaustralia.org.au) has this advice.

- CHOOSE plants pollinated by birds and insects rather than by the wind.
- **GROW** grass that produces little pollen and doesn't need frequent mowing.
- **REDUCE** weeds by using inorganic mulches, such as pebbles and gravel, and weed the garden often.
- CARRY your reliever medication with you at all times, especially when working in the garden.
- SELECT low-maintenance plants.
- **OLOOK** for lightly scented plants that don't produce lots of pollen.
- AVOID making compost heaps and use a closed tumbler or bin.
- **GARDEN** when the weather is cooler and it's not windy.
- ASK your doctor for a written Asthma Action Plan that will assist you to manage your asthma.
- WEAR gloves, as some plants can cause an allergic reaction if touched.



While most people like to have grass in the backyard, it is possible to have a great-looking garden without a lawn. Paving stones interplanted with dwarf mondo grass, kidney weed (Dichondra repens) or native violet (Viola hederacea) look very effective. Bricks and gravel can also be used and are low maintenance.

MAKE WAR ON WEEDS

No-one likes weeds, and there are certain types that can cause more trouble than others. These are the worst offenders.



• ASTHMA WEED This aptly named weed (Parietaria judaica) causes allergic reactions through its sticky leaves and its pollen, which is produced year-long. Remove with a herbicide such as Roundup and always wear gloves if handling.

• PATERSON'S CURSE With its pretty purple flowers, Paterson's curse (*Echium plantagineum*) may look great growing in paddocks and by the roadside, but it is a pest to farmers and a common cause of hay fever. Remove with a herbicide.




Asthma weed

Plantain

• RAGWEED A fast-growing, fern-like plant with green flowers, ragweed (Ambrosia artemisiifolia) has green flowers. The pollen can cause hay fever and may aggravate asthma and dermatitis if touched. Remove it using a herbicide.

© PLANTAIN Found in lawns and garden beds, a plantain (*Plantago* spp.) can flower for up to nine months of the year and causes hay fever. Remove the rosette of leaves before flower spikes form. Dig out the taproot or apply a herbicide. ⊘





Care for your garden naturally this spring with Richgro's naturally based products.

If you want to get rid of bugs in your garden use Richgro Beat-A-Bug®, a naturally based insect spray using actives such as garlic and chilli, which you can use on your fruit, flowers and vegies.

Protect your garden from annoying weeds naturally with Richgro Beat-A-Weed® Natural Weedkiller. It is fast acting and highly effective.

Richgro's new Naturally Based Fruit Fly Spray is ideal to get rid of Mediterranean and Queensland Fruit Fly on your precious fruit. And because it is natural, it can be used up to 1 day before harvest.













RIGHT Greens such as radish leaves give a mustard taste to salads.

HOW TO GROW

For an abundant, healthy crop, simply follow a few simple rules.

- **O SOW** seeds or seedlings successively to extend the harvest. The seeds can be sown directly in the ground where they are to grow.
- **POSITION** in a sunny spot with protection from the hot afternoon sun, especially during the summer months.
- **SOIL** should be free draining and enriched with organic matter, such as compost, poultry manure, Yates Dynamic Lifter or cow manure, before planting. Organic matter helps retain water and slowly releases nutrients.

- FEED greens fortnightly using a complete soluble plant food.
- WATER regularly for steady growth and to ensure the leaves stay succulent and tasty. Keep the soil or potting mix damp but not wet.

You'll most likely need to water your greens every day or two, but this can become a pleasant early morning or evening task. And you will soon work out a watering routine based on the weather.

• MULCH with lucerne hay, pea straw or sugar cane to help retain moisture in the soil and prevent weeds. ➤



A selection of peppery-flavoured greens, such as radish, mustard or watercress, are ideal for dressing up the milder flavour of lettuce leaves.

Radish

The mustard-tasting leaves of radish are popular in salad mixes.

Sow the seeds directly where the plants are to grow.

They can be planted close together, as you will only be harvesting the leaves. Pick the leaves when about 40mm high.

Mizuna

The young and deeply serrated leaves of mizuna are milder than the mature ones.

They can be harvested for many weeks as needed by cutting them just above the crown. New leaves will keep on appearing.

Mizuna grows easily from seeds sown directly where the plants are to grow.

Nasturtium The young leaves of nasturtium add a spicy taste to salads. The flowers make pretty garnishes and can also be eaten.

Sow the seeds directly where the plants are to grow.

© Share your vegie garden photos
Post a pic to Instagram and tag @HandymanMagazine

Rocket Give rocket shade from

the hot afternoon sun to help prevent it bolting to seed.

The leaves are at their best when picked young. Wild rocket has deeply serrated leaves.

Rocket grows easily from seeds sown directly where the plants are to grow.









123

GROW FROM CUTTINGS You can take cuttings from a home-grown plant and even store-bought bunches.



Cut the stems

Select several strong stems from the plant or bunch. Make cuts on each stem just below the third or fourth node using secateurs. Remove the lower leaves from the stems.



Allow to take root

Fill a glass with water and add the cuttings. Put in a shaded spot indoors and in about four days, roots will appear on the nodes. After about six days they'll be ready for planting.



Plant the cuttings

Plant the rooted cuttings in pots using a premium potting mix for herbs and vegetables. Put in a semi-shaded spot and keep the mix moist. The cuttings can also be planted into a garden bed.

Plant a salad bowl

Choose your favourite lettuces and salad greens and pot them in a bowl.

You can plant seedlings or buy semi-advanced plants if you want

to start picking earlier. We used a mix of 'Multileaf' lettuce, rocket, perpetual spinach, red-veined sorrel, mustard and celery leaves.







Add the mix

Select a plastic or terracotta bowl about 400mm wide. Fill the bowl using a premium potting mix for vegetables and herbs so that the mix comes to about 25mm below the rim.



Plant the greens

Remove the salad greens carefully from their containers and position them in the mix. They can be planted close together, as you will be picking and feeding them frequently.



Water in well


Water in and position the bowl in a sunny spot with shade from the afternoon sun. Feed fortnightly with a soluble plant food and water regularly, daily in hot weather.







Choose from 1 of 8 shapes



Choose from 1 of 6 shapes


1.6m 0.9m 0.6m 1.3m 0.9m 1.3m 0.6m 0.9m 0.9m 0.6m 0.6m 0.6m



Smaller than baby leaves but larger than sprouts, microgreens are nutritional powerhouses, full of vitamins, minerals and protein.

Microgreens can be grown outdoors and you can even produce a good harvest on a balcony. They can also be grown inside on a windowsill.

- FILL a seed tray or punnet, or a shallow bowl, with 25-50mm of an organic potting mix.
- **O SOW** the seeds evenly over the surface. They can be sown close together, as they won't grow to full size. Cover with a thin layer of mix.
- OPPOSITION the container in a spot that gets good indirect light.
- WATER daily using a mist sprayer.
- O HARVEST by cutting them off at soil level using scissors when they are about 30-50mm high.











Northcote Pottery 400mm Villa

Johnsons World Kitchen Red Veined Sorrel, about \$4.





Curried chicken salad with spinach and nectarines

PREPARATION TIME 20 minutes COOKING TIME 10 minutes

Ingredients

1½ tablespoons olive oil
400g boneless, skinless chicken
breasts, cut into thin strips
1½ tablespoons lemon juice
1 garlic clove, crushed
3 teaspoons mild curry powder
2 teaspoons soy sauce
Freshly ground black pepper
50g sugar snap peas or
snow peas, trimmed
2 ripe, sweet nectarines
300g natural yoghurt
3 teaspoons mango chutney

1 teaspoon honey
2¼ cups (100g) baby spinach leaves
or rocket leaves

⅓ cup (30g) toasted flaked almonds

- **1) HEAT** the oil in a frying pan, then cook the chicken strips over medium heat for 4-5 minutes or until cooked through. Remove the pan from the heat.
- **2 COMBINE** the lemon juice, garlic, curry powder and soy sauce in a small bowl. Season with pepper. Add the mixture to the pan and toss to coat the chicken. Set aside.
- **3 BLANCH** the sugar snap peas or snow peas in a saucepan of boiling

water for 2 minutes. Drain and briefly rinse under cold water. Cut in half on the diagonal if large.

- **4 HALVE** the nectarines and remove the stones. Cut three halves into thin wedges and dice the remainder.
- **5 PUT** the yoghurt in a bowl and add the diced nectarines, chutney and 1 tablespoon of the curry mixture from the pan, leaving the chicken in the pan. Stir in the honey.
- **6 DIVIDE** the spinach or rocket among four serving plates and arrange the chicken, sugar snap peas or snow peas and nectarine wedges on top. Spoon the yoghurt dressing over the salad and garnish with the flaked almonds.

Beetroot and mozzarella salad

PREPARATION TIME 20 minutes COOKING TIME Nil

Ingredients

200g beetroot leaves


- 1 small bunch (about 650g) baby red beetroots, trimmed and thinly sliced
- 1 small bunch (about 650g) baby yellow beetroots, trimmed and thinly sliced
- 1 Lebanese or other small cucumber, thinly sliced
- 2 fresh mozzarella balls (about 100g each) torn into bite-sized pieces ¼ cup (5g) fresh mint leaves
- ${\it 2 table spoons fresh \ dill \ sprigs}$

Horseradish dressing

- 2 tablespoons olive oil
- 2 tablespoons lemon juice
- 1 teaspoon caster sugar
- 2 teaspoons horseradish cream Salt
- Freshly ground black pepper

- **1 ARRANGE** the beetroot leaves, red and yellow beetroot slices, cucumber, mozzarella, mint and dill on a serving platter.
- **2** MAKE the dressing by putting the oil, lemon juice, caster sugar and horseradish cream in a bowl. Season with salt and pepper, then whisk until well combined.
- **3 DRIZZLE** the dressing over the salad and serve immediately.







Mixed salad leaves with flowers and blueberries

PREPARATION TIME 10 minutes
COOKING TIME Nil

Ingredients

- 1 small oakleaf lettuce, torn into bite-sized pieces
- 85g rocket leaves
- ⅔ cup (100g) blueberries
- 11/3 cups (80g) alfalfa sprouts
- 30g mixed edible flowers such as nasturtium, borage, viola and pansy, and herb flowers such as sage and rosemary

Honey mustard dressing

- ¼ cup (60ml) grapeseed oil Juice of 1 small lemon 1 teaspoon Dijon mustard
- 1 teaspoon Dijon mustard 1 teaspoon honey
- Freshly ground black pepper
- 1 MAKE the dressing by whisking the oil with the lemon juice, mustard and honey in a large shallow bowl. Season with salt and pepper.
- 2 ADD the lettuce and rocket to the bowl, and toss to coat with the dressing. Sprinkle the salad with the blueberries. Arrange the alfalfa sprouts and flowers on top and serve immediately.





How to grow

While some types of cucumber are best as groundcovers, others are ideal climbers. Common types include telegraph, Lebanese and white apple.

- **O SOW** the seeds directly where the plants are to grow in a sunny, protected position in well-drained soil that has been generously enriched with compost or well-rotted manure.
- WATER regularly, especially during the growing season and mulch well with lucerne hay or pea straw to help prevent the soil drying out.
- **FEED** cucumbers fortnightly with a soluble plant food.
- HARVEST the green varieties for salads when they are 150-200mm long and apple cucumbers when they are the size of a tennis ball. Lebanese cucumbers are best harvested when about 100mm long.

Cucumbers should be ready to harvest about 10-12 weeks after sowing.





Provide protection

Elevating the vine over a trellis decreases humidity around the foliage. This helps to reduce fungal problems, prevent blemishes forming and protect against insect damage.

Mites can attack in hot, dry climates, so reduce the risk by hosing underneath the foliage. >

154

NOVEMBER 2016 Australian Handyman

ES SHUTTERSTOCK RECIPE READER'S DIGEST



The easier way to beautiful plants and healthier soil.

Scotts Osmocote Slow Release Liquids are the next generation of fertilisers, designed to meet the needs of busy modern gardeners. Simply click, spray and feed as you water!

Unlike most other liquid fertilisers that last only 2 weeks, Osmocote Liquids give an instant boost, plus 3 months of continuous feeding from just one application. They also contain a natural health tonic to stimulate earthworms and beneficial microorganisms – just like seaweed does.



Also available as a liquid concentrate for watering cans.











Remove the broken palings

Starting at the base, use a wrecking bar to pry the paling off the fence rails. Palings are cut from softwood timbers, so it should come off easily. Use a claw hammer to remove any nails that didn't come off with the paling.



2 Cut the fence timber

Measure an old paling to mark the new timber, cutting to length with a circular saw. For a cleaner cut and to reduce kick back, start with the blade slightly away from the timber, wait until the motor reaches full speed, then start the cut.



3 Attach the new palings

Position the new paling, use a spirit level to check it's straight and hold in place with your foot. Secure to the top rail with one nail then, working down, hammer two nails into each rail. Finish with a second nail into the top rail.





The Ideal City Hotel for Business & Leisure

AUCKLAND CITY HOTEL



NEW ZEALAND aotearoa









MODERN & COSY

MEETING ROOM

COVERED CAR PARKS







POOL TABLE

- >> 135 modern & cosy rooms
- Covered car parks
- In-house café & restaurant
- M Off site gym & pool
- Corporate meeting room
- On-site guest self-laundry
- Internet kiosk
- Broadband Internet (Wifi)
- Free use of bicycle
- Limousine Services

Reservation: +64 9 9250777

email: info@achhobson.co.nz

















Visit www.achhobson.

co.nz

& enter PromoCode:

"Jafa"

ON THE **BOOKING REVIEW PAGE**

Validity 31st December 2016

Subject to availability upon booking

OWNED & MANAGED BY :



HOSPITALITY LIMITED

157 Hobson Street, Auckland 1010, New Zealand facebook / achhobsonst

What's on this Month

FREE Kids' D.I.Y. Workshops

» Saturday 5 November WOODWORK Make something special out of wood)) Sunday 13 NovemberGAME MAKERSHave fun with the game makers workshop
» Sunday 6 NovemberFUN MOSAICSLearn how to make a beautiful mosaic	» Saturday 19 and Sunday 20 NovemberCHRISTMAS GIFTSHave fun while creating a gift for someone special
» Saturday 12 November WALL ART Create a masterpiece for your bedroom)) Saturday 26 and Sunday 27 November SUSTAINABLE CHRISTMAS Get helpful tips on sustainability for the festive season

Our workshops are held every weekend at 11am, 12.30pm and 2pm. For specific topics, ask instore or go to bunnings.com.au. If you live in South Australia, speak to a team member or visit bunnings.com.au for details about our great one-on-one D.I.Y. workshops. These workshops run from 10am to 4pm each Saturday and Sunday.

FREE Adult D.I.Y. Workshops

» Saturday 5 and Sunday 6 November OUTDOOR ENTERTAINING

Find out how to create the perfect outdoor entertaining area

)) Saturday 12 and Sunday 13 November PREPARE FOR THE HOLIDAYS

Learn expert tips and new skills to get ready for the season

)) Saturday 19 and Sunday 20 November

Get the skills you need to create the perfect deck for summer

» Saturday 26 and Sunday 27 November SUSTAINABLE CHRISTMAS

Get helpful tips on sustainability for the festive season

D.I.Y. Workshop


Workshop

Workshop

For more information on other instore events or to book, visit **bunnings.com.au/yourstore**











...Lithium





RYOBI 36V GARDEN RANGE. POWER MADE EASY. IT'S MADE US NUMBER ONE.



One 36V Lithium Battery powers more than ten tools.









*Australia's best-selling battery-powered DIY garden range.





