



STRONGER SAFER POOL FENCING



All Protector Aluminium pool fencing and gates exceed current Australian standards, carry a lifetime warranty, and are industry certified. And now we have increased their strength even further by redesigning all our panels using our brand new Ulti-M8 ultra strength core system. Visit website for details.

Available at Bunnings Warehouse.



MAKE IT EASY

Josh and Jenna show you how at www.protectoraluminium.com.au







A PLANET FIRST FOR POOL SAFETY





THE ONLY LATCH ON THE PLANET WITH CHILD PROOF SAFETY BUTTON

Award winning Tri Latch from G8Safe – the world's first pool gate latch with dual action safety button that prevents children using implements to push up the button. No other latch offers the level of safety and quality you get from a trilatch.

MAKE IT SAFE, MAKE IT G8SAFE

Proudly endorsed by:

Royal Life Saving



G8Safe offers a range of high quality hinges and latches to suit many applications, including our best selling Mega Value Kit, containing everything you need for a child safe pool gate.

All available at Bunnings Warehouse. Scan QR code or visit g8safe.com.au to view our range.



G8SAFE

CREATING WAVES FOR POOL SAFETY

MARCH ISSUE







REGULARS



COVER PHOTOGRAPHY CECILIA MÖLLER, PICTURE MEDIA

HANDY STUFF Get all the latest gadgets and gear for the garden

66 BASIC SKILLS
Find out how to operate an oscillating tool

ORIGINS

Discover where marble benchtops come from

GET THE MAG
Subscribe and save 38%
off the cover price

SEE THE WORLD

Take a tour of Melbourne's flower and garden show

152 NAME THAT VEGIE

Test your knowledge of these edible oddities

Renovate

- **19 BATHROOM RENO CHECKLIST** Use our guide to stay on budget
- **24 LIGHT AND BRIGHT**Design an all-white bathroom
- **30 RUSTIC CHARMER**A new bathroom gets heritage style
- 40 PLUMBING FIXES YOU CAN DIY

 Tackle repairs without a tradie
- **48 MAKE OVER A VANITY**Transform a dated powder room
- **TOUCH OF LUXE**Create a contemporary bathroom
- **58 READERS' DIY**Two great bathroom renovations
- **60 BATHROOM MIRROR**Hang a frameless mirror DIY
- **TOP KITCHEN TRENDS IN 2017**New looks for the hub of the home

















Build

70 REPLACE A SLIDING DOOR

Upgrade an entrance to give your home a fast facelift

74 UPDATE A DOOR

Improve security and privacy with new handles, hinges and locks

82 CREATE EXTRA STORAGE SPACE

Build a cupboard in the garage big enough to store all your stuff

84 QUICK & EASY GARAGE SHELVES

Put vertical space to good use with wall-mounted storage

88 DECLUTTER THE GARAGE

Get organised with cabinets and multi-tier shelves



Decorate

90 CURVES AHEAD

An old terrace gets a modern makeover filled with character

100 LIVING SCULPTURES

Easy botanical projects to bring nature indoors

106 SMART HOME TECH

Control your home from your phone with these devices

Outdoor

114 RE-LINE A POND

Drain the water and replace an old leaking liner

118 AN URBAN GARDEN OASIS

Create a green haven that will thrive in any climate zone

124 READERS' DIY

page 136

Be inspired by these three outdoor transformations

Garden

132 THIS MONTH

Look after the lawn and sow autumn vegetables

136 GROW YOUR OWN PEAS

Eat them straight off the vine, not the frozen kind

144 PLANT A LEMON TREE

Raise this essential citrus in pots or beds for fresh homegrown fruit

150 HOW TO PLANT SEEDLINGS

Start a herb garden in just a few simple steps





LOVE THE COVER?

Turn an all-while bathroom into a feature with simple ideas and affordable styling





kmart.com.au

Interior & Exterior Fillers

For all repair, patch or filling jobs around the home, big or small





For more information visit our website www.timbermate.com.au or call us on 1800 354 811





Be bold. Enter with style.

Introducing the Matt Black Range by Gainsborough.

At the forefront of style and innovation, Gainsborough's Matt Black range provides a blend of contemporary and chic: perfect for homes looking to showcase the latest trends.





TRILOCK **ANGULAR**



PASSAGE LEVERSET



PRIVACY LEVERSET



PRIVACY CAVITY SLIDING DOOR SET



PULL HANDLE



DEADBOLT



PASSAGE CAVITY SLIDING DOOR SET

To find out more about our full range of Matt Black Door Hardware contact us on

13 14 18



EDITOR'S LETTER







ummer is officially over and as the weather cools down it's a good time to tackle those jobs you didn't want to do in the middle of a heatwave. Like taking on the biggest clutter hotspot, also called the garage.

Mine is a magnet for junk. Other people's. Just when I think I have the garage sorted, someone will ask if they can leave something in there, 'for a few days', as they don't have room.

It has never once been a few days. It always turns into a few years. I've had electric typewriters, stage props, vintage sewing machines, sets of encyclopedias, crates of vinyl records, weight benches and mystery boxes.

Well no more, I'm reclaiming my garage in 2017. From now on, it's only for the people, and cats, who live in the house. No more dumping ground!

If you also want to take back your garage and be able to use it use for storage and still have room for the car, check out how to build shelves and

a cupboard, plus choose off-the-shelf solutions, from page 82.

Blitz the bathroom

In this issue of *Handyman* we also take a good look at the bathroom. It's often one of the smallest rooms in the home and also the busiest, which can make renovating a challenge both in terms of design and time.

But upgrading a dated bathroom is about efficiency not just luxury. Modern bathrooms are easier to use, faster to clean and are also more energy and water efficient.

To plan the reno and stay within budget, just follow our checklist, on page 19. Then get style inspiration, on page 24, and find out what you can DIY to save money, from page 40.

Happy DIYing,



Product of the month

If you need to make mitre cuts in timber for picture frames, mouldings, framework or furniture, the job just got easier with the Ozito 1800W 210mm Double Bevel Slide Compound Mitre Saw, \$149, with three-year replacement warranty (ozito.com.au).

Ideal for DIY, it can make mitre cuts from -45° to 45°, bevel cuts 45° left and right, and compound mitre cuts. The easy depth of cut adjustment, support bars, material clamp and laser guide allow for quick and precise cutting.



Handi Home

Tiling just got a whole lot easier!



You can add a splash of elegance to your kitchen, bathroom or laundry with these beautiful self-stick wall tiles in a fraction of the normal tiling time. Apply over smooth, dry painted walls or over existing tiles.

There's no messy glue or mould attracting grout. And instead of hiring special cutting tools, all you need is a pair of scissors. Simply measure, cut to size, peel off backing film and press onto the surface.

STICK-A-TILE will last for many years, looking forever new. If needed, it can be simply removed using a hair dryer.













STICK-A-TILE costs about \$8.95 per tile. Phone (03) 9460 8000 or email enq@handihome.com.au for a free brochure and stockist details.

www.handihome.com.au.

Handyman and Handyman

EDITORIAL

EDITORIAL DIRECTOR LYNN LEWIS

EDITOR ARTEMIS GOUROS
ART DIRECTOR KATE TIMMS
CHIEF SUBEDITOR AMANDA SHAW
PROJECT EDITORS STUART SCOTT, ADAM WOODHAMS
SENIOR EDITOR DANIEL BUTKOVICH
SENIOR SUBEDITOR NICK BANKS
DESIGNER NORI BEPPU
FEATURES EDITOR ASHLEIGH PERRIOTT
FEATURES WRITER SITA SIMONS
WEBSITE PRODUCER TALISA CLAVIJO
DIAGRAMS STEPHEN POLLITT

ADVERTISING

GROUP ADVERTISING DIRECTOR SHERON WHITE T: 61 2 9018 6280 ADVERTISING SALES MANAGER KRISTINA FROHLICH T: 61 3 8844 5542 ACCOUNT MANAGER NSW CRISTIAN ARRATIA T: 61 2 9018 6253 ACCOUNT MANAGER QLD CURTIS WOODWARD T: 61 2 9018 6254 CLASSIFIEDS ALEK JOVANOVSKI T: 61 2 9018 6255 NEW ZEALAND HAWKHURST MEDIA SERVICES KERRY MCKENZIE T: 64 9 528 7103 E: kerry@hawkhurst.co.nz

MARKETING

MAGAZINE MARKETING MANAGER GALA MECHKAUSKAYTE DIGITAL MARKETING MANAGER BRONWYN POVOLNY

PRODUCTION

PRODUCTION MANAGER BALAJI PARTHSARATHY T: 61 2 9018 6115

PUBLISHING

DIRECTORS WALTER BEYLEVELDT, LANCE CHRISTIE
PUBLISHER, MANAGING DIRECTOR WALTER BEYLEVELDT
OPERATIONS DIRECTOR ASIA PACIFIC ADINA GHERMAN

READER'S DIGEST ASSOC. INC.

PRESIDENT & CEO BONNIE KINTZER

VICE PRESIDENT & COO INTERNATIONAL BRIAN KENNEDY EDITOR-IN-CHIEF INTERNATIONAL MAGAZINES RAIMO MOYSA EDITOR-IN-CHIEF THE FAMILY HANDYMAN GARY WENTZ

AUSTRALIAN HANDYMAN MAGAZINE

GPO BOX 4353, SYDNEY NSW 2001 E: handyman@readersdigest.com www.handyman.net.au

SUBSCRIPTIONS AND ENQUIRIES

T: 1300 300 030

E: customerservice.au@readersdigest.com



Published by Reader's Digest (Australia) Pty Ltd (ABN 81000565471) 80 Bay St, Ultimo, NSW 2007 ©2017 Reader's Digest (Australia) Pty Ltd Prepress by Colourpedia Unit 7, 108-120 Silverwater Road, Silverwater NSW 2128 Printed by Times Printers Pte Ltd 16 Tuas Ave 5, Singapore 639340 Distributed by Gordon and Gotch Pty Ltd



Australian Handyman magazine is printed on PEFC-certified paper, providing an assurance that the paper is produced from sustainably managed forest, recycled and controlled source.

All content ©2017 Reader's Digest [Australia] Pty Ltd, all rights reserved. Reproduction without permission is prohibited. All prices and information are correct at the time of printing. Prices quoted are recommended retail prices and may vary. All material sent to *Handyman* (whether solicited or not) will not be returned.

All do-it-yourself activities involve a degree of risk. Skills, materials, tools and site conditions vary widely. The editors have made every effort to ensure accuracy but the reader remains responsible for the selection and use of tools, materials and methods. Always obey local codes and laws, follow manufacturers' operating instructions and observe safety precautions.

Reader's Digest (Australia) Pty Limited collects your information to provide our products and services and may also use your information for the marketing purposes of RD and/or selected corporate partners. If the information is not provided you will be unable to access our products or services. Our Privacy Policy at www.readersdigest.com.au/privacy-policy contains full details on how your information is used (including how we may share your information with our affiliate companies in the US or other overseas entities), how you may access or correct information held and our privacy complaints process.

STANLEY. FATMAX

CARBON FIBRE A WHOLE NEW









CARBON FIBRE LEVEL

The STANLEY FATMAX® Level features a box beam design, made from Carbon Fibre Composite so it's strong and lightweight. Includes a bridged centre vial for easy marking, slim end caps for access in tight corners and 0.5mm/m accuracy. Available in 1200mm.



TRENDING this month

Handyman magazine handyman.net.au





JOIN US ON FACEBOOK OVER 53,000 DIYERS AND GROWING!



FAST FACT

Bubble Wrap was invented by sealing two shower curtains together and was originally designed as wallpaper.

facebook.com/HandymanMagazine 🕒 youtube.com/HandymanMagazineAU 📵 @HandymanMagazine pinterest.com/DIYHandyman 🥸 plus.google.com/+HandymanMagazineAU 💿 @HandymanMag







OUTDOOR ESSENTIALS

Get the latest high-tech gadgets, tools and storage gear for the garden



Storm spotter

Help protect the vegie patch by keeping a check on the elements with the Holman Solar Weather Centre, \$199. It tracks wind speed, direction and chill, rainfall, barometric pressure, UV index, humidity, moon phase and temperature. holmanindustries.com.au



Solo set-up

Plant up the lightweight and durable Eden 28cm Plastic Self Watering Trough Pot, \$15. Available in four colours and designed for indoor and outdoor use, it has a water level indicator feature for a low-maintenance routine.

bunnings.com.au



Keep animal pests away from fruit and vegies with the 30 x 24cm Whites Garden Sentinel, \$55. Its motion-activated infrared sensor shoots water up to 10m at garden invaders to protect up to 90sqm.

whitesgroup.com.au



Plant parent

Take the guesswork out of gardening with the GreenIQ 3G Cellular Smart Garden Hub, \$389. The easy-to-use device manages irrigation and lighting scheduling, from anywhere at any time, via an app on your smartphone.


gstore.com.au



Auto aqua

Water the garden using one system with the clever Gardena Automatic Water Distributor, \$90. It provides automatic irrigation for up to six different areas and can be wall mounted.

gardena.com.au







Rigid room

Slip the Absco Sheds Space Saver $1.52 \times 2.08 \times 1.52 \text{m}$ Woodland Grey Single Door Shed, \$427, into the yard. It has a 30-year warranty and is simple to install with its Snaptite assembly that requires few screws.

abscosheds.com.au





Roaming roll


Keep your hose kink-free and easy to relocate with the Pope Cart Away Hose Cart, \$114. It neatly stores up to 20m of hose onto the reel in layers, while the tough wheels and a fold-down handle ensure that watering even the largest garden is strain-free.

popeproducts.com.au

Healthy haven

Create the perfect conditions for plants to thrive with the NaturalLife Walk In Greenhouse, \$70. Measuring 170 x 70 x 200cm, it's ideal for home propagation. The flexible design will allow you to set it up anywhere and add shelves or hanging plants inside the polyethylene mesh cover.

tuscanpath.com.au



Tidy trolley

Clear garden debris and keep the yard tidy with the Ozito 160L Garden Collection Cart, \$45. It features an integrated scoop and tool holders, a collapsible collection bag and a folding handle, making it easy to store in the shed or garage.

ozito.com.au



Double duty


Protect cushions and pool toys from weathering using the Keter Rockwood Deck Box, \$249. The 570L weather-resistant storage box is UV stabilised and well ventilated to keep items in prime condition. Available in three colours, it also serves as a sturdy seat.

bunnings.com.au

Turn anywhere into...
Somewhere!




Use Make it Easy Decorative Screens to define a space and form a stunning backdrop. Fitting is quick and easy, and the screens will never fade, rust or rot. Available in a range of profiles and colours at Bunnings Warehouse, off the shelf or custom made. Visit website for details.











Power pruner

Take the pain out of pruning using the Fiskars PowerGear X Small Bypass Lopper, \$65. Designed for cutting through young and green wood, the lopper features PowerGear technology, making cutting up to three times easier than with standard mechanisms.

fiskars.com.au

Canopy cutter

Skip a sore back while tidying trees with the Ozito Power X Change 18V Cordless Pole Pruner, \$149, skin only. Its pivoting head can be locked into seven positions and the main handle into four positions for maximum comfort while cutting.

ozito.com.au

Bough breaker

Leave behind hours of hacking wood to size with the Masport Five-tonne Electric Log Splitter, \$499. It has a four-way splitting attachment and can cut most logs in 12 seconds, while it produces no fumes and little noise.

masport.com.au

Mix master

Cover your garden quickly with the Hortex 450ml Insecticide & Fertiliser Hose Sprayer, about \$20. There's no need for messy pre-mixing as the device dilutes the solution for you. Just pour it into the bottle, set the dial and spray away.

bunnings.com.au



2400W Silent Electric Shredder, \$399. It boasts an in-built 55L collection container, a 45mm cutting capacity and tool-less blade adjustment for a superior experience. The 30kg machine also has a two-year warranty.

ryobi.com.au




Davco has a large range of tile adhesives suitable for all types of tiles, applications and substrates

Choosing the right tile adhesive is essential to ensure a long-lasting installation. Tile adhesives are used to bond, or glue, tiles onto a surface or substrate. Because surfaces, substrates, tiles, areas and even tiling conditions don't share the same characteristics they have different adhesive requirements.

Visit your local Bunnings Warehouse to find the right tile adhesive for your project.









No Drilling. No Mess. No Fuss.

with Naleon Advanced Suction technology







JOIN US INSTORE

During February and March

Receive a FREE GIFT when you attend one of our Naleon product demonstrations.

For dates and store locations visit www.naleon.com.au/bunnings





















BATHROOM RENOCHECKLIST

Use our eight-point guide to overhaul this important room within the timeframe and on budget

WORDS SITA SIMONS

It's usually one of the smallest rooms in the home, but a bathroom reno can be a big deal, as well as costly. First decide if a complete overhaul is needed, or if a refresh and repaint would suffice. There are many great products on the market to paint tiles and enamel, which can serve as a good interim solution if the budget is tight.

Improvements such as re-grouting tiles, deep-cleaning and replacing fixtures can give a tired bathroom a facelift, but if it's time for a full reno, plan ahead with this checklist.

(I) IO bathroom design rules
Visit handyman.net.au/bathroom-design





Set a schedule
The order of the works,
supplies and deliveries
needs to be properly arranged to
keep costs under control.

This will also prevent expensive mistakes and ensure the project is completed within the timeline.

The easiest way to draw up a comprehensive schedule is by using a computer speadsheet.

Get firm dates from your tradies and suppliers about timeframes. You could consider getting them to sign contracts to guarantee the works will be completed within these dates.



Remove the bathroom

After all the services have been properly disconnected, demolishing the old bathroom is something you can DIY to save money.

Hire a skip for the waste and make arrangements for alternative bathroom use. You should have an idea of the time the reno will take from your schedule, but in general terms, allow at least two weeks.

If your home was built pre-1984, there is a high likelihood of there being asbestos in bathroom walls.

This is especially dangerous because it can be waterlogged and decayed. It is essential asbestos is removed by a licensed specialist.





www.dunlopdiy.com









The IXL Tastic⁸, heat, vent and light units, clearly the best choice for bathroom heating.

Australia's favourite bathroom heat, vent and light units are all about you!

Designed to warm you instantly with infra-red heat lamps, IXL Tastics are available in a variety of models to suit your needs and are packed with safety features and energy saving devices.

You can choose from 2 or 4 heat lamps, classic vent, ducted or self sealing back draught flaps. All ranges include a 5 Year in-home warranty.

The IXL Tastic range is clearly the best choice.

Tastic heat-vent-light





LIGHT BRIGHT

Go for simple white in the bathroom for a timeless theme that can be easily adapted to your style

WORDS SITA SIMONS



olour preferences come and go, but a white bathroom never falls out of style. It's timeless in its appeal and is the ideal blank canvas for any decorating preferences and changes of mood.

White works well in rooms with low light and makes smaller spaces feel bigger. If there is plenty of natural light, getting the right white is key. Generally, the sunnier the room, the cooler the white should be. Cool whites have a blue/black base, while warm whites have yellow or red undertones and give a cosy feel.

Opting for white can save time and money as well. Choosing the elements becomes easier when the palette is white, as stock is usually available in store or can be quickly ordered in.

combination with the micro-tile panel delineates the shower area.

The tile layout creates a feature of the double showers, but also works for the room as a whole. When the ceilings are low, experimenting with proportions can provide balance.

Choosing a large floor tile and smaller wall tiles can help give the illusion of height, but keep tiles the same shape for an easy way to tie all the elements together. >



Add colour with accessories and towels, but keep it simple by sticking to just one shade



3 WAYS TO INSTALL




fix with old holes

(using the unique "x" mounting plate included)



fix with new holes

(screws included)



(included)





Flexi-Fix is a registered Trademark of Croydex UK, proudly distributed in Australia by Evolve Lifewares

www.evolvelifewares.com.au











Style notes

An all-white background means the styling elements can come to the fore. A strong feature colour, such as the turquoise blue in this bathroom, adds instant style and a reference point for accessories.

Stick to simple ideas and create small collections. Gather similar items of varying heights in groups of three for a well-curated effect.

Keeping clutter to a minimum helps with cleaning and creating a tranquil place in which to linger.

ian Handyman

GROW TIP

There are plants that thrive in a moist environment. Look for tropical plants that have slow growing habits, such as ferns.

Complement the greenery of potted plants with objects in earthy colours.

Rainfall range

badsalt

Create a luxury spa-like feel inside by installing the Methven WELS Three-star 7.5L/min Easy-Click Three-Function Telescopic Rail Shower, \$179 (methven.com).

Mixing air with water, it creates a softer, voluminous spray and the three-function adjustable handset has an easy-click press button. >





BASIN MIXER \$54.90



ROBE HOOK \$24.20

Create your dream bathroom for a stunning price with **CADENZA**, one of seven unique and affordable styles from Mondella.

AMPLIFY MIRROR \$39.90



SHOWER SET \$64.90

DOUBLE GLASS

CORNER SHELF \$54.17

RUSTIC CHARMER

A new bathroom in an old dairy bales blends heritage with handmade style

WORDS SITA SIMONS PICTURES STUART SCOTT

urning a cottage situated on a rural property into a self-contained one-bedroom studio required lateral thinking.

The 100-year-old building was originally used as a dairy bales, but its latest incarnation was a makeshift stable, complete with French doors.

After a lot of cleaning, a corner position was chosen for the bathroom, giving access to a tap for plumbing and a view of the mountain beyond.

To maintain privacy while still keeping the room flooded with light, the French doors were removed and the space framed for walls and a main window, which was set low to allow for a clear view from the bath.

The original floor in the dairy was an accumulation of three uneven concrete slabs. New drainage was installed and a new concrete slab with exposed aggregate was laid and polished to suit the rustic theme.



EXPERT SECRETS

Wherever timber is used in a wet area, protect the surface and junction areas well with a good-quality sealant.







2kg. selleys.com.au



Tile the wall

The section behind the sink is the original exterior wall, clad in timber weatherboards milled on the property when it was built. But as the space is now a wet area, a tiled splashback was created behind the sink.

Designed to be seven tiles wide by seven tiles high to eliminate the need for cutting tiles, it's a simple and practical feature that also adds to the aesthetic when the mirror is installed.









1 Lay the first row

Mix tile adhesive powder in a bucket of water to toothpaste consistency using a power drill and mixing paddle. Apply to the wall using a notched trowel. Position the first tile on the rail and continue in one line, inserting spacers.



2 Apply the grout

Mix grout powder in a bucket of water to toothpaste consistency. Use a squeegee to apply the grout to the tiles at a 45° angle so it fills the gaps, removing excess grout with a damp sponge as you go. Allow to dry.



Seal the joints

Use a silicone sealant to seal all the gaps where two surfaces meet, such as between the tiles and the vanity top. Apply a bead of silicone at a 45° angle, then spray with water and smooth using a silicone spatula.





Original features

This area of NSW is famous for its red cedar forests, which used to be cut and floated down the river to Sydney to meet demand. Now, as few trees remain, red cedar is very valuable.

This red cedar door had been painted many times over the years, and rather than paint it again, it was sanded back to reveal its history.

Leaving fragments of the colours makes it a unique feature that anchors the design theme.



45 SERIES

45.7cm x 45.7cm (5 tiles = 1sq. mtr)







Natural Wood Plank



Travertine Stone







Black Marble



White Marble

SELF STICK

30 SERIES

30.5cm x 30.5cm (10.75 tiles = 1sq. mtr)

WET AREAS

3 YEAR



Black Diamond





Beige Stone





Charcoal Stone





Finger Parquel



MARINE CARPET

IDEAL FOR BALCONIES, VERANDAS, PATIOS & DECKS



TOPDECK 2M WIDE VELOUR SURFACE NEW COLOURS AVAILABLE








FOR INSTALLATION GUIDES GO TO www.ideal-diy-floors.com.au



GROUND BREAKING TECHNOLOGY IS HERE



VACUUM FUSION TECHNOLOGY

Once it's on, it's on!

Vacuum Fusion
Technology makes
suction products
obsolete

It's as easy as...







2 PRESS the cover against the surface with arrow facing down





3 PUMP 6 times (pump included)



4 ENJOY in under 30 seconds


Don't put up with suction cups that keep falling off













BATHROOM ACCESSORIES

powered by Vacuum Fusion Technology





Over 50% stronger than suction*



works on TEXTURED SURFACES



www.everloc.com.au














Frame the tub


A timber frame was made for the bath with a view, with an 1800mm stainless steel strip drain running alongside to ensure good drainage.

Some tubs will need extra support underneath, so check manufacturers' guidelines before installing.

Copper pipe was bent on-site to form a simple and sculptural rustic shower with brass garden taps.



Mark the frame height on the wall. Install noggins between the studs. Use 90 x 35mm H2 structural pine to build the frame. Seal all cuts, insert the bath and check for level. Clad with fibre cement sheets.





The new Methven Airstream™ Easy-Click shower not only gives you an enjoyable shower experience, it also has an adjustable telescopic rail to accommodate the varying heights in your household. The most flexible rail shower solution yet – the rail extends to increase height whilst also offering an overhead drencher option for those that desire a rain-like experience. The Methven Airstream™ spray technology, creates a more voluminous water experience than conventional showers by mixing air with water.



Visit methven.com to learn more.

Small items such as the towel rail are available off-the-shelf from Bunnings.

Old and new

If there was a challenge with this bathroom, it was the line between deferring to practicality and safety, while preserving the rustic integrity.

The owners wanted to install an old concrete cistern and chain toilet, but a new toilet was infinitely more practical and affordable.

Modern techniques and materials work in the space when choices are restrained. Frosted glass louvres replace traditional windows to regulate breeze and provide privacy.



The past blends harmoniously with the present to create a functional but practical bathroom

Salvaging and repurposing

In keeping with the character of the cottage, the preference was to look for materials to be re-used and furniture items to be repurposed.


Flea markets, bric-a-brac stores and online sites such as Gumtree are good sources for items that may otherwise be difficult to come by. If this is the look that you want to achieve, the key is to take your time to find what suits.

Concessions may have to be made, but too many can alter or redirect the theme too much, making for a confused rather than cohesive space.





IT'S WHAT'S ON THE INSIDE THAT COUNTS



SUPERIOR CARTRIDGESDeliver the ultimate water flow control, ensures a water-tight seal to eliminate drips and leaks, and are tested over 50,000 cycles.

EUROPEAN PEX HOSES

Our zero failure rate simply speaks for itself - providing superior durability and are free from impurities, odour or taste.

Behind the beautiful aesthetic of all Dorf tapware are advanced features that optimise comfort, water flow, temperature control and clean water delivery along with a 20 year tapware engine warranty.





PREMIUM QUALITY AERATORS

All our aerators deliver intelligent flow control to minimise splashing and create a comfortable stream of soft water.





If a tap is hard to shut off, or water still comes out when it's closed, it could be the sign of a faulty washer, O-ring or jumper valve.

Washers are the removable rings that sit under the tap bonnet, and tend to wear out quickly. A faulty washer often indicates an ageing tap.

An O-ring prevents water from entering the tap spindle, and can cause it to leak when the part wears out.


A jumper valve controls the opening and closing of the tap, and if it breaks or is not set correctly, you won't be able to turn off the tap.

The only way to find the cause of the problem is to open up the tap.

You could also consider giving the whole tap a service once you have it disassembled.

SERVICE A TAP

- 1 SHUT OFF the mains water supply, then open the tap and let it drain. Block the plughole in the sink or tub to prevent small parts from falling down the drainpipe. Remove the button from the tap.
- ② DISASSEMBLE the tap by removing the handle and unscrewing the bonnet. If either the washer or O-ring is cracked or worn, replace it by reassembling the tap with new parts in reverse order.
- 3 REPLACE the jumper valve with the highest-quality product available. Metal valves last longer than plastic ones, so are worth the money.





but feature a cartridge, ball or disc that directs water through the spout.

If you're unable to close off the tap completely or there is water leaking

Mixer parts can be quite expensive, and often become damaged during disassembly, so replacing the whole tap may be more cost-effective.











Shut off the water

Turn off the water supply at the mains, then locate the water supply valve underneath the sink and close it by turning the handle on the valve. Open the tap to drain out any remaining water.



Disassemble the tap

Block the plughole to prevent any small parts from falling down the drainpipe. Remove the screw cap and loosen the screw on the mixer tap handle using an Allen key, then remove the handle.



3 Replace the cartridge

Use a spanner to remove the locking nut and expose the cartridge. Remove the damaged part and take it to a hardware store or plumbing supplier to buy the correct part. Replace the part, then reassemble the tap.



DON'T RISK A BURST HOSE IN YOUR HOME

Every year homes are flooded by old and faulty washing machine and dishwasher hoses.

Replace your old hoses with quality, Italian made **BOSTON®** inlet hoses.

- ✓ Higher operating temperature (up to 90°C).
- ✓ Higher operating pressure (up to 300psi).
- ✓ Inline filter to prevent water contamination.
- 5 year warranty.

It is recommended that all plumbing products be installed by a licensed plumber.







www.fixatap.com.au

PICTURE (MAIN) ISTOCK

Silence tap screeching

If a tap screeches when turned, even when it is new, it could be a sign that the spindle thread needs lubrication.

The best time to lubricate tap components is when the tap is disassembled during servicing. Rub silicone lubricant along the spindle thread, then reassemble the tap.



Plumbing professional

Darren Clancy has been in the plumbing business for more than 30 years and founded Pipe Perfection Plumbers in 2004 (pipeperfection.com.au).

He's a member of the Master Plumbers Association of NSW and Strata Community Australia. Check the regulations
Plumbing laws exist to prevent
accidents and any damage to
property or infrastructure.

It can be tempting to try and save a few dollars by carrying out plumbing repairs DIY, but illegal repairs are risky and dangerous.

Plus, having a plumber fix a bad DIY job will cost more in the long run.

Plumbing laws vary from state to state. So the best way to stay on the right side of the law is to contact your local water authority to check what plumbing work homeowners are legally allowed to do.

When hiring a plumber, always check they are licensed to carry out the work required, and that relevant insurances are up to date.

From winter chill to bathroom bliss

Is your bathroom prone to winter chills? Then relish in the comfort of the ducted Instant Heat 3-in-1. Incorporating light, heat lamps and an exhaust fan in a single slimline design, avoid the 'ceiling acne' appearance of separate services in your bathroom.

With an energy-efficient LED globe, a high air extraction rate, a choice of two- or four-heat-lamp models, and a classic control panel incorporating individual printed switches, Instant Heat 3-in-1 matches form with function. Stay warm and indulge yourself today.





Discover our complete range of Instant Heat solutions at www.hpm.com.au

























SUPPORTING PARTNERS & MEDIA PARTNERS INCLUDE







































MAKE OVER AVANITY

Quick cosmetic updates transform a tired guest bathroom into a fresh, modern space

PROJECT DANIEL BUTKOVICH STYLING ARTEMIS GOUROS PICTURES SUE FERRIS

his powder room was gloomy and uninviting, with a dark colour scheme and an outdated vanity. Luckily, the sink and cabinet carcass were in good condition, so it just needed a cosmetic revamp.

A paint job in a warm neutral tone refreshed the room, and the vanity was

updated with new doors and handles as well as modern chrome tap fittings.

A decorative splashback was created using self-adhesive tiles, and the medicine cabinet was replaced with a slimline mirror. A new towel rail, robe hook and toilet-roll holder completed the transformation.






Focus on simple and easy DIY changes to get the most bang for your buck







CABINET REVAMP The vanity was a non-standard size and had been modified to fit, so the sink and cabinet were left in position and the doors, handles and kickboard were replaced with new items from Kaboodle (kaboodle.com.au).




Replace the doors

Separate the new hinges, then insert the door side into the recess in the door and attach using screws. Secure the hinge plate to the cabinet, then click the two sides of the hinge together to mount the door.



Attach new handles

Measure and mark the handle hole centres on the door, or use a handle mounting template. Drill clearance holes and attach the handles using the supplied screws, trimming them to fit using nippers or a hacksaw.




3 Install the kickboard

Measure from the base of the cabinet to the floor every 200mm to account for uneven floors. Mark the cutting line on the kickboard and rip it to size with a circular saw. Secure with screws through the cabinet base.



Easy tiling




Install the backing

To create an even surface for the tile sheets, the existing melamine splashback was upgraded by adding extra melamine panels on the sides, which were cut to size and secured to the wall with construction adhesive.



Seal the gaps

To seal the splashback joints, apply masking tape 5mm from the joint on either surface, then apply beads of silicone in the joints with a caulking gun. Smooth the sealant with a silicone spatula dipped in soapy water.




Apply the tiles

Starting in a corner, cut the tabs off the edge of the first tile sheet. Peel off the backing and apply it to the splashback. Apply the next tile sheet, aligning the tabs. Cut tiles to fit as required. Apply silicone where the tiles meet the wall.

and press firmly. Brace for 24

hours while the adhesive cures. >





Fast and convenient: Repositionable up to 50 seconds, cures after 60 seconds

Easy to use: Ultra-thick and flexible for vertical surfaces

Strong: Weight bearing up to 130kg/cm²



Never lets you down.

New fittings

The retro robe hook, towel rail and toilet-roll holder were past their prime, so they were replaced with chrome versions, making a big difference in the compact bathroom.

The new FlexiFix fittings match the tapware and cabinet handles to create a streamlined, modern look. The universal mounting plates make the accessories quick and easy to install on virtually any surface.



Install hooks and rails

The mounting plate can be attached to most existing fixings, but if they aren't suitable, or if you'd prefer not to drill holes, secure the plate using adhesive.

Attach the self-adhesive alignment guide, then apply adhesive to the plate. Position the plate over the guide and tighten the locking nut. Wait 24 hours before mounting the bracket.



Stick-A-Tile in Spice, 27.9 x 23.5cm, about \$18 for a pack of two. handihome.com.au FlexiFix Esher Bathroom Towel Rail, \$73. evolvelifewares.com.au



Dorf Maxum Chrome Basin Set, \$218. dorf.com.au


Everton 900 x 750mm Polished Flat Edge Mirror, \$30. everton.com.au











PREADERS' DIY

Bathroom makeovers



requesting an upgraded ensuite.

He felt reluctant at first, but when Kathryn laid down a \$5000 challenge, he took her up on it.

'The ensuite was dated and really needed sprucing up. As replacing the entire bathroom would be too costly, I decided to improve upon what we already had,' says Paul.

and vanity, then tackled the old floor.

'I found vinyl planks in Bunnings and stuck them on over the top of the existing tiles,' he says.

The bonus? The final tally came in well under Kathryn's budget.

'All in all, we spent just over \$3000, and it has spurred us on to carry out more projects,' he says.

Before



tight, Helen did the

reno in stages

59

of yourself, then submit them online at handyman.net.au/win.



A large and frameless glass mirror above the vanity is a more streamlined option than a wall-mounted medicine cabinet, especially in a small bathroom.

A mirror also helps reflect light and creates the illusion of more space.

Hanging a bathroom mirror is an easy do-it-yourself job, requiring no special tools or skills, only double-sided mounting tape and silicone.

Make sure to wear safety gear and use enough tape and silicone to support the weight of the mirror.


Spirit level
Packing blocks
Silicone
Caulking gun
Double-sided mounting tape
Safety glasses
Gloves
Pencil
Measuring tape

Masking tape









Prepare the back

Before you begin, remove any dirt and grime from the wall with cleaning fluid and a soft cloth. Attach strips of double-sided mounting tape in rows to the back of the mirror. Add a few beads of silicone between the rows of tape for added strength.



2 Mark the position

Use a pencil and spirit level to mark the side and base edges of the mirror on the wall. Here, the outside edge was lined up with the side of the vanity. Position packing blocks level with the marked base edge, securing to the wall with masking tape.



3 Install the mirror

Remove the tape backing, position the mirror on the blocks and push gently against the glass, starting in the centre and working out to the edges. This will spread the silicone and improve the bond. Attach tape in the corners, and leave the silicone to set for 24 hours.



IMWORKING RESPECT MY UNIFORM

Guide Dogs



TOP KITCHEN TRENDS IN 2017

Contrasts of light and dark colours are still leading the way and technology continues to maximise function







Social influence

As the central hub of the home and a gathering place for family and guests, the open-plan kitchen is no longer confined to a separate style but guides the design direction.

When it comes to planning the renovation and making interior design choices, more and more homeowners are starting with the kitchen and using it to set the tone for the rest of the home.

Future technology

Having fully automated appliances and devices isn't a futuristic dream, it's happening now.

Motion-detection lighting, tapware and cooking appliances have become commonplace.

Central control panels are getting more sophisticated, but mobile phones are the future, with apps that put you in control of your home, no matter where you are.



Tile trends

This year, more textured tiles are being seen in kitchen design and there is set to be more stand-out laying patterns than ever before.

Subway tiles have been very popular for a number of years and are still a key design feature.

Very versatile, they are ideal for laying in different ways, including a herringbone pattern, and are a cost-effective way to get the latest looks in tiling.

Hideaway appliances


Clean and clutter-free is always the goal in the kitchen, and hiding appliances is the next step forward.

Whether it is dishwashers hidden behind cabinet doors, or integrated fridges, microwaves and cooking stations, clever solutions serve to make the kitchen look less like a kitchen and more like an extension of the living space.

A flatpack kitchen can include many hideaway features, from the waste bin to various appliances.



Tiles with texture create a backdrop with personality, movement and style



Multi-functional mate
An oscillating tool is arguably
one of the most versatile power
tools for DIY renovators.

As the name implies, it features a head that oscillates at a high speed, moving from side to side in a small arc.

You can attach various blades, scrapers and sanding pads to the head, allowing it to replace many tools in your kit.

One of the main advantages of an oscillating tool is its ability to cut in tight areas, making it suitable for flush-cutting pipes, screw heads or packers, and undercutting doorjambs when installing laminate floors.

This tool is also ideal for making neat plunge cuts, and in combination with a carbide segment blade, it can be used to easily remove tile grout.



SAND IN TIGHT CORNERS

A compact sanding pad attachment allows an oscillating tool to be used for removing surface material in tight areas that need repainting, such as windowsills. The slender head means it is also useful for sanding tight corners or small flat areas when restoring furniture.



Watch the video online Visit handyman.net.au/oscillating-tool



OSLICE THROUGH SILICONE

Most of the time, a silicone scraper is ideal for removing old silicone. But for tight spots, such as behind a vanity or bathtub, an oscillating tool with a scraper attachment is the best choice. Slide the scraper between the wall and the silicone, moving along slowly to break the bond.



MAKE NEAT FLUSH CUTS

To cut small pieces of timber flush with the surface, such as when trimming dowels or cutting packers around a new doorjamb, use an oscillating tool with a flush-cutting blade. The precise blade is ideal for hard-to-reach spots, or where a hammer and chisel could knock components out of alignment.

PINEW-LOOK ISUZU D-MAX



INTRODUCING THE 3-LITRE, MORE TORQUE, 6-SPEED ISUZU D-MAX

The new-look Isuzu D-MAX is a stand out performer on or off-road. With the legendary Isuzu 3-litre turbo diesel engine, a beefed up 430Nm of torque and an intuitive 6-speed transmission. Coupled with a Terrain Command 4WD system and 3.5 tonne braked towing capacity*, the D-MAX is all you need to pump up any adventure. GO YOUR OWN WAY!

Discover the new-look Isuzu D-MAX at your Isuzu UTE Dealer or isuzuute.com.au










GO YOUR OWN WAY

5-star ANCAP safety rating on 4x4 D-MAX Crew Cab models built from November 2013 onwards and 4x2 D-MAX Crew Cab High Ride models built from November 2014 onwards. *3.5 tonne braked towing capacity on D-MAX 4x4 and 4x2 High Ride models when fitted with an optional genuine Isuzu UTE tow bar kit. *5 years/130,000km whichever occurs first, for eligible customers. Excludes trays and accessories. *The Capped Price Servicing Program ("CPS Program") applies to Eligible Vehicles with a Warranty Start Date on or after 1/1/5 at Participating Isuzu UTE Dealers only. The 5 years Capped Price Servicing covers the first 5 Scheduled Services for 16.5MY and later vehicle models for up to 5 years/50,000km (whichever occurs first). CPS Program is subject to change. For full terms & conditions and current pricing visit isuzuute.com.au/service-plus.

* ORIGINS Marble

DIY TIP

When buying marble for a benchtop, it's best to visit the supplier in person to check the exact slab you are getting, as each one is unique.



Counting the cost

One of the most expensive materials available for kitchen and bathroom renovations, the cost of marble ranges from about \$800 to more than \$2000 per square metre, depending on the colour and type.

Cutting and installing marble benchtops and splashbacks is best left to the professionals. Marble is a metamorphic rock, which is formed over millions of years from the deposited remains of marine organisms, such as coral and molluscs, on the ocean floor.

As this layer is compacted over time, it becomes limestone.

When limestone is subjected to high pressures and temperatures deep within the Earth's crust, it transforms to marble.

It is the presence of various impurities that gives marble its characteristic colours and patterns.

Since classical times, marble has been used for construction. Its popularity continues today, with homeowners choosing it for kitchen benchtops and splashbacks, tiles, mantelpieces, and more.

Today, Italy is the world's largest producer of marble, with prized white and grey Carrara and Calacatta marbles considered a design staple.

Caring for marble

Once you've installed your marble benchtops, they will need a little care and attention to keep them looking their best.

• TREAT the marble with a protective sealer during installation to prevent any stains or damage. • PROTECT the surface where possible using coasters, trivets and cutting boards.

• CLEAN day-to-day with hot water and a non-abrasive sponge.

• MAINTAIN the surface using only a specialty marble cleaner.





EasyDRAIN™ Compact

Channel & Grate by Everhard

DIY Surface Water Drainage

Easy As 1, 2, 3

- √ Easy 'click-together' installation
- √ Tough & fade resistant
- ✓ Heel friendly grate in black polymer or galvanised steel

EasyDRAIN suits a variety of installations, including Backyards, Terraced areas, Patios, Playgrounds, Walkways, Swimming pool areas, Car Parks, Driveways and more

STEP 1: PREPARE

- Dig a trench that is 50mm deeper and wider than the Channel being installed (use a string line to ensure your trench is straight)
- Place compacted bedding sand or concrete slurry in the base of the trench
- Ensure the grate is securely attached to each Channel length

STEP 2: INSTALL

- Lay the Channel in the trench, connecting each length as necessary, ensuring the joints 'click' together
- If required, use a saw to cut the Channel to the desired length
- Connect an End Cap to each Channel end and seal with silicone
- To connect to PVC pipe, cut an outlet in the base of the Channel as required

STEP 3: FINISH

- Place a suitable expansion material along the top edge of the Channel
- Pour concrete around each side of the Channel, ensuring the base is completely immersed
- Lightly compact and finish the concrete slightly above the surface level of the grate (approx. 2-3mm) to promote run off from the surrounding area into the drain

variety of optional components, colours and finishing grates also available

Tailor the EasyDRAIN to your home with a wide

Please note: Flat upper surface of metal grates may show signs of slight indentation over time if used in a driveway. Galvanised metal grates are not suitable around swimming pools or environments affected by salt water.









REPLACE SUBJECT SLIDING DOOR

Give your home a modern and clean new look by updating an entrance

WORDS AND PICTURES MELISSA DARR

Blogger Melissa Darr has been working alongside her husband, Bevan, on revamping their home for the past couple of years.

'When you're trying to renovate your home, you quickly notice all the things that let down the new look you're going for,' says Melissa.


The couple recently turned their attention to updating the external components of the house. And first on the list was the dated sliding door

and security screen that led from the kitchen out onto the deck.

The rollers on the old door had collapsed, making it hard to use.

Melissa ordered a kit from a local supplier, which included everything needed for installation, such as the frame, screen, glass and hardware.

'Updating the sliding door and security screen has lightened up the kitchen and created a better-looking entry and exit point,' she says.



Lift the old doors from the frame, then remove any screws and fixings that hold the frame to the doorjamb.

Clean the area thoroughly, then carefully remove any trim or skirting, setting them aside to reinstall once the new doors are in.

Installing a new sliding door is an easy way to give your home a facelift



EXPERT SECRETS

Make sure you accurately measure the old door or get the professionals to come out and do it for you.





WALL TO THE STATE OF THE PARTY OF THE PARTY

SAFETY TIP

THE WAY THE WAY THE WAY THE WAY

It is a two-person job to replace sliding doors, family member to help you put them in

After
The new sliding door improves the flow between the indoor and outdoor living areas.



Follow her blog thewhimsicalwife.com



DIY door fixes

Looking to keep your doors in tiptop condition? Go online to handyman.net.au/diy-door-basics and check out the DIY Door Basics story.

There are maintenance and cleaning tips to help reduce wear and tear and get them functioning smoothly.

You'll learn how to replace worn-out rollers on a sliding door, service a sticking door, carry out a number of basic repairs and more.









Check out the full range in stores or online SUNNINGS at bunnings.com.au warehouse



UPDATE A DOOR

Replace old handles, hinges and locks to transform your home and upgrade your security measures

s the entry point to every home and room, doors set the tone for the space. They are also subjected to constant wear and tear in busy households.

Replacing worn, damaged or dated door hardware is a simple and quick project any DIYer can do to improve the look of their home in just an afternoon.

Replace the handle on the front door for a refreshed entrance.

]



Door hardware plays a bigger role in your home than just the function of helping you open or close a door.

It can also be used as a design element to complement the style or architecture of a room or the house.

Whether it's for the front door or the bathroom, here's a round-up of door handles with everything from the most basic styles to the most multi-functional for you to include in your next renovation.

A stainless steel pull handle adds a modern edge.

PICTURE (BOTTOM LEFT) ISTOCK



Stronghold Entrance Set, \$195. gainsboroughhardware.com.au




Most door handles are installed 1050mm from the floor. Check the height of the other door handles in your house to make sure the height of the new handle is a match.




Drill the holes

Fold the template around the edge of the door to mark the hole locations. Use a spade bit to drill the 25mm latch hole, a twist bit for the 6mm rosette holes and a holesaw to bore the 35mm spindle hole.



Install the latch

Insert the latch and mark around the faceplate, then chisel out a recess so it sits flush. Secure the latch and mark where it strikes the jamb. Drill a 25mm hole in the jamb, then chisel out a recess for the strike plate.



3 Attach the handle

Install the strike plate, then insert the spindle through the door. Put the handles on the spindle, attach the rosettes using machine screws, then tighten the grub screws in the handles. Replace the rosette covers.

Replace a handle

Old door handles can make a room feel dated, but replacing them with modern ones can instantly update a room for minimal outlay.

To replace the door handle, remove the rosette covers, then loosen the screws and remove the old spindle and latch. Check the existing lockset to make sure the replacement matches the hole already drilled, which may suit either 54mm cylinder locks or 35mm tubular locks.

Also measure the backset, which is the distance from the door edge to the centre of the hole.



Secure the latch

Position the latch in the door recess and secure the faceplate in position using the supplied screws. TIP Use a chisel to enlarge the door recess if needed.



Install the handles

Insert the spindle through the latch hole and position the handles, then secure with the screws. Tighten the grub screws to secure the handles, then install the rosette covers.







Bring doors and walls to life with our new range of stylish wall mounted & over the door hooks and rails.

Adoored offers over 30 styles of decorative hook rails and individual hooks to select from.



Check out the full range in stores or online at bunnings.com.au SUNNINGS



The length of the hinge you choose for hanging a door is determined by the width, thickness and height of the door you've selected.

For the average 2040 x 820mm internal door up 35mm thick, use two 85mm long loose-pin butt hinges or two 90mm long non-mortise hinges.

For a 2040 x 820mm entrance door up to 40mm thick, use three 100mm fixed-pin butt hinges.

Select a hinge based on door type and handle choice.

Zenith 75mm Nickel Plated Double Action Spring Hinge, about \$31 for two. itwproline.com.au Zenith 100mm Florentine **Bronze Loose Pin Butt** Hinge, about \$2. Lane Security 100mm Architectural Fixed Pin Butt Hinge, \$7, itwproline.com.au

Lane Security 100mm Fixed Pin Hirline Hinge, \$19 for two.

Lane Security 100mm Fixed Pin Easy Fit Hinge, \$8

Lane Security 180mm Double Action Fixed Pin Hinge, \$62.

Lane Security 100mm Gravity Hinge, \$51 for two.

78 MARCH 2017 Australian Handyman

Hang a new door

Most interior hollow-core doors are 35mm thick while solid doors are usually 40mm thick. For non-standard openings, custom doors can be ordered directly from a supplier.

When installing butt hinges, you will need to cut rebates in the new door to ensure the hinge sits flush with the surface. When working on a door, stand it up on its side using a door stand or clamps.

If the door needs to be trimmed, use a plane to trim a few millimetres. For larger amounts, clamp a straightedge and cut the door with a circular saw.



Mark the hinge outline 150mm from the top and base of the door. Chisel out the waste, then position the hinge in the rebate, drill pilot holes and secure with screws.



Secure the hinges

Hang the door using wedges to support it, then mark the hinges on the jamb to chisel out the rebates. Secure the hinges with screws, ensuring the door swings freely.

NEW IN STOCK

R@LLTRAK

DOOR CLOSERS

INTERNAL DOOR CLOSER

Suitable for automatically closing hinged doors up to 68kg



- Eliminates draughts
- Suits left and right handed doors
- Adjustable tension
- Reduces energy consumption
- Easy to install





HEAVY DUTY DOOR CLOSER

Up to double the average closing strength.

IDEALLY SUITED FOR SECURITY HINGED DOORS.



Easy Install

Replaces most existing screen door closers.

Screen Door

Suits most standard and heavy duty screen doors.

O 'Sure' Close

Auto air release point ensures full door closure.





As the point of entry to your home and the frontline defence against intruders, it's essential that the lock on your front door is in good working order.

It is also a good idea to change all the locks when you move into a new property so that no strangers will have access with any old keys.

While not essential, a lock on an internal door can provide a little privacy in a busy household.

Update your front door lock as an extra safety measure.

Kwikset Kevo 925mm Deadbolt, \$269. bunnings.com.au

Samsung Smart Mortise Lock Biometric, \$649.

samsung.com.au



Lane Security Private Square Cavity Lock, about \$28. itwproline.com.au

> Gainsborough **Gold Traditional** Tri-Lock, \$180.



Gainsborough Precise

Contemporart Tri-Lock, \$218. gainsboroughhardware.com.au

> Lane Security Sliding Cavity Door Lock, about \$38.



Lockwood 001 Double Cylinder Deadlatch, \$99. lockweb.com.au











PRESTIGE Square D Handle 192mm and Flat Round Knob 32mm

ZENITH Round Robe Hook

BRING A TOUCH OF INTEREST TO YOUR HOME WITH BRUSHED COPPER

While silver, chrome and stainless steel are three metallics commonly used in the home, warmer metals like copper, are having their moment to shine. The texture and gleaming finish of copper provides a sophisticated warmth to most palette choices.

CREATE EXTRA STORAGE SPACE

Put a blank wall to good use in the garage by building a large cupboard to stash your stuff

WORDS AND PICTURES MELISSA DARR

s your storage space full up and you're in dire need of more? DIY blogger Melissa Darr found herself in this position when she welcomed a new addition to her family and her old workspace became the baby's room.

'As a freelance photographer and stylist, I have lots of props that need to be stored, so my husband Bevan and I came up with the solution to create extra storage by building a cupboard in the garage,' says Melissa.

To make the most out of a standard 2440 x 1220 plywood sheet, they opted to build three 2440 x 825 x 395mm cupboard sections with reinforced fixed shelves out of 12mm plywood.

The finished sections were painted and mounted side by side on the wall using plywood battens, then secured to a plywood plinth for support.

Doors with vertical and horizontal trim, all made from 9mm plywood, were installed to give a panelled look.



There are shelves of varying heights to hold different-sized items.



You can have this plywood storage cupboard finished in just a weekend




Out the plywood

Use a circular saw to cut the 12mm plywood for the sides, tops, bases, shelves, reinforcers and spacers. Cut 100 x 16mm notches in each side 600mm from the top for the mounting battens. Cut the 16mm plywood for the mounting battens and plinth, and the 9mm plywood for the doors and trim. Sand lightly.



Assemble the sections

For each section, secure the sides to the tops and bases using adhesive and screws. Attach the reinforcers to the shelves, then install the shelves using dowels for extra strength and to make the shelves easier to align. Secure the mounting battens in the notches. TIP Drill pilot holes to prevent splitting.




3 Build the plinth

Fill visible screw holes with putty, then prime and paint the cupboard sections and the plinth front and sides. Assemble the plinth using adhesive and screws, ensuring it is level, then secure the back to the wall.


TIP Cut notches in the plinth sides and noggins to fit over any skirting.





Secure to the wall

Attach the right cupboard section to the plinth, then secure the mounting batten to a wall stud using screws. Attach the left cupboard section to the wall and plinth, adding the spacers to the side to allow the door to swing freely. Secure the centre cupboard section to the plinth and wall.



5 Install the doors

Assemble the doors by attaching the trim with adhesive, then weigh down, or clamp, the trim to the doors to form a strong bond. Paint the doors and trim. Secure the doors in position using hinges, adding magnetic door closers at the top and base to help prevent bowing. Attach the doorknobs.

© CUTTING LIST		
PART	SIZE	NO
Plywood (measurements in mm)		
Cabinet sides	2440 x 395 x 12	6
Tops	800 x 395 x 12	3
Bases	800 x 395 x 12	3
Shelves	800 x 395 x 12	13
Shelf reinforcers, front and back	800 x 90 x 12	26
Spacers	2440 x 100 x 12	2
Mounting battens	824 x 100 x 16	3
Plinth front	2395 x 100 x 16	1
Plinth back	2395 x 100 x 16	1
Plinth sides	355 x 100 x 16	2
Plinth noggins	355 x 100 x 16	3
Doors	2440 x 820 x 9	3
Door trim	2440 x 70 x 9 680 x 70 x 9	6 9

Quick & easy garage shelves

Take advantage of vertical space with this double-decker storage solution

eeping odds and ends organised in a garage can be challenging, especially when bulky items such as bikes or gardening gear are taking up all your floorspace.

This two-tier storage shelf allows you to store garage equipment on handy hooks secured under the bottom shelf, and stash paint and chemicals out of reach of children.

The shelves are made out of plywood and pine, with the dividers on the lower shelf supporting the upper level, which houses bulky stuff.

Mount the shelves directly to wall studs, ensuring that enough space is left between the shelf and the ceiling joists to hold your equipment.

Run out of floorspace in the garage? It's easy to install these practical shelves on the wall

CIRCULAR SAW, DRILL Position the shelf high on a wall to maximise storage space





3 Attach the shelves


Secure the top shelf using adhesive and screws, then attach the top lip flush with the base of the front rail. Secure the lower shelf to the base of the supports, then attach the lower lip flush with the diagonal edge of the supports.

Secure to the wall

Mark stud positions on the back panel and drill two clearance holes per stud. Drill pilot holes in the studs, then secure the shelf using screws. Paint the shelf and attach threaded hooks underneath for hanging storage.







Choosing materials
Sturdy timber is required
for the back panel and the
shelf supports, as they hold all
the weight. Adequate strength is
provided by 30mm pine.

The top and lower shelves are made from 12mm plywood. Structural plywood is strong but lightweight and relatively inexpensive, making it ideal for this application.

To adapt the shelves for outdoor installation, it's best to opt for exterior or marine ply for added moisture resistance.

⊗ CUTTING LIST		
PART	SIZE	NO
Plywood		
Top shelf	2400 x 400 x 12	1
Lowershelf	2400 x 150 x 12	1
Pine		
Back panel	2400 x 190 x 30	1
Supports	340 x 190 x 30	4
Front rail	2400 x 70 x 30	1
Lower lip	2400 x 70 x 30	1
Top lip	2400 x 90 x 30	1

TYPE	USE	
10g x 50mm countersunk screws	Shelves	
M10 x 100mm coach screws	Wall studs	

Q Find it at Bunnings

DECLUTTER THE GARAGE

Keep your workshop space tidy and organised with shelving and storage


he average garage doesn't have room for much more than a car, but keeping it clutter-free can free up space for a workshop.

Installing adjustable shelves that can be customised to suit the needs of the space will provide plenty of storage for tools and equipment. Freestanding or wall-mounted lockable cabinets keep power tools and chemicals secure and out of reach.

A workbench offers a dedicated area for small DIY projects and a tidy space to keep handheld tools, while hanging hooks from the ceiling is another great storage solution.







- 1 Handy Storage Six-tier Tote System, \$88.
- 2 Handy Storage Size 30 Plastic Storage Tote, \$6.95 each.
- 3 Pinnacle Hardware Five-tier Heavy-duty Shelving, \$269.
- 4 Pinnacle 2 in 1 Jumbo Garage Wall Hook, \$5.
- 5 Pinnacle Hardware Slimline Cabinet, \$105.
- 6 Pinnacle Hardware Heavy-duty Workbench, \$279.

Maximise space

Going vertical is the best way of maximising the available floorspace when it comes to storing away equipment in a garage.

Adding tall shelves and cabinets around the edges and on the walls of the garage allows it to be used as both a parking space and workshop.

Installing a corner unit to link shelving will utilise tricky areas and ensure there is no wasted space.

- 1 Pinnacle Hardware Wall-mounted Wire Shelf, \$59.
- 2 Pinnacle Hardware Workbench, \$89.
- 3 Pinnacle Hardware 1500mm Six-tier Shelving Unit, \$199.
- 4 Pinnacle Hardware Six-tier Corner Unit, \$199.
- 5 Pinnacle Hardware 1200mm Six-tier Shelving, \$179.
- 6 Pinnacle Hardware Metal Cabinet, \$349.

CURVES AHEAD


A turn of the century terrace gets a modern makeover where warmth and character take centrestage

WORDS SITA SIMONS PICTURES JUSTIN ALEXANDER









With heritage listing protecting the facade, most of the work took place at the rear of the home.

Homeowner Heidi Carter of fashion and homewares company Paddo to Palmy (paddotopalmy.com.au) wanted to bring in as much light as possible.

'For me, the light in Australia is everything. It makes me happy to be in bright and airy spaces, so that forms the background palette,' she says.

The large, open-plan living area to the rear of the home was designed with family life and entertaining in mind. In combination with the pale floorboards, the utilitarian kitchen design both disappears into the space and creates an ambient calm.

'The kitchen island bench really is the centrepiece. I was absolutely set on the tongue-and-groove cabinetry and I wanted the workmanship to speak for itself,' says Heidi.

'Luigi suggested having a curved edge on the island benchtop, and it finishes off the kitchen perfectly.'

Storage is cleverly worked out to effectively conceal everything while being accessible when needed. >



The built-in bookcase under the kitchen island bench reflects the curved theme





SMART-LOCK
No more dirty hands



STORAGE TUBE
Air-tight storage:
no more drying out*



ROLLER POLE Connects with Monarch Razorback poles



A variety of sizes & fabrics for all projects



Monarch Razorback MINI ROLLERS are light-weight, easy to use and perfect for hard-to-reach areas. The new MINI ROLLERS are designed with the innovative SMART-LOCK system to make changing roller covers simple with NO MORE MESS.









Slipstick Floor Protection



Slipstick Sliders

Are ideal for dining and kitchen chairs on hard floor surfaces, glides quietly and protects floors.



Set of 16, Slipstick 19mm Slider Feet

Ideal for dining / kitchen chairs with straight legs.

- Glides effortlessly on hard floor surfaces.
- · Guaranteed to stay on.
- · Ideal for laminate, tile, vinyl & slate floors.



Set of 8, Slipstick 25mm Slider Feet

Ideal for dining chairs with straight legs on polished wood floors.

- Glides easily without scratching.
- · Optional Stick On or Screw On attachment.
- · Recommended for 25mm to 32mm diameter legs.

Slipstick Castor Cups

Are ideal to stop furniture with castor wheels from rolling.



Set of 4, Slipstick Small Castor Cups Ideal for piano style wheels.

- · Provides maximum grip and floor protection.
- Will support up to 250kg per cup.
- Recommended to hold a wheel no larger than

Slipstick Grippers

Are ideal for lounge and sitting area type furniture, they stop furniture from sliding and protect hard floor surfaces.



Set of 8, Slipstick 32mm Gripper Feet Ideal for stools, tables & medium weight

- Provides medium grip and floor protection.
- Optional Stick On or Screw On attachment. Recommended for 32mm to 50mm diameter legs.



Set of 4, Slipstick 50mm Gripper Feet Ideal for wooden legged couches, armchair

& heavy tables.

- Provides strong grip and floor protection, with Tilt n Slide⁴
- · Optional Stick On or Screw On attachment.
- Recommended for 50mm to 66mm diameter legs



Set of 4, Slipstick 82mm Gripper Feet

Ideal for wooden bun feet, couches, armchairs & heavy tables.

- Provides strong grip and floor protection, with Tilt n Slide®
- Optional Stick On or Screw On attachment.
- · Recommended for 82mm to 120mm diameter legs.

Slipstick Furniture Coasters

Are a quick easy solution to stop furniture with unusual feet from moving around and scratching hard floor surfaces.



Set of 4, Slipstick Leg Coasters

Universal cup for use under washing machines, refrigerators, etc.

- · Provides maximum grip and floor protection.
- Recommended to hold a leg no larger than 45mm.



Set of 4, Slipstick Small Glide Cups Ideal for Bed style Leg Glides.

- · Provides maximum grip and floor protection.
- Will support up to 250kg per cup.
- Recommended to hold a glide no larger than 65mm.

For more information visit our website www.slipstick.com.au or call us on 1800 354 811





Tiles and timber

Evocative of a Moroccan hammam, traditionally a stone cavern where people took massages and steam baths, the bathrooms are finished in a multitude of mixed materials.

'I'm always going to go with the choice of natural materials where I can. When I spotted these marble fish-scale tiles, I instantly had my heart set on having them,' says Heidi. In keeping with Heidi's assertion to choose what you love, the tiles fully cover the bathroom walls and complement the terracotta floor tiles, which are laid in a herringbone pattern.

A solid oak vanity adds to the earthy raw look of the room and also feels luxurious. The skylight installed over the shower creates an invigorating light well and does the job of casting ambient light around the room.





Discover a world of possibilities for beautiful wall and ceiling finishes with easycraft. Visit **easycraft.com.au** and get inspired to start a project for your home today.







LIVING SCULPTURES

Kick-start your creativity and bring the beauty of nature into your home with these inspiring botanical projects

WORDS AND PROJECTS WONA BAE AND CHARLIE LAWLER PICTURES BROOKE HOLM



oose Leaf is a botanical design studio and retail space owned by Wona Bae and Charlie Lawler, located in a converted warehouse in the heart of Melbourne, Australia.

The studio resembles an indoor jungle and specialises in permanent and temporary interior landscape design and botanical installations, while the retail space specialises in indoor plants and fresh cut flowers.

Nature's way

Wona and Charlie's philosophy centres around getting creative and reconnecting with nature.

Having grown up outside of cities, they both strongly believe in the therapeutic benefits of connecting with nature.

And when they are not creating with nature, they are doing their best to get out and explore it.

On a constant search to be surprised, Wona and Charlie's motto is, 'Observe nature, be inspired by it and start experimenting.'

Their studio is a living testament to their shared journey of looking out to nature to be inspired within.

With their book *Loose Leaf*, Wona and Charlie hope to encourage creativity with nature by sharing their approach and some of their designs.



Common ground

When you spend as much time together as Wona and Charlie do, you hope to have a lot in common.

In their case, it's safe to say they both enjoy being creative with greenery. They both appreciate having found someone who enjoys ogling leaves and ranting about how they might better collect this or that material next season.

'It is also positive to have found someone who doesn't mind bringing the outdoors in,' says Wona.

'We're not just talking about decorating with plants, either. Sometimes our studio looks like a giant bowerbird's nest, with sticks lining the walls.'



This story is an edited extract from Loose Leaf by Wona Bae and Charlie Lawler (Hardie Grant Books, \$45), available in stores nationally.

A stunningly illustrated book that aims to encourage creativity with nature, it features how-to projects for wreaths, natural sculptures, and flower and foliage arrangements for the home.

Plus it provides information on which kinds of vegetation work together.

CREATE A STICK VESSEL

This project shows how you can take one natural material, such as sticks, to repurpose as a vessel for a kokozi, which is the name for a Korean-style traditional floristry arrangement.

The sticks should be readily available from your local flower shop, or you can forage them from urban forests and roadsides in your local neighbourhood or parkland.



Use natural materials to design a vase for a floral arrangement



Types of flowers

When you are selecting flowers to create an arrangement, try to choose four different types.

- CLINE FLOWERS These are generally taller and slimmer flowers that give an arrangement height and width.
- FORM FLOWERS These are feature flowers or foliage and

they give the design an interesting focal point or colour.

- MASS FLOWERS These give your floral design volume.
- FILLER FLOWERS These are often smaller blooms. They provide support for the form or focal flowers, and help show the scale and depth in your design.

FOLIAGE & FLOWERS



Magnolia

Magnolia branches often grow in interesting shapes and forms.
They make great form flowers in arrangements, offering structure and support for other plants.





Conifer

There are over 500 species of conifer found all over the world. Most of these make great, long-lasting evergreens when used as cut foliage.




Star jasmine

Jasmine and other evergreen vines, such as ivy, work well as fillers in a floral arrangement, adding both movement and texture to a design.







Arrange the sticks

Cut the sticks into equal lengths of about 15cm. Bunch the sticks together to form a cylinder that fits firmly between your hands, securing with an elastic band. Position the stick bundle on the shallow tray or dish.



Add the flowers

Start adding freshly cut flowers and foliage, ensuring all stems reach to the tray. Once you're happy with the arrangement, cover the elastic band with twine or string, then add water to the tray. Check the tray daily and top up the water as needed.


What you need

30 sticks (about 20cm long and lcm thick) Selection of flowers and foliage, varied heights and sizes Pruners Florist scissors Elastic bands Shallow dish or tray Roll of twine or string










Cut the vine

Identify the vine you would like to prune. You will need to cut a section at least 10cm in length. Using a pair of florist scissors or pruners, cut the vine at least a couple of centimetres above the last leaf you wish to retain on the mother plant.



Put into water

Place the vine in a vase or vessel filled with a few centimetres of water. From here, it is important to ensure the water does not evaporate. It is best to keep the new cutting in a moderate to bright location with no direct sun. Top up the water every few days.

What you need

1 Epipremnum aureum plant Florist scissors or pruners Small transparent or opaque glass vase or vessel



IT'S GOTTA BE RIDGI!

RIDGI.COM.AU



MEET DEKO -THE INSTANT FOUNDATION BLOCK

Perfect for decks, garden sheds, landings, pathways, walkways, cubby houses and many other projects!









Smart home tech

Make everyday tasks easier by turning your phone into a universal remote for household fixtures and fittings

WORDS ASHLEIGH PERRIOTT

echnology today plays an integral part in our everyday lives. And as we pack more and more into our busy schedules, setting up a smart home will save money, effort and time.

While the initial upgrade may seem a bit much when replacing old items for smart ones, the savings you make by cutting such things as food waste, energy expenses and time will make the set-up costs a small price to pay.

Selecting which devices to invest in depends on your lifestyle, budget and priorities. Once you've established that, you can get ready to be obsessed with controlling everything from lights to the fridge with the tip of a finger.

HOUSEHOLD

The modern family home can be a cluttered, chaotic space full of tangled cords and gadgets.

But streamlining your system is simple when you substitute out-dated items for these multi-functional marvels, which will enable you to reclaim your space.



As you add controlling your home to the many tasks you ask of your smartphone, keeping it charged is more crucial than ever.

So replace old benchtops with the DuPont Corian 50mm Charging Surface, from \$450 per linear metre, and charging points \$250 each (cast.com.au).

This will allow you to charge phones and tablets with induction technology when they're sitting over the charging spot.



Keep tabs on the internal climate and allergen levels in your home with the Dyson Pure Hot + Cool Link Purifier, \$749 (dyson.com.au).

Ideal for managing allergies and asthma, it removes 99.95% of allergens from the air, as well as cools or heats the room.

It sends reports on allergen, temperature and humidity levels to the Dyson Link app.

Wi-fi wonder

A strong wi-fi signal is essential in a connected home.

So if you have got a large house, or weak wi-fi zones in your home, swap an ordinary light globe with the Sengled E27 Home Automation Wi-fi Boost LED Globe, \$99 (sengled.com.au).

Available in GU10, Bayonet and Edison Screw models, it extends wi-fi signals up to 30m.



Cord cure

For the average household, upgrading the whole home to smart, wireless tech all at once just isn't realistic.

To remove the mess of cables from items such as the TV in the interim, install CableClear, \$60 (cableclear.net). The affordable solution is easy-to-install and hides cords inside the wall cavity.





sengled



Switched-on sound

Swap a standard speaker and light for the Sengled E27 Home Automation Solo Speaker Globe, \$69 (sengled.com.au).

It connects to a smartphone via Bluetooth. The wireless system allows you to adjust light and sound levels from an easy-to-use app and is also available in lamp-sized globes.





Foodies and families alike will love the upgraded offerings from LG and AEG in the kitchen. But as with any new appliance for the hub of the home, these items aren't cheap.

But for frazzled working parents, these innovative products will help cut weekly expenses and the time spent cleaning, planning and food shopping each week, freeing up quality time with the kids.

Household hub

While the innovative Samsung 671L Family Hub Refrigerator, \$7499 (samsung.com.au), is at the high end of a budget, it'll save you time and money food shopping.



Busy professionals with kids will love the wi-fi enabled screen. It allows you to browse recipes, shop with Woolworths and keep a family diary. You can also see images via the app of the fridge contents when at the shops.

Baker's backup

Never burn a meal with the AEG MaxiKlasse ProCombiPlus 60cm Steam Oven with ProSight Control, \$5499 (aegaustralia.com.au).

It has a core temperature sensor that closely monitors the internal temperature of your food and switches the oven off when it's done to perfection.

It also has cutting-edge steam technology, a sous-vide cooking function foodies will love, and a cool-to-the-touch door.





Secret spy

Stay safe with the wireless Sengled Home Automation Snap Security Camera and LED Floodlight, \$299 (sengled.com.au).

It features two-way voice communication, infrared night vision, light scheduling, live playback and a 1080p HD video.

It connects to a smartphone, allowing you to watch over your home from anywhere in the world.

Keeping your home and family safe is getting simpler every day with the latest technology. You no longer need to rely on security companies while away or peer through a peephole to check who's at the front door.

New security devices enable you to see what's happening in and around your home from your smartphone any time, anywhere.





Guest guard

Keep an eye on your home with the Ring Video Doorbell, \$276 (harveynorman.com.au), featuring a 720p video camera with a 180° view that works day and night.

It links to an app that provides alerts when someone rings your bell, and has a microphone and speakers so you can talk to visitors at your door from anywhere.



CableClear is really quick and easy to install, creating a continuous duct inside the drywall of the home or office, so cables can be gravity fed through and be completely hidden from view.









FEATURES & BENEFITS

- Hides those hazardous, ugly cables from wall mounted TV's
- Quick and easy to install in minutes
- Designed for all stud walls 70mm and thicker
- Fits plasterboard / drywall up to 13mm
- Suitable for almost all TV heights; hose length is adjustable
- Cables are gravity fed through the CableClear easily
- AUS/NZ, USA and Euro plugs fit through the 50mm (2") hose
- Additional cables can be added later until conduit reaches capacity
- Creates a sealed duct so no insect or dust ingress into the walls
- Components comply with UL 94 V-0 plastics flammability standards
- Cross bracing or wall insulation, if encountered, is easily overcome



While there isn't a huge variety of options available in Australia yet, expanding your range of smart products to incorporate every part

of your life isn't far away. This year, at the CES, a global consumer electronics and technology tradeshow, many multinationals such as LG, Samsung, Sony and Philips unveiled innovative new devices.

It won't be long before you can lock your doors, turn off lights and activate the dishwasher by saying goodnight. You'll also be able to wake to your blinds opening and freshly made coffee.

Top 5 devices from CES 2017

INIRV REACT SMART STOVE KNOBS turn off your gas stove automatically when you leave the house, or can be operated remotely via your phone.

SYMANTEC NORTON CORE, which protects all your smart home devices from viruses, is a must have in the new connected household era.

SEVENHUGS SMART REMOTE is the universal remote of the future, and is able to manage over 25,000 connected devices.

SLEEP NUMBER 360 SMART BED features a foot warmer and adjusts support when you shift position or snore, making cricked necks a thing of the past.

It is also able to track your heart rate, motion and breathing to assess sleep quality.

WHIRLPOOL ZERA FOOD **RECYCLER** turns food waste into fertiliser in a week with minimal odour inside your kitchen.

Designed to be at benchtop height, you can sweep scraps straight in. It composts everything except pips and bones.



SUBSCRIBE AND SAVE

JUST \$39.95 FOR 10 ISSUES



Tandy made easy

VISIT HANDYMAN.NET.AU/SUBSCRIBE OR CALL 1300 300 030* MON-FRI 8.30AM TO 5.30PM (AEST)

*local call costs from landlines only

spiration

Q Find it at Bunnings

Pick up the latest products for the home and garden instore



Give your window treatments flair with Decorative Curtain Rods that expand from 175-305cm, \$65.90 each.

Halo

DIY TIP

Get the look of timber flooring for less with vinyl planks. They're quick and easy to install and come in a range of styles.





Glue Dots double-sided sheets, \$8.70 a pack, are a peel-and-stick solution for big and small projects.

Compass



RE-LINE A POND

Create a safe home for aquatic plants and fish by replacing an old, torn liner

PROJECT LEE DASHIELL MAIN PICTURE GEOFF BECK

he liner in this old garden pond had developed a hole over time, causing a leak.

As a result of the leak, the water level in the pond had lowered significantly, exposing the liner around the sides and revealing the tops of the pots containing the waterlilies.

Two buckets were used to bail out the water, and the fish were kept in one of the buckets while the liner was being changed. You can also siphon off the pond water if needed.

The old liner was removed, then the shape of the pond was altered by digging the hole deeper and wider than before. A new liner was added and the pond was refilled with water.


If you are changing the shape of the pond as we did, check the allowable maximum depth with the local council before you begin digging.





What you need

2 buckets Garden hose Clean sand or carpet underlay Pond liner






0

Prune overhanging trees or shrubs to keep the pond clear of foliage Consider removing the water from the pond with a hose.
CHOOSE a hose that's long enough to reach from the pond to the area where you want to deposit the water.
ATTACH the hose to the tap and fit a nozzle to the other end. Tighten the nozzle to keep the water in the hose.
FILL the hose, then remove it from the tap, holding up the end so water doesn't escape. Pick up the nozzle


- CARRY the open end of the hose back to the pond, making sure no water runs out. Submerge the tip in the deepest part of the pond and hold it down with a rock.
- KEEP the hose on the ground, then remove the nozzle from the other end. Water will gush from it as it begins to drain the pond.

REPLACE THE LINER



Bail out the pond

Remove the water from the pond using two buckets, keeping one bucket of water to temporarily hold the fish. Take out the pots of aquatic plants, then catch the fish and put them in the reserved bucket of water. Trim the plants and clean the outside of the pots.



4 Add a protective layer

Line the base of the pond with a layer of clean sand or carpet underlay to protect the new pond liner from being punctured by roots, rocks or other sharp objects when it is laid.

TIP We spread out pieces of salvaged foam matting over the entire surface.



Remove the old liner

Roll all the rocks away from the edge of the pond, so you can take hold of the liner. Peel it back from the sides and fold it up in the middle, then remove it and dispose of it.

TIP Take care with your footing, as the soil under the liner will be slippery.




6 Install the new liner

Drape the new liner loosely over the hole and use rocks to hold it in place. Add the pot plants. Fill the pond gradually to ensure a neat finish, as the weight of the water will push the liner to the sides. Return the fish and allow the pond to settle overnight.



3 Reshape the pond

Dig the pond about 200mm deeper using a spade, so the rims of the pot plants won't be too close to the surface of the water. Excavate the sides straight down from top to base to help reduce the visibility of the new pond liner once the pond is filled with water.



6 Edge the pond

Position the rocks closely together around the pond so that they slightly overhang the edge. Add a layer of mulch around the perimeter, filling any gaps in between the rocks so the liner is completely hidden from view. Trim off any excess liner with scissors.



COAT A DECK IN A DAY!

With Sikkens Cetol BLX-Pro




www.sikkens.com.au









In this New Jersey backyard, an Aussie-grown gardener has come up with new landscaping tricks and techniques

WORDS AND PICTURES HELENA GOUROS

n a global scale, different climates produce different gardens. From Australia to America, when creating an urban garden, climate, size and environment are all factors to be considered.

But with just a little planning and know-how, you can tackle the ever-changing demands of seasonal perils wherever you are.

Living in Manhattan, then moving to New Jersey, I have learned that the winters here are long and brutal and the summers are short, hot and rainy. The fauna is different and, apart from the mozzies, the insects are, too. But, the fundamentals of garden design are the same.

I do most of my urban gardening, commercial and residential, in New York City. Fast becoming very verde, the city is bursting with indoor and outdoor green spaces.

When my work is done, there is nothing better than escaping the mania of the Big Apple by crossing the Hudson River to my alluring, out of sight, back garden in Jersey City.





Bountiful bulbs

All of the bulbs in my backyard, such as lilies, irises and gladioli were from the community garden in my area.

Growing easily in my climate zone and naturally multiplying, they are planted in five of the six garden beds.

They are remarkably easy to divide and replant, giving you new plants for next spring at no extra cost. I like to do this in early fall, giving the bulbs time to settle in over winter. Columbines, with their long stems and star-like flowers were an obvious choice. Easy to care for, they work best in part shade, but don't overwater. In summer, once a week is sufficient.

I grew mine from seed and have divided and replanted them over the last several years up to three times. I picked up yellow columbine seeds from a friend last year and I'm looking forward to adding them to the garden.







Seasonal annuals

To keep the garden looking current and suited to the weather conditions, add annuals at the start of each season.

Last summer I grew basil,

sunflowers, marigolds and nasturtiums from seed. Here are my top picks for any garden.

IN SPRING plant pansies, as they don't mind a light frost and a cooler temperature.

IN SUMMER add geraniums and

wax begonias for classic blooms.

IN FALL add chrysanthemums and ornamental kale for warm autumn colour.

Companion gardening

I grow yarrow in bunches in beds and pots. I grew mine from seed and they took two years to flower but were worth the wait, as they attract beneficial insects into the garden.

The fennel and blackberry bushes in the back corner are adored by bumblebees and butterflies, while the nearby sunflowers attract birds, too. Marigolds have a strong scent which keeps critters away. Grow them like a floral guard around the perimeter of beds or scatter through.

Nasturtiums have long stems that creep easily, and bountiful flowers which help camouflage ground beetles and ladybugs. They are also decoys who lure pests from other plants.



Use Genovese basil in the vegie patch to enhance the flavour of tomatoes



PROPAGATE CHOCOLATE MINT

Chocolate mint self-sowed one year and spread from stems that reached from a pot to the ground, so I propagated it in late summer. I used it to fill an empty spot that needed a low bunchy creeper but made sure it was contained in the bed.



1 CUT older growth of fleshy stems about the length of a pencil using secateurs. Cut more than you think you will actually need.



2 SOAK the cuttings in a clear glass jar of water and leave inside until they strike roots. Check the water level regularly and top up when needed.



3 PLANT into soil improved with compost. Make a hole twice the size of the bunch, plant and fill around with soil. Pat down lightly and water in.


Easy upcycling

On a quest to keep the urban garden theme alive, I have taken cinder blocks that were lying around the backyard, filled them with soil and used them as planters.

The cinder block planters line the back fence and act as pots along the low wall left over from the old house, which over a century ago sat where the garden is today.



TEA TRICK Add tea to compost or throw leaves onto garden beds for a nitrogen hit and soil conditioner, and to promote worm activity.



bloomersThese plants

These plants grow well in well-drained, slightly acidic soil.

CHINESE WITCH HAZEL

The cultivar 'Jelena' flowers in mid to late winter and bears

Cold weather

yellow to orange flowers.

CYCLAMEN HEDERIFOLIUM

is a species of hardy cyclamen with
dusty pink to white flowers that
grows and blooms in winter. Grow
under a tree or in a shady spot.

Winter landscape

With temperatures dropping below zero degrees Celsius here in the winter, plants were chosen for their hardiness, flowers and capabilities as companion plants.

While I've lived here, the garden has sat in a state of winter dormancy. With plenty of snow cover, there hasn't been much to do outside.

But I have learned that there are trees and shrubs that thrive in the colder months and it is in fact possible to have a winter garden.

I've already started making plans for a winter garden next year and started looking for the perfect outdoor fireplace, making my garden a four-seasons backyard.



READERS' DIY Outdoor projects



Jason and Malien's steps

When Jason and Malien de Vries bought their first house in 2009. it was in a terrible state and needed a lot of work.

It's been a labour of love over the past five years, and now with three kids in tow, they tackled a landscaping issue.

'Our house is on a steep hill and we have many steps to climb to reach the front door. They were very steep, uneven and falling away, so it was tough going for our grandparents to come and see us,' says Malien.

'We decided to widen the path and space out the steps. My husband and I poured all the concrete ourselves and built a retaining wall so we could add a strip of garden along the path.

'To finish it off, we installed a fence and planted buxus hedging and standard daphne plants. We're so happy with the results.'



Send us photos of your DIY project for your chance to win \$300 and have it published in Australian Handyman. Take high-resolution before and after photos, plus one of yourself, then submit them online at handyman.net.au/win.



Peter's screen

One side of Peter Lloyd's property overlooked the neighbour's living space, so after deciding to create a Japanese-style garden, the idea for a screen started to form.

'To go with the garden theme, I researched building a traditional Japanese Torii gate,' says Peter.

'It's a simple design and I wanted it to be good quality, so I used Australian hardwood and bamboo, then finished it off with a marine-grade varnish.

'These gates are usually frames at the entrance to a shrine, but I installed a door to create an effective screen. I just painted and varnished a cheap interior door.

'I completed the look with slate-look concrete pavers, river pebbles and stone ornaments.

'Both sides of the screen are finished neatly and we planted clumping bamboo either side.'

Joy and Michael's deck

As there was very little shade in the backyard at Joy and Michael Williams' new home, it was underused. So the couple decided a deck and pergola extension was what they needed.

'I wasn't convinced our space was big enough for an undercover entertaining area, but we weren't able to enjoy the garden throughout the summer,' says Joy.

'We bought an outdoor kitchen for \$250 and a four-burner barbecue for

\$169 on clearance. We added a sink, power point, fan and lighting, with the tradies costing \$1000.

'Michael worked very hard in the evenings and on weekends for five weeks. I love building stuff, too, and helped to nail down the merbau decking boards using a measuring tool Michael made to ensure the boards were evenly spaced.'

They now have a great outdoor space for parties and family barbies.



Adding a deck and pergola turned the backyard into an alfresco entertaining area



SEE THE WORLD

Designer destination



◆ Garden designs can be traditional like this Japanese tea house display.

This award-winning design Cube, by Darin Bradbury, is bold and contemporary.

Inspiring show

Every year, as the first hints of autumn colour the trees, travellers from around the globe head to Victoria, Australia for the Melbourne International Flower & Garden Show (MIFGS).

Considered to be one of the top five garden shows in the world, it attracts over 100,000 visitors annually to the World Heritage-listed Royal Exhibition Building and Carlton Gardens (melbflowershow.com.au).

Within walking distance from the CBD, this is a show for everyone, young and old.

This year, the show runs from 29 March to 2 April.






Handyman BUYER'S GUIDE

Take the DIY option for your home improvement projects by choosing the best tools and equipment from our market round-up









rpc.com.au 02 6689 1430

Check our website or call us for a quote. installation.

ROINBOW
POWER
COMPONS





Handyman BUYER'S GUIDE







FROM THE PEOPLE WHO MAKE CHEMICALS FOR THE PEST CONTROL INDUSTRY

DIY" Termite Baiting System and White Ant Termite Bait

Finally, a complete "DIY" TERMITE treatment. No more pest controllers needed. As easy as 1-2-3.

- 1 Install Superway Termite Baiting Stations around your property & inspect for activity every 2-3 weeks.
- 2 As soon as the Baiting Stations become active, apply the Termite treatment to the station. (Superway owned & APVMA approved)
- 3 Termite colony destroyed re-use **Baiting Station**

FOR A FREE INFORMATION PACK. **SEE CONTACT DETAILS BELOW:**






We have lots of products to help you with weeds and pests. Check out our whole range on our we

www.superway.com.au

1300 302 938





TEMPORARY POOL FENCING & GATES SAFE AND EASY



Temporary Pool Fence Bracket Kit



CONSTRUCTION: Save on temporary fence hire costs by using your own fence panels and gate prior to permanent installation.

IDEAL FOR TEMPORARY POOLS:

Use during the summer, then remove, reposition and reuse as required.



SUNNINGS warehouse



Are you renovating your home at the moment?

Do you need a reliable electrical company?

FREE quotation on request.

Sydney Area.

Please Phone 0468 366 182 Email info@westcork.com Web www.westcork.com.au

Lic. No. 297332C ABN; 91 610 783 536







Handyman BUYER'S GUIDE

Reach one of the most receptive purchasing audiences available.

For bookings or enquiries contact Alek Jovanoski on (02) 9018 6255 or email alek.jovanoski@rd.com







ALYOGYNE 'DELIGHTFULLY DOUBLE'

is the world's first double-flowering variety of Alyogyne. From early summer to late autumn, it is covered in masses of lovely soft mauve-pink blooms.

It is fast growing, reaching 1.8m in height and spreading to 1.8m, so it is ideal for use in new gardens. And as it responds well to pruning, it is also a great choice for an informal screen.

Give it a position in full sun or part shade in free-draining soil, and use a controlled-release fertiliser for natives.

Extremely tolerant of drought, heat and humidity, 'Delightfully Double' has low water requirements.

Prune this easy-care shrub after flowering for more blooms next season.

Information courtesy of Plants Management Australia (pma.com.au).

To-do list

Tackle these early-autumn jobs in the garden.

- TAKE hardwood cuttings of roses in subtropical and tropical zones.
- ✓ SPRAY grass with insecticide to control lawn grubs and other root-eating pests.
- ✓ WATER established roses regularly and check for pests and diseases.
- ✔ BUY trees and shrubs for autumn foliage while they are in colour in temperate zones.
- ✓ APPLY an autumn fertiliser to lawns.
- ✓ RE-POT indoor plants in subtropical/tropical areas.
- ✓ LIFT and divide chives in cool climates.
- LIME lawns and beds in gardens with acid soils.



MAKE VEGIE STAMPS

You can create wrapping paper, gift tags and greeting cards using vegies and fruit such as celery, radicchio, star fruit, capsicum, brussels sprouts and okra.

All you need for this project are stamping ink pads, plain wrapping paper, art paper and blank cards.



OKRA RADICCHIO STAR FRUIT BRUSSELS SPROUT CELERY

1 Cut the stamp

To make the stamp, cut the vegetable crossways to reveal the cross-section. Stand the vegetable cut-side down on paper towel to blot the excess liquid. Cover the cut side of the vegetable with stamping ink, then make a few practice stamps on scrap paper.




2 Create the pattern

Lay a folded tea towel under the paper or card to soften the surface. On paper, stamp a repeat pattern and for a card, use a single stamp. On cards, radicchio and celery form striking single motifs. On paper, celery makes a rose-shaped stamp and okra tiny round shapes.

BOOK CLUB

In his latest book, Paul Bangay's Country Gardens (Lantern, \$80), this renowned landscape designer takes us on an exclusive tour of 20 of his favourite country estates.

Beautifully photographed by Simon Griffiths, Paul gives us an insight into the planning process behind each garden and describes how he created the gardens to reflect the changing seasons.



Prune now

Get these plants into shape after flowering and fruiting.

- **BUXUS**
- **WESTRINGIA**
- MURRAYA
- STONE FRUIT

• HYDRANGEA

Hydrangea

Harvest now

These vegetables and fruits are ready to be picked.

- BANANA
- O FIG
- O POTATO
- O TOMATO
- ZUCCHINI



Feed now

Give grass and flowering plants an autumn boost.

- **OLAWNS**
- ROSES
- **OCITRUS**
- GARDENIA
- HIBISCUS







...Lithium





RYOBI 36V GARDEN RANGE. POWER MADE EASY. IT'S MADE US NUMBER ONE.



One 36V Lithium Battery powers more than ten tools.









*Australia's best-selling battery-powered DIY garden range.







HELP THEM THRIVE

Sow seeds in autumn and winter, as peas like cool weather. In frosty areas, sow from late June until September.

- **POSITION** peas in full sun, with protection from wind.
- **SOIL** needs to be free-draining. Enrich with compost or cow manure. If acidic, add dolomite or soluble lime.
- **o SOW** seeds directly where the plants are to grow instead of planting seedlings, to prevent transplant shock. Water the ground well an hour before sowing.

Make a 50mm furrow and sow the seeds 50mm apart. Cover with soil and gently firm down. Keep the soil damp but don't overwater or the seeds will rot. The seeds should germinate in about 7-10 days.

- WATER regularly to keep the soil moist, once germinated.
- **FEED** with a soluble plant food when the flowers appear.
- MULCH lightly with sugarcane or lucerne hay to prevent weed growth.



Petite powerhouses
Peas are high in fibre and
bursting with nutrients.

They contain vitamins B1, C and K, as well as folic acid and vitamin B6, which are good for your heart. Peas are also rich in magnesium, iron and potassium.

If your kids aren't keen on store-bought peas, encourage them to help you grow them, then pick and eat them raw.



EXPERT SECRETS

You can keep peas in the fridge crisper for about a week, but they're much tastier picked fresh from the garden.



Harvest peas every few days for the sweetest pods.



PLANT IN POTS If you have a sunny balcony or courtyard, you can grow peas in a large pot supported by a teepee made from 2m high bamboo stakes.



Madd the stakes

Fill a 300mm pot with a premium potting mix. Insert the bamboo stakes in the mix about 50mm apart and 50mm from the edge of the pot. Tie the stakes together at the top with string or wire. Put the pot in a sunny position and lightly water the mix.



Plant the seeds

Plant one pea seed 50mm deep at the base of each stake. Keep the mix moist but not overwet to prevent the seeds rotting. Once the seeds have germinated, water regularly and you will be picking fresh peas in about 10 weeks.



GROW PEA SHOOTS You can grow pea shoots indoors in seed trays, punnets or any shallow container that is at least 50mm deep and has drainage holes. Young pea shoots are delicious eaten raw in salads and sandwiches or added to stir-fries.



Soak the seeds

Place the seeds in a bowl, cover with water and soak for at least 8-24 hours. Add 50mm of potting mix to a container and water lightly with a mist spray. Arrange the seeds close together on top of the mix.



Germinate the seeds

Cover the container with a lid or aluminium foil to provide darkness, keeping it covered until the seeds germinate after about 3-4 days. Remove the cover and place the container in a well-lit position.



3 Harvest the shoots

Water regularly with a mist spray for about a week until the shoots are ready to harvest. Pick as microgreens after the first two true leaves appear or when about 150mm high, cutting off at the base with kitchen shears.





Simply roll out, cover with soil and water



Available in

3
Garden
Varieties

Salad Vegetables Cottage Flowers Superfoods

Available at Bunnings & independent garden centres nationwide

www.mrfothergills.com.au



Pea and ricotta fritters

PREPARATION TIME 10 minutes COOKING TIME 25-30 minutes

Ingredients

2 cups (300g) fresh peas
1 tablespoon chopped fresh mint leaves
2 tablespoons chopped fresh dill
Finely grated zest of 1 lemon
2 eggs, lightly beaten
150g fresh ricotta
3 tablespoons plain flour

Salt and freshly ground black pepper 2 tablespoons olive oil Lemon wedges, to serve Rocket leaves, to serve

- COOK the peas in a large saucepan of boiling water for 4-5 minutes or until tender. Drain and roughly mash.
 ADD the mint, dill, lemon zest, eggs, ricotta and flour to the peas. Season with salt and pepper. Stir to combine.
- 3 HEAT 1-2 teaspoons of the oil in a large non-stick frying pan over a medium heat. Put 2 heaped tablespoons batter in the pan and spread out to form a fritter. Cook in batches for 3 minutes on each side or until golden and cooked through, adding more oil in between batches. Transfer to a plate lined with paper towel and keep warm. Serve the fritters with lemon wedges and rocket leaves.

Snow pea stir-fry


PREPARATION TIME 10 minutes
COOKING TIME 10 minutes

Ingredients

- 1 tablespoon soy sauce
- 1 tablespoon sesame oil
- 1 teaspoon cornflour
- ¼ teaspoon sambal oelek or chilli paste
- 1 tablespoon vegetable oil
- 1 red onion, sliced
- 1 yellow capsicum, sliced
- 1 cup (150g) raw unsalted cashews or almonds
- 1 tablespoon grated fresh ginger 500g snow peas
- 3 spring onions, sliced on the diagonal
- **1** WHISK together the soy sauce, sesame oil, cornflour, sambal oelek or chilli paste and ½ cup (125ml) water in a small bowl. Set aside.
- 2 HEAT the vegetable oil in a wok or large frying pan over a high heat. Add the red onion, capsicum, cashews or almonds and ginger. Stir-fry for 2-3 minutes or until the nuts begin to brown. Add the snow peas and spring onion and stir-fry for 2-3 minutes.
- **3 ADD** the soy sauce mixture to the pan and cook, stirring continuously, for 1-2 minutes or until the sauce thickens. Serve immediately. ▶



To cook snow peas, sauté in olive oil, add salt-reduced vegetable stock and simmer until tender-crisp



Bean, pea and mixed leaf salad

PREPARATION TIME 25 minutes **COOKING TIME** 10 minutes

Ingredients

150g snow peas, trimmed 200g green beans, trimmed 300g fresh peas in the pod, shelled 1 cup (50g) mixed salad leaves 4 slices prosciutto or pancetta, cut or torn into bite-sized pieces 3 radishes, trimmed and thinly sliced 200g goat's cheese, crumbled Salt and freshly ground black pepper

Dressing

2 tablespoons extra virgin olive oil

1 tablespoon balsamic vinegar Salt and freshly ground black pepper

1 BRING a medium saucepan of water to the boil, then prepare a bowl of iced water. Add the snow peas to the pan, return to the boil and cook for 1 minute. Lift out with a slotted spoon or tongs, allowing the water to drain off, then plunge into the iced water. Lift out and drain on paper towel.

2 RETURN the water to the boil and replenish the iced water. Add the beans to the pan, return to the boil and cook for 2 minutes. Lift out, allowing the water to drain off, then

plunge into the iced water. Lift out and drain on paper towel.

3 RETURN the water to the boil and replenish the iced water. Add the peas to the pan and cook for 3 minutes. Drain in a sieve, refresh in the iced water, then drain.

4 MAKE the dressing by whisking the oil and vinegar in a small jug. Season with salt and pepper.

5 ARRANGE the snow peas, beans, peas and mixed leaves on a platter. Scatter over the prosciutto, radish and goat's cheese. Drizzle with the dressing and season with salt and pepper and serve immediately.





RIANTA LEMONTIREE Add this assential citrus to your garden so

Add this essential citrus to your garden so you can pick the tangy fruit fresh on demand

WORDS CHERYL MADDOCKS

GROW TIP

Wait at least six weeks, or until new growth reveals the roots have become established, before feeding a newly planted lemon tree.

t's hard to imagine what we would do without lemons. While they can't be eaten whole in the same way as other fruit, such as apples, pears and oranges, lemons occupy a central place in our cuisine.

Fish certainly wouldn't taste the same without a squeeze of lemon and a Moroccan tagine without salted preserved lemons would lack zing.

Gin and tonic requires a dash of lemon, and if you overindulge, you'll need an early morning glass of warm water with a dash of lemon juice to refresh your liver.

Lemon trees also offer exceptional landscaping possibilities. They can be planted in beds or pots and have lovely glossy foliage and aromatic flowers followed by attractive ripening fruit.





Caring for citrus

Plant citrus in a sunny spot with shelter from wind, especially coastal winds. • **SOIL** Free-draining soil is essential. If it doesn't drain easily, make a 500mm high raised bed and dig in compost or well-rotted manure before planting.

• PLANT Water the pot and allow to drain. Dig a hole twice as wide as the pot and position the tree so the soil level is the same as it was in the pot. Backfill and water in with Seasol.

• WATER Until established, water thoroughly for six weeks, then water well 1-2 times a week, especially while the fruit is ripening. Apply to the outer perimeter of the branches.

• **FEED** Lemons need to be fed in early spring, early summer and late summer.

Add fertiliser to damp soil and water in. Use a complete citrus food, cow manure or blood and bone, applying to the outer perimeter of the branches.

• MULCH Lemon trees have shallow root systems and a mulch of lucerne hay, sugarcane or pea straw will keep the soil moist and prevent weeds.

Leave at least a hand's span clear around the trunk to prevent collar rot.



Grow in a pot

Potted lemon trees require regular watering, often daily in summer, and need feeding with a three-month controlled-release fertiliser in spring, summer and autumn.

Choose a large pot with a diameter of at least 40cm. Water thoroughly an hour or two before removing the tree from its original container.

O ADD a specialty premium potting mix, then position the tree in the new pot so that the soil level is the same as it was in the original pot.

• BACKFILL with potting mix, gently firming down the mix, then water in. Top up the potting mix if it sinks.





There are three main varieties of lemons grown in Australia, 'Lisbon', 'Eureka' and 'Meyer'.

What lemon tree you choose to grow will depend on your climate.

Mever

Not as bitter as other lemons, 'Meyer' produces an abundance of juicy, thin-skinned fruit.

It grows up to about 2.5m high, making it suitable for small spaces and large containers.

- © CLIMATE The most cold-hardy lemon, 'Meyer' tolerates extremes of both heat and cold.
- HARVEST Its main cropping time is winter, but fruit may be found on it throughout the year.



Ideal for pots, balcony gardens and courtyards, dwarf lemon trees are grafted

Dwarf varieties

dwarf lemon trees are grafted onto 'Flying Dragon' rootstock, which limits the growth of the tree to under 2m, but the fruit is still the normal size.

You can choose from dwarf 'Meyer', which reaches a height of 1.5m, dwarf 'Eureka', which is great for small backyards, as it only reaches a height of 2-3m, and dwarf 'Lisbon' which grows to 1-2m high.



Eco-Organic Garden Eco-Naturalure, \$24 for 150ml. ecoorganicgarden.com.au



Scotts Osmocote Professional Fruit & Citrus Potting & Planting Mix, \$11 for 25L. scottsaustralia.com.au



Citrus trees don't need annual pruning for fruit production, but they can be pruned into any shape you like after fruiting has finished.

If the branches become crowded, thin them out to allow in more light and increase airflow.

Old, neglected lemon trees can be rejuvenated in late winter by cutting them back to a framework of branches 1m from the trunk.

The ensuing new growth may be excessive. If so, remove all except a well-spaced selection of strong branches.



Citrus leaf miner

Silver trails on new foliage is the first sign of the larvae of this little moth tunnelling into the leaves.

SOLUTION Spray with Pest Oil or remove the infected leaves.

Scale insect Organically grown lemon trees are more resistant to insects and disease when healthy and well-maintained. Here's how to help prevent problems.

Fruit fly

Citrus leaf miner

The larvae of these tiny flies feed their way to the centre of the fruit, causing it to rot.

SOLUTION Use an organic fruit fly bait to protect the tree.

Scale insect

Sap-sucking scale gather on stems and can cause stunted growth.

SOLUTION Scratch them off with your fingernail, or spray with Pest Oil if there are lots of them.

Citrus gall wasp

These wasps lay their eggs in young twigs, causing swollen areas on the branches as the larvae develop.

SOLUTION Prune the infected limbs while the pupating wasps are inside.

Lack of nourishment

Insufficient water causes the fruit to drop or fail to develop, and yellowing leaves mean the tree needs feeding. **SOLUTION** Water regularly and

feed with a plant food for citrus.

Bronze orange bug

The nymphs and adults suck on the stems, causing flower and fruit fall.

SOLUTION Wear protective eyewear and gloves and remove the bugs. Spray in winter with Yates Success. >



Lemon delicious

PREPARATION TIME 15 minutes
COOKING TIME 20 minutes

Ingredients

50g butter, at room temperature

3/4 cup (170g) caster sugar

1 tablespoon finely grated lemon zest

3 eggs, separated

11/3 cups (330ml) milk

1/3 cup (80ml) lemon juice

1/4 cup (35g) self-raising flour

Sifted icing sugar, to dust

Cream or ice-cream, to serve

1 PREHEAT the oven to 180°C (350°F/Gas 4). Lightly grease six 1-cup (250ml) ovenproof dishes.

2 BEAT the butter, sugar, lemon zest and egg yolks using electric beaters for 3-4 minutes or until light and creamy.

3 ADD the milk gradually, stirring with a wire whisk. Stir in the lemon juice. Sift the flour over and gently mix to combine.

4 USE very clean beaters to beat the eggwhites in a bowl until soft peaks form. Fold into the batter using a large metal spoon, taking care not to lose any volume.

5 SPOON the mixture into the prepared dishes and put them in a baking dish. Transfer to the oven and carefully pour enough boiling water into the baking dish to come halfway up the side of the dishes.

6 BAKE for 20 minutes or until the puddings spring back when gently touched (they will still be pale). Dust with icing sugar and serve with cream or ice-cream.

SWEET COURSE

This luscious lemony recipe is taken from Desserts: 150 Fabulous Recipes (Reader's Digest, \$40, plus postage and handling).

To order a copy, visit shopreadersdigest.com.au

MAR

What's on this month

Head down to your local Bunnings this March to get some advice for your next D.I.Y. project



[SAT]

12 [SUN]

TILING & PLASTERING WORKSHOPS

Learn the skills needed to tackle your next job



[SAT]

19 [SUN]

WOODWORK WORKSHOPS

Get creative and build your own D.I.Y. project



18_[SAT]

19 [SUN]

OUTDOOR PROJECT WORKSHOPS

Head outside and start building with our tips



25_[SAT]

26 [SUN]

GROW YOUR OWN WORKSHOPS


Learn to grow your own edible plants

If you live in South Australia, speak to a team member or visit bunnings.com.au/yourstore for details about our great one-on-one D.I.Y. workshops. These workshops run from 10am to 4pm each Saturday and Sunday.

GARDENING WORKSHOPS

Find out how to start your new garden with helpful advice from our expert team members











A large and frameless glass mirror above the vanity is a more streamlined option than a wall-mounted medicine cabinet, especially in a small bathroom.

A mirror also helps reflect light and creates the illusion of more space.

Hanging a bathroom mirror is an easy do-it-yourself job, requiring no special tools or skills, only double-sided mounting tape and silicone.

Make sure to wear safety gear and use enough tape and silicone to support the weight of the mirror.


Spirit level
Packing blocks
Silicone
Caulking gun
Double-sided mounting tape
Safety glasses
Gloves
Pencil
Measuring tape

Masking tape









Prepare the back

Before you begin, remove any dirt and grime from the wall with cleaning fluid and a soft cloth. Attach strips of double-sided mounting tape in rows to the back of the mirror. Add a few beads of silicone between the rows of tape for added strength.



2 Mark the position

Use a pencil and spirit level to mark the side and base edges of the mirror on the wall. Here, the outside edge was lined up with the side of the vanity. Position packing blocks level with the marked base edge, securing to the wall with masking tape.



3 Install the mirror

Remove the tape backing, position the mirror on the blocks and push gently against the glass, starting in the centre and working out to the edges. This will spread the silicone and improve the bond. Attach tape in the corners, and leave the silicone to set for 24 hours.



IMWORKING RESPECT MY UNIFORM

Guide Dogs



Self-Closing Safety Gate Hinges











THE POWER TO DO MORE!







*Chargers and batteries come will a 3 year replacement warranty. Available at SUNNINGS warehouse