








# Make the Most of Your HCOA Membership

### Six Club Members Win Big in Vegas!

Choosing from more than 800 inspiring entries, HANDY editors handpicked six Top Tool Testers to participate in the 2010 National Hardware Show's HANDY Test Shop in Las Vegas, Nevada. These lucky DIYers received hands-on experience with the latest power tools, posted real-time product reviews right from the show floor and much more. Check out all of the action at www.Handy10.com.



Kenneth Fox of Tacoma, Washington, crafts fine furniture for friends and family and donates several pieces to his son's school fundraiser each year.



Mike Turner of Tucson, Arizona, uses his two welders and plasma cutter to craft various metalworking projects. He also has a talent for tile work.



Mark Schmitt of Mequon, Wisconsin, is an avid remodeler. He enjoys woodworking and projects that involve plumbing, electrical and mechanical work.



Jeff Carter of San Diego, California, enjoys woodworking and light remodeling. He operates a part-time woodworking business out of his one-car garage.



Charles Pherson of Brighton, Michigan, recently started a small handyman business. He has extensive plumbing, electrical and woodworking experience.



Vern Grassel of Otsego, Minnesota, started out as a cabinetmaker and then expanded his skills to include various forms of carpentry and fine woodworking.

PHOTOGRAPHY COURTESY CLUB MEMBERS

### **GREAT GIVEAWAY** February/March 2010 prizewinners

Bulldog 140 portable engine-driven welder and Viking Tribal autodarkening helmet from Lincoln Electric: Arnold Kelm, Spokane, WA

Check out this issue's Great Giveaway on p. 76.



Power MIG 180C welder and Viking Tribal auto-darkening helmet from Lincoln Electric:

Raymond Vanlanot, Indianapolis, IN

HANDY (ISSN 1531-569x) is published bimonthly by the Handyman Club of America, 12301 Whitewater Drive, Minnesota 55343-9447. To become a Club member, send \$18 annual dues to: Handyman Club of America, Box 3401, Hopkins, MN 55343-2101. For Canadian membership, please send \$36 Canadian funds (including 5% GST) for annual dues. Eighty-four percent of each year's dues is for an annual subscription to HANDY. Periodicals postage paid at Hopkins, MN, and additional mailing offices. Direct editorial inquiries to HANDY, Box 3401, Hopkins, MN 55343-2101. POSTMASTER: Send address changes to HANDY, Box 3401, Hopkins, MN 55343-2101. Canadian Post Publication Mail Agreement No. 40063731. Return undeliverable Canadian addresses to: HANDY, Stationn A, PO Box 54, Windsor, Ont. N9A 6J5. E-mail: returnsIL@imex.pb.com. Canadian GST registration number R131271496. Copyright 2010, North American Membership Group, Inc. All rights reserved. Produced in U.S.A. Volume 18, Number 3, Issue 100.



Get valuable bonus material and boost your chances of winning prizes from the Handyman Club of America at

# www.Handy10.com

**Exclusive Project Plans** 

The hardest part about being a *HANDY* editor isn't building projects; it's trying to explain how to build those projects in just a few printed pages. But with the help of www.Handy10.com, the editors can offer you additional information not included in the magazine. Through June and July, for example, you'll find a shopping list, more than 10 how-to photos and seven detailed project illustrations to assist you in building the "Double-Duty Shed" (featured on p. 34) in your own backyard.



- **Fountain Feature Overflow** Discover additional construction details for building the three projects showcased in "Simple Water Fountains" (p. 48).
- **Archived E-News** Wish you hadn't deleted yesterday's HANDY TOOLBOX? Find it and all other previously published e-newsletters at www.Handy10.com.
- **Twice the Chances to Win** Receive a double entry when you register for this issue's Click & Win and DeWalt Great Giveaway.
- **Featured Video** Learn how to improve your outdoor space by incorporating a trickling water feature.
- **More from the National Hardware Show** Did you miss the live product reviews posted by fellow tool testers at this year's show? No worries you can still read up on the action.


- **Voting for Favorite Member Projects** Check out this issue's HANDYWORKS department and have your say on who wins the Critics' Choice Award.
- **Deals & Discounts** Save on all things DIY with exclusive discounts and special offers from Handyman Club of America partners.
- **Tool Testing and Free Tools!** Learn about the Handyman Club of America's product-testing program and fill out your profile form today.
- **Member Mentors** Share tips and stories with fellow HANDY readers and get answers to your home-improvement questions on the HCOA online forums.

www.Handy10.com









### **FEATURES**

**Double-Duty Shed** 

Combine a storage space and a play place under one roof

42 Privacy With Panache

Screen neighbors' views and maintain an open landscape with strategically placed fence panels

48 Simple Water Fountains

Three distinctly different water features that are easy and affordable to make

### **DEPARTMENTS**

**CLUBHOUSE** 

8 100 and Counting HANDY's centennial issue

**WORKSHOP** 

**11** Easy Chair A laid-back approach to cottage-inspired seating

**BASICS** 

18 How to Use a Jackhammer Breaking up is easy to do — with this tool

**SKILLS** 

**21** Weather Wranglers Rein in the drafts (and your energy bills)

**METALSHOP** 

29 Metal and Flame A wall sconce you can customize to suit any style

54 Windshield Wipers What to do for a clearer view

**PROJECTS** 

**GARAGE** 

60 Bring in the Light Brighten every day with a garden window

**HISTORIES** 

92 Insulation's Creation The menagerie of materials that fill our walls

### **Web Features**

**Online Exclusives at** www.HandymanClub.com

**Metal Roofing** 

Install a metal roof like the one on our Double-Duty Shed By Dan Cary

Five keys for planting trees By Jenny Stanley

**Slatted Table** 

Build a side table to match our **WORKSHOP** Easy Chair project By Connie Bastyr

COVER PHOTOGRAPHY BY MARK MACEMON



## **Member Forum**

Member Benefits			. 2
Expert Answers			68
Tip Trader			72
HandyWorks			74
Great Giveaway!			76
Member Tested			78
Quiz			84

Find MEMBER MAIL online

# Trust your home to Morton.




### **Enjoy Soft Water Savings Today!**

Morton® System Saver® II Pellets help protect your family and home from costly hard water issues.

With its time release action, our patented System Saver® II formula helps your water softener work at peak performance and prolongs the life of your appliances and pipes. Your family will also enjoy the benefits of cleaner laundry, sparkling dishes, and softer skin and hair.

Morton Helps Your Home Work Better™





# Do It Right the First Time

### HOME PROJECT CALC

With the Home ProjectCalc, you'll save time, money and eliminate errors on your Home Improvement Projects

Unlike standard calculators, the Home ProjectCalc gives you measurements in Feet, Inches and Fractions. It is the do-it-yourself project calculator that will help you with all your home improvement projects - from fast measurements to accurate material estimates. It will soon become the handiest tool in your toolbox.

- Quickly calculate Linear, Area, and Volume dimensions
- Works in, and converts between, Feet, Inches, Fractions, Decimals and Meters
- Works as a standard math calculator
- · Dedicated functions give fast material quantities and costs for Paint, Wallpaper, Tile, Carpet, Concrete and more!

For the dealer nearest you, call today 1-800-854-8075 or visit...

HM-610

www.calculated.com

CALCULATED INDUSTRIES 4840 Hytech Dr., Carson City, NV 89706





Volume 18 ◆ Number 3 ◆ Issue 100

### EDITORIAL

Editor in Chief Larry Okrend Managing Editor Mike Berger **Executive Editor** Dan Cary Senior Editor Connie Bastyr Associate Editor Jenny Stanley Online Editor Gary Legwold Copy Editor Ami Johnson Contributor Bob Gould

### ART AND PRODUCTION

Executive Art Director Mark Simpson Art Director Michael Anderson Assistant Art Director Tracy Walsh Production Director Paula Reddy Production Coordinator Erin Nielsen

### **Membership Questions:**

### memberservices@HandymanClub.com

800-243-7679



**Group Publisher Newell Thompson** 

**Vice President Media Development & Production** Bill Miller

> **Vice President** Advertising Steve Clow

**Executive Marketing Director Bruce Revman** 

### **ADVERTISING**

### **Digital Sales**

Pat Perrotta, (646) 862-3903 pperrotta@namginc.com

### **NY and Southeast Sales Director**

Tuck Sifers, (646) 862-3911 tsifers@namginc.com

### **Western Sales Representative**

Mike Nelson, Nelson Outdoors Inc. (503) 968-2304, m.nelsonoutdoors@verizon.net

### **New England Sales Representative**

Scott Buchmayr, Buchmayr Associates (978) 462-6335, sbuchmayr@worldnet.att.net

### **Industrial Midwest Sales Representative**

Amos Crowley, Buchmayr Crowley Associates (440) 564-5255, amos@crowleymedia.us.com

### **Midwest Sales Representative**

Sommer Dockery, (312) 346-8857 sdockery@namginc.com

### AR, OK, TX, LA

Mike Austry, MJA Media (214) 252-9971, maustry@sbcglobal.net

### **Import Auto/Southern CA**

Dallas Marvil, Allman Marvil Inc. (310) 994-2536, dmarvil@allmanmarvil.com

### **DETROIT**

Jay Gagen, RPM Associates (248) 230-3777, jay@rpmassoc.com

### Shop@HANDY

Colleen Hobbs

(301) 482-1778, chobbs@meaghermedia.com


### **Direct Response Advertising**

Smyth Media Group, (914) 693-8700 Stephanie Delia, stephanie@smythmedia.com Randi Wisner, randi@smythmedia.com

This magazine is printed on paper that uses post-consumer, recycled fiber.







I hadn't gotten a compliment on my deck for years...

# Now that's all I get.

That's because I stained my deck with BEHR Premium Weatherproofing Wood Stain. The Advanced 100% Acrylic formula provides excellent durability and gives my deck complete protection from the sun, rain, snow and ice. I'll spend less time maintaining my deck and more time enjoying it... especially the compliments.


**BEHR Premium Weatherproofing Wood Stains and Finishes** 

(Available in Solid Color, Semi-Transparent and Transparent)











### Working your land is easier than ever.

That's because John Deere Compact Utility Tractors come with more easy-to-attach implements than any other. AutoHST™ makes our tractors as easy to drive as a car. AutoConnect™ allows you to hook up a mower deck just by driving over it. And AutoHitch™ lets you hook up attachments without ever leaving your seat. Add in over 150 attachments to choose from, and the decision to buy a John Deere Compact Utility Tractor should be completely automatic. To find out which one is right for you, visit your local John Deere dealer today.



JohnDeere.com



From snow to rain to hot sun, the elements can take their toll on beautiful wood. That's why you need the superior, long-lasting protection of Helmsman® Spar Urethane. It contains special ultraviolet absorbers to help protect wood from the fading effects of the sun. And as temperatures change with the seasons, its flexible finish expands and contracts to resist cracking. Harsh weather comes and goes. But with the protection of Helmsman® Spar Urethane, the beauty remains.










PHOTOGRAPHY BY TRACY WALSH PRODUCTION ASSISTANCE: VERN GRASSEL

Once Club member Scott Wallraff completed the weekend-getaway cottage that he designed and built with his wife, Cathy, and their daughter, Mary, he knew it was time for a new project: replacing the metal folding chairs with comfy, complementary indoor seating. Besides matching the cabin's North Woods aesthetic, the new chairs needed to be attractive and sturdy yet swift to assemble and easy on the wallet. Scott did such a great job on all counts that we asked him to share his design with *HANDY* readers.

Using dimensional pine, Scott designed the chairs' simple parts to be assembled as four basic units for quick, modular construction. That efficiency, along with the casual look of an Adirondack/Morris chair hybrid, makes this a great addition to any getaway spot — whether it's a cabin, a deck or your backyard.



To adapt the chair for outdoor use, we chose cedar and modified the measurements to fit the lumber's heftier (7/8-in.) thickness. Depending on where you plan to use your chair, you could make it from any type of wood; just be sure to check the exact dimensions of the material.

All parts are fastened with exterior-rated glue and deck screws. Be sure to bore pilot holes for all screws to prevent splitting. Add 1/4-in.-deep counterbores for the screws that will be exposed after assembly; you'll conceal the heads with shop-made cedar plugs later.

### **Assemble the sides**

The two sides (which ultimately become the chair's frame) are made from parts A through E (see cutting list, below). Out of the 2x3 stock, cut the four legs (A) to length. If you're using 2x6 boards (see shopping list, below), rip them down to 2-1/2-in. wide and round over the cut edges.

Cut crosspieces B and C to length, and cut  $1/2 \times 1/2$ -in. bevels in the outside ends as shown in the illustration. opposite. These parts will form the outer surfaces of the sides. Build a frame of two legs, one bottom side crosspiece (B) and one top side crosspiece (C), using a framing square to ensure 90-degree joints (photo 1, top right). Note that the top crosspieces will extend 7/8 in. beyond the back leg.

MA	TER	RIALS AND CUTTING	LIST
KEY	NO.	DESCRIPTION	SIZE
Α	4	Legs (2x3)	1-1/2 x 2-1/2 x 25 in.
В	2	Bottom side crosspieces (1x3)	7/8 x 2-1/2 x 24-1/2 in.
С	2	Top side crosspieces (1x3)	7/8 x 2-1/2 x 25-3/8 in.
D	14	Side slats (1x2)	7/8 x 1-1/2 x 15-1/2 in.
E	4	Inner side crosspieces (1x3)	7/8 x 2-1/2 x 19-1/2 in.
F	8	Seat slats (1x3)	7/8 x 2-1/2 x 21 in.
G	2	Side seat supports (2x3)	1-1/2 x 2-1/2 x 21-1/2 in.
Н	4	Horizontal supports (2x3)	1-1/2 x 2-1/2 x 21 in.
1	7	Back slats (1x3)	7/8 x 2-1/2 x 26 in.
J	2	Back rails (1x3)	7/8 x 2-1/2 x 20-1/2 in.
K	1	Backrest (1x4)	7/8 x 3-1/2 x 20-1/2 in.
L	1	Outer backrest support (1x3)	7/8 x 2-1/2 x 24 in.
М	1	Inner backrest support (2x3)	1-1/2 x 2-1/2 x 21 in.
N	2	Armrests (1x4)	7/8 x 3-1/2 x 27-1/2 in.

SHOPPING LIST
1x2 x 8-ft. cedar boards (3)
1x3 x 8-ft. cedar boards (7)
1x4 x 8-ft. cedar board (1)
2x3 x 8-ft. cedar boards (3)*
1-1/4-in. exterior-rated screws
2-1/2-in. exterior-rated screws
Exterior-rated wood glue
Exterior-rated finish
19 x 17-in. seat cushion
19 x 19-in. back cushion (see SOURCES ONLINE)
*Alternatively, you can buy one 2x6 x 12-ft. board and rip it into

2-1/2-in.-wide parts; then round over the cut edges using a

1/8-in. roundover bit, a file or a sanding block.



Attach a bottom side crosspiece (B) and then a top side crosspiece (C) to the legs, allowing a 7/8-in. overhang to extend beyond the back leg. The two side panels should be mirror images of each other — not identical. The inner side crosspieces (E) will be attached after the side slats.



For uniformity when attaching the side slats, use a 1-in. spacer between them as you bore the pilot holes and drive the screws. Tip: To save time changing bits on one drill, use two drill/drivers: one to bore and one to drive.



When attaching the seat slats to the side seat supports, use a 1/2-in.-thick spacer. Drill pilot holes and 1/4-in.-deep counterbores; then drive 1-1/4-in. screws.



Next, cut the side slats (D) to length. Flip the side assembly over and attach the slats, starting at 1-1/2 in. from each leg and leaving a 1-in. gap between the slats (photo 2, p. 13). Counterbore these pilot holes just deep enough for the screwheads to be flush with the wood. (Plugs will not be necessary because these screws will be hidden.)

To complete the side assembly, attach the inner side crosspieces (E) between the legs, aligning them with the slat ends. Fasten with two 2-1/2-in. screws at the ends of each piece.

### **Assemble the seat and back**

Two more panels (which are essentially squared-up frames covered with slats) make up the chair's seat and back. To construct the seat, clamp two side seat supports (G) between two horizontal supports (H) and adjust so they are square. Secure the joints using a 2-1/2-in. screws.



Align the seat edge flush with the front leg, resting the seat frame against the inner side crosspiece. Drive two screws through the frame into each leg.



Attach the second side, being sure that the outside surface of the chair is facing down. Note that the armrest support pieces extend toward the back of the chair.



After the backrest supports (L and M) are attached to the chair and to each other, toescrew into the insides of the back legs (using 2-1/2-in. screws) to enhance stability.




Clamp both armrests and the backrest in place before you start drilling pilot holes so you can be sure they are adjusted evenly. The fronts and backs of the armrests will have a slight overhang.


Install the seat slats (F), aligning the first and last ones with the seat front and back edges. Attach the slats with two 1-1/4-in. screws at each end. Add the other slats, leaving 1/2-in. gaps (photo 3, p. 13) between each pair except for the second and third slats — there you need a 1-1/8-in. gap for inserting the chair back. Round



www.ddtechglobal.com







over the front and back edges of the chair seat to a 1/8-in. radius, and plug all of the seat's counterbores before assembling the chair.

To construct the chair back, cut the back slats (I) and back rails (J) to length. On two of the slats, cut a 1/2-in. radius in one corner; these will be the top corners of the chair back. Lay those slats 20-1/2 in. apart (outside to outside edges) on your work surface; then place the other five slats between them, spacing them evenly. Square up the assembly, and using glue and 1-1/4-in. screws, fasten the two back rails (J) in place, perpendicular to the slats. See the illustration for spacing above and below the rails.

### **Assemble the chair**

Now you can connect the seat to the two sides. Lay one side on your work surface (outer side down) and attach the seat, making sure that the back of the seat is oriented toward the back leg (photo 4, p. 14). Next, lay the other side panel on the work surface with the inside facing up. Set the seat assembly on top, aligning front and back edges; drive two screws into each leg (photo 5). Insert a horizontal support (H) between the two front legs and one between the back legs. Secure each connection with two 2-1/2-in. screws.

To install the backrest supports, set the chair upright. Secure the outer backrest support (L) between the chair sides by driving two 2-1/2-in. screws into each back leg (photo 6, p. 15). Clamp the inner backrest support (M) to part L and fasten them together with four 1-1/4-in. screws. (All of these screws will need plugs, but the toescrew connection will not.)

Cut the armrests (N) and backrest (K). Add a 1/2-in. radius to the front corners of each armrest. Clamp the armrests to the sides, being sure to fit the backrest (K) piece between them (photo 7). Attach them to the chair, driving 1-1/4-in. screws into the tops of the side crosspieces (C and E) and the backrest supports (L and M) and into the tops of the legs.

There's no need to fasten the back panel to the chair; it's removable for easier transportation and storage. We made and installed wood plugs to cover screw holes (photo 8, above) and then added a clear finish, which brought out a warm, orange tone in the cedar, and a cushy cushion (see SOURCES ONLINE).

Once you complete a chair or two, sit down and enjoy your getaway and start thinking about your next project. In case you want a table to go with your chairs, we've provided a Web Feature article with plans at www.HandymanClub.com. •

### **SOURCES ONLINE**

For online information, go to www.HandymanClub.com and click on WEB EXTRAS.

### **Plow & Hearth**

(chair cushion; item No. 33650) 800-494-7544



# **How to Use a Jackhammer**

# A tough tool that's not just for tough guys by dan cary



PHOTOGRAPHY BY SCOTT JACOBSON AND PHIL LEISENHEIMER

### Don't let an old slab of

concrete stand between you and your dream patio or prevent you from adding a bathroom to your basement. Busting up a slab is hard work, but it's a job just about any DIYer can accomplish. And doing it yourself can save big bucks.

Demolition hammers are the tools of choice for busting up large areas of concrete. The biggest of these tools, called breaker hammers by manufacturers, are typically referred to as jackhammers. There are three common types of jackhammers you can rent: electric, gas and pneumatic. An electric jackhammer that plugs into a 120volt power source is the type you'll rent for most DIY projects. These tools exert 40 to 60 pounds of force and typically cost about \$90 for a one-day rental (cost varies depending on rental-center rates; see SOURCES ONLINE to find a rental center). For smaller jobs or work that requires more precision, consider a smaller demolition hammer (\$75 a day; see "Chipping Hammers," opposite).

Contrary to its tough-guy image, a jackhammer is not tough to operate. The weight of the tool and its mechanical action do the work. Improvements in vibration dampening have made most models relatively easy to handle (see "Breaker Basics"). Transporting and lifting the tool into position is often the biggest challenge. Most rental centers provide a specially designed two-wheel cart that makes it much easier to roll the tool and bits to the job site.

You'll probably have to contend with embedded rebar and reinforcement wire inside the slab. For dealing with these hidden challenges, a few tools worth having on hand are large wire or cable cutters and an angle grinder with a cutting wheel or a reciprocating saw with a metal-cutting



### **CHIPPING HAMMERS**


Not every job requires a full-size jackhammer. Smaller demolition hammers, often called chipping hammers, are a better choice for work that requires more precision or when you need to use the hammer in a horizontal position, such as when removing floor tiles. **Smaller demolition hammers exert** 5 to 30 pounds of force, depending on the size of the tool, and they typically weigh less than half as much as a full-size tool.

### **BREAKER BASICS**

A demolition hammer isn't a difficult tool to use. Here are the basic keys to success:

- Maintain a balanced stance.
- Keep the tool balanced in a vertical position.
- Don't lean on the tool; let its weight do the work.
- When removing an entire slab, start breaking with the bit positioned 6 to 12 in. from the edge of the slab.
- Make a series of holes about 6 to 8 in. apart until crack lines develop.
- Stop hammering and carefully tilt the demolition hammer and bit to pry chunks loose.
- When removing only a center area within a slab, start breaking in the middle of the area to be removed. Work toward the perimeter, and use a chisel bit to break along the perimeter line.
- Continue to create cracks and break up the slab until it is in pieces that are small enough to carry.





### **BITS FOR BREAKING**

The jackhammer bit you select depends on the job. A point bit is designed to break the initial holes and get cracks started. Chisel bits break up large pieces and make more controlled breaks along a line. Wide chisels are most effective when used close to the slab edge. Wide chisels are also used to scrape material off of a surface and to loosen soil. Spade bits are specifically designed to break up compacted soil.

blade. A large pry bar is handy for shifting and loosening large pieces. And a wheelbarrow will save you trips when it's time to haul debris.

A day with a demolition hammer is no picnic, but it sure beats using a sledgehammer. Remember to let the tool do the work. Break the slab into small pieces you can lift. It's easier to make more trips hauling small pieces than it is to make fewer trips with bigger, heavier pieces.

Demolition is exhausting, but it's also one of the most satisfying phases of any project. The results of your effort might not be pretty, but they'll serve as a not-so-subtle reminder that you're well on your way to completing an exciting construction project. •

### SOURCES ONLINE

For online information, go to www.HandymanClub.com and click on WEB EXTRAS.

**American Rental Association** 800-334-2177



"Fewer topcoats, better coverage, no compromise.

COLOR.

 Tim Wambach, KILZ primer user and pro painter for 25 years


That's why I use KILZ primer."

Professional painters know. Applying a quality primer over old colors helps you achieve your new color choice with the fewest

coats and least amount of work. The powerful KILZ Premium formula works magic on even the toughest color changes; dark over light colors or light over dark. For truer colors in fewer steps, choose KILZ Premium.

KILZ° The perfect start to a great finish°

www.kilz.com



# Weather Wranglers

Use caulk, foam and sealants to corral conditioned air and your energy bills

BY CONNIE BASTYR

### Despite great advances

in science and technology, one of the few things humans still can't control is the weather. Even so, with the right tools, products and strategies, it is possible to rein in its effects on our homes, our comfort and our utility bills.

When properly implemented, modern construction methods and materials have made new homes much more weatherproof than their predecessors. Yet whether your house is new or more than a few years old, you can enhance its comfort and energy efficiency with simple and affordable steps.

Much has been said lately about obvious (and more expensive) energy-saving measures such as replacing windows, adding insulation or buying new heating-andcooling equipment. We'll assume that those projects have been considered and implemented where possible. This article focuses on




# PROTECT YOUR HOME WITH DAP 3.0.

Protect your home from the weather by sealing your windows, doors, gutters and more with DAP®3.0° Advanced Sealants. Formulated with Kwik Dry® Technology, DAP 3.0 is ready for water exposure in just 3 hours, versus the 24 hours some brands require. Visit dap.com to see the family of DAP 3.0 products or visit sealyourhome.info for home weatherization tips.



# Weather Wranglers



During the cooling season, hot air seeps into a house; in winter, the heated air escapes through gaps, cracks and openings in various parts of the structure. Almost one-third of the breaches are found in floors, walls and ceilings.



Unlike insulation, which is used to block heat transfer, this posse of products helps to halt air leakage. For additional information about specific applications, visit www.HandymanClub.com and click on WEB EXTRAS.

minor measures that yield major results: specifically, rounding up airinfiltration problems and fencing in conditioned air. (For the lowdown on common culprits, see "Infiltration Information," p. 26.)

### **Problem places**

You can save 5 percent to 30 percent of the energy you use in a year simply by reducing drafts in your home, according to the U.S. Department of Energy. Besides lowering your energy bills, taking steps to block airflow can help to prevent moisture intrusion (and potential mold), pest invasion and even noise transmission.

To identify your home's weak spots, start with a visual inspection of the exterior. Check for holes, cracks and gaps in the cladding and around trim and at utility connections. Look at the



The smoke from an incense stick is a visible indicator of air intrusion. Air movement is most apparent when the outside air is cold; during the summer, the test works best if you perform it on the windward side of the house on a breezy day.

condition of caulk along window and door frames and at corner joints as well as the places where siding meets the foundation.


From indoors, the breaches are less visible. Some leaks can be felt (in the form of a draft or chill). To detect others, perform this simple test: Close all windows and doors and turn off the furnace; then start the clothes dryer and the kitchen and bathroom vent fans. This creates negative pressure (or a vacuum), which draws air in through gaps in the building envelope. To spot the air intrusions, pass a lit incense stick along window and door frames, baseboards, electrical boxes, ceiling fixtures, plumbing outlets, the attic hatch and any other penetrations — blowing smoke indicates a draft.



Carefully pry the trim from around a window. If you find that insulation is not installed correctly between the framing and a window or doorjamb (a likely possibility), fill the space with low-expanding foam; then replace the trim.



Apply caulk or low-expanding foam around the edges of electrical and cable boxes that are on your house's perimeter walls. Add foam gaskets before replacing the plate covers.



Be sure the attic access panel has a fixed layer of insulation on top to block heat transfer. To stop air leaks, you also need to ensure that the edges are sealed around the attic opening by adding a gasket (and latches if possible).

Although visual inspection and the incense test can identify fairly obvious air-infiltration problems, your home may have additional hidden (yet significant) weaknesses. A professional energy auditor can perform a complete evaluation to help you maximize your home's energy efficiency (see WEB EXTRAS).

### **Products**

Once you've found the voids in your building envelope, you must choose the right materials to fill them. Here's a primer on a few key products:

**Caulk** is intended for sealing cracks and joints where two planes meet or where different materials butt together. (If the gap is greater than 1/2 in., insert foam backer rod before applying caulk.) The most common caulks are latex, silicone and various blends incorporating the two. In general, latex is paintable (and should be coated when used on exteriors); silicone typically is not, but it's suitable for both interiors and exteriors. Silicone retains its softness and has greater elasticity.

**Foam sealant** fills larger voids and comes in polyurethane and latex formulas. One key distinction is that latex foam is lower-expanding and therefore better for use around window and door framing. Polyurethane foam is best to use in larger gaps and holes.

**Window glazing** seals the joints between glass and wood sash framing. A latex formula is more pliable as you work with it and can be primed and painted after the surface hardens. Oil-base glazing never hardens completely but can be painted right away.

Check manufacturers' recommendations for paintability, application restrictions, etc. Other products that can resolve air-intrusion problems are weather stripping, duct sealant (mastic) and metal tape.

### **Projects**


Although a single magazine article can't provide comprehensive coverage of weatherization fixes and modifications, here we can offer a few practical ideas for stopping the flow of air into and out of



Gaps around pipes are inevitable — and often overlooked as energy wasters. Whether plumbing penetrations are under the sink, through the attic floor or coming from a crawl space, fill around them with expanding foam.



In places where you can access the ductwork, look at all joints and along the seams. If they're not sealed (or they're secured with duct tape) remove the tape and reseal these points with duct mastic or metallic tape.



This illustration shows the proper way to seal around the band joist of a house that has a basement or crawl space. The closed-cell foam, sealed on the edges with expanding foam, provides an airtight seal and heat barrier. From the exterior, you can apply caulk or foam to fill gaps along the bottom edge of the sheathing.

your home. For additional tips, see "Energy-Saving Strategies" at www.Handyman Club.com and visit product Web sites or the U.S. Department of Energy (see SOURCES ONLINE).

### Interior areas

• Windows and door frames: Remove interior trim to check for insulation between the window

and rough opening. Apply lowexpanding foam if needed; then reinstall the trim. Caulk around the framing where it meets the wall.

- Electrical, cable and phone boxes located on perimeter walls: Apply caulk or foam around the boxes and in holes; then cover the boxes with foam gaskets.
- Baseboards: Remove baseboards on outside walls and apply


caulk (or backer rod and caulk) in the gap below the wallboard.

- Rim joists: If you have an unfinished basement or access to a crawl space, insulate the rim joists with solid poly foam and seal the edges with expanding foam.
- Plumbing and wiring chases: Apply expanding foam in openings visible from the attic or the basement or under sink cabinets.

# Weather Wranglers

### **Infiltration Information**

Air is essential. Fresh air, better yet. But when it comes to your living space, you don't want to inadvertently (or excessively) draw the outside air in to replace the air that you have heated or cooled. That inside/ outside temperature contrast creates pressure differences, which then generate air movement. Here's how it works:



On a windy day, air is pushed inside through cracks and gaps, raising interior air pressure. To balance the pressure, conditioned air escapes through openings on the opposite side of the house and toward the attic. It's enough to give you chills. — CB





Check these common air-intrusion points on the exterior of a house. Fill gaps that are larger than 1/2 in. with expanding foam or backer rod and caulk. Once the foam has cured, apply paint to protect it from UV damage. Smaller openings can be sealed with caulk alone. Paint is optional.

- Seams in ductwork: Where accessible, seal connecting points with metal tape or mastic.
- Attic hatch: Add insulation, a gasket and weight or latches to tighten the seal.

### Exterior areas

ART AND DESIGN

TECH

- Windows and door frames: Replace cracked or missing caulk. (Be sure to remove old caulk and clean the surfaces.)
- Concrete foundation: Fill cracks with concrete patch.
- Cladding: Check for cracks, gaps or holes and fill them with caulk (or patch with stucco patch).
- The joint between the foundation and the mudsill (or sill plate): Run a bead of caulk (or use foam) to seal the seam and fill voids.
- Chimney: Apply caulk along the edges where masonry and siding meet.
- Penetrations: Caulk around hose bibs, cable entries, electrical boxes, vents or other items that break the home's barrier. •



Read about what to expect from an energy audit and find additional fixes at www.HandymanClub.com.

### **SOURCES ONLINE**

For online information, go to www.HandymanClub.com and click on WEB EXTRAS.

### **Convenience Products**

800-325-6180 www.touch-n-seal.com

### **DAP Products Inc.** 888-327-8477, www.dap.com

### GE

866-275-4372 www.caulkyourhome.com

### Henkel Corp.

(Polyseamseal), 800-321-1733 www.polyseamseal.com

**U.S. Department of Energy** www.energysavers.gov





# DRAW A LINE. DARE MOTHER NATURE TO CROSS IT.

Whatever your project, there's a DAP® product for you. DAP offers a full line of superior, high-performance sealants that fill the cracks and seal the gaps to keep out air and moisture. And that helps you conserve energy and save money by making your home more energy efficient. So lay down the law with DAP and send Mother Nature on her way. Visit **sealyourhome.info** for home weatherization tips.

### **Customize this decorative candle** sconce to fit any décor

BY MIKE BERGER

# **Metal and Flame**

### Candles are a great addition

to almost any outdoor space — their flickering light enhances the ambience, and in the case of citronella candles, their aroma can help to ward off insects. Although many styles and sizes of candle holders are commercially available, it's more fun to design and make your own.

This wall-mounted candle sconce costs less than \$20 in materials. And with only four parts, it can be welded together in a matter of minutes. You can modify the simple design to suit many different types of décor: Cut round holes instead of the square openings, make it shorter or longer, change the profile of the top, choose a different type of finish — if you can imagine it, you can probably make it. In fact, the design possibilities are so numerous, you might be tempted to make more than one.

### **Cutting and welding**

Start by scribing the outline of the back plate onto a sheet of 16-gauge steel. (I used a 6-in.-wide x 18-in.-long sheet that's readily available at many home-improvement and hardware stores to make the back plate). Use a jigsaw outfitted with a metal-cutting blade to cut along the scribed line (photo 1, p. 30); then use an angle grinder to ease any sharp edges or points. In a similar manner, cut and smooth a 4-in.-square steel plate to serve as the candle base.


Use a rotary tool outfitted with a metal-cutting wheel to create the four square decorative openings in the back plate (photo 2). Work slowly to avoid deforming the metal, and use a file to smooth the cut edges.

Clamp a length of 2-in.-wide, 16-gauge flat stock that will serve as the candle support bracket into a vise so that 4-1/2 in. of the stock are clamped within the vise jaws. Use a hammer and slowly bend the stock to 90 degrees (see drawing, p. 32); then cut the short end to 1-1/2 in. (photo 3). Use some scrap lumber to help brace and position the support bracket so that it is 3 in. from the bottom edge of the back plate and centered from side to side, and weld it in position (photo 4, p. 31). If you're working with a wire-feed welder as I did, make sure to set both the wire-feed speed and the voltage to the appropriate settings for the metal you're working with so you don't inadvertently burn through the workpiece. If you're unsure about either setting, practice on some scrap metal first.

Hold the square candle base in position centered on the support bracket and tack weld it in place (photo 5). Check







Use a carbide-tipped scribe to etch your design onto the steel. Clamp your workpiece securely to the welding table; then use a jigsaw (with a metal-cutting blade) to cut the profile.




Use a rotary tool outfitted with a metalcutting wheel to create the four decorative square openings. Make your cuts from the back side of the back plate, and use a file to smooth the cuts.



Cut the candle support piece so that it is 4-1/2 in. long on one side of the 90-degree bend and 1-1/2 in. long on the other.



Locate the candle support so that it's 3 in. from the bottom edge of the back plate and centered from side to side; then use a scrap of 2x4 as a brace to help position the rod as you weld it to the back plate.



Weld the candle base to the candle support. Notice the scrap lumber that helps properly position the steel during the welding process.

to make sure that the base is level and then complete the weld. Cut a 3-in. length of 1/8-in.-dia. rod to serve as a candle support. Sharpen one end and weld the other end to the center of (and perpendicular to) the candle base (photo 6, p. 32).

Finally, wipe the sconce with mineral spirits to remove any oils or residue and then paint it. I used Rust-Oleum's Mineral Brown Stone Spray;









# **SOLVE HARD**Water Problems

Protect your family and home from the harmful effects of hard water using Morton® System Saver® II Formula Pellets – an easy solution for any homeowner.

Morton® System Saver® II Formula Pellets are created from high purity salt combined with resin cleaning additives. System Saver® II is complete with a patented formula that helps keep your softener clean, problem free and running longer.


### System Saver® II Pellets help to:

- Clean your softener with each regeneration
- Maintain your water softener efficiency
- Extend the life of your softener



Keep your water at its best with Morton® System Saver® II Pellets.

Morton. No One Knows Salt Like We Do™





Weld a 3-in.-long section of 1/8-in.-dia. rod that's been sharpened on one end to the center of the candle base. This piece will stick into the candle and help hold it in place.

you can choose from a wide variety of finishes, including hammered, antique, crackle and even mirrored, available from Rust-Oleum and other manufacturers. In fact, so many finishes and colors are available that choosing just one may be the hardest part of this project! •

### **SOURCES ONLINE**

For online information, go to www.HandymanClub.com and click on WEB EXTRAS.

**Rust-Oleum** 800-323-3584





Learn the SKILLS YOU NEED with PENN FOSTER

It's not a secret...there's a lot of money to be made in the building trades. Whether you're a home inspector, electrician, carpenter, or plumber, you can make a very profitable career doing a job you enjoy. And with Penn Foster, you can learn these skills in a matter of months.

### PENN FOSTER OFFERS TRAINING THAT IS:

### Affordable and Convenient

Your tuition covers all learning materials including textbooks, study guides, learning aids, and professional-quality tools. We offer 0% APR financing and customized payment plans to meet any budget. All your learning materials are delivered right to you, and you can study online, in print, or a combination of both. You decide which method suits your learning style and how quickly to complete your coursework.

### Supported

You work independently, but not alone. Expert instructors and a helpful support staff are just a phone call or an email away. And you can interact with other Penn Foster students through our online community, including social networks, blogs, and discussion groups.

### Accredited

Penn Foster Career School and Penn Foster College are accredited by the Distance Education and Training Council (DETC). Penn Foster Career School is also accredited by the Middle States Commission on Secondary Schools for its high school and vocational-technical programs. Penn Foster College is licensed by the Arizona State Board for Private Postsecondary Education.

### And Penn Foster Offers Career Services

Current students and graduates are notified — through their personal message boards — of job openings submitted directly to Penn Foster by employers from around the country. Graduates of Penn Foster can take advantage of Penn Foster Career Services, which include access to job searches, tips on interviewing, information on preparing a cover letter, and resume building with the help of a Certified Professional Resume Writer.

WON TO

To start today or to request your FREE information:

1-800-572-1607 ext. 2235 Call anytime, 24 hours a day, 7 days a week.

### Or visit www.PennFoster.edu

Online enter ID# PD9S5ZT

Or complete and mail the postage-paid card provided.

---- If card is missing, mail coupon to:-----



### **CAREER DIPLOMA PROGRAMS**

### **Building Trades**

- □104 Carpenter
- □06 Electrician
- ∃384 Furniture & Cabinet Maker ☐ 145 Home Remodeling & Repair
- □ 14 HVAC Technician
- □ 12 Interior Decorator
- □151 Plumber
- □102 Professional Landscaper

### High School

□07 Penn Foster High School

### Technology

- □54 AutoCAD®
- Electronics Technician
- PC Maintence & Repair Web Page Designer

### Health

- ☐381 Medical Coding & Billing 84 Pharmacy Technician
- ☐146 Physical Therapy Aide
- ☐461 Sports Nutrition
- Finance & Business ☐390 Bookkeeping
- □ 15 Home Inspector
- 70 Small Business Management

### Other Exciting Programs

- □56 Pet Groomer
  - Private Investigator
- □31 Professional Locksmithing
- □ 22 Wildlife & Forestry Conservation



Administrative Office 14300 N. Northsight Blvd., Suite 111 Scottsdale, AZ 85260 www.PennFosterCollege.edu


### **ASSOCIATE DEGREE PROGRAMS**

- Accounting
- Business Management
- ☐63 Civil Engineering Technology ☐ 418 Computer Information Systems
- □ 406 Criminal Justice ☐65 Electrical Engineering Technology
- □67 Electronics Technology
- ☐ 407 Graphic Design
- ☐ 409 Health Information Technology
- ☐412 Human Resources Management ☐62 Mechanical Engineering Technology
- ☐ 408 PC Maintenance Technology
- □ 396 Veterinary Technician

### Please send me FREE information on the Career School or College program I have selected. No obligation.

	GIDOSC ONE OHLY.
Name	Age
Street	Apt. #
City/State	Zip
Phone ( )	

Mail coupon to Student Service Center,\* Dept. PD9S5ZT, 925 Oak Street, Scranton, PA 18515-0700. \*Under contract with Penn Foster College, AZ



# DOUBLE-DUT

B Y DAN CARY

# My favorite projects

are the ones I design and build from scratch - making something just the way I want it. I don't know whether I'll ever get to design and build my own home, but I did experience the satisfaction of custom building on a smaller scale with this combination shed and playhouse.



I wanted to build a shed for myself and a playhouse for my kids, but I didn't want two small buildings in my backyard, so I decided to combine them. When the kids have outgrown the playhouse (which I'm afraid will be sooner than I'd like), I can remove the divider wall and have twice as much shed space. Or maybe I'll leave the wall in place and use the playhouse as my personal hideout (or doghouse, depending on who you ask in my family).

Building a shed from scratch takes more time than assembling a kit, but it allows you to practice basic construction techniques and try out design ideas and materials you haven't used before. Furthermore,




you can choose better materials and end up with a much higher-quality structure for less money than you would spend on a comparable kit. The cost for the materials to build my shed, including the base, was just over \$2,200.

#### **DESIGNING THIS SHED**

While designing the shed, I kept the style simple and chose a single-slope roof that would be easy to build and would complement my ranch-style house. A divider wall and separate doors make the shed a dual-purpose, two-room structure. Although the tallest wall is typically the front of a single-slope-roof shed, I rotated the design 90 degrees and made one of the sloped walls the front, an approach that worked perfectly with the adult- and kid-size doors (see photo, opposite).

I didn't want the shed to look isolated or to stand out as an obviously new feature in my backyard. The easiest way to make something look like it's been part of the landscape for a long time is to surround it with large mature plants, but that wasn't in my budget. So I looked within the most established areas of my backyard landscape for a suitable location. I cleared a site that was flanked by an evergreen and a large stand of lilacs. The mass and maturity of the evergreen and lilacs give the shed a grown-in feel. I then filled in around the rest of the shed with rocks, smaller plants and shrubs.



clad with 3/8-in.-thick siding panels, and the roof is sheathed with 3/4-in.-thick plywood. The interior divider wall is built so that it can be easily removed later. It is framed with 2x4s spaced 24 in. OC. The playhouse interior is clad with 1/4-in.-thick paneling.

> make the short side wall 6 ft. tall; then, using a 3:12 roof pitch (the minimum recommended for the roofing material I had chosen), I calculated the height of the remaining walls. (See Web Extras for complete framing plans.) Note: Before you start designing, check with your city inspections department for construction and setback requirements.

In addition, a few of the shed's features help it blend into the landscape. First, the sloped roof matches the slope of the backyard. Second, the dark body color is a couple of shades darker than my house trim color, and it blends with the surrounding foliage colors. The brown-stained trim ties in with the woody parts of the trees and shrubs. For a final integrating touch, I pushed an existing boulder close enough to the shed that I had to build the front edge of the deck landing around it (see top photo, p. 35).

The footprint of the shed was dictated by the limited space available. I didn't want it to be any taller than necessary, but I also didn't want to crouch inside it. I chose to

#### **BUILDING THE BASE**

The foundation is relatively easy to build because small sheds typically aren't required to have footings. The base should be level and feature some type of solid perimeter that the walls can be anchored to. If you are building on

ILLUSTRATION BY TECH ART & DESIGN

the construction of this shed, go to

www.Handy10.com




Attach the top and bottom plates to the outside studs; then install the full-height interior studs, the horizontal framing and finally the cripple studs (the short vertical framing members that fill in above and below window and door openings).



Drill 3/8-in.-dia. starter holes in the corners of all window and door openings. Use a jigsaw to cut the openings. Don't cut through the bottom plate — you'll use a handsaw or reciprocating saw to do so after the wall has been installed.



Paint the exterior of the walls. When the paint is dry, recruit a helper and raise the walls onto the platform. Check that each wall is plumb and square before you screw it to the other walls and to the deck framing. Attach the back wall first, then the side walls and finally the front wall.



Position one of the rafters over the back wall. Mark the sidewall locations and measure the distance from the top of the back wall to the top of the tall side wall to determine the height of the bird's-mouth notches. Cut the notches in one rafter and then use it as a template for the others.

level ground, you could construct a low deck, pour a concrete slab or simply build a timber frame for the perimeter and fill the interior area with pavers or compacted gravel. I think a low deck is the easiest approach to a sloped site, so that's what I built.

The deck is supported by a row of solid concrete blocks under the front and back rim joists. Each block rests on a 6-in.-deep bed of compacted gravel. The ground slopes down roughly 8 in. from the back of the shed, so I dug the holes for the back blocks roughly 8 in. deeper than the holes for the front blocks. Then I adjusted the depth of the gravel until all of the blocks were level.

The rectangular deck, framed with

2x8s, supports the shed. I also framed a small landing that is attached to the main deck and supported by a couple of additional concrete blocks. For the interior floor I used pressure-treated plywood, which is easy to clean and will keep most unwelcome intruders, such as insects and small animals, out of the playhouse. The landing is clad with cedar deck boards.

#### FRAMING THE WALLS AND ROOF

You can cut a lot of corners when you're framing a building that is considered a temporary structure. The manufacturers of shed kits include only the minimum amount of materials necessary, and that makes sense from a retail-sales standpoint. But the little bit of money I'd save by leaving out a few pieces of framing and using smaller-dimension materials isn't worth the time it would take me to determine which pieces to leave out — and the structural strength I'd sacrifice. I'd rather stick with standard framing practices, especially for a structure that my kids will be playing in.

It's often easiest to frame the walls on the deck and then raise them into place. But I was building around a lot of established plants, so rather than risk destroying the landscaping, I built the walls on sawhorses set up in another part of the yard. I framed the sides and back wall with 2x4 studs spaced 16 in. OC. Both side walls also feature a top plate that extends 18 in. beyond the front wall. This extra



# LESSON LEARNED



Installing the shed's metal roof taught me a hard lesson about the importance of positioning the panels so that the rake (angled roof edge) flashings connect correctly. The rake or gable flashing is designed to contact and fasten to a specific section of the roof panel (either on a ridge or on a flat section between the ridges). If you simply attach the roof panels and cut the overhanging excess off of the last panel, the rake flashing may not fit correctly. In that case, you'll either have to order a different style of flashing (which can take a couple of weeks to arrive) or do what I did: remove all of the screws, shift the panels and trim the opposite overhanging edge so that both rake flashings fit (not a fun process).

To avoid this mistake, lay the panels out on the ground, check how the flashing is designed to fit and then determine how much to trim off. You might be able to cut the excess off of one panel, or you might have to split the difference and cut some off of both rake-edge panels. — **DC** 

length supports the fly rafter and roof overhang on the front of the shed.

Building the front wall wasn't as easy because it contained the roughopening framing for three windows and two doors (photo 1, p. 37). I added vertical framing members at 48 in. OC where the siding panel seams would be located.

Rather than raise the walls and fight gravity, I attached the siding, cut out the window and door openings (photo 2) and painted the siding before I raised the walls. I used Louisiana Pacific SmartSide panels, which serve as both the sheathing and siding.

You'll need a helper to raise the walls. Secure each wall to the deck framing and the adjoining walls (photo 3). Check each wall to be sure that it is plumb and square to the adjoining wall.

The roof is framed with rafters that rest on the side walls. A bird's-mouth notch is cut in each rafter where it rests on the side walls (photo 4). Attach the rafters to the top of the side-wall top plates (photo 5, above), and attach blocking between rafters.

### INSTALLING THE METAL ROOF

Any roof material that is used on a house can be used on a shed. I chose metal panels (roughly double the cost of asphalt shingles) because they have a commercial appearance that works with the shed's style. I was also interested in learning more about this product, which has become increasingly popular in residential structures.

Exposed-fastener metal roofing is relatively simple to install (see photo 6 and Web Extras), but figuring out all of the seals, screws and flashing components you need can be a little con-

fusing. Most home centers sell this type of roofing and should be able to help you determine what you need.

The panels and flashing components are made from 24- to 30-gauge steel. The panels are typically 3 ft. wide and are bundled and shipped in stacks that are very heavy and awkward to handle, so it's worth the money to have them delivered to your house. Once you remove the strapping, a single panel can be lifted into place by two people. Most metal roof systems include instructions on how to handle and install the components. (See "Lesson Learned," above, for a tip you won't find in the manual.) It only took an afternoon for me to install the roof.

#### **BUILDING WINDOWS AND DOORS**

With the roof in place, I moved on to the windows and doors. I installed a prehung out-swing steel door in the







The faces of the small door are attached to a 1x4 wood frame with exterior-rated glue and 1-in. brad nails. The outside face is the exterior siding, and the interior face is the 1/4-in. interior paneling used on the playhouse walls.



**Secure the window frames in the openings with 2-in. screws.** Then install an acrylic panel and interior trim pieces. (If you prefer, you can install screening instead of acrylic.) Finally, attach the exterior trim boards with 2-in. galvanized finish nails.

large opening. Because the deck boards on the landing are 1/4 in. thicker than the plywood, I installed the door on top of a piece of the siding material, which raised it enough that it could swing freely over the deck boards. (I accounted for this during framing by making the rough opening 1/4 in. taller.)

For the playhouse, I made a small custom hollow-core door using a piece of siding panel for the exterior face, 1x4s for the core frame and a piece of interior paneling for the interior face (photo 7). I was careful to position the exterior face so that the grooves aligned with the grooves on the shed siding.

Next, I built the eight window frames out of 1x cedar and pine. To speed up construction, I designed the shed so that seven of the windows were the same size. I stained all of the

window frames before installation (photo 8). I installed screens in the windows that are most protected by the roof overhangs and acrylic panels in the other frames.

The window, door and corner trim is made from 1x3 and 1x2 cedar. All of the trim pieces intersect with simple butt joints. To make finishing easier, stain all of the trim before attaching it to the shed.

#### FINISHING TOUCHES

The divider wall inside the shed isn't structural; it simply separates the two spaces. I framed it with 2x4s and attached 1/4-in. paneling to the playhouse side. I used the same paneling on the rest of the playhouse walls. I also built a couple of 2 x 4-ft. platforms for the kids to sit on and under. (Rather than do too much inside, I wanted to let the kids decorate it as

they like.) On the shed side, I left the studs exposed and simply installed a few hangers for garden tools.

You can find plans online (see Web Extras) for the shed that I built. However, I encourage you to use the information only as a starting point. Modify the plans to suit your needs, or create a new design that's perfect for your yard. Don't be afraid to add a few custom features that you enjoy. This is your opportunity to build a structure exactly the way you want it. Maybe one day you'll get to build the home of your dreams, but in the meantime, have fun building your dream shed. •



To find plans for more sheds, go to www.HandymanClub.com and click on WEB EXTRAS.





Over 200 stores nationwide! For a FREE catalog or a store near you call 1-800-HARDWOOD or go to lumberliquidators.com. Gift certificates available.



DEFINE your outdoor space with this REFRESHING take on a CEDAR FENCE by Jenny Stanley



# You don't have to build

a gigantic wooden enclosure to gain more privacy in your backyard. With just a few simple-yet-stylish cedar panels strategically placed among soft evergreens, you can create a charming divider that provides personal space while maintaining an open landscape design.

This three-panel project can be built on-site and installed in a few easy steps. It requires less material and work than building a full-size fence, so you'll save both time and money. But before you can begin the construction process, you must first nail down a few details.

For starters, figure out where you'd like to place the structures. Consider drainage: Stay clear of areas that tend to collect water. Also take stock of your sight lines. Determine which

potential positions will offer the most privacy without blocking your favorite views. Finally, consult city officials regarding your plans and obtain a lot survey. Be prepared to make adjustments to the project to suit your area's building codes. It's also a good idea to inform your neighbors before you start digging.

When it comes to materials, you have myriad options. We chose cedar because it's readily available, naturally weather-resistant and affordable. Refer to the shopping and cutting lists and the illustration on p. 44 to determine the amount of cedar you'll need to build the three 8x6-ft. panels shown in this article. Landscape designer Scott Reynolds of Minnetonka, Minnesota, who designed this project, recommends inspecting boards carefully before you buy to make sure that


every piece is straight, which will ease the construction process and ensure warp-free fence panels. Other durable fence materials include composite, vinyl and steel.

# **Setting posts**

Once you've taken the preliminary measures and purchased materials, kick off the project by locating your property line. Most residential areas are equipped with underground stakes that mark the corners of each lot; refer to your lot survey for their locations. (You may need to hire a surveyor for this step.) Insert your own stakes next to the property markers and connect them with bright-color string (photo 1, p. 46). This will help you to visualize your yard's boundary. Many city codes require some breathing room between a property line and any struc-



# Fence Panel Construction



# "For this project, it's especially important that you use straight cedar boards. Keep that in mind when purchasing your lumber."

- Scott Reynolds, landscape designer

measure this distance and move your stakes and string (or add another set) accordingly. All fence panels will back up to this new line.

Use spray paint or another visual aid to mark your post placement (photo 2). Each fence panel has two 4x4 posts spaced 8 ft. apart from outside edge to outside edge. The distance between fence panels can vary depending on your preferences. For this project, the panels are spaced 8 ft. apart.

Dig an 8-in.-dia. x 2-ft.-deep hole for each post (photo 2 inset). Reynolds recommends marking your

ture that you build in your yard, so digging tool at 2 ft. to provide a visual depth reference as you work. (Note: If you are attaching the fence panels to a permanent structure such as your home, you may need to set the posts below your area's frost line; check your city building codes.)

> Next, place a 4x4 post in the center of each hole and add about 4 in. of soil around all sides to hold it in place (photo 3). Check that the post is level before tamping the dirt with the end of a 2x4. Once all of the posts are secure, mix the concrete and continue to check that the post is level as you pour the concrete into each hole. Reynolds suggests protect

ing the posts with plastic wrap to prevent the concrete from staining the wood (photo 4). Work out any air bubbles; then smooth the surface. Allow the concrete to set according to the package directions.

# **Building fence panels**

With the posts in place, you can start building the fence panels. Measure and cut the wood as you build rather than all at once so you can make slight size adjustments as needed. (This is particularly important if your yard slopes.) Drill pilot holes for every screw to prevent splitting.

Construct the bottom-rail assembly first. Draw a line along the top of the rail (B) 5/8 in. from the edge that will face your yard. Attach the backer board (C) along this line as shown in photo 5. Secure this assembly 1 in. above the ground between the 4x4 posts (photo 6), and be sure to check



# Create the Ideal Shaded Retreat...

Turn your deck or patio into your own personal "vacation spot" — perfect for relaxing, dining, and entertaining ...

SunSetter Retractable Awnings provide cool shade and protection for your family and guests, instantly. One touch of a Remote Control and your SunSetter opens, quietly and effortlessly, blocking harsh sun and 99% of UV rays. It can be as much as 20° cooler under your awning. Perfect for parties, with far more shade and protection than a patio umbrella, these beautiful, affordable "outdoor rooms" help reduce energy bills and air conditioning costs as well. SunSetter Awnings have earned the prestigious Good Housekeeping Seal after evaluation by the Good Housekeeping Research Institute.

We invite you to request a free Awning Idea Kit and DVD and learn why SunSetters are the #1 best-selling awnings in America. Our wide selection of designer color choices assures that you'll find the ideal SunSetter for your home.



Motorized and Manual Awnings Available





## Your FREE Awning Idea Kit & DVD is waiting for you...

Request your kit in any of 4 simple ways:

- Call Toll Free: 1-800-876-8060, ext. 21304
   You can call 24 hours a day, seven days a week.
- Email to ideakit@sunsetter.com
   Be sure to include your full name and mailing address.
- Go to www.sunsetter.com You can request your Idea Kit and use our Dealer Locator.
- 4. By Mail: SunSetter Products, Dept. 21304
  184 Charles Street, Malden, MA 02148. Be sure to include your complete mail address and email address.


Respond to this ad to receive your \$200 Awning Savings Certificate.



Use stakes and string to mark your property line and the location of the fence panels.



Mark the post placement every 8 ft.; then dig an 8-in.-dia. x 2-ft.-deep hole at each mark.



Center and level a post in each hole, adding 4 in. of soil on all sides to hold the post in place.



Secure plastic wrap around the bottom of the posts to prevent staining. Fill each hole with concrete and work out any air bubbles.



For the bottom-, top- and middle-rail assemblies, mark a line along the top of part B 5/8 in. from the yard-facing edge. Secure part C along this line.



Install the bottom-rail assembly 1 in. off the ground.

that it is level. A couple of scrap 1x2s placed underneath the bottom-rail assembly will help to hold it in place as you drill holes and drive screws.

Construct the top-rail assembly in the same way and install it between the 4x4 posts so that the distance from the ground to the top of the top rail measures exactly 6 ft. (This is the typical fence-height limit for most residential areas.) You should now have a basic fence-panel frame.

Next, construct the middle-rail assembly using a rail (B) and backer board (C) as previously described. Use a slat (F) to mark the installation location of this assembly. The 12-in. slat should fit snugly between the 2x4s of the top- and middle-rail assemblies. Once the middle-rail assembly is



Add another part C under the middlerail assembly 5/8 in. from the yardfacing edge.

installed, attach another backer board to the underside of the 2x4 5/8 in. from the yard-facing edge (photo 7).

Now you can attach the fence boards (D). Working from the back, screw the fence boards to the backer boards of the middle- and bottom-rail assemblies (photo 8). You may need to use a hammer and scrap wood to pound the boards into place; make sure that the edges are flush. Rip the final filler board (E) to fit.

Install the slats (F) between the top- and middle-rail assemblies. Work from the back as you did with the fence boards. To simplify spacing, use one of the slats as a guide (photo 9). Rip the final filler slat (G) to fit.

Finish by installing four backer boards (C) along the back of the panel as shown in photo 10. These should cover all of the screws used to attach the fence boards and slats. After you've completed the fence panel, use a circular saw to trim the tops of the 4x4 posts so that they are flush with the top rail.

Spray or brush on a few coats of exterior wood finish. Be sure to check the label for how often you should reapply it to keep the panels looking good.

# **Planting trees**

To fill the spaces between fence panels, Reynolds recommends choosing soft evergreen trees that require minimal maintenance. For example, Techny Arborvitae (photo, right) boasts a soft look and feel and can



Working from the back of the fence panel, screw part D to the 1x2s of the middle- and bottom-rail assemblies.



Use part F as a spacing guide when installing the slats between the topand middle-rail assemblies.



Add four backer boards (part C) along the back of the panel to cover the screws that you used to attach parts D, E, F and G.

be trimmed to remain the same height as the panels. In general, groups of three are aesthetically pleasing, which is why Reynolds and the homeowners decided to plant groups of three trees between each pair of panels.


To allow for growth, be sure to plant the trees about 3-1/2 ft. apart and 2 ft. away from the fence panels. Reynolds suggests mixing nutrientrich potting soil with the soil from your yard when filling the holes to help hold moisture and give the trees a healthy start. (For an article about how to plant the trees used for this project, see WEB EXTRAS.) Pruning the trees is simple: Shape the outside branches with shears and clip the tops to the height you prefer. ◆








For plans and photos showing how to build these fountains, go to www.Handy10.com



# **SIMPLE**

**Create a custom water** feature that's perfect for your space

BY DAN CARY



# You don't have to have a large space,

a big budget or even big muscles to build a water feature into your landscape. Although large ponds and waterfalls are beautiful, you can achieve much of the same ambience (with much less work) by creating a small fountain.

Fountains are easier to build and maintain and much less expensive than large water features. And you can install them in locations where it would be nearly impossible to create a large pond, such as in a small garden or on a deck or balcony.


Designing your own fountain is probably easier than you think. There are only three functional components: a spout, a reservoir and a pump. The pump is hidden, so the flow rate is the main variable you'll need to consider when you choose one (see "Pump

Basics," below). On the other hand, the spout, the reservoir and any decorative materials you add provide ample opportunity to exercise your creativity.

The spout can be any object that water will pour from. It can be natural, such as a rock, or man-made, such as a concrete pillar or something more whimsical such as an old watering can. Just about any object can serve as a spout as long as you can feed the water-supply tube through it so the water comes out where you want it to.

The reservoir contains the water supply and the pump. Ponds are the obvious reservoir of choice for large water features — they're functional, natural and beautiful. For small fountains, a decorative container such as a ceramic pot or wood barrel works well. You can also use a plastic tub or bucket, but you'll probably want to hide it inside the fountain structure or bury it under the fountain.

You can combine the spout, reservoir and decorative materials to create just about any size, shape and style of fountain you desire. On the following pages you'll find three common approaches to fountain construction: an above-ground hidden reservoir, a below-ground hidden reservoir and a man-made exposed reservoir. Take a look at these ideas and then keep an eye out for interesting objects you could combine to create your own unique design.



## **PUMP BASICS**

Small fountains don't require a raging water flow, so in most cases a submersible pump with a flow rate of 50 to 200 gallons per hour (typically \$30 to \$60) will do the job. If you're trying to decide between two pump sizes, choose

> the one with the higher flow rate. You can always reduce the flow, but you can't increase it if it's too anemic. A built-in flow-rate control is a convenient feature, but you can also install an in-line valve to adjust the flow.

> > All outdoor pumps should feature a grounded threewire power cable

and be plugged into a ground-fault circuit interrupter (GFCI) outlet. If your fountain is not near a convenient power source, consider a solar-powered pump. Most solar pumps will move enough water for a small fountain. You'll pay more for a good-quality model, but it will cost less than installing a new outlet near the fountain.

#### Follow these tips for maintaining your pump:

- Don't let the reservoir dry out. Maintain a water level that's deep enough to keep the pump submerged.
- Keep the pump clean. Remove and brush off debris around the pump every week.
- Use the hose diameter recommended by the pump manufacturer. - DC

# Cedar Planter Fountain





**Assemble the 2x4 interior framework** with 2-1/2-in. exterior-rated screws. Apply exterior finish to all sides of the siding boards; then attach them to the frame with 2-in. brad nails.




Secure the tile to the frame with silicone adhesive. Create a drip edge by applying a thick bead of silicone along the bottom front edge of the tile. This prevents the water from creeping back under the tile and helps the water to fall uniformly.

## This freestanding fountain combines the benefits of a water feature and a planter to provide the perfect focal point for a deck, a patio or even a large balcony. You could also tuck it into

a small garden and surround it with plants. Building this fountain couldn't be much easier. All of the parts are dimensional lumber that are simply cut to length. There's no fancy joinery, and all of the parts are fastened with screws or brad nails.

The cedar-clad frame conceals an inexpensive 2 x 3-ft. utility tub (\$10 at most home centers) that acts as the reservoir. The spout is a 12 x 12in. tile that is attached to a wood frame.

The completed fountain is relatively lightweight, making it easy to dismantle and relocate or transport for off-season storage.



# Cast Fountain

Not all reservoirs must be hidden. A decorative ceramic pot with no holes in the bottom makes an attractive reservoir for a small fountain with a bamboo or copper spout. Or you can cast your own reservoir and spout from concrete, as we did in this design.

Making the forms is the trickiest part of this project. Any texture or blemish on the inside face of the form walls will be cast in the concrete. If you want the sides of your fountain to be smooth, you must use a smooth material such as melamine for the form walls and carefully smooth any joints with silicone.

Another option when casting your own fountain is to incorporate decorative objects such as shells, stones, tiles or glass into the form. Secure these objects to the side of the form with a very thin layer of silicone. After the concrete has cured and the form is removed, the objects will be flush with the surface of the concrete and you can polish them.

The spout and reservoir are cast separately in this design. A path is created for the water to travel up through the spout by embedding plastic tubing in the spout form.

#### **CUTTING LIST**

Reservoir


C

form

All parts 3/4-in. melamine			
KEY	NO.	DESCRIPTION	DIMENSIONS
Reservoir Form			
Α	1	Reservoir form base	4 x 24 in.
В	2	Reservoir form sides	10 x 22 in.
C	2	Reservoir form ends	10 x 10 in.
D	2	Reservoir trough sides	6 x 14-1/2 in.
E	1	Reservoir trough bottom	4-1/2 x 14-1/2 in.
F	2	Reservoir trough ends	4-1/2 x 6 in.
Spout Form			
G	1	Spout form base	18 x 6 in.

Spout form sides 2 x 16 in. Form ends 2 x 4-1/2 in. 3/8 in. dia. x 18 in. Recirculation tube Power cord knockout  $3/4 \times 2 \text{ in.}$ 





**Pump** 

**Decorative rock** 

Assemble the melamine form walls with 1-1/4-in. screws. Carefully fill and smooth the joints with a bead of silicone. Slowly fill the forms with concrete, vibrating them periodically to fill all of the voids. Cover the form with plastic and let the concrete harden for five days before removing the mold.

# Rock Fountain



Dig a hole for the reservoir. The top of the reservoir should be level with the ground. Place the reservoir inside the hole. Attach a piece of tubing to the pump that is long enough to run up through the rock.




Feed the tubing through the rock. Trim the excess tubing so that the end of the tubing is just below the surface of the rock. Cover the reservoir with a variety of rocks and gravel to create a natural appearance.

Hiding the reservoir under your fountain creates the soothing effect of an underground spring the sight and sound of running water without any visible pool. This type of fountain is often chosen for locations that call for a more subtle water feature that blends with the surrounding landscape.

You can design a hidden-reservoir fountain to fit just about any space. A small bubbling rock display will fit in a space as compact as 2 ft. square a 5-gallon bucket can serve as the reservoir. Or you can create a larger display and install a large manufactured underground reservoir.

In this case a rock with a predrilled hole is used as the spout. You can purchase drilled rocks at some garden or landscape supply centers. Another option is to bore a hole yourself in any rock you choose. Use a hammer drill or an impact hammer and a masonry bit to bore through the rock. Choose a bit diameter that is slightly larger than the outside diameter of the pump tubing. ◆





# It's Time to Expand Your Options

One Engine, 13 Attachments. Endless Possibilities.

Need multiple tools for multiple tasks? The STIHL KombiSystem meets your needs and can save you storage space and equipment costs. Featuring a split-shaft design, the KombiSystem allows you to quickly and easily switch between attachments. Now you can trim, edge, blow, cut, and more – all with one tool. Get more done – expand your options with the STIHL KombiSystem.

STIHL products are sold only at servicing STIHL Dealers. For detailed KombiSystem information and your nearest Dealer, visit STIHLusa.com/kombi.






# Windshield Wipers

# A clear view starts with a good pair

BY BOB GOULD



# If you've ever attempted to drive

in a storm without functioning windshield wipers, you probably gained a new appreciation for how vital these automotive amenities are to safety. Though wipers have been in use for 100 years, the ones we're familiar with today have evolved considerably — in design, function and materials — from the early hand-powered versions. Here's a look at how far wipers have come and how you can help yours provide the best visibility in even the worst weather.

## **How wipers work**

Windshield (or windscreen) wipers first appeared on automobiles in the early 1900s. Various devices were invented to allow them to operate via speedometer cables (which meant they didn't move when the car idled at stoplights) and vacuum-driven motors (which caused the action to vary with the speed of the car). Today's models are typically powered by an electric motor that drives a worm gear connected to a linkage system, and we take for granted the ability to operate them at a variety of speeds whether the vehicle is moving or not.

Wipers act as squeegees when the thin rubber blades move across the glass. On most automobiles, the blades are mounted on two tandem or opposed synchronized radial arms. With the tandem system, one blade pivots from a point near the driver's side and the other blade pivots from near the middle of the windshield. This provides the best coverage for a two-wiper system. The less-common opposed system mounts the pivot points on opposite sides of the windshield, and the wipers meet in the middle.

Until relatively recently, wiper blades were mounted to a linkage system so each arm was supported in six or eight places to ensure even pressure across the windshield. This system worked well for many years because windshields were fairly flat, but modern windshields have become more highly curved, driving the development of new beam-style blades. Beam blades have an infinite number of pressure points and are engineered for even cleaning regardless of the curvature of the windshield. These blades are standard on many new vehicles.

Beam blades offer advantages in battling winter weather. When snow or ice forms on the arms of traditional wiper blades, it can result in uneven pressure and cause streaks on the windshield. As the snow builds up, wipers may become totally ineffective. Some companies make blades with a rubber covering or boot over the mechanism that is designed to prevent slush from freezing the joints. With beam blades, however, there are no exposed linkage joints,

PHOTOGRAPHY BY MIKE ANDERSON AND JANINE LAMONTAGNE

# KEEPS RUST OFF YOUR TOOLS AND YOUR



AND YOUR
REPUTATION.



# DROP IT IN. KEEP RUST OUT

Introducing the 3-IN-ONE® No-Rust Shield®. Simply place it in your toolbox, truck bed box, or wherever you store metal items for up to three months of protection from rust and corrosion. For more info, visit norustshield.com.



© 2009 WD-40 Company








# Get The Ultimate in Performance and Protection

Combine Royal Purple High
Performance Motor Oil with an
Extended Life Royal Purple Oil
Filter for optimum performance
and superior protection. Royal
Purple Oil Filters maximize
flowability and have as much as
twice the burst strength of
conventional filters.



The Ultimate Oil Change™

For more information on Royal Purple's Oil Filter visit www.theultimateoilchange.com or call 866-438-4835 for a free catalog.



If you want the latest in technology (and money is no object), heated windshield wipers are an aftermarket option. Everblades heated wipers (see SOURCES ONLINE) have a 12-volt heating element inside the rubber squeegee. The manufacturer claims the wipers melt ice and snow to ensure good visibility during winter storms. A set of two heated siliconerubber blades with heated frame and wiring harness retails for \$140.

# **Prolonging wiper life**


Although manufacturers claim that natural-rubber blades should last for a million or more wipes, they do wear out. Dirt and debris create nicks and cuts in the rubber, and exposure to sun and ozone cause it to harden. If wipers go unused for long periods, the rubber edges can become warped, resulting in noise when they're finally needed. When you see streaks or hear noise, it's time to replace the wipers. Regardless of how much you spent on them, they should typically be replaced every six to 12 months.

However, there are products that claim to offer enhanced performance and longer life. For example, Trico teamed up with DuPont to create a

wiping edge, which they claim dramatically reduces friction and enhances weatherproofing. Other manufacturers of silicone blades claim their products are resistant to UV rays and ozone, and some companies offer warranties for the lifetime of the vehicle. Silicone wipers supposedly leave a coating of silicone on the windshield each time they are used, which makes the glass slippery so the wipers wear less and are quieter. These blades are usually referred to as "silicone rubber," but the product is actually a rubberlike material and does not incorporate organic rubber.

Whatever type of wipers you choose, cleaning the windshield on a regular basis will help to prolong their life. Using washer fluid to clean the blade until all dirt is removed is also helpful. Because rear windows get dirty quickly, it's important to clean them often if a rear wiper is installed.

Another wiper-saving step is to apply a product such as Rain-X to the windshield every few months. Rain-X makes the glass slicker and reduces friction. In light rain at highway speeds, most of the water just blows off the windshield, and the wipers aren't needed.





# TURN A ROUGH **DRIVEWAY INTO** A SMOOTH RIDE

PATENTED DESIGN easily fills in potholes, smoothes washboard.

**POWERED ACTUATOR** controls grading depth with a remote control.


#### LOOSENS AND REDISTRIBUTES

composite driveway surfaces without the need to haul, shovel, or rake new material.

CARBIDE-TIPPED SCARIFYING

TEETH loosen the hardest surfaces.





**HOME Live** inspires an in-market audience to transform their surroundings while maximizing individual style. From simple projects like choosing the right paint color to completely redesigning a house. Through our live call-in format, HOME Live engages listeners with informative insights on smart building and remodeling ideas, design trends, and the latest products to hit the market and how to find them.

# Hosted By:

# KARL CHAMPLEY



An Australian native, award winning Master Builder and host of the HOME Live radio program. Karl has hosted over 200 episodes of his popular show "Wasted Spaces" and "DIY To The Rescue" currently airing on DIY and HGTV Networks. Both shows have received Telly and Aurora Awards. Karl is also an environmental home inspector and building consultant for commercial and residential construction in both the USA and Australia.

















## **Replacing wipers**

In general, replacing wipers is not a difficult task. You may need a screwdriver to loosen tabs or remove connectors, depending on the locking system used on your car. The new wipers' package will provide rudimentary installation instructions and may even offer a toll-free phone number if you need assistance. (Adapters are included to fit the wiper arms used on most cars manufactured after 1998.) If you need help, you can find an abundance of information on the Internet.

It's commonly recommended that you replace the complete wiper blade when the rubber is worn because the metal parts of the blade also experience wear and may even rust. However, to save money, some drivers prefer to replace only the rubber inserts. Inserts are available for some wipers, but not all. If you use inserts, is important that the refill be an exact replacement by the same brand — substitutions can result in subpar performance. •

Club member Robert Gould is a former magazine editor and an auto enthusiast who lives in Stanley, Kansas.

#### **SOURCES ONLINE**

For online information, go to www.HandymanClub.com and click on WEB EXTRAS.

**AC Delco**, 800-223-3526 **Anco**, (248) 354-7700

**Armorall** 

**Bosch**, 888-715-3616 **Denso**, 888-800-9629 **Everblades**, 800-746-0428

**Jamak**, 800-543-4747 Michelin, 866-499-0572

**Peak**, 800-323-5440

**PIAA**, 800-525-7422 **Rain-X**, 800-237-8645

**Scrublade**, (951) 642-2625 **Streak Free**, 877-835-7965

**Tripledge**, 800-517-7600 **Trico**, 888-565-9632

**Valeo**, 888-718-2536
















# The performance work glove that works.



We built our name and reputation by making gloves for use in professional racing. Today, Mechanix Wear gloves are being used by a wide range of individuals and in many different ways. Our gloves protect your hands and allow you to work faster, safer and cleaner—all while giving you more power and control. They're the perfect tool to get the job done right, every time. Mechanix Gloves. The Tool That Fits Like a Glove.® 800.222.4296 Canada: 604.542.7055



ORIGINAL

NASCAR® is a registered trademark of the National Association for Stock Car Auto Racing, Inc. The Roush Fenway Racing trademarks used by authority of Roush Fenway Racing, LLC.

# **Bring in the Light**

# A garden window can transform your kitchen into a bright, airy space

BY MIKE BERGER



# With multiple panes

of glass and a wide, expansive view, a garden window is a great way to bring more light and a sense of spaciousness to your kitchen. In addition, its operable side panels can increase ventilation, and its large base and glass shelving provide the perfect spot to grow fresh herbs or flowers.

Except for its additional weight and larger size, a garden window can be as easy to install as a regular window — just be sure to have a few friends on hand to help with lifting. We worked with Simonton Windows on this project, but the basic installation steps are similar with any brand. However, it's essential that you follow any instructions supplied by the window manufacturer. The International Residential Code (R613.1) requires windows to be "installed and flashed according to manufacturers' instructions," so as long as you meet the specific requirements for your window, you'll be well on your way not only to a successful installation, but to creating a space that's filled with sunlight and greenery.

# **HANDY TIP**

Before purchasing a window, first remove the interior trim and measure the width and height of not only the rough opening but also the casing of your current window. You'll need to know these dimensions when placing your order.

A garden widow can help a kitchen look larger and brighter, increase ventilation and provide a great spot for growing houseplants.

PHOTOGRAPHY BY SCOTT JACOBSON

# Get the Tempur-Pedic® advantage at an unmatched Value...



THE ONLY MATTRESS
RECOGNIZED BY NASA
AND CERTIFIED BY THE
SPACE FOUNDATION









The AdvantageBed makes it possible to enjoy all the benefits of **better sleep** and **better health** at an unmatched value! Unlike traditional spring mattresses that push against you causing painful pressure points, Tempur-Pedic beds are made of our proprietary TEMPUR® material.

TEMPUR material absorbs pressure, cradling your body with customized support and providing deep, rejuvenating sleep giving you **renewed daytime energy**.

Tempur-Pedic delivers all the life-improving benefits of body conforming support. Invest in more than simply a new mattress, make an investment in your health with guaranteed better sleep night after night! Rest assured... Every Tempur-Pedic bed is backed by our 20 year Limited Warranty!

You spend 1/3 of your life sleeping, you deserve the highest level of comfort available... you deserve a Tempur-Pedic!

by Tempur-Pedic™


AdvantageBed



Call today for your FREE Information Kit with FREE DVD / FREE Sample / FREE Tryout Certificate

800-433-4508

or visit us online at TempurPedic.com to find a retail location near you!



# Value a Tempur-Pedic...

"Because of the stress that people feel you're not getting enough sleep. If you're not **resting and feeling good** you're going to have a harder time during your day. The person that values sleep, they'll **value a Tempur-Pedic**."


Luci & Barry

Tempur-Pedic owners since January 2005





# **GARDEN WINDOW INSTALLATION**



Begin the process by taping over the panes of the old window to help secure the glass in case it breaks. Remove the window's casing trim and cut through any mounting screws or jamb nails we used a multitool outfitted with a metal-cutting blade.



**HANDY TIP** 

Remove as many of the window's components as possible to reduce its overall weight; then carefully pull the window from the framed opening.

# Asphalt-based flashing tape can damage certain types of vinyl, so check the window's specs. Butyl tape is easier to work with, and although it initially isn't as tacky, its adhesive strength increases over time. Sagar de


Apply window flashing tape to the sill, running the tape about 12 in. up each side. Use a putty knife or a small pry bar to tuck the flashing tape behind the siding (inset photo), being careful not to disturb the underlying house wrap (if present).



Have a friend help you lift the new window into the opening (inset photo; we removed a few soffit panels to gain better access to the framing). From inside, have a third person drill a countersunk hole (for the supplied mounting screws) on each side of the window 6 in. from the top. Make sure the unit is flush; then drive the mounting screws into the framing to secure the window.



Check that the window is both plumb and level, measure the diagonals to make sure that the unit is square, and shim where necessary. Drill two more countersunk holes in each side and three holes in both the top and bottom; then drive the remaining mounting screws into the framing (inset photo).









To conceal the screwheads, first apply a small amount of glue to each of the 12 screw holes; then tap the supplied matching wood plugs into the holes.



If your window has mounting flanges, install flashing tape over the flanges and beyond both the top and bottom edges; then apply tape along the top, allowing it to run past the side tape by a couple of inches. Our unit did not have flanges, so instead we folded the tape 90 degrees and ran it along the seams where the window case met the revealed underlayment.





We wanted to give mom and dad something back... Their independence.

Please send me a **FREE Premier Care** 

brochure today!

Mom and dad have done a lot for us, that's why we wanted to do something for them in return.

So, we talked to Premier Care about their extensive range of Walk-In Baths which have helped improve the lives of thousands of people.

Low entry, a built-in seat and temperature control are some of the benefits their baths offer.

Call or send for a FREE brochure.







Address

Telephone (

City

Name

Zip State

Send to: Premier Care in Bathing Inc. 2330 South Nova Road, South Daytona,

1506060

TOLL FREE 1-800-578-2899

Florida 32119







Cut the new window trim to length; then nail it in place. To minimize maintenance and better match the finish of the new vinyl window, we opted for PVC trim boards that are impervious to rot.



From inside, spray low-expansion foam into any voids to completely seal the window. After you install the interior trim, all that's left is to stain or paint the woodwork and enjoy the natural light your garden window provides. •

#### SOURCES ONLINE


For online information, go to www.HandymanClub.com and click on WEB EXTRAS.

**Simonton Windows** 800-746-6686

# Jinst Jinst

# Celebrating the Tractor that Helped Grow America DELIVERS FARMALL





# An exceptional value. An incredible train collection!

Yes! Please enter my order for one Farmall Delivers Express illuminated electric HO-scale train collection, beginning with the "Diesel Locomotive" as described in this

announcement. I need SEND NO MONEY NOW.

Mrs. Mr. Ms. Name (PLEASE PRINT CLEARLY).

vintage Farmall tractors—and the FREE tracks and power-pack! Locomotive. You will be billed the first of three easy payments of sent about one every other month. You can cancel at any time and Begin your illuminated HO scale train collection with the Diesel \$23.33\* when it is sent. Soon, you can look forward to adding coordinating Farmall Delivers Express cars-including fully-sculpted They will be billed separately each at the same attractive price and our 365-day guarantee assures your satisfaction.

they were "Time Proved for Improved Farming." In tribute to these

famous tractors that helped grow America, Hawthorne

bring you the Farmall Delivers Express.

tractor...Farmall...Red Power. As their advertising proclaimed,

years, America's farmers relied on

You'll be amazed at the wealth of authentic details lavished on each

And Built to Last ... like Farmall Tractors!

Authentically detailed.

Farmall tractors. And you'll delight in the images of these classic

train car, including flat cars featuring fully-sculpted and removable

Farming's one tough job. So for over 50

one tough

is proud to

# It's a must-have for classic tractor & rail fans alike! Act now!

Send no money now. So don't wait and Strong demand is definitely expected. Orders are limited to one train collection per customer. mail the coupon today. with a solid metal chassis and steel alloy wheels, your Farmall of their service as America's small farm tractor. Masterfully crafted tractors that boldly decorate the train cars, recalling half a century Delivers Express will bring you years of enjoyment as you watch its


Fine collectible. Not intended for children under 14.

powerful diesel locomotive and cars plow around the tracks.

355-day Unconditional Guarantee Certificate of Authenticity and 3

917318-E09201

www.bradfordexchange.com/farmall @2010 Hawthorne Village 14-00185-001-BIRL CONTAMENTALICAL



# **Expert Answers**

BY STAFF



To remove peeling popcorn, scrape off the loose texture with a putty knife. Use a spray bottle filled with warm water to dampen areas that are not loose; then wait 10 minutes and scrape off the softened texture.

## **Peeling Popcorn**

**Question:** I started painting the textured ceiling in my living room, and as soon as I made the first roller pass, the texture began peeling off. What's going on, and how do I fix the damage? Can I even finish my paint job?

Todd Riball Victoria, Minnesota

**Answer:** Ceiling texture — commonly known as "popcorn" is notorious for peeling off during painting projects. Reasons range from improper application or cold temperatures during the original drying process to simple aging of the texture itself. During painting, the suction created when the wet roller moves across the ceiling can pull the popcorn off of the drywall. If this happens, stop painting immediately. Although it is possible to make a small spot-repair using one of the textured ceiling-patch products available at hardware stores or home centers, large peeling areas will require more drastic measures.

If the texture has come off in a large sheet, you will have to scrape the entire ceiling for a fresh start. Because in the past some popcorntexture mixtures contained asbestos (even those applied as late as the mid-1980s), removal is a job best left to professionals. The old ceiling texture will need to be tested for the presence of asbestos and, if it tests

positive, abated and disposed of in an environmentally safe manner.

Once the old texture has been removed, you can choose whether to spray new popcorn texture, create a knock-down texture or skim-coat the ceiling for a clean, smooth surface. Prices vary greatly for this type of repair; new popcorn is the least expensive option. Provided it's applied correctly, new popcorn texture will last for many years to come.

# **Dread-free Window Washing**

**Question:** I dread the thought of another spring window cleaning. The pros make it look easy. What's their secret?

Jay Weiser Fountain Hills, AZ

**Answer:** In a word: *squeegee*. Most window-washing haters are doing it all wrong. Leave the spray cleaners and newspapers for cleaning your mirrors. It's all about the squeegee!

Don't be intimidated by the fancy swirling squeegee techniques you see the pros using. Those methods add efficiency, but they're not necessary to get great results. A basic top-to-bottom swipe method will leave you with sparkling windows in a fraction of the time you'd spend using up rolls of paper towels.

You can get all the basic gear you'll need for less than \$30 at most

PHOTOGRAPHY BY LARRY OKREND

# HARBOR FREIGHT TOOLS

**Quality Tools at Ridiculously Low Prices** 

does Harbor Freight Tools sell high quality tools at such ridiculously low prices? We buy direct from the factories who also supply the major brands and sell direct to you. It's just that simple! Come see for yourself at one of our 330 STORES NATIONWIDE and use this 20% OFF Coupon on any of our 7,000 products. We stock Automotive products, Shop Equipment, Hand Tools, Tarps, Compressors, Air & Power Tools, Material Handling, Woodworking Tools, Welders, Tool Boxes, Outdoor Equipment, Generators, and much more.

NOBODY BEATS OUR QUALITY. SERVICE AND PRICE

## We Have 10 Million Satisfied Customers

We Buy Factory Direct and Pass the SAVINGS on to YOU!



- **Shop & Compare Our Quality Brands Against Other National Brands**
- Thousands of People Switch to Harbor Freight Tools Every Day!
- NO HASSLE RETURN POLICY V Family Owned & Operated

We Will Beat Any Competitor's Price Within 1 Year Of Purchase!

330 STORES NATIONWIDE

TO FIND THE STORE NEAREST YOU OR BUY ONLINE: HarborFreight.com/handymanclub or call 1-800-657-8001

SINGLE ITEM!

any

this coupon and Save 20% on one single item purchased at Harbor Freight Tools, Cannot be used with any their discount or coupon. One coupon per customer Coupon not valid on prior purchases or purchase of gift cards if purchase of extended service plans. Offer good on in-stock merchandise only. Sevings discount percentage Harbor Freight Tools current prices, including sale prices. This coupon cannot be duplicated in any manner uding photocopies and compiler printods. Coupons cannot be bought, sold, or transferred. Depart coupon at be presented in order to receive the discount. All Campbell Haissfeld products are excluded from this offer.



See HarborFreight.com/handymanclub for additional SUPER COUPONS



LOT NO. 67256

REG. PRICE \$59.99 CHICAGO Electric Power Tools









These valuable coupons are only good when presented at your nearest Harbor Freight Tools store. Offer Ends 9/26/10.

Coupons valid in Retail Store Only, Coupon not valid on prior purchases. Coupon cannot be bought sold, or transferred. This coupon cannot be duplicated in any manner including photocopies and computer printouts. Original coupon must be presented in order to receive the discount



your nearest Harbor Freight Tools store. Offer Ends 9/26/10. Coupons valid in Retail Store Only. Coupon not valid on prior purchases. Coupon cannot be bought sold, or transferred. This coupon cannot be duplicated in any manner including photocopies and computer printouts. Original coupon must be presented in order to receive the discount

LOT NO INCLUDES: 6 Drawer Top Chest 67421 2 Drawer Middle Section 3 Drawer Roller Cabinet 46031621 Harbor Freight Tools - Limit 1

These valuable coupons are only good when presented at your nearest Harbor Freight Tools store. Offer Ends 9/26/10. Coupons valid in Retail Store Only. Coupon not valid on prior purchases. Coupon cannot be bought sold, or transferred. This coupon cannot be duplicated in any manner including photocopies



47257/98563 \$29.99 HARBOR FREIGHT TOOLS - LIMIT 1

your nearest Harbor Freight Tools store. Offer Ends 9/26/10.

Coupons valid in Retail Store Only. Coupon not valid on prior purchases. Coupon cannot be bought sold, or transferred. This coupon cannot be duplicated in any manner including photocopies and computer printouts. Original coupon must be presented in order to receive the discount.

LOT NO

# LOT NO. 65570 CHICAGO REG. PRICE \$39.99 HARBOR FREIGHT TOOLS - LIMIT 1 These valuable coupons are only good when presented at your nearest Harbor Freight Tools store. Offer Ends 9/26/10 Coupons valid in Retail Store Only. Coupon not valid on prior purchases. Coupon cannot be bought sold, or transferred. This coupon cannot be duplicated in any manner including photocopies

and computer printouts. Original coupon must be presented in order to receive the discount.

6 PIECE **PLIERS** LOT NO. 38082/46005 PRICE \$14.99

CHICAGO welding ELECTRIC systems AUTU-DARKEI

REG. PRICE

HARBOR FREIGHT TOOLS - LIMIT 1 Those valuable coupons are only good when presented at

\$69.99 your nearest Harbor Freight Tools store. Offer Ends 9/26/10. Coupons valid in Retail Store Only. Coupon not valid on prior purchases. Coupon cannot be bought. sold, or transferred. This coupon cannot be duplicated in any manner including photocopies and computer printouts. Original coupon must be presented in order to receive the discount



PRICE

Includes two 1.5V

button cell batteries.

ARBOR FREIGHT TOOLS - LIMIT 1 These valuable coupons are only good when presented at

your nearest Harbor Freight Tools store. Offer Ends 9/26/10. Coupons valid in Retail Store Only, Coupon not valid on prior purchases. Coupon cannot be bought, sold, or transferred. This coupon cannot be duplicated in any manner including photocopies and computer printouts. Original coupon must be presented in order to receive the discount.

# **Drills That Drive Project Success**










# 18V Cordless Drill/Driver Kit

Model 2888-02 Drill/Driver, Flashlight, 2 Batteries, Charger and Carry Bag

SKIL.

Do it right. Do it with Skil.™ www.skiltools.com

# MEMBER FORUM Expert Answers



home centers, including a 12-in. scrubber, a 12-in. squeegee, a bucket, a microfiber cloth and a razor scraper. Make sure you get a good-quality squeegee that is designed to clean windows.

The process is simple and can be used inside and outside:

• Mix about 1 tablespoon of dish soap with a couple of gallons of cool water.

Dip the scrubber in the solution and wring it out.

- Scrub the window. Use a razor blade to remove stubborn spots, such as dried bugs.
- Tilt the squeegee slightly and wipe across only the top 1 to 2 in. of the window; then wipe that strip with a dry microfiber cloth. This creates a dry edge.
- Wipe the squeegee blade with a towel. Then place the squeegee on the dry edge area in the top left corner of the window and pull down along the left edge of the window. Use even pressure, and do not lift the squeegee until you get to the bottom.
- Wipe the squeegee with a towel. Make additional passes down the window, overlapping the previous pass by a couple of inches, until you reach the right edge of the window.
- Finally, use the microfiber cloth to wipe around the edges of the window and over any wet streaks.

You can try other patterns, such as



A window scrubber, a window squeegee, a bucket and dish soap are all you need to clean windows like a pro.

swiping across the window in overlapping passes from top to bottom. The key is to first create a dry edge where you will start each pass and to use even pressure and not lift the squeegee until you finish each pass.

A crystal-clear, freshly washed window is a thing of beauty. Don't let your dread of washing windows keep you (and those you live with) from that sweet satisfaction. •

QUIZ ANSWERS 1) p. 15, 2) p. 30, 3) p. 46, 4) p. 48, 5) p. 35

## **NEED FAST ANSWERS?**

One of the fastest and best ways to get answers to just about any DIY question is to post it in the Member Forum area on the Club Web site.

The forum taps into the extensive knowledge and experience of your fellow Club members. Chances are you'll have answers within hours of posting your question. And best of all, it costs nothing for Club members to post questions or join in the discussions. Check it out at www.Handy10.com.

### **SUBMIT QUESTIONS TO:**

expertanswers@HandymanClub.com

Or mail to:

Expert Answers c/o Dan Cary HANDY Magazine

12301 Whitewater Drive, Minnetonka, MN 55343
Include your name, member number,

address, daytime phone and e-mail address.

Sketches and photos are welcome. We regret that we cannot respond personally to all questions.

For fast answers from fellow members, post questions on our Club's online forum at

www.HandymanClub.com



Finally, a flooring saw designed to work in the room you're flooring.



SK//L®

Do it right. Do it with Skil.™

Rip, cross-cut and miter. Now, one saw does it all. You've never seen a saw that makes flooring so simple – because, until now, there's never been one. No need for two saws. No more up and down and back and forth to cut planks in the garage. Lightweight, portable and easy to use, our new floor saw lets you rip, cross-cut, miter and lay laminate, hardwood and engineered flooring – all in one place. And believe it or not, you can buy it for less than you'll pay to rent saws for a single project. Learn more at skiltools.com/en/flooringsaw

# ORGANIZE YOUR LIFE Dry Storage Laundry Room

Basements are 1/3 of your usable living space. DRYLOK® Masonry Waterproofer allows you to transform your damp, useless space into usable space.

Rated #1

Easy to apply

Tintable to custom colors Guaranteed to stop water

1-800-272-3235 | www.ugl.com

# **MEMBER FORUM**

# Tip Trader

# Home and workshop hints from Club members




# **Holding Helper**


If you have arthritis in your hands or simply find it difficult to hold small nails or other tiny parts for your projects, use this trick from Club member **Al Kagarice** of Urich, Missouri: Fasten alligator clips to various lengths of dowel rods and use them to hold nails in place while you drive them home.

#### **Perfect Welds**

To create clean, perfect weld beads with a wire-feed welder, try this tip from Club member **Ken Berkey** of West Newton, Pennsylvania. Clamp a small section of copper stock at each end of the intended joint. When you're ready to start welding, begin the weld bead on the copper, working your way toward the actual metal workpieces. Continue the weld past the workpiece, running back onto the

copper, all the while maintaining a smooth, steady movement. Ken says copper is ideal for this purpose because it draws heat away from the welding wire, and the bead of molten metal won't stick to it. •





## TIP US OFF — AND WIN \$\$\$

The member who submits the best tip wins \$200. Other published tips are awarded \$50. Submit your tips by e-mail to: tiptrader@HandymanClub.com

or mail them to:

Tip Trader c/o Mike Berger, HANDY, 12301 Whitewater Drive, Minnetonka, MN 55343

Include your name, member number, address and daytime phone number. Sketches and photos are welcome. We regret we cannot acknowledge or return submissions.

# CUT YOUR HEATING AND COOLING COSTS UP TO 80%.



Cut your energy bills. ClimateMaster geothermal systems tap the constant temperature of the earth to provide heating, cooling, and hot water. Your home stays comfortable year-round while trimming your energy use by up to 80%. And now with new federal tax credits, you will save an additional 30% on the total installation. Best of all, ClimateMaster systems are not only a good investment, they are a cleaner choice for the environment. To learn more about how the geothermal technology leader can help you cut your energy bills, visit climatemaster.com or call 877-436-6263 today.



An LSB Industries, Inc. Company (NYSE: LXU)

# **HandyWorks**

# Your vote will help decide who wins this month; next time, enter a project of your own BY JENNY STANLEY



## **Prized porch**

To create this backyard porch, Club member **Earl Howell** of Greene, New York, first built up the foundation using fieldstones; then he added a retaining-wall edge and topped the surface with concrete pavers. Decorative posts support the roof, and bead board and moldings add character to the ceiling.



## **CRITICS' CHOICE AWARD**

Winner: Dana Lambert of Port

St. Lucie, Florida

**Project:** "Practical Pad," February/March 2010

Prize: Dana will receive an official certificate and the SquidBrite and BarFlex work lights from Stanley. Congratulations, Dana!






## Petite pied-à-terre

After seeing a similar project on TV, Club member **David Didion** of Garrett, Indiana, was inspired to create this teardrop-style camper. He assembled the trailer frame and topped it with an insulated cabin; then he added cabinetry, a countertop and a small sleeping area inside. The camper even features AC and DC electricity. The best part, however, is the hinged wall that opens up to the great outdoors.



# Tyke bike

Club member **Tom Lewis** of Pueblo West, Colorado, started from scratch when he built this motorcycleinspired rocker for his grandchildren. He sketched the design on poster board and enlarged it to create a pattern for the parts, which he cut from cabinet-grade plywood and assembled using wood glue and brad nails. Tom hand painted the rocker and then added a coat of polyurethane.



#### **SHOW OFF YOUR PROJECT** To have your project considered, send:

- 1. A photo of your project
- 2. A detailed description of your project Address to:

HandyWorks c/o Jenny Stanley HANDY, 12301 Whitewater Drive Minnetonka, MN 55343

Or e-mail to:

#### HandyWorks@HandymanClub.com

We regret we cannot acknowledge or return submissions.



# **Grand game table**

In creating this intricate game table, Club member **Elwood Schmutz** of Napa, California, demonstrated not only his talent for woodworking but also his clever use of workshop scraps. The tabletop includes a walnut-andmaple checkerboard in the center surrounded by more than 600 pieces of 11 different woods, all pieced together to create the variegated surface. •

## **VOTE ONLINE FOR YOUR FAVORITE PROJECT**

Vote online for one of these projects to receive the Critics' Choice Award. Go to www.HandymanClub.com and click on WEB EXTRAS.

Prized porch Petite pied-à-terre Tyke bike **Grand game table** 


Voting for this issue will end July 31, 2010. The winner will be announced in the October/November 2010 issue.

PHOTOGRAPHY COURTESY MEMBERS

Feel Like You're Defying Gravity...

GUARANTEED! Imagine not being tired anymore...

GUARANTEED! Imagine being pain free and filled with energy...






Reduce fatigue. Be more active





# Walk and run faster, jump higher, no fatigue and no more pain!



They might be considered an unfair advantage.

#### Genesis of Athletic Excellence

Elevate your game to the next level. Feel the drive, the inspiration, the energy as you slip your feet into the most exhilarating shoes in the world! Go from the weekend warrior to the daily champion at your gym and on the street.

#### Smart Spring Technology

Within 10 days of regular use, the special combination of space age rubber and lightweight, durable springs will adjust to your activities and begin to improve your overall comfort. Give your whole body a break from the stress of your high impact life and experience breakthroughs in your athletic lifestyle. Be in action. Be unstoppable. Be comfortable and live pain free.



#### Great News for the Overweight?

Extra weight puts an added toll on your bones and joints. Running isn't an option, and walking can become difficult. G-Defy Shoes will take the pressure from your large frame body, make you more active and change your life forever!

#### Ease Joint Pain!

You will notice immediate relief of common pain dur- • Cool your feet & reduce ing exercise as the springs of G-Defy athletic shoes absorb most of the impact --instead of your body-- by easing the stress on your joints, back and neck while walking, running, or jumping.

- Relieve all pains
- · Ease joint & spine pressure
- Reduce fatigue & tiredness
- · Be more active
- · Have more energy
- Appear taller
- . Jump higher, walk and run faster
- Have instant comfort



100% Satisfaction Guaranteed, Nothing to Lose --but your pain.

30 Day Money Back Guarantee. If not satisfied, send them back for a full refund of purchase price.

# \$129.95 \$119.95

TB902MWBS Men's

sizes 7.5 - 13.0

TB902FWBS Women's

Silver and Navy Blue

sizes 6.0 - 11.0

widths B/D & 2E/3E widths D/W, & 2E/4E

#### Try them FREE for 30 Days!

Your credit card will not be billed (Offer not available with debit card purchases)

Order your G-Defy Athletic Shoes today for only \$119.95 (You save \$10) at www.gdefy.com/MF5FBU or call (800) 429-0039 and mention offer code: MF5FBU



Distributers and dealers please call 818 501 5277

# **Great Giveaway!**

everyday Enter online; go to www.HandymanClub.com and click on the Contests tab



TWO LUCKY MEMBERS of the Handyman Club of America will win an Ultimate Work Truck package from DEWALT valued at \$2,050. This versatile and durable ensemble includes a DEWALT Full Frame Truck Rack, a **DEWALT Mesh Headache Rack and Screen Mounting Kit** and a DEWALT Industrial Tool Box.

The **FULL-FRAME RACK** is designed with 2-in. square steel tubing, SteelTruss™ load supports and double load bars — all working together to achieve a 1-ton capacity rating. The rear load bar swings open in any direction so you can load larger items into the truck bed.

The **HEADACHE RACK'S** universal base system fits most trucks on the market and doesn't require drilling to install. It also features BedBoost™ handles for easier access into the truck.

The TOOLBOX boasts a solid insulated core and a foam-filled lid for impressive strength. It has oversize push-button locks for one-hand opening, and the interior features a ToughCoat™ liner that helps to protect cargo and eliminates aluminum dust. For more information about these and other DEWALT truck products, visit www.dewaltworktruck.com.

Copyright © 2010 DeWALT. DeWALT is a registered trademark of DEWALT Industrial Tool Co., used under license. All rights reserved. The yellow and black color scheme is a trademark for DeWALT Power Tools and Accessories. Thule Inc. A licensee of DeWALT Industrial Tools. 42 Silvermine Road, Seymour, CT 06483

## **ENTER TODAY — YOU CAN WIN!**

You can win a prize from the Handyman Club of America. Enter online at www.HandymanClub.com or by mailing a postcard (see below). Prizes are donated by the manufacturer. Entries must be received between June 1, 2010, and July 31, 2010; winners' names will be drawn August 5, 2010.

For a list of February/March prizewinners, see p. 2

NO PURCHASE NECESSARY TO ENTER OR WIN. Making a purchase will not improve your chances of winning. See official rules at HandymanClub.com. Submit your entry at HandymanClub.com or send your name, member number (if available), address and phone number on a postcard to: Great Giveaway! CRID #3932, P.O. Box 3428, Minnetonka, MN 55343.



# MASTER CRAFTSMAN CARBIDE ROUTER BITS



# **ROUTING PERFECTION EVERY TIME!**

# THIS 5-PIECE FLUSH TRIM ROUTER BIT SET TRIMS, SHAPES AND SMOOTHS TO HIGH STANDARDS OF PROFESSIONAL QUALITY.

The Master Craftsman Carbide 5-Piece Flush Trim Router Bit Set features professional grade bits crafted of high-quality carbide. You will appreciate how these bits deliver superior performance for years. Each bit is precision ground to close tolerances to provide

fast, smooth and accurate cuts. The 5-Piece Flush Trim Router Bit Set is from the Handyman Club of America Master Craftsman Carbide Router Bit Collection — a line of professional quality bits for the home do-it-yourselfer and woodworkers.

# THIS 5-PIECE FLUSH TRIM ROUTER BIT SET IS EXCELLENT FOR ...

- Trimming Laminate
- · Shaping Parts with a Template
- · Making Multiple Parts with a Template
- Trimming Veneer
- · Smoothing Rough Cuts

# THESE BITS OFFER DELUXE FEATURES:

- Carbide tips for superior edge retention
- · High-quality cutter geometry for smooth cuts
- · Anti-kickback design for safety
- · High-quality bearings
- · Superior chip ejection
- · Precision balancing

# GUARANTEED TO HOLD EDGES UP TO 25 TIMES LONGER THAN STANDARD HIGH SPEED STEEL BITS! Auts

Flush Trim Router Bits are excellent for cutting multiple parts to the same size and shape when used with a template on a router table. Flush Trim Router Bits are also a perfect choice when following a template edge while freehand routing.

# **DON'T MISS THIS OPPORTUNITY**

Get professional quality bits direct from the Club. There is no risk involved, because the 5-Piece Flush Trim Router Bit Set is yours to examine FREE for 14 days, without obligation, before you make a decision to buy.

# **ADDITIONAL OPPORTUNITY**

If you like the superior performance of the **5-Piece Flush Trim Router Bit Set**, you will also have the opportunity to examine other sets in the **Master Craftsman Carbide Router Bit Collection** without risk or obligation.

# FREE SHIPPING WHEN YOU ORDER NOW!

# SEND NO MONEY NOW

Complete & Mail Your Personal Reservation Certificate Today!

Or Order Online! www.RouterBitOffer.com

SELLOUT EXPECTED. ACT QUICKLY.

Use this savings code

# **PERSONAL RESERVATION CERTIFICATE**

HANDYMAN

HANDYMAN CLUB OF AMERICA, P.O. BOX 3407 HOPKINS, MN 55343-2107

Yes! Please send me the Master Craftsman Carbide 5-Piece Flush Trim Bit Set as described in this announcement. If I want to keep the set, I will pay \$24.99 (FREE Shipping and Handling). I will then have the opportunity to preview other sets in the Master Craftsman Carbide Router Bit Collection, always risk-free. If I don't want to keep the 5-Piece Flush Trim Bit Set, I will return it without obligation.

Mr. Mrs. Ms	-1	
Address		Apt. #
ity	State	ZIP

Savings Code: DRB001

**FREE SHIPPING** 

#### MEMBER-TESTED SEAL

This seal is awarded to products that at least two out of three testers recommend to fellow Club members. The test scores are compiled from all test reports. Ratings are based on a scale of 1 to 10, with 10 being the highest.



# **Member Tested**

# 3,918 Club members tested \$68,802 in products

BY ROSS TANNER, PRODUCT TEST EDITOR

## **Electric Pressure Washer**

#### MEMBER RATING: 8.8 BEST FEATURE: VERSATILITY

#### HOMELITE CONSUMER PRODUCTS, 800-242-4672, WWW.HOMELITE.COM

The Homelite EZ Clean Electric Pressure Washer (\$159, model HL80215) takes the hassle and guesswork out of cleaning large surfaces. Its 13-in. washer deck features dual-action nozzles that rotate at 1,500 RPM while rolling smoothly over the work surface. It cleans evenly without overspray in less time than it would take to use a standard spray wand. The unit also features a standard spray wand for cleaning in tight spaces.

Steven Kirkpatrick, Englewood, FL: "The wide cleaning deck on the Homelite EZ Clean Pressure Washer makes short work of cleaning driveways, sidewalks and decks."

Ernesto Cabrera, Miami, FL: "It's the best household pressure washer I've ever tried. It is quiet, leaves no uneven streaks, packs a lot of power and is reasonably priced."



Dremel's new 4000 Rotary Tool 5/36H Kit (\$100) features a variable-speed range of 5,000 to 35,000 RPM and is compatible with all Dremel accessories and attachments. Its sleek design offers a 360-degree grip zone, and the on/off switch and speed dial are

> strategically placed so that they don't interfere with the grip. The 5/36H kit comes with five attachments and 36 accessories to help you carve, engrave, rout, grind, sand, cut, clean, polish and more.

> **Kevin Bartlett, Mesquite, TX:** "The Dremel 4000 is an excellent tool for DIYers because it's so versatile. It can be used for sanding, cutting, detailing, sharpening and more." Leslie Pfeiler, Lexington, KY: "Dremel has always made high-quality products, and the Dremel 4000 is no exception. The accessories are well-designed and easy to use."



## **YOU CAN BE A TESTER**

To be a product tester, you must fill out a Product Test Profile form. To request a form, call Member Services at 800-243-7679 or go to www.HandymanClub.com, roll over the Products tab and click on Member Tested. Scroll down to find the link where you can fill out a form online.



Look for this icon next to select tested and recommended products to signify a special members-only offer. For details, go to www.HandymanClub.com, roll over the Member Benefits tab and click on Deals & Discounts.

Products earn these additional seals of approval when favorable ratings are also received from members who are trades contractors, automotive mechanics or avid woodworkers.



## **Battery-Powered Trimmer and Edger**

## MEMBER RATING: 8.5 BEST FEATURE: EASE OF USE

WORX YARD TOOLS, 866-354-WORX, WWW.WORXYARDTOOLS.COM

The Worx Lithium GT Trimmer & Edger (\$149) is a LiON-powered landscaping tool that weighs only five pounds. It easily converts from a trimmer to an edger and has a telescopic shaft that adjusts to your height and posture. The adjustable handle, along with the rubberized wheels and spacer guard, make yard work easier. A 30-minute charger is also included.

**Kevin Barnett, Troutman, NC:** "The Worx Lithium GT Trimmer & Edger is lightweight and fully adjustable and made my weekly trimming and edging tasks a breeze."

Kurt Abel, North Charleston, SC: "This is a great battery-powered trimmer and edger that packs a ton of power!"



#### MEMBER RATING: 9.4 **BEST FEATURE: VERSATILITY**

#### RADIATOR SPECIALTY CO., 866-WRENCH7, WWW.LIQUIDWRENCH.COM

The Liquid Wrench Six-Pack (\$20) provides a variety of lubricants for different purposes. The kit's Lubricating Oil stops squeaks, loosens sticking parts and prevents rust. Penetrating Oil frees stuck nuts, bolts and locks by dissolving rust and cutting through grease. Silicone Spray provides a slick coat of protection that repels water and inhibits rust. Dry Lubricant dries

fast to prevent dirt and dust collection with no oily residue. Chain Lube stays on moving parts to reduce friction. And White Lithium Grease provides a thick coating for long-lasting lubrication.

Joseph Mullarkey, Amsterdam, NY: "The Liquid Wrench Six-Pack solved many problems around my home. I gave away my other multipurpose lubricants and will use Liquid Wrench from now on." Cary Myers, Petersburg, MI: "Each lubricant has specific uses — the possibilities are endless."





## **Roller Cover**

#### **MEMBER RATING: 8.6 BEST FEATURE: QUALITY**

PURDY PROFESSIONAL PAINTING TOOLS, 800-547-0780, WWW.PURDYCORP.COM Safe for use with all latex- and oil-base paints and stains, the Purdy White Dove roller cover (\$5) incorporates a high-density woven cover to create a smooth,

lint-free finish. It also holds a large amount of paint, which helps to improve efficiency and productivity.

Michael Vannoy, Kennewick, WA: "The Purdy White Dove roller cover out-performed every roller I have used in the past. It spreads paint evenly and is easy to clean."

Jim Christie, Denton, TX: "It didn't leave any lint behind during use or after cleaning. The finish came out perfect on all of the surfaces I painted."

# **Rain-Style Showerhead**

## MEMBER RATING: 8.2 BEST FEATURE: QUALITY

#### ETL, (775) 398-7680, WWW.OXYGENICS.COM

Available in chrome and brushed-nickel finishes, the Oxygenics Storm Showerhead with 9-in. adjustable shower arm (\$39.99, available at Bed Bath & Beyond) has 54 nozzles that deliver 30 percent more water pressure than other rain-style showerheads. It injects air into the water stream, which increases the velocity of the water and helps to conserve water and energy. The showerhead comes with a lifetime performance warranty against clogging.

Michael Peppler, Oak Lawn, IL: "The Oxygenics Storm showerhead provides an even flow, and the large spray pattern makes for a relaxing shower."

Wilbur Kirby, Parkersburg, WV: "It is a high-quality showerhead that looks beautiful and delivers a strong flow of water."





## **Wall Anchors**

#### MEMBER RATING: 8.7 BEST FEATURE: EASE OF USE & INSTALLATION

#### ITW BRANDS, 877-489-2726, WWW.E-ZANCHORS.COM

E-Z Ancors are self-drilling wall anchors that require only a screwdriver to install. The Twist-N-Lock (\$1.75 for a pack of four) splits and grips inside drywall, allowing you to hang up to 75 pounds. The Stud Solver (\$1.75 for a pack of four) can be installed anywhere on a wall, even in a stud. The Hollow Door Anchor (\$1.75 for a pack of four) has a special collar design that holds tight in thin plywood door skins and can also be used in drywall.

**Richard Mauriello, River Edge, NJ:** "The E-Z Ancors were easy to install without drilling. They work well for jobs such as hanging shelves, mirrors and paintings."

**Cary Tunebergh, Pocatello, ID:** "The E-Z Ancors screwed right into my plaster walls and are holding nicely."

## **Multipurpose Grease**

#### **MEMBER RATING: 9.0 BEST FEATURE: QUALITY**

#### VAN PATTEN INDUSTRIES, 877-464-4248, WWW.THEINHIBITOR.COM

The Inhibitor Ultra Premium V80 VCI Grease (\$15.99) provides long-lasting lubrication as well as protection from rust and deterioration. It is safe to use on bearings, hand and power tools, lawn and garden equipment, hinges, locks and moving metal parts. It also comes in a 6cc Syringe (\$6.99) that is ideal for reaching into cracks and crevices.

**Debbie Henderson, Mulberry, FL:** "I used the V80 VCI grease on industrial chains that come in contact with water. After two weeks they are still moving freely with no sign of corrosion."

Marvin Olson, Shalimar, FL: "I live in a high-humidity area, and this grease is an excellent lubricant that offers great protection against rust."



# **Paintbrush Storage**

#### **MEMBER RATING: 8.0 BEST FEATURE: CONVENIENCE**

#### PRAZI USA, 800-262-0211, WWW.PRAZIUSA.COM

The Prazi Eco Paint Brush Storage Lid (\$7.95) fits any 1-gallon paint can and can accommodate any size paintbrush. Simply place the brush handle through the top of the lid and secure it to the paint can. The lid keeps the paint and brush fresh during a short break or even overnight, saving you from having to clean up until the painting project is complete.

**Dick Swanson, Burnsville, MN:** "I used the Prazi Eco Paint Brush Storage Lid when painting three bedrooms in three days. Neither the brush nor the paint dried out, and I saved a lot of cleanup time."

Alvin Modesitt, Cory, IN: "It keeps my brush as fresh the next day as it was when I quit the day before. I can now start and stop without wasting time washing out my brush."

# **Drywall Tape Machine**

#### **MEMBER RATING: 8.1 BEST FEATURE: DURABILITY**

## BUDDY TOOLS LLC, 888-887-7985, WWW.TAPEBUDDY.NET

Made of heavy-duty plastic, the TapeBuddy Drywall Tape Machine (\$35) conveniently applies an appropriate amount of drywall compound directly to the tape, allowing you complete drywall taping faster. The easy-to-clean dispenser offers two choices for mud thickness and can hold 500 ft. of tape.

Lowell Kuhn, Independence, MO: "The TapeBuddy worked really well and is easy to use. It coats the tape with a uniform layer of mud."

Robert McDonald, Seville, OH: "It makes the sloppy part of mudding tape manageable. Most important, it gave me professional results every time."



REMIU



## **Drywall Corner**

#### MEMBER RATING: 8.6 BEST FEATURE: FINISHED LOOK

**GRABBER CONSTRUCTION PRODUCTS, 800-477-TURN,** 

#### **WWW.GRABBERMAN.COM**

Hydrotrim corner adhesive (30 cents a foot) features a water-activated formula and punch holes that allow joint compound to easily bond drywall corners with superior strength. It can be adjusted during installation while it's wet, and it dries completely within 10 minutes. The result is an easy-to-apply corner that does not blister, bubble, dent or crack.

Joe Serrano, Hamilton, NY: "Hydrotrim is far superior to metal corner beads. It is thin and flexible and will not become deformed if bent, and the tapered edges make it easy to feather the mud."

Ben Stone, Howe, IN: "It is a durable product that goes up fast and makes a perfect corner every time."

## **Folding Knife**

**MEMBER RATING: 8.4** 

**BEST FEATURE: PERFORMANCE** 

#### COLUMBIA RIVER KNIFE & TOOL, 800-891-3100, WWW.CRKT.COM

The McGinnis Tuition Knife (\$49.99, model 1161) is a compact and powerful work knife that has a broad 2.88-in. sheep's-foot blade for fast cutting, accurate trimming and excellent tip strength. One-hand opening is easy using the friction-grooved flipper, which also acts as a blade guard when open. Other features include a deep finger choil, thumb friction grooves and a removable stainless-steel pocket clip.

Dave Cherry, Bristow, VA: "The McGinnis Tuition knife is my new favorite pocket knife because it has nice styling, opens easily, locks securely and feels comfortable in my hand."

Dean Fidder, Monroe Center, IL: "It is an excellent knife that is durable and well-balanced and even stayed sharp after I used it to cut vinyl flooring, carpet, rubber and more."



#### **Drill Attachment**

#### **BEST FEATURE: PERFORMANCE MEMBER RATING: 8.6**

#### MILESCRAFT INC., (847) 683-9200, WWW.MILESCRAFT.COM

Drill90 (\$19.99) features a steel drive for long-lasting durability and is the perfect accessory to help you drill holes and drive screws in places that are otherwise impossible to reach. Simply attach the ergonomic handle to either side of your drill, find your bit of choice and then secure the 3/8-in. input shaft into your drill chuck.

**Donald McClintock, Schuylkill Haven, PA:** "Drill90 makes drilling in tight areas a snap. Best of all, its direct-drive system doesn't give up any speed or torque."

Harold Charboneau, Placentia, CA: "I have a similar 90-degree drill attachment, but the keyed chuck, screw-in support handle, metal gears and strength of the Drill90 make it a superior tool."

## **Nonslip Rug Strip**

#### **MEMBER RATING: 8.4 BEST FEATURE: EASE OF USE**

ROBERTS CONSOLIDATED INDUSTRIES INC., 800-777-8665, WWW.ROBERTSCONSOLIDATED.COM RhinoGrip Non-Slip Rug Strip (\$9.48) is designed to hold rugs and mats in place. One side of the 2-1/2-in. x 25-ft. roll attaches permanently to the rug, and the other side features a rubber surface that prevents rugs and mats from slipping, even when they're repositioned.

**George Donner, Mifflinburg, PA:** "The RhinoGrip Non-Slip Rug Strip worked well on my entry rug and outdoor deck mat. It was also effective in holding drawer liners in my toolbox." Eric Scott, Evansville, IN: "The adhesive sticks to many different types of rugs, and the packaging makes it easy to measure the correct length without any waste." •









## Handyman Club of America

**Executive Director** Larry Okrend

Vice President, Membership Development Laura Burkholder

**Member Benefits Director** Doug McDougal

Assistant Vice President, Member Services Andrea Meester

> **Executive Marketing Director** Bruce Revman

> > **Product Test Editor** Ross Tanner

**Senior Member Benefits Specialist** Laura Fisher

#### **Handyman Club of America** members receive these valuable benefits:

**HANDY** Magazine **E-newsletters Product testing privileges** Chances to win free products Cash for winning tips HandyWorks coverage Special product offers Charter membership card Official Club decal set and much more!

# **Contact Member Services**

E-mail:

#### memberservices@HandymanClub.com 800-243-7679

(Monday – Friday, 7:30 a.m. to 8 p.m.; Saturday, 8 a.m. to 4:30 p.m. Central Time)

#### Write to us...

**HCOA Member Services** P.O. Box 3401 Hopkins, MN 55343

Important Notice: For your safety, use caution and good judgment when following the instructions described in this magazine. Take into consideration your skill level and the safety precautions related to the tools and materials shown. North American Media Group and its affiliates cannot assume responsibility for any damage to property or persons as a result of the misuse of the information provided. Consult your local building department for information on permits, codes, regulations and laws that may apply to your project.



**President and CEO** Bryan Ellis

President, Marketing Tony DeFrance

CFO and Senior Vice President, Finance & Operations Kate Pope

**Vice President, Brand and Business Development** Tim Carroll

**Vice President, Information Systems** Scott Simerlein

**Vice President, Human Resources** Betty Potasnak



# Amazing New Hybrid Runs Without Gas

The new face of time? Stauer's Compendium Hybrid fuses form and functionality for UNDER \$50! Read on...

Innovation is the path to the future. Stauer takes that seriously. That's why we developed the *Compendium Hybrid*, a stunningly-designed hybrid chronograph with over one dozen analog and digital functions that is more versatile than any watch that we have ever engineered.

New technology usually starts out at astronomical prices and then comes down years later. We skipped that step to allow everyone the chance to experience this watch's brilliant fusion of technology and style. We originally priced the Stauer *Compendium Hybrid* at \$395 based on the market for advanced sports watches... but then stopped ourselves. Since this is no ordinary economy, we decided to start at 88% off from day one. That means this new technological marvel can be yours for only \$49!

#### Welcome a new Digital Revolution.

With the release of the dynamic new Compendium, those boxy, plastic wrist calculators of the past have been replaced by this luxurious LCD chronograph that is sophisticated enough for a formal evening out, but rugged and tough

enough to feel at home in a cockpit, camping expedition or covert mission.

The watch's extraordinary dial seamlessly blends an analog watch face with a stylish digital display. Three super-bright luminous hands keep time along the inner dial, while a trio of circular LCD windows

track the hour, minutes and seconds. An eye-catching digital semi-circle animates in time with the second hand and shows the day of the week. The watch also features a rotating bezel, stopwatch and alarm functions and blue, electro-luminescence



The Compendium: The spectacular face of the latest watch technology.

backlight. The *Compendium Hybrid* secures with a rugged stainless steel band and is water-resistant to 3 ATMs.

**Guaranteed to change the way you look at time.** At Stauer, we believe that when faced with an uphill economy, innovation and better value will always provide a much-needed boost. Stauer is so

confident of their latest hybrid timepiece that we offer a money-back-guarantee. If for any reason you aren't fully impressed by the performance and innovation of the Stauer *Compendium Hybrid* for \$49, simply return the watch within 30 days for a full refund of the purchase price. The unique design of the *Compendium* limits our production to only 4,995 pieces, so don't hesitate to order! Remember: progress and innovation wait for no one!

#### WATCH SPECS:

- Three LCD windows show hour, minute and second
- Stop watch function
- Water resistant to 3 ATMs
- Fits 6 3/4"-8 3/4" wrist

88% OFF

# Exclusively Through Stauer

Stauer Compendium Hybrid Watch—\$395
Now \$49 +S&P Save \$346

Call now to take advantage of this limited offer.

1-888-324-4370

Promotional Code VHW185-01 Please mention this code when you call.

Stauer

14101 Southcross Drive W., Dept. VHW185-01 Burnsville, Minnesota 55337 www.stauer.com

Smart Luxuries—Surprising Prices




# **MEMBER FORUM**

# The Quiz

# Can you find the following photos in this issue of *HANDY*?









#### **WANT TO PLAY?**

To enter the free Club membership drawing, submit your answers online at: www.HandymanClub.com

Entries must be submitted by July 31, 2010. Winners will be announced in October 2010.

# **QUIZ WINNERS**

#### FEBRUARY/MARCH 2010

Gayla Barb, Huntsville, MO
Bill Blackburn, Medina, OH
Henry Chub, Boxford, MA
Melissa Hardberger, Portland, TX
George Heide, Cattaraugus, NY
Stanley Kitzelman, Ambler, PA
Dan Mallwitz, Pahrump, NV
Barbara Moore, Hendersonville, NC
Myra Robert, Newton, IL
Lowell Stump, Flagstaff, AZ



The answers to this issue's QUIZ appear at the end of EXPERT ANSWERS. ◆

# **SHOP@HANDY**

# Log onto www.HandymanClub.com for links to these advertisers

Alden Corporation, Save time, effort and aggravation! The Grabit®Pro tool removes damaged fasteners easier and faster than any other tool available. It's an essential for every DIYer. www.aldn.com, 800-832-5336. See p. 62. Check 1

**Bad Dog Tools** has an exclusive bonus for Handy readers who purchase our Biter sheet material atter, multipurpose Drill Bits or Rover Bits. Details in this issue's ad. Baddogtools.com, 800-252-1330. See p. 66. Check 2

Bilco Company, Bilco basement doors add convenient direct access to basement areas. The large opening is ideal for bringing bulky items into basement shop or storage areas. 800-854-9724. See p. 65. Check 3

Central Boiler, The E-Classic outdoor wood gasification furnace offers one of the cleanest ways to burn wood and is designed to heat an entire home, water and more. www.CentralBoiler.com, 800-248-4681. Check 4

**D&D Technologies,** Rust-free gate hardware from D&D Technologies is molded of engineering-strength polymers with stainless steel components, and comes with a limited Lifetime Warranty. www.ddtechglobal.com, 800-716-0888. See p. 15. Check 5

Deck Wrecker removes deck boards, nailed OR screwed, in a fraction of the time AND effort you're accustomed to. www.deckwrecker.com, 866-256-4499. Check 6

Detailed Play Systems, Visit the Build@Home Playground Equipment Store and Save! Wooden forts, swing sets, swings, and slides. We offer a complete line of playground accessories to build a fun backyard for your child. Free catalog! www.detailedplay.com, 800-398-7565. Check 7

**DRYLOK** Masonry Waterproofer is guaranteed to stop water. It is tintable, paintable and can be applied by brush, roller or sprayer. Comes with a fully transferable warranty. www.ugl.com, 800-272-3235. See p. 72. Check 8

**Epilog Laser**, Make your projects profitable with a laser engraving system from Epilog! Engrave and cut intricate patterns into several materials with the touch of a button. www.epiloglaser.com, 888-437-4564. See p. 82. Check 9

Flame Engineering, Red Dragon Torch Kits from Flame Engineering kill weeds naturally and put the heat on other tough jobs around your home and property. www.FlameEngineering.com, 800-255-2469. Check 10

FrogTape® is the only painter's tape treated with PaintBlock® Technology. PaintBlock® forms a microbarrier that seals the edges of the tape, preventing paint bleed. FrogTape.com, 877-FrogTape. See p. 6. Check 11

Fungi-Nail® Antifungal Solution eliminates embarrassing finger and toe fungus, guaranteed. It's the #1 antifungal recommended by pharmacists. Proven effective double strength solution, now in pen brush applicator! www.funginail.com, 800-824-4894. Check 12

**General Tools & Instruments**, 1/8" Drive Power Precision Screwdriver, Motorized, miniaturized, powerful and portable. The perfect tool for on-the-go technicians, hobbyists and anyone who works with electronics, small parts and micro-assemblies. www.generaltools.com, 800-697-8665. **Check 13** 

Gorilla Glue is incredibly strong and 100 percent waterproof. It's the idea solution for indoor/outdoor projects. Bonds wood, stone, metal, ceramic, foam, glass and much more! www.gorillatough.com. See p. 30. Check 14

Gothic Arch Greenhouses, Hobby to commericial kits, equipment and supplies. Servicing the horticulture industry since 1946 from Mobile, AL. www.GothicArchGreenhouses.com, 800-531-GROW (4769). **Check 15** 

Harbor Freight, Quality tools at ridiculously low prices! We buy factory direct and pass the SAVINGS on to YOU! HarborFreightUSA.com, 800-657-8001. See p. 69. Check 16

**Hyde Tools**, The HYDE® Pivot Nozzle Wand saves time and effort, and offers what no other wand has - a pivoting nozzle. For a better finish, start with HYDE®. www.hydetools.com, 800-USA-HYDE. See p. 64. Check 17

**KILZ**, Professionals know to ensure the best finish, you need a well-prepared surface. Let KILZ Primers help you get the results you want with your project. www.KILZ.com, 866-PRIMER. See p. 20. Check 18

Kreg Tool, Thanks to a tool called the Kreg Jig®, just about anyone can build quality wood projects in their spare time. The Kreg Jig® makes wood joinery fast, easy and fun. www.kregtool.com, 800-447-8638. See p. 14. Check 19

Lam-Hammer, Throw away your pull bar! The Lam-Hammer provides quicker, easier, damage-free installation of interlocking laminate and engineered floors in tight places. www.lam-hammer.com, 888-687-2421. Check 20

**Liquid Wrench** makes premium lubricating, penetrating and protecting products for those who know that their choice of tools can make all the difference. www.liquidwrench.com, 866-Wrench7. See p. 39. Check 21

**Lumber Liquidators**, With over 180 locations, Lumber Liquidators is the nation's largest independent retailer of hardwood flooring. Lumber Liquidators...Hardwood Flooring for Less! www.lumberliquidators.com, 800-Hardwood. See p. 41. Check 22

**Mechanix Wear** is the leader in high-performance work gloves, engineered to help you work faster, safer and cleaner. Mechanix Gloves. The Tool That Fits Like A Glove®. www.mechanixwear.com, 800-222-4296. See p. 59. Check 23

Minwax® Wood Beautiful® Simple Solutions. To inspire your creativity and get you started with easy ideas that highlight the beauty of wood and wood finishing. Free. www.minwax.com. See p. 10. Check 24

Moduline Cabinets, Moduline all-aluminum tool and storage cabinets for home and garage. "Organize with Style" and turn your workshop and garage into a professional work area. www.modulinecabinets.com, 888-343-4463. Check 25

Morton Salt, Trust your home to Morton! Morton® System Saver® II Pellets help protect your family and home from costly hard water issues. www.mortonsalt.com/water, 800-789-SALT. See p. 5. Check 26

NGK Spark Plugs - World Leader in Spark Plug and Oxygen Sensor Technology. NGK has built a reputation for our commitment to excellence, and it continues to be the driving force of our state-of-the-art manufacturing, inventory and distribution facilities. www.ngksparkplugs.com, 877-473-6767. See p. 57. Check 27

Osborne Wood Products, Offering decorative table legs, corbels, molding and more. Though we offer a vast collection of stock items, we are also happy to quote custom pieces. www.osbornewood.com, 800-849-8876. Check 28

**Premier Care In Bathing** is the world's largest supplier and installer of walk in baths and showers. Call today for vour FREE color brochure 800-578-2899, www.premierbathrooms.com. See p. 65. Check 29

Rainhandler is a patented maintenance-free modern gutter. It converts roof runoff back to rain and disperses it gently in a swath three feet wide. No clogging, no ground erosion. Virtually invisible. Rugged aluminum, 25 year warranty. www.rainhandler.com. See p. 63. Check 30

**Rock Auto** stocks everything from lug nuts and bumpers to major assemblies like steering gears, CV axles, engines and transmissions. Log onto RockAuto.com today for all your auto part needs. 866-ROCKAUTO (762-5288). See p. 68. **Check 31** 

Roger Machine and Tool, Wood Fired Pool Heaters are affordable, maintenance free, DIY easy installation and are safe and energy efficient. Order now and receive \$95 in accessories FREE. www.extendaswim.com, 866-636-8181. Check 32

Royal Purple, When put to the test Maxfilm outlasts and provides superior protection compared to leading spray lubes. Receive a free Royal Purple catalog to learn more. www.protectparts.com, 866-777-0671. See p. 56. Check 33

Skil Power Tools. Our tools have the right combination of product styling, performance and features to help DIYers complete home projects successfully, www.skil.com. See p. 70 & 71. Check 34

**STIHL**, To learn more about STIHL visit stihlusa.com, 800-G0 STIHL (800-467-8445). See p. 53. Check 35

Summit Chemical Summer Year-Round® Spray Oil is an eco-friendly all-season horticultural oil that kills insect pests, decomposes quickly and has no odor. Approved for organic production. www.summitchemical.com, 800-227-8664. Check 36

**U.S. Career Institute** Be a home inspector. Train at home. Earn up to \$50,000 a year or more with experience! Get free facts. Call U.S. Career Institute: 800-758-9588, Dept. 2DYB2B50, www.uscareerinstitute.com. Check 37

WD-40 Company, Introducing the 3-IN-ONE® No-Rust Shield®. Simply place it in your toolbox, firearm case, or wherever you store medal items, for up to three months of protection from rust and corrosion. www.norustshield.com, 800-448-9340. See p. 55. **Check 38** 

Wood-Mizer Products is the leading manufacturer of portable band sawmills, with a wide variety of mills to suite your business or hobby. www.millstothemax.com, 800-553-0182. **Check 39** 

**DAP®** 3.0™ Advanced Sealants protect your home from the weather and help save energy and money by blocking drafts and sealing air leaks. www.sealyourhome.info. See p. 22.

**Powermate.** Go to powermate.com to learn more about the large selection of power products for home improvement indoors and outdoors. www.powermate.com, 800-628-8815. See p. 31.


**Pex Supply** offers a wide range of plumbing and heating supplies from top brands including Honeywell, Taco, and Weil McLain. Free shipping on orders over \$300. www.pexsupply.com, 888-757-4774.

Pioneer Steel builderings are economical, versatile, durable, maintenance free and easy to erect. Providing high-quality steel buildings to suit any budget. A manufacturer since 1980. www.pioneersteel.com, 800-668-5422.

Snorkel Hot Tubs, Classic wood hot tubs. Choose our goanywhere wood-fired tubs or state of the art digitally controlled gas or electrically heated tubs. www.snorkel.com, 800-962-6208.

True Value, Whether you're a 1st time homeowner or DIY enthusiast, True Value is the place for tools, products and expert paint and home repair project advice. www.truevaluepaint.com/ www.startrightstarthere.com/. See p. 17.

**WeatherTech®**, The WeatherTech® line provides interior and exterior protection for your vehicle. Protect your investment with WeatherTech®. www.WeatherTech.com, 800-441-6287.



# Don't Panic. Go Organic.

# **Summit Year-Round® Spray Oil**

- No dangerous chemicals
- No odor
- Kills aphids, spider mites, scale, thrips, leaf beetle larvae and more
- Use on garden plants and fruit trees right up to the day of harvest.

# **Mosquito Dunks®**

- America's #1 biological mosquito killer
- Kills mosquitoes before they can become disease-carrying adults.
- Keeps working for 30 days in ponds, bird baths, water troughs and any standing water.
- Will not pollute water or harm animals, fish or birds.

Available at garden centers, hardware stores & other fine retailers.

















to get the right amount right where it's

needed. www.funginail.com









## **BATH-TUB CONVERSIONS**

**DEALER INSTALLERS NEEDED!** Seniors need walk-in-tubs! Earn \$2,000+/mo. Part-Time Call 877-387-8827 www.safebathtub.com


## **GREENHOUSES**

**GREENHOUSES AND SUPPLIES.** Hobby to Commercial sizes. Serving the Horticulture Industry since 1946. 800-531-4769 www.gothicarchgreenhouses.com



## **RAIN GUTTERS**

**OUTSMART YOUR GUTTERS!** It's all about CLEAN OUTLETS in your gutters. 1-866-289-1442 www.thespoutoff.com



100th Anniversary
Lincoln Head Cents!

Don't miss out on a Complete Uncirculated P&D 8-Coin Set of 100th Anniversary Lincoln Cents minted only in 2009 to celebrate

four major stages in Abraham Lincoln's life (followed by a new reverse design in 2010).

#### **Get the Complete Uncirculated 8-Coin Set!**

- Contains Philadelphia and Denver Mint issues of all four designs - 8 coins in all
- Each minted 3 months, then never again!

#### All in preferred Uncirculated condition! Order within 30 days for ONLY \$2.95 -**SAVE 46% plus FREE SHIPPING!**


• With display folder for Lincoln Cents

You'll also receive our fully illustrated catalog, plus other fascinating selections from our Free Examination Coins-on-Approval Service, from which you may purchase any or none of the coins - return balance in 15 days - with option to cancel at any time. Order your Complete 8-Coin Set today! Mail coupon or visit us at... www.LittletonCoin.com/specials















## 100% Money Back Guarantee! Doctor Approved. Free 6 Months Supply! Male Enlargement Up To 5 Inches And 50% Gain In Width In 60 Days Or Less! PRO+PLUS PILLS SIZE MATTERS LONGER, WIDER, FIRMER WE GUARANTEE PERMANENT ENLARGEMENT ONLY WITH PRO+PLUS PILLS The exclusive ingredients of PRO+PLUS PILLS not found in other brands makes it possible for you to maintain your enlargement PERMANENTLY. Your new larger size can be a part of you forever. Continue to take PRO+PLUS PILLS to reach your maximum potential and maintain your sexual stamina and performance INCREASES SIZE, STRONGER ERECTIONS AND MAINTAINS YOUR SEXUAL VIRILITY We guarantee your sexual performance can improve substantially, PRO+PLUS PILLS boosts your sexual energy, stamina and endurance. Never go soft again and you will stop premature ejaculations. PRO+PLUS PILLS outperforms all other brands pills and creams. Compare the results from our consumer survey. 5 Inches PRO+PLUS PILLS Other Brands PRO+PLUS PILLS ADVANCED FORMULA Our exclusive formula for men with a form of HYPOSPADIAS or small penis. Size is less than 6 inches and need a guarantee of accelerated enlargement to reach a much larger size. Can also be used by men larger than 6 inches and need guaranteed maximum enlargement. **CREDIT CARD ORDERS TOLL FREE ANYTIME** 1-866-765-PILL (7455) FAX 1-818-345-4643 ONLINE www.avidpromedical.com www.proplusmedical.com SEND ORDER FORM AND PAYMENT TO: AVID PRO MEDICAL dept. 07H9A Box 1835 North Hollywood, CA 91614 CREDIT CARD ORDERS ONLY Toll Free Anytime 1-866-765-PILL (7455) or FAX 1-818-345-4643 Phone & Credit Card Orders specify products and dept. (shown above, next to company name) □ Check □ Money Order □ Cash □ Visa □ MasterCard ■ American Express □ Discover CREDIT CARD NO. EXPIRES: Month/Year CVS CODE 3-digit Security Code found on back of card or 4-digits on front of American Express PRO+PLUS ADVANCED FORMULA 30 Days Supply Plus 30 Days Supply Free ■ 60 Days Supply Plus 60 Days Supply Free ☐ 120 Days Supply Plus 120 Days Supply Free Total 240 days supply ......Only \$160.00 ■ 180 Days Supply Plus 180 Days Supply Free SUPER FORMULAS ONLY \$25.00 EACH OR SELECT ONE FREE WITH ANY PRO+PLUS ORDER Please Specify Quantities Sexciter To Excite Women.....FREE Attract-A-Mate "W": Attract Women . . . . FREE TOTAL PURCHASE: CA Residents add 9.75% sales tax: Shipping, Rush Service and Insurance \$20,00 VALUE ONLY, 5 12.00 TOTAL ENCLOSED OR CHARGED: 5 Orders discreetly shipped with UPS or Priority Mail. Foreign Orders — Money Order in U.S. Funds Only. Add \$10.00 S&H SIGNATURE II am over 18 years old! MAME (primi) ADDRESS CITY/STATE/ZIF



Get FREE FACTS! Train at home in your spare time.

**U.S.** Career Institute 2001 Lowe Street, Dept. HDYB2A50 Fort Collins, CO 80525 7171711 uscareerinstitute com

Call Toll-Free or mail this coupon today!

Nationally accredited program. Get free facts. Call now!

www.uscurcerms.com		FREE!
Name	Ago	2
Address	Ap	t
City	State Zip	)
E-mail		
Accredite	d • Affordable • Approved!	HP010

pany, or running your own franchise.

HP010

# New 50 State \$2 bill Program™ now underway

Restricted release gives just 1 out of every 1,291 households an opportunity to get the entire State \$2 Bill Collection™



NEVER BEFORE SEEN: This is the new New York state overlaid \$2 bill that few have ever seen and everyone is scrambling to get. The World Reserve Monetary Exchange has restricted the release of its exclusive State \$2 Bill Collection™, so getting one would make you as happy as hitting the lottery.

By Joan Tedeschi Universal Media Syndicate

Most Americans have never even seen a government issued \$2 bill, let alone the new never before seen state \$2 bills being overlaid and released exclusively by the World Reserve Monetary Exchange.

According to Thomas C. Harris, former Deputy Director of the U.S. Bureau of Engraving and Printing and consultant for the privately held World Reserve, "Less than 1% of all U.S. Government notes currently

produced are \$2 bills."

And finding one of the exclusive 50 state \$2 bills will be even more difficult. That's because it has just been announced that the release of the entire new State \$2 Bill Collection™ has been restricted. That means only 1 out of

every 1,291 U.S. households will even have a chance to get them all.

With this new State \$2 Bill Collection™ now underway, U.S. residents are expected to snatch up all they can while they can still get their hands on them.

# Just 7 days left for U.S. residents to get the only existing state \$2 bills

Private hoard of never before seen state \$2 bills being released for the next 7 days, only in 4 packs of protective estate wallets each loaded with its own state \$2 bill for just \$12 per wallet

By R.K. Berry Universal Media Syndicate

UMS - It's like a run on the banks. The phones just keep ringing off the hook.

That's because U.S. residents can only get the World Reserve's never before seen state overlaid \$2 bills for the next 7 days.

All residents have to do is call 1-888-485-8214 or one of the five Overflow Hotlines to get their new state bills.

These special Toll Free Hotlines have been set up because you can't get these exclusive bills at local banks, credit unions or even the Federal Reserve. They're

and released directly to U.S. residents exclusively by the World Reserve.

These crisp U.S. \$2 bills featuring the exclusively designed state overlaid printing are so precious you would never even dream of carrying them around in an ordinary leather wallet.

That's why they are being released in individually loaded rich protective estate wallets. They are so impressive, everyone will swear they must have been taken right from the President's desk.

"Everything in our vault may soon be gone. So residents

being banded in packs of four who want to get them now had in circulation. better hurry and call," said Jefferson Marshall, Executive Director of the World Reserve Monetary Exchange.

> Some collectors are always trying to snatch up all the \$2 bills issued by the Government they can get their hands on. They know that \$2 bills are almost impossible to find in your pocket change these days.

> Originally issued in 1928, the currently designed \$2 bills have largely been locked away in the bowels of the U.S. Federal Reserve vaults, rarely distributed by banks and almost never seen

The \$2 bills issued by the Treasury Department's Bureau of Engraving and Printing, makers of all of the nation's paper currency, make up less than 1% of the \$670 billion in genuine U.S. currency that circulates worldwide, according to the U.S. Department of Treasury.

"That's why I've authorized a limited number of genuine Government issued \$2 bills to be overlaid with each state's restricted printing and released from our private vault reserve to all U.S. residents who beat the 7-day deadline. For now dealers can't

LIMITED RELEASE BEGINS: To the right is the never before seen entire 50 State \$2 Bill Collection™ shown off by the World Reserve. You can't get these exclusive state \$2 bills from local banks, credit unions or even the Federal Reserve. Dealers and collectors who are lucky enough to find them are sure to be charging a hefty premium to let them go. But getting the entire 50 State \$2 Bill Collection™ may be hard, since the release is being restricted. That's why the World Reserve Monetary Exchange has also decided to release all 50 states together in one complete collection to U.S. residents who beat the deadline by calling 1-888-485-8214 in the next 7 days.

state \$2 bills to make sure residents can get what they need," Marshall said.

"These exclusive state \$2 bills will be highly sought after and are extremely popular to hand out as gifts for friends and family. They are the perfect gift for any occasion," he said.

"That's why this announcement is being so widely advertised, to make sure every U.S. resident has a chance to get their own state \$2 bill," said Marshall.

They are sure to impress because most people have never even seen one of these



get the vault packs of the newly enhanced state \$2 bills featuring their state's skyline and significant state symbol with President Thomas Jefferson on the front.

> "Since these are the only existing state \$2 bills, anyone who wants more than 10 sealed vault packs of 4 bills in protective estate wallets must submit requests in writing so there will be no hoarding by dealers," said Marshall.

> "You better believe we will be strictly enforcing the limits so that we can guarantee there will be at least 10 vault packs for U.S. residents who call in the next 7 days," Marshall said.



GET THEM WHILE YOU CAN: Shown above inside the maximum security vault of the World Reserve Monetary Exchange is their entire 50 State \$2 Bill Collection™ that only 1 out of every 1,291 households will have an opportunity to get. Also shown are the new state \$2 bills in the protective estate wallets, only released banded together in packs of 4, that everyone is trying to get for themselves and to give as gifts. They are so impressive that those lucky enough to get them may feel like they were handed a million dollars.

# **HOW U.S. RESIDENTS CAN GET THEIR STATE \$2 BILLS**

#### U.S. RESIDENTS ONLY

The special Toll Free Hotlines are open to U.S. residents only. Residents have just 7 days to get their states \$2 bills beginning at 8:00am today. If you miss the deadline you'll be turned away and forced to wait for future announcements in this publication or others, if any.

The World Reserve Monetary Exchange is only releasing the never before seen state overlaid \$2 bills banded together in packs of 4, each in its own protective estate wallet, for just \$12 per wallet and shipping to U.S. residents only. There is a strict limit of 10 state \$2 bill vault packs per household. To claim yours call the special Toll Free Hotline numbers below.

> SPECIAL TOLL FREE HOTLINE: 1-888-485-8214 CODE: NL141

> > **OVERFLOW HOTLINES**

1-888-485-8215 1-888-485-8216 1-888-495-2292 CODE: NL141

1-888-495-2295 1-888-495-2297

## WHAT TO DO IF ALL LINES ARE BUSY

If you are a U.S. resident trying to get the new state \$2 bills within the 7 day deadline and have not been able to reach an operator by calling the special Toll Free Hotline or any of the five Overflow Hotline numbers, follow the steps below.

- Immediately call the Toll Free Hotline number below.
- 2) You will then be connected to a special operator who will ask you for the code number below and arrange delivery of your state \$2 bills.

Call Toll Free: 1-888-509-2680 Code: NL141

THE WORLD RESERVE MONETARY EXCHANGE, INC. IS NOT AFFILIATED WITH THE U.S. GOVERNMENT, A BANK OR ANY GOVERNMENT AGENCY. ALL TRANSACTIONS LESS SHIPPING ARE BACKED BY THE WORLD RESERVE MONETARY EXCHANGE WITH A 90 DAY LIMITED MONEY BACK GUARANTEE OF THE PURCHASE PRICE UP TO \$10,000.00. THE INCREASE IN COLLECTIBLE VALUE OF CERTAIN PRIOR ISSUES OF U.S. COINS AND CURRENCY DOES NOT GUARANTEE THAT CURRENT ISSUES WILL ALSO INCREASE IN VALUE. OH AND FL RESIDENTS REQUIRE THE REMITTANCE OF APPLICABLE SALES TAX. SORRY NO SHIPMENTS TO CA, MA, PA AND VT RESIDENTS. 8000 FREEDOM AVE., N. CANTON OH 44720.

# **Insulation's Creation**

# How we've stayed warm and kept our cool through innovative use of resources by connie bastyr

For thousands of years clothing has provided the first line of defense against chilling temperatures and blazing sun rays, but history indicates that the idea of adding thermal layers to enhance the comfort of a shelter took a long time to develop. Initially, water-repelling, wind-blocking walls — found in caves or crafted from stone, wood or animal hides — sufficed as

protection from the elements. But once people discovered a safe means of generating heat indoors, the motive to retain that warmth drove a desire to insulate their dwellings.

Instinctively looking to local resources, people discovered thermal properties in a broad range of natural materials. To create blanketing layers, they harvested or repurposed substances such as sod, cotton, paper, wood shavings, sawdust and more. Tapping into an everready supply of cork native to their regions, people in southern Europe and Africa have used it to insulate their homes for many centuries. Ancient Greeks and Romans initially used locally mined asbestos to protect themselves from heat and thereby discovered the mineral's insulating properties. (It was commonly used in modern structures until its health risks were established in the 1970s and '80s.) And a lack of trees led

Nebraska settlers to rely on an abundant supply of straw for their shelter, so they learned about the thermal advantages of straw-bale construction.


Another form of "bio-insulation" was harnessed in 1893 by Samuel Cabot, a chemist who started out making tarpaper and later became a famous wood-stain manufacturer. In an attempt to find a use for eelgrass (an overly prolific sea plant found along the Cape Cod coast), Cabot began researching and learned that some people stashed the dried

weeds in their walls for warmth. After discovering that the plants' air pockets offered thermal properties, he gathered, dried and sandwiched the grass between sheets of paper to make "Cabot's Quilt," which became one of his company's major product lines for the next 40 years.

Two other materials — rock wool and slag wool — were predominant insulators from the mid-1800s to the mid-

1900s. Made from fine strands of molten rock or industrial slag, both of these mineral wools are known for their fire resistance as well as their thermal protection.

The 20th century brought the harnessing of a variety of new insulators. Finally recognizing the insulating potential of glass fibers (originally produced by ancient Egyptians for decorative pieces), glass makers and some manufacturers of asbestos and mineral-wool insulations expanded into production of fiberglass insulation during the mid-1900s. In 1944 Dow Chemical Co. patented Styrofoam, the forerunner of today's extruded polystyrene foam, an increasingly popular insulator. And in the 1950s Thomas Jefferson's idea to incorporate cellulose into his famous Monticello estate was resurrected when paper-base wool began to be mechanically produced and widely used as insulation.



A display at the 1939 New York World's Fair featured Johns Manville rock-wool insulation as a protection for farm buildings "against fire, weather and wear."

Thanks to these developments, the growing prevalence of air conditioners and the energy consciousness that began in the 1970s and resurged with the green movement, insulation has evolved from a building amenity into a construction requirement. Modern homeowners no longer have to worry about devising ways to keep out the cold or keep in the heat; the only dilemmas we face are in choosing among the vast array of insulating products and approaches currently available and constantly emerging. •





# You can EPOXY SHIELD® your garage floor, or you can "CHEAP IMITATION KNOCK-OFF" your garage floor.



# ACCEPT ONLY EPOXY SHIELD FOR 100% GUARANTEED PERFORMANCE.

Only Rust-Oleum EPOXY SHIELD comes with a no-peel promise.
There's no cracking or fading. Just a beautiful, long-lasting,
gloss finish. Plus it's easy to apply. Innovation at its best.
Insist on EPOXY SHIELD by Rust-Oleum.
The number one trusted brand for protection.

# **RUST-OLEUM**

stopping rust is just the start.™

epoxyshield.com