

ULTRA STRONG ULTRA FLEXIBLE SELLEYS ULTRA REPAIR GLUE

THINGS ARE LOOKING UP FOR EVERYDAY REPAIRS!



EXTREME RESISTANCE
TO MOVEMENT,
TEMPERATURES & WATER

STRONG & FLEXIBLE MULTI-SURFACE ADHESIVE

SOLVENT FREE AND SAFE TO USE Selleys Ultra Repair Glue is our Champion of household adhesives. Exactly what everyone needs for all-in-one repair work around the home.





ULTRA REPAIR GLUE TO THE DIY RESCUE!

- Strong Bond
- Adjust or reposition for 1 min
- Infinitely more flexible* staying power

EXTREME RESISTANCE TO:

- Shocks & Vibration
- Torsion & Movement
- Water
- Extreme Temperatures
- Dishwasher Safe
- Gap Filling (works on uneven surfaces)
- Paintable
- Non-Drip (great for vertical surfaces)
- Interior/Exterior
- Heat resistant -15°C to +120°C
- Solvent free, no shrinkage

* Compared to rigid glues like standard superglues





Metal, wood, glass, rubber, china, leather, ceramics, masonry, fibreglass, vinyl, fabric, cardboard and most plastics.



CONTENTS JUNE







COVER PHOTOGRAPHY CHRIS L JONES
STYLING TINA HUTTON

This month

9 HANDY STUFF

Check out the latest tools and gadgets for DIY and gardening

Outdoor

14 WARM LIVING

Create a winter deck for cool-weather entertaining

20 LIGHT UP THE YARD

Lighting solutions to add ambience to the garden at night

24 ADD BISTRO BLINDS

Weatherproof the deck DIY for year-round outdoor living

Renovate

28 LIVE OUTSIDE THE SQUARE

Check out the most innovative homes in the world

40 HOUSE FLIPPING

An experienced DIYer shows how to renovate for profit in 10 weeks

6 REVAMP TO RENT OUT

Turn an office space into a residential apartment

BRING IT TO THE KERB

An easy front-of-house makeover for instant street appeal


98 Add a Japanese maple for bold autumn colour





MADE EASY

Everything you need to know about choosing, buying and using this workshop must-have



Decorate

- 58 HOLE IN THE WALL SHELVES
 Add recessed storage in a day
- 62 RUNG HUNG CLOTHES RACK
 Turn a ladder into hanging space
- 64 BRANCH-BRACKET
 WALL SHELF
 Make a designer recycled rack

Make a designer recycled rack

66 KNICK-KNACK SHELVES
Install corner shelving

Build

80 SPACE SAVING WORKBENCH

Build a compact workstation with a fold-down top

84 GET THE GARAGE SORTED

Five ideas to create more storage and reclaim lost floorspace

88 IT'S TOOL TIME

Take care of your tools and stay safe in the workshop

Garden

96 THIS MONTH

Prepare your garden for winter

98 COLOUR YOUR WORLD

Grow a Japanese maple

102 KNOW YOUR ONIONS

Plant this versatile crop

106 NUTRIENT DEFICIENCIES

Keep your plants healthy

108 MAKE THE MOULD THAT'S GOLD

Wet and forget soil conditioner

112 VERDIGRIS POTS

Antique charm for plastic planters

108 Feed and mulch

SPONTANEOUS

The remedy to "WHAT SHALL WE DO?"



It's a slow, rainy weekend and then the sun breaks out. Time to hit the trail? CRV means you can grab the moment. That's because it's ready for anything – with the power to transform from a sleek executive vehicle into the ideal weekend car – even when it's not the weekend. It's not just a metaphorical transformation either; with one touch the Magic Seats fold away completely to create incomparable space. So what's holding you back? If it's your car, it's time to visit Honda. Now, what shall we do today?


CRV. By Honda.





HONDA
The Power of Dreams

2WD from \$37,900 + ORC. 4WD from \$46,600 + ORC. Lease from \$450 + GST per month.



Te at *Handyman* work up to three months in advance, so a topic like 'how to care for your garden in the heat' is often being written about in winter.

That means that this month's cover story on extending outdoor living in the cooler months was produced in summer.

Yes, it was touch and go as to whether we would be able to light a fire but, luckily, there was no fire ban on at the time.

I love to be outdoors in all seasons and there's nothing better at the end of an autumn day than to cook a feast in the pizza oven.

Once the food is ready, I open the doors of the oven so the family can bask in the warmth as we eat.

There are lots of ways to heat up outdoor spaces, so we have put together a range of ideas you can use, starting on page 14.


ADD VALUE TO YOUR HOME


The real estate market has its peaks and troughs, but there are some reliable ways to increase your home's value.

Check out the complete reno on page 40 for inspiration, but remember that first impressions are key.

Our kerb appeal story on page 50 has six easy front-of-house DIY makeover inspirations you can use to transform the look of your place.

MANAGING EDITOR
LEE DASHIELL





Don't try this at home

Okay, so I can tell you that working on a DIY magazine doesn't ensure you never make mistakes.


I was busily spraying Roundup on various weeds around the garden one weekend when I got some on the soles of my shoes.

I then walked across the lawn.

Two weeks later, the evidence shows that I really should take more care. Learn from my mistake and save your lawn!

More inspiration

Looking for inspiration for your kitchen revamp? Pinterest lets you create and organise boards of your favourite pictures. It's a great way to find and share ideas for your next reno. Check out projects from Handyman at pinterest.com/diyhandyman or scan the code below with your phone.



Express your creativity with a tiled splashback you can install DIY.



Customise or build furniture for kitchen storage and display.







ADVANTAGE 1:

The most universal fitting blades in the world....

The new SMTX shanks suits all the common brands

☑AEG ☑RYOBI ☑Bosch ☑Craftsman ☑Fein ☑Makita ☑Ico
☑Milwaukee ☑Ozito ☑Predator ☑Rockwell ☑Worx

www.wiiiwaukee wozito wPredator

ADVANTAGE 2:

Made in the USA, top quality and with SMART our blades are guarranteed against breakage.

ADVANTAGE 3:

Blade range like no other with over 30 options so you get the right blade for the job.

ADVANTAGE 4:

Attractively packed for end user to select and retailers to display

032CTL

The Longreach blade

32mm wide and a reach of 67mm long, this blade goes the distance thanks to the heat treated hard pointed teeth



"The Piranha" Blade

35mm wide and only 0.8mm thick with heat treated teeth, the SMART Piranha blade cuts timber like no other.



"Nail Buster Extreme"

Suitable for timber with nails, non ferrous metals, 54mm depth of cut.

Why is Titanium coating so good?

It is designed to reduce friction which reduces the heat build-up during the cutting process, significantly increasing the life of the blade. This even makes the New Nail Buster Extreme Gold blade capable of cutting deck screws, an application not possible with any other brand of blade.

Suitable for timber with nails, non ferrous metals, 54mm depth of cut.

Available from all leading building merchants in New Zealand







Handyman

EDITORIAL

EDITOR-IN-CHIEF SUE CARNEY
MANAGING EDITOR LEE DASHIELL
DEPUTY EDITOR FRANK GARDNER
ART DIRECTOR KATE TIMMS
CHIEF SUBEDITOR ARTEMIS GOUROS
FEATURES EDITOR JECCA BLAKE
TECHNICAL SUBEDITOR GUN ARVIDSSEN
SENIOR SUBEDITOR SANDRA BRIDEKIRK
SENIOR WRITER SITA SIMONS
GRAPHIC DESIGNER DANIA WARMERDAM
EDITORIAL COORDINATOR ASHLEIGH PERRIOTT
DIAGRAMS STEPHEN POLLITT
NEW ZEALAND EDITOR BRUCE SCOTT
T: 64 9 488 0862 E: bruce@regatta.co.nz

ADVERTISING

GROUP ADVERTISING DIRECTOR (ANZSA) SHERON WHITE T: 61 2 9018 6280 HANDYMAN MAGAZINE BRAND MANAGER & NSW ADVERTISING MANAGER STEVEN KOUTSOUKOS T: 61 2 9018 6279 ADVERTISING MANAGER NEW ZEALAND KERRY MCKENZIE T: 64 9 571 9495 E: kerry@hawkhurst.co.nz ACCOUNT MANAGER MAREE SELAK T: 64 9 571 9497 E: maree@hawkhurst.co.nz

MARKETING

NEW

NEW

CIRCULATION MANAGER MATTHEW KIND WEBSITE EDITOR REBECCA ANGUS

PRODUCTION

PRODUCTION MANAGER BALAJI PARTHSARATHY T: 61 2 9018 6115
PRODUCTION COORDINATOR CARLOS OCANA T: 61 2 9018 6116

PUBLISHING

DIRECTORS WALTER BEYLEVELDT, LANCE CHRISTIE
PUBLISHER, MANAGING DIRECTOR WALTER BEYLEVELDT
OPERATIONS DIRECTOR ASIA PACIFIC ADINA GHERMAN

READER'S DIGEST ASSOC. INC.

PRESIDENT & CEO ROBERT E GUTH
VICE PRESIDENT & COO INTERNATIONAL BRIAN KENNEDY
EDITOR-IN-CHIEF INTERNATIONAL MAGAZINES RAIMO MOYSA
EDITOR-IN-CHIEF THE FAMILY HANDYMAN KEN COLLIER

NEW ZEALAND OFFICE

HANDYMAN MAGAZINE PO BOX 90059, VICTORIA ST WEST, AUCKLAND 1142 T: 64 9 589 1054

SUBSCRIPTIONS AND ENQUIRIES

T: 0800 400 060 E: customerservice@readersdigest.co.nz www.handymanmagazine.co.nz



PUBLISHED BY READER'S DIGEST (AUSTRALIA) PTY LTD

(ABN 81000565471) 80 BAY ST, ULTIMO, NSW 2007

© 2013 READER'S DIGEST (AUSTRALIA) PTY LTD

PREPRESS BY SINNOTT BROS

UNIT 7, 108-120 SILVERWATER ROAD, SILVERWATER NSW 2128

PRINTED BY TIMES PRINTERS PTE LTD, 16 TUAS AVE 5, SINGAPORE 639340


DISTRIBUTED BY GORDON & GOTCH



Handyman magazine is printed on PEFC-certified paper, providing an assurance that the paper is produced from sustainably managed forest sources.

All content ©2013 Reader's Digest (Australia) Pty Ltd, all rights reserved.

Reproduction without permission is prohibited. All prices and information are correct at the time of printing. Prices quoted are recommended retail prices and may vary. All material sent to Handyman (whether solicited or not) will not be returned.



THE NEXT GENERATION OF

LITHUMER





RYOBI has released the next generation of Lithium, providing all your ONE+ tools with better performance and long lasting power to tackle any DIY project. Our intelligent battery technology, IntelliCell™ offers full individual cell monitoring to maximise run times, storage life and safety, while providing even more power. All Lithium+ batteries are compatible with all 18V ONE+ tools and Dual-Chemistry chargers, whether you bought it yesterday or 10 years ago.

WITH OVER 30 ONE+ TOOLS, ONE BATTERY PLATFORM POWERS THEM ALL








For all your Fix, Fill or Seal needs!



A sandable, paintable, flexible gap filler, suitable for interior and exterior use.

ITEM CODE: 230366 SIZE: 300ml




An anti-mould silicone sealant, ideal for waterproofing around sinks, baths, taps, basins and ceramic tiles.

ITEM CODE: 230363 SIZE: 300ml



An exterior waterproof silicone sealant, designed to meet NZ conditions in all weather.

ITEM CODE: 230369 SIZE: 300ml



A heavy duty construction adhesive, designed for interior and exterior use on walls and floors.

ITEM CODE: 556865 SIZE: 300ml



bostik.co.nz



HANDYSTUFF

A round-up of nifty new products for use around the home, garden and workshop



Get a grip

bostik.co.nz

You've just glued the new shower tray in place and noticed it's not quite in the right position. Bostik Shower Grip, \$10 for 300ml, allows you up to about 20 minutes to align the tray correctly. Specifically formulated for shower trays and linings, this New Zealand-made adhesive also bonds other materials like plasterboard, timber and aluminium.

SOSTIK)
SHOWER GRIP
LINING & TRAY
MEMUW ADMISSI
PERFORMANCE
AND PROSECULAT
PR

Lead the way

Make electrical extension leads easier to manage and tangle free with a Stoa Cable Tidy, \$23, from E Products. It mounts on a wall bracket, can pivot 180° and holds up to 35 metres of lead. New Zealand made, it's UV stabilised for longevity and is safe to use when the lead is fully wound. eproducts.co.nz

Clear results

Save time cleaning windows and get streak-free results with the Karcher WV 70 Plus Battery-Driven Window Vacuum Set, \$135.

A world first, the vacuum sucks up the water during cleaning. It comes in a set with a spray bottle, microfibre wiper and cleaning agent. Just spray, wipe and vacuum. karcher.co.nz











A GREAT TIME TO REVAMP YOUR TOOL SHED

Equip your tool kit with some of the most quality hand tools available. Trojan Hand Tools has been around since 1904, with products sourced from the best manufacturers around the world. They provide an extensive range for both the professional tradesman and D.I.Y.-er, all at affordable prices.

3 PIECE ADJUSTABLE WRENCH SET

Essentials like this wrench set will be with you forever. Made from chrome vanadium steel, each has extra wide handles for extra torque and comfort and a smooth knurl for a good snug fit. \$24.98.

3 PIECE WOOD CHISEL SET

This set features precision ground blades for extra strength and ergonomically designed handles for better control and comfort. Complete with sharpening stone and mini block plane for just \$24.98.

19 PIECE SCREWDRIVER SET

All the most used sizes in a handy case for just \$24.98.

3 PIECE SAW SET

3 piece saw set comes complete with 150mm wallboard saw, 300mm back saw, 550mm hand saw and extra blades. \$19.98.

3-IN-1 STAPLE GUN

Suitable for use on upholstery, wood and many other craft and D.I.Y. projects, the Trojan fastens 3 types of staples and is just \$19.98.



WINTER GRUNGE GONE

The 30 Seconds Cleaning Range makes outdoor clean-ups easy. Whether you are cleaning your house, paths, deck or drive, there is a specialised formulation for all. Simply click onto your garden hose and spray. 30 Seconds formulations give better delivery of the active ingredient for a harder working result. Check the pack for rinse off or leave on application.

Spray & Walk Away Hose End \$39.90.

Mold Armor Deck & Driveway Hose End \$29.90.



HIGH ON HEAT, LOW ON POWER USE

For an economical way to keep your rooms warm and cosy this winter, look no further than the ultra-slim Moretti 430W Eco Panel Heater. Its unique design, silent operation and digital timer make it ideal for any room in your home. Quick and easy to install, the Eco Panel is available in wall mounted or freestanding options and can be painted in any colour. \$89.



LONGER LASTING LIGHT BULBS

New generation Phillips EcoClassic Candles and Lustres give you up to 2000 hours of energy saving light. Taking 30% less energy than normal incandescent bulbs, they give instant brightness from the moment they are switched on. Available in clear or frosted and in all cap fittings. \$6.79 each.



MORE GRUNT FOR LONGER FROM YOUR CORDLESS

The Ryobi 18V Drill Driver Kit is your go to kit for those tougher jobs. The Kit comes with a Smart Charger with built in diagnostics and 1.5Ah and 4.0Ah Lithium Ion Batteries that are ONE+ compatible to give you power for longer. Bundled up in a handy carry bag for just \$259.



4 WAYS IN ONE TO TRANSFORM YOUR GARDEN

The powerful 1000W Ozito '4 in 1' Garden Pack is equipped with a line trimmer, brush cutter blade, pole hedge trimmer and pole pruner for all your gardening needs. The 'quick change' system allows you to switch between attachments easily for a complete garden tidy-up tool. \$279.



Not all products featured are available in all stores, but may be ordered. Shelf prices may be lower than advertised to ensure lowest prices every day. We reserve the right to restrict the purchase of commercial quantities. All prices quoted are inclusive of GST. Prices valid until Sunday 23rd June 2013, or while stocks last.





iwis love making the most of outdoor living spaces, with many homeowners putting a lot of time and design dollars into the verandah, deck or pergola to be able to use it year round.

If winter weather keeps you inside for a few months or more, let yourself be tempted back outdoors.

Modern inclusions mean you can enjoy cosy evenings and alfresco lunches with just a few tweaks around heating and decorating.

Landscape designer Dean Herald says that the past five years have seen an increase in demand for outdoor winter living solutions.

'It all comes down to enjoyment and feeling comfortable,' says Dean.

'If you re-create that outdoors, then you are really extending the usability of the space.

'People tend to understand the appeal of evening entertaining but they overlook the pleasure of long lunches on crisp winter days with the sun on your back. Being well prepared for it is the key.'

TURN UP THE HEAT

Outdoor heating solutions have come a long way since the occasional gathering around the backyard bonfire or the call to put an extra jumper on. These days it's all about replicating the comfort of the indoors.

'Technology always catches up to trends, and in the last five or six years there's been a real increase in the products available for heating the external space,' says Dean.

'Personally, I think you can't beat the traditional fireplace. The look, the crackle and the smell of the timber, and the radiance of the heat.

'It's like formalising the campfire, and connecting emotions to the solution is always a winner.

'Evoking childhood memories is a surprisingly important factor in any design process,' he adds.

'For many people, an open fire has special memories attached to it.'



needs of the people who live there will all influence the decision to have an open fireplace.

'There may also be neighbours and council regulations that need to be considered,' says Dean.

'A small urban backyard may not be the best location and overhanging trees, fire bans, young families and body corporate issues all need to be taken into account.'

Chimineas are a very popular

alternative. Decorative and portable, a chiminea is a small fireplace shaped like a lightbulb, with the tall top acting as a chimney.

Often made from terracotta, they burn wood effectively and the design makes them ideal for small areas.

Chimineas do get very hot to touch, so this option is not ideal if you have young children or pets.



Select a heater to suit your space and entertaining style. Gas heaters are good for small, modern yards, while fire pits or chimineas work well in more open-plan areas.



Clay Chiminea, \$199, from Aber. aber.co.nz



Jumbuck Outdoor Steel Fire Pit, \$99, from Bunnings. bunnings.co.nz



OUTDOOR WEATHERPROOF PROTECTION MADE EASY


Enjoy outdoor living with all your favourite appliances. ™ Keep electrical connections safe and dry, with an Excalibur Outdoor Safety Box or Lead Safety Box

Outdoor Safety Box

Cat no. EOSB64

Lead Safety Box

Cat no. LSBR



The Excalibur™ Outdoor Safety Box has an IP64* weatherproof rating, designed to safely house and protect a powerboard, and the plug of all connected devices, against many outdoor elements.

Ideal for use with garden light transformers, around pools and spas, and for a range of other outdoor electrical installations The Excalibur™ Lead Safety Box is designed to prevent extension leads separating from connected appliances, for safety and convenience. The easy to use design enables plugs and sockets to be connected inside the plastic housing, keeping the connection safe from children and pets.

The IP44* weatherproof rating also protects the connected plug and socket against many outdoor elements

Available at SUNNINGS warehouse



* Always check the IP classification and definition of that IP rating before installation

Fire pits and braziers are portable and constructed from steel. Designed to contain small fires both offer the enjoyment of real flames without the elaborate set-up or maintenance.

High-end fire pits can be gas powered but most are wood burning, featuring lids to contain ash and limit the danger of open flames.

Braziers are fuelled with briquettes. They are small, making them easy to store, but you need to be standing close to feel the heat.

Radiant heaters are cost effective and, depending on the model and air temperature, can heat an area with a radius of up to five metres.

Some models can be connected to the home gas supply and there are electric versions, too. This type of heater does not function well in windy conditions and needs to be in a large space for safety reasons.

Small electric units can be wall mounted, improving safety, but heat radiance is limited.

LIGHTING FOR AMBIENCE

Days are shorter in winter and while the sun can be high and bright for part of the day, the conditions can limit the use of the outdoor space.

'Good lighting is critical to any outdoor space. Daylight can be beautiful in winter but getting the lights right can add to the feeling of warmth in the evenings,' says Dean.

The trick is to mirror the rules that apply indoors. Having a couple of options for how the space looks and feels is always a good idea.

You might have overhead lighting for when everyone needs visibility, like during a meal, then perhaps a dimmer to create that lovely lounge-like atmosphere.

If the space is large enough, you may want to switch off overhead lights and instead create illumination with lamps around the perimeter, using candles in the centre.

TIP Use uplighting to make a feature

of any plants or trees in the space.



Preparing for winter

To extend the life span of your outdoor furniture and accessories, take steps to protect them from the weather even if you have cover.

Timber can rot or warp in the wet while standing water causes mould, mildew and stains. Angle chairs so water runs off and give timber a sand and oil every two years.

Metal furniture can go rusty in the rain and should be treated with a rust-inhibiting paint or sealer.


If the outdoor space is going to be unused for an extended period, cover clean and dry furniture and equipment with plastic sheeting, so it's good as new when it comes time to get back out there again.



Brightwood Storage Box, \$249, from Bunnings.

Get more online

Visit handymanmagazine.co.nz/mag for how to Build An Outdoor Oven.






To discover what you can do with Porta timber and mouldings, visit www.porta.co.nz



portamouldings



Enjoy the garden year-round by installing DIY lighting to create mood, highlight features and improve access

WORDS LEE DASHIELL

types of garden lighting that all it takes to create ambience after dark is a little imagination.

A typical house has a spotlight attached to the fascia to light the yard. While this is ideal for getting clothes off the line after dark, it does little to create atmosphere when entertaining.

To make the most of your outdoor spaces first devise a lighting plan, considering options such as where you need illumination for cooking and eating, as well as which garden features you'd like to highlight.

There are multiple ways to create a dramatic and effective lighting

scheme, and most don't require the services of a tradie as they can be done completely DIY.

DRAW UP A PLAN

First do a sketch of your garden and work out where you'd like the seating.

Is there a particular area or piece of equipment that needs extra lighting such as a barbecue or pizza oven? Are there steps that can be a bit tricky to navigate after the sun goes down?

When deciding on feature lighting, look for trees that can be uplit, or attractive areas of lush green or colourful foliage. If there is a sculpture, pond or garden bed that would add atmosphere if illuminated, include it in your plan.

TIP Add sensor-activated lights near access doors for home security.



HPM Mini Spotlight, \$116 for a four pack. hpm.co.nz

Installing low-voltage cable and lights

Add a spotlight connected to a transformer to the garden to uplight a tree, creating a feature.

TIP It's safe to have the light on while you work to check the connections, as the voltage is very low.




1 INSTALL THE TRANSFORMER and attach the cable, turning the power on to check connections as you go. Choose the position for the light and open the cable connector.



MAKE THE CONNECTION by pressing the cable onto the spiked pins so they show through the top. If the light isn't working you haven't made a strong connection, so spike the cables again.



SET UP THE LIGHT by securing the connector lid over the spiked cable. Position the spotlight in the garden, checking it at night to ensure the beam is aimed at the right spot.



Dealing with moisture

Factor in the elements when working with lights outside.

OUTDOOR BULBS sometimes burst because of moisture or changes in temperature. Turn off power at the main switchboard, using a circuit tester to check.

TO REMOVE the bulb, press a cut potato firmly into the remains. Turn it to unscrew the bulb then clean the socket with 0000 steel wool.

Another method is to reach into the metal base with needle-nose pliers and open them as fully as possible, twisting to remove the bulb.

are well-insulated and waterproof
but the socket is not. It is essential
that connections are waterproofed.

TO PROTECT electrical appliances
in the outdoors, use a powerboard
placed inside a safety box designed
to house and insulate connections.



Excalibur Outdoor Safety Box, \$50. merlindistribution.com.au

TYPES OF LIGHTS

Know your space and budget before selecting lights for outdoor zones and garden features.

a transformer to convert 240 volt household power to a safer 12 volts, and are great for highlighting garden beds and sculptures.

LOW-VOLTAGE HALOGEN lights also use a transformer. They are brighter than LEDs but consume more electricity and are ideal for accent lighting around a deck.

SOLAR LIGHTS contain rechargeable batteries that are powered by solar panels. They are not as bright as regular lights but are cheap to run and free of wires, so they are very easy to install. Solar lights are often used for lighting pathways.

SENSOR-ACTIVATED LIGHTS are for areas where you only need light when you're in the vicinity. Consider a solar

areas where you only need light when you're in the vicinity. Consider a solar sensor activated light, which turns on when it detects movement. These are good for security, driveways or even near the chook shed.

240-VOLT HALOGEN LIGHTS are the most powerful and send light the furthest distance, but consume the most electricity of the lot.

They also require the expense of a tradesman as they must be installed by an electrician. Halogens are often used for uplighting trees.

EASY SOLAR LIGHTS

Many solar lights come with an on/off switch and batteries already in position. Some have the solar panels attached to the unit, while others have a solar panel unit that is mounted separately.

Once spiked in the ground or installed, the light must remain off for more than 36 hours to give the batteries an initial strong charge.

The output of solar lights may vary and be less bright after cloudy days, but if the battery loses all charge, replacements are available to extend the life of the unit.

Outerstylers - At home with nature

Outerstylers are designed to leave a lasting impression. These outdoor lighting options are made from long-lasting materials and are perfect for the exterior of your home. Ensure your pathways, steps and porches are well and safely lit, preventing accidents and protecting your family from intruders.









ADD BISTRO BLINDS

Screen the deck and shut out the weather for year-round outdoor living


PROJECT FRANK GARDNER MAIN PICTURE STUART SCOTT

s autumn moves closer to winter, outdoor entertaining at home becomes less of an option unless you can provide protection from wind and rain.

Constructing a roof over your deck creates shelter and protects it from the elements. Enclosing the sides of the deck is the solution to making it a comfortable area that can be used even when the weather turns nasty.

To screen his outdoor room from the weather, *Handyman* deputy editor Frank Gardner used Windoware Bistro Blinds, from Bunnings, to enclose his elevated 4800 x 5600mm deck.

'The front two were stand-alone blinds fitted between posts. The 4800mm long sides were enclosed with pairs of zip-joined blinds to span the distance between the house wall and corner posts,' says Frank.







Add a bulkhead


To install Bistro Blinds, the head rails must be attached to level beams, walls or ceiling joists so the blinds drop squarely to the floor, and zip open and shut smoothly.

This deck had side perimeter beams that sloped to create the skillion roof, making level head rail attachment impossible.

As a solution, a DIY bulkhead was attached below the beams, providing a level surface for the head rails.



Prepare the channel
Cut the aluminium channel to
length using a hacksaw. Mark hole
positions on the channel base and
sides at 500mm centres. Clamp the
channel to a drill press baseplate and
drill 5mm clearance holes.




4 Cut the bulkhead angle
Mark the dimensions at both ends
of the bulkhead boards to match the
stringline setout. Set a taut stringline
between the end heights and mark the
angled cut line. Clamp the boards on
sawhorses and cut with a circular saw.

To make the bulkhead, U-shaped 25 x 25 x 3mm aluminium channel was secured with screws to the beams.

Lengths of 230 x 19mm primed H3 timber boards were cut on an angle to match the sloping beams then slotted into the channel.

The boards were reinforced on the outside with 42 x 30mm primed H3 pine then covered in cladding.


The bulkhead, including timber, channel and fasteners, cost \$420.



2 Set the bulkhead level
Use a spirit level to set level
stringlines beneath the perimeter
beams of the deck roof.
TIP We set a minimum drop of
50mm to match the head rail width,
increasing to 230mm at the wall.



5 Attach the bulkhead
Position the bulkhead boards
between the posts and wall, sliding
them up into the channel so they are
flush with the channel base. Secure
with 25mm x 10g stainless steel
screws through the side holes.



A triangular bulkhead allows head rails to be attached level under sloping beams.



3 Secure the channel
3 Clamp the channel at the inside edges of the deck roof perimeter beams. Drill 3mm pilot holes through the channel clearance holes into the beams then secure using 40mm x 10g stainless steel screws.



Reinforce the bulkhead
Secure 42 x 30mm primed timber to the bulkhead using 40mm x 8g treated pine screws, providing solid attachment for the head rail. Add vertical studs every 1000mm then clad with primed 230 x 19mm boards.

Install the blinds

To enclose this deck on three sides, we installed six Windoware Bistro Blinds.

Bistro Blinds come in clear or charcoal heavy-duty PVC and feature a black trim.

Standard clear 2100 x 2400mm blinds cost \$249 each, and 2400 x 2400mm cost \$269, with wall fixing strips about \$17 each and zip joiners about \$18.

Standard blind widths are 900mm, 1500mm, 2100mm and 2400mm.



Clamp the blinds
Attach the blinds to a structure such as a beam, wall or bulkhead.
If securing to a crossbeam, the head rail can be attached to the inside, outside or base edge. Clamp the blind

in position ready for drilling.




Attach the wall anchors
To seal against the weather, insert
the roped edge of the blind into the
anchor channel and slide it to the end.
Drill 5mm clearance holes through the
flat section of the anchor channel and
secure to the post or wall with screws.

Charcoal width sizes start from 1500mm. The width measurement includes 50mm side strips on both sides. The blind has a drop of 2400mm that includes the base flap.


To enclose this deck, the width measurements were taken between the insides of the posts and from the edge of a wall to the inside of a corner post using a metal tape for accuracy.

TIP Bunnings has a range of bistro

blind options available.



2 Secure the head rail
Through the predrilled holes in
the head rail, drill 30mm deep holes
into the bulkhead with an 8mm twist
bit. Secure the blinds by tightening
the coachscrews with a socket wrench.
TIP Use Dynabolts in masonry.




5 Anchor the blinds
Use screws to secure anchor plates to flooring or decking. To hold the blind steady and prevent movement in light wind, adjust the length of the anchor strap on the base rail.

TIP Roll up the blinds in high wind.



To roll up, release the anchor straps and unzip both sides, then pull the lift cords.



3 To join two or more blinds, zip off the roped edges and attach a zip joiner. Align the adjoining blind so the teeth line up, zip them together and tension slightly, then clamp the head rail and secure as before.



Add a cord cleat

To keep the blinds in position
when rolled up, use screws to secure
a cord cleat to a post or wall at an
accessible height. Tie off the lift cord
in a figure-eight pattern to prevent
tangling and ensure smooth operation.





re you in the market for a new home? Why not downsize to an apartment that transforms into layers at the touch of a button, or invest in a modular pod to get away without leaving your postcode?

Today's home can be whatever you want, whether it's mobile, round, has disappearing rooms or is hidden below ground level. The only thing that hasn't changed is that home is still defined as being a place to sleep, eat, store your belongings and seek refuge from the world.

Handyman scoured the globe and found six of the world's most unusual places that people call home.

DOWNSIZED CITY LIVING

A little bit of space doesn't have to mean a little bit of living.

Former set designer and founder of the Yo! Sushi chain in the UK Simon Woodroffe has devised a TARDIS-like urban home of the future.

With the press of a button or the push of a wall, his Yo! Home creates four times the amount of living space within its compact floorplan.

At almost 80sqm, it lacks dimension but not depth with banks of hidden storage and clever dividers borrowed from the principles of Japanese design.

'What I've tried to do is use the mechanics of stage scenery, because I was originally a set designer for rock shows,' says Simon.



button again and the bedroom rises into the false ceiling,' says Simon.

The sitting room coffee table can be raised into a small dinner table for one. For a larger group there's a sunken dining area for four that retracts below floor level to create more space when not in use.

'Press another button and a screen comes down, pull the curtain and you have a home cinema that works when you're in the bedroom as well.'

HIDDEN STORAGE

'When you're in bedroom mode there's the lady's dressing room which I call the Barbie wall. You just swivel

a retractable panelled feature wall.

A problem in most homes, especially smaller ones, is a lack of storage. But the Yo! Home has a wide range of options.

'We also have a cellar,' Simon says. 'Here it's a wine cellar but there's no reason why it can't be a different shape and used for different storage.'

CUSTOMISING THE SPACE


'When you have somebody to stay, the mockffice, or mock office, slides out and turns into a bunk bed.

'If you have kids, you can make it double bunk beds. You can have any number of bunks built into the wall.

And if you want privacy, there's a pull-out sliding wall,' says Simon.

The prototype home is fairly upmarket, but Simon says it can be customised according to the owner's budget and needs. He's confident Yo! Homes will feature in the global urban landscapes of the future.

'This is what you can do when you use mechanics within a home. What we're hoping to do is build skyscrapers all over the world full of these.'



PICTURES PICTURE MEDIA

Tucked up boudoir

A retractable bed is the ideal solution for tight spaces, studio apartments and extra accommodation when guests stay. It runs rings around a foldaway sofa by freeing up the floor area when not in use.

This type of bed usually folds out from a wall cavity but Chinese inventor Wang Xianquan has designed a model that's stored up high.

It's camouflaged as an orb-like light fitting by day, then released from its hiding place at night.

The touch of a button causes the structure to descend, spacecraft style, revealing a circular bed with canopy.

DOUBLE DUTY CUBBY

Wang created this bed for when his daughter stays in his tiny 48sqm apartment consisting of a kitchen, bathroom and living/bedroom.

When lowered, it hovers about a metre off the floor, in line with the window. It's the right height for capturing breezes, while the gentle rocking motion enhances sleep.

Hundreds of sheer but heavy-duty suspension threads support the bed's weight while the hanging system creates a cubbyhouse effect.

Not only is it a space-saving bed that provides quality sleep, it's a fun place to play, too. >



The bed descends from

the ceiling like a spaceship.

CLEVER CLOSET

SOLVING YOUR STORAGE PROBLEMS, ONE BASKET AT A TIME!



- you will wish you had a CLEVER CLOSET® in EVERY room of your home!

More than just a storage system, **CLEVER CLOSET®** will truly transform your life, creating an overwhelming sense of order and organisation in your world. Also ideal for your office, pantry, laundry, bathroom and garage, this system is here to help, and get the most disorganised – organised, simply and efficiently!







Say goodbye to cabin fever with modular buildings on tracks that can take you practically anywhere you want to go when you need a change of scenery, from skyscrapers one day to a mountain lakeside the next.

The brainchild of Swedish architecture firm Jagnefalt Milton, the Rolling Masterplan is an urban extension concept for the Norwegian city of Andalsnes.

MAKING TRACKS


The plan, if implemented, will transform Andalsnes into a city that's really going places, with buildings constantly shifting position using old industrial train tracks. The small, flexible buildings can be switched and rearranged according to different needs and seasons.

Among other options, the firm has proposed a rolling hotel, public baths and concert hall, transforming the host city into a unique and more user-friendly place.

'In the current proposal there are 23 different types of rolling buildings, including a hydrorail building that can also float.

'Fully implemented in the city there would be over 100 rolling buildings,' say the architects.

If the urban concept's given the go ahead, Andalsnes will become a pioneering city in motion.



British Paints®

A SEASONS

Protect your home from everything the 4 Seasons can throw at it.








Only available at SUNNINGS warehouse

Trust British Paints

Sure can!





When Scottish landowner Walter Micklethwait wanted to venture into the holiday accommodation market he took a most unusual route.

As well as opening up his house to guests and renting out a yurt on his property, he bought a decommissioned 1954 army fire truck for about \$4600 and kitted it out as a rural retreat.

It took four days to drive it home to his remote Highlands estate because the truck only clocks an average speed of 35km an hour.

CUSTOMISING THE INTERIOR


Walter fitted out the truck, now named Beer Moth, with unused items from his home including a Victorian bed, stove, table, chairs, cupboards and even parquetry flooring.

His biggest expense was enclosing the rear of the truck to protect guests from the unpredictable weather.


The canvas walls with plastic windows set him back \$2145, almost half the total price of the truck.

Although there's no running water or toilet and solar panels power the lighting, Walter says he has no problem attracting guests willing to pay \$690 a week for the privilege of staying in his jazzed-up truck.

Perhaps it's because what Beer Moth lacks in mod cons it more than makes up for with privacy and priceless views of the Scottish Highlands.







Attach the pod to a tree for a nature retreat in your very own backyard.

Kids driving you crazy, partner too messy or do you have houseguests that won't go home?

Beat a retreat to the comforting Cocoon 1 from Switzerland's Micasa Lab. This transparent sphere is designed for solo use and transports you to a happier place for a getaway when you just can't get away.

Hang it from a tree, a deck beam, or even over water. Best of all, you can still watch the outside world but the outside world can't reach you.

PLANNING YOUR COCOON

Scheduled for imminent release, Cocoon 1 has a 180cm diameter and weighs 97kg when empty. A standard model is expected to cost about \$3000. Accessories include a hanging net and hooks as well as a sturdy base to stop it rolling away.

Micasa Lab has even made add-on modules to enhance the orb lifestyle with storage, cooking, plumbing, wi-fi and sleep options complete with custom-made pillows.

An optional power pack provides either 40 hours or 20 hours of light and 30 minutes of cooking time.

In addition to the standard
Foundation 360 base, Micasa Lab has
also created a Foundation Pb base that
adds a lead weight underneath so that
Cocoon 1 can float on water while
remaining upright.

What lies beneath

Underground living is not new but this property in upstate New York has taken the concept to greater depths.

On the surface the home looks like a simple cabin but the site once played a pivotal role in Cold War relations, with the quaint country retreat concealing the entrance to both a missile launch base and underground survival bolt-hole.

At the height of 1950s nuclear tensions between the West and the USSR, hundreds of defence missile silos were built by the US government to be activated in the event of nuclear war. Once this threat passed the bases were abandoned.

Today, long after Cold War relations have thawed, the site's been painstakingly renovated into a unique luxurious residence.

No easy feat when most of the living space is metres underground and shaped like a giant silo for storing intercontinental ballistic missiles.

CONVERTING THE PROPERTY

The site was bought in 1991 by business partners and cousins Gregory Gibbons and Bruce Francisco.


Bruce says when he first inspected the property, it was just a stairwell coming out of the ground.

He told the New York Daily News, 'I saw that the missile base here was in raw condition and I thought we should do something amazing with it. I wanted to build a surface home as a covert entrance.'

The first three years of work saw a group of students hand-dredge the underground two-level circular launch control room that had been submerged for 30 years and was covered in sludge.

These levels now feature high-end interiors with windows streaming simulated daylight.

Rooms in the underground levels include living areas, plus a bathroom and also a kitchen.




On the bottom level, 12 metres underground, is a 907kg impenetrable door leading to a 15 metre tunnel.


This tunnel ends in a 56 metre deep cylindrical missile storage room still in original condition.

The steel structure casing held the missiles intact. Stored vertically, they were rigged to rise then lift off via the nearby control centre.

The 73 hectare estate also has a private runway, aircraft hangar, tunnels and impenetrable walls designed for top class global security.

The silo originally cost around \$18.23 million to build in 1958. In today's money, this equates to about \$143 million.





🕨 Get more online

Visit handymanmagazine.co.nz/mag to tell us the quirkiest home design you've seen.


Are you RENOVATING?



Espree Sink Mixer EP101 Unequal/Mains Pressure 5 Year Warranty RRP \$69



GREAT VALUE FOR MONEY!



Espree Sink Faucet ET131
All Pressures
7 Year Warranty
RRP \$129



UPDATE YOUR KITCHEN
WITHOUT CHANGING ANY
PLUMBING!



Espree Basin Mixer EP201 Unequal/ Mains Pressure 5 Year Warranty RRP \$69



CONVENIENT SWIVEL SPOUT!

Well, Foreno has the tap for you!



foreno.co.nz

The Espree Range is available only at Bunnings

The rundown house had good bones,

with potential to expand out the back.



weryone knows someone who's made a killing flipping houses or bought their home for a song. Thanks to all the home reno shows, buying and making over a house in need of TLC might look

Part-time property dabbler Claudine Novak knows the temptation well.

like a no-fail money-spinner.

'I bought my first house and made a bit of money when I sold it five years later. It gave me the confidence to think about renovating for profit.'

FIND THE PROPERTY

If you're planning on buying into an area not known to you, spend time researching and make contact with local real estate agents.

Check out the sales of similar homes over a period of time and be certain of your target demographic.

'I buy in the area in which I live because it's the market I know. I also don't want to travel far, as variables eat into your profit,' says Claudine.

'Some of the best advice I received was to make a detailed projection of costs before making an offer,' she says.

Costs include purchase price, holding the property, loans, fees, reno costs, and selling expenses. Being thorough and realistic prevents the bottom line coming as a nasty surprise. Set a minimum return then anything on top is a bonus.

Once the property is yours and finance is settled, work can begin.

'For your first project, aim for three months and don't exceed six. The goal is to buy and sell in the same market.'

MAXIMISE THE INVESTMENT

Claudine found her property after a lot of looking around. 'It was good value for the area, so I jumped at it.'

The Victorian era bungalow was in good structural condition with intact period features, including original tessellated tiles, a bullnose verandah and intricate iron lacework.

'The lounge room was small but I could see that opening the kitchen into the living space would transform the look and feel,' says Claudine.

Another clever improvement for minimal cost was to raise the ceiling, adding to the expansive and bright feel of the primary living space.

The old spotted gum floors had to be replaced, an expense Claudine wished she could have avoided, and the bedrooms were carpeted to add a luxurious feel.



FIRST IMPRESSIONS

Kerb appeal was improved with inexpensive fixes. The tiles were cleaned up and patched, the window trim and fence painted, and a bright new paved path led the eye to the front door, now painted sea blue.

The rear of the house had a lot of potential due to the size of the yard, so Claudine installed new sliding glass doors and added a deck.

In line with the deck, an external laundry and housing for a water tank immediately improved the look and function of the home.

The old pavers were lifted and replaced with turf to better suit the needs of a family, while some separate space for grown-ups was incorporated into the design.

'The eye went straight to the garage door, so I decided to keep a paved section at the end of the garden and painted everything fresh white.'

Adding smart furniture and a pergola created a sophisticated entertaining area and highlighted the garden's multifunctional appeal.



INCREASE THE LIGHT

Many buyers are put off properties that lack good sources of natural light, whether because of small windows, an unfavourable aspect, overgrown trees or poor room configuration.

Artificial lighting goes a long way to improving livability, but nothing beats natural light.

Installing skylights or sun tubes can be the best money you'll spend.

'Adding light where I can is something I always do,' says Claudine. 'It's easy and effective to put in

TESSELLATED

TILES

a skylight, and the small cost is far outweighed

by the great result.

'In this bathroom, installing a skylight allowed me to block off the existing window that looked right into the house next door,' she says. >

Skylight solutions

Despite the space, the old bathroom had

a poor layout with little room for storage.

BEFORE

With prices ranging from a few hundred dollars up to \$2000, it's best to consider the size of the room and what it's used for before choosing a new skylight.

A good rule of thumb is to choose a skylight equivalent to 10% of the floor area in size. Installation by a supplier should cost about \$75 per hour.

Roof windows are both a window and a skylight, making them ideal for attic conversions, extensions and for creating an airy glass-ceiling effect.

If you don't have the space or budget for a skylight, dome lights are an affordable option. Some models also incorporate ventilation and fans, making them ideal for bathrooms.

Tubular lights are often called sun tubes or sky tubes and are good for getting light into small spaces such as hallways.



A new path and paint give the

home a neat, well cared for look.



The freedom to create an extra bathroom wherever you want.

It looks like any luxury bathroom. But look carefully.

This bathroom was once an under-utilised attic space. Thanks to Saniflo, this bathroom was created without any major plumbing work, instead using 20mm pipes that were easily placed within the stud walls. Impossible? There's no such thing with a Saniflo macerator pump.

See more amazing bathroom stories at saniflo.co.nz or for more information call 09 624 3977.



Sanislim dimensions
Unit: W 447mm H 270mm D 131mm.
Outlet diameter: 20mm.



Yes. You can.





Are you thinking about taking on a renovation project in the hope of turning a tidy profit? Before you get started make sure your property ticks as many of these boxes as possible for the best return on your cash and labour.

- ✓ Structurally sound and in good workable condition
- ✓ Good basic layout that will suit conversion to modern living
- ✓ Solid timber floors and/or period features
- ✓ Plenty of potential to create pleasant views
- ✓ Sufficient space to extend without incurring opposition from neighbours
- Rarity value such as location, architectural design, style of property or landscape features
- ✓ Well-sited, preferably north facing, and on a good street that suits the buying demographic

DECORATE AND PAINT

Neutrals are the colours to use when renovating a house to sell because they're easy to match, inexpensive and let a buyer add their own style. They also make a space feel bigger.

In Claudine's house, a retro tile motif dominated the long hallway from the entrance.

While unique, it had the potential to put off buyers so Claudine covered it with particleboard, referencing the period with embossed wallpaper beneath the dado rail.

Avoid bland walls by adding colour and texture with accessories and art.

'Whatever your taste, what is on the walls should inform decorating choices. Large, colourful pieces are great for staging for sale,' says Claudine.

But don't be tempted to use too much of your own style in the home.

'Keep it fresh, simple and unfussy to appeal to potential buyers.'

SELLING SUCCESS

BEFORE

Thoughtfully renovated and ready to go, Claudine's property sold quickly.


The living room was small, with

nondescript carpet and a limited outlook.

The work took 10 weeks to do and cost \$185 000. The after-sale profit was more than \$200 000 but was split with a joint investor.

'The market was a bit flat when we sold but holding on is always a gamble. All in all, this one was pretty straightforward but there are things I learn every time,' says Claudine.

'I think an important point to remember is that no renovation will go entirely to plan and part of the process of doing this is learning to let go of mistakes and move on.'



Johnson Tiles Glass Tile Range is available in 5 colours in a gloss finish. Heat Resistant to 500-600°C, they are ideal for splash backs in domestic and commercial applications. The benefits of being 300x100mm allow the user to create unlimited design options.

The Johnson Tiles Glass range is available from Bunnings.










REVAMP TO RENT OUT

Make money as a landlord by turning a commercial unit into a residential space

WORDS MONICA NYE MAIN PICTURE ARUNAS KLUPSAS



Jan had two new walls built to create a separate bedroom with balcony access.



Tan Newland's two-storey blue-chip commercial space was starting to feel a little too spacious.

After 13 years there running a communications company, Jan planned to scale back her work commitments, so she no longer required the entire space.

She devised a plan to turn her investment into two money-making enterprises, a residential unit yielding more than \$25 000 a year and a tax-effective working office.

THE APPROVAL PROCESS

Although the space had not been previously used for accommodation, it was close to the city, transport and cafes, and offered secure off-street parking and intercom access.

It had a north-facing leafy aspect, a generous balcony, big windows and a large terrace ideal for entertaining.

With a bit of a floorplan rejig and council approval, Jan planned to rework the original foyer into two separate entrances.

The basic idea was to shift the company workspace upstairs and renovate the downstairs area into a one-bedroom apartment.

'I was a novice so I had a lot of hurdles to jump. The development application took me about 10 months to get through council,' says Jan.

'The biggest obstacle was getting approval for a mixed-use development, so I could convert my commercial suite to residential. Once I had jumped over that, I just had compliance issues to deal with.'

A neighbour with a similar property was renovating at the same time, so they shared their knowledge, doubled up on tradesmen and swapped tips on dealing with red tape.

THE RENO PLAN


'The downstairs area was gutted then I had new walls put in and the plumbing and electrics done.


'The second toilet room was turned into a compact laundry and linen press area, and a tiny kitchenette was knocked out to make the bathroom bigger.

'A brand new kitchen was then installed in the living area,' Jan says.

The renovation began in August 2012 and took just two and a half months. The only major hiccup was the privacy screening on the balcony, separating Jan's unit from next door.

'I ordered the screens back in September but they didn't come until the start of December and they're not finished. There were a few tears there but delays come with the territory and that's really the worst problem I've had,' Jan says.





COMPLIANCE ISSUES

Jan says the usual trade compliance certification and council bureaucracy didn't faze her, as she was organised.

'Going in as a novice I didn't know at first you have to prove you've done it right by getting approval certificates from all the trades.

'The man who puts up the wall has to give a certificate saying the wall is building code compliant,' says Jan. 'The plumber who puts in the taps has to give a certificate to say they have the right flow rate, and on it goes.'

She now considers the whole certification process to have been a valuable learning curve.

'Knowing all that's involved, I'm happy to do it all again upstairs. I'll just remember not to let any tradie leave until they give me a certificate!'

THE RETURN ON INVESTMENT


Jan's modest budget of \$60 000 plus appliances resulted in a total transformation of the property and created a modern unit commanding more than \$500 a week in rent.


'I naively thought I could've got away with paying less for the reno but am actually very happy with the final cost as I know my neighbour spent about 20% more,' she says.

Although Jan has permission to strata the upstairs unit and turn that into a potential second source of income, she's biding her time to see how the local real estate market moves.

'There are a huge number of commercial leases available around here at the moment but it's filling up instead with residential.

'I'm guessing that's because a lot of the former businesses that were here have gone to trendy inner-city places.'





Maximising the reno

Here are Jan's top tips, learnt on the steep curve of her first reno.

CUT YOUR LOSSES 'If you have a tradie who's slow, doesn't turn up or doesn't do a good job, get rid of them fast. It's your valuable time and money that's being wasted,' says Jan.


SHARE COSTS If you're able to share costs and tips with anyone else, then do so. 'I was lucky a neighbour was renovating at the same time so we helped each other.'


MAKE SAVINGS Jan used existing downstairs plumbing when redoing the bathroom and converting the second toilet into a laundry. For the upstairs, she'll use her neighbour's existing sewage pipe connection to make installing a toilet cheaper.

FIND GOOD TENANTS 'The sooner you can get the certification, approvals and renovation done the better, then you can start recouping costs by renting out the property,' says Jan.

Consistent, Dependable Performance







Specialist Holcim cements for:


EARLY SETTING HIGH QUALITY

HARSH ENVIRONMENTS











BRING IT TO THE KERB

Add easy, eye-catching DIY features to glam up the front of your house

irst impressions are just as important for your enjoyment of your home as they are to its kerb appeal for resale value.

An inviting front yard doesn't have to cost thousands of dollars, it can be as simple as landscaping a flat, bare patch of ground and adding a stone wall and arbours.

Best of all, you can give your home the look of an established residence in just a weekend by speeding up construction using primed treated pine for the arbour gateway and stone blocks instead of bricks for the walls.

Finish the look by adding a paved patio and path to the gateway, plus a few landscape features, including new plants for colour and greenery.

To save research time, take a photo of the area you're planning to plant up to your local nursery.

The staff will advise you on plants that will look good and grow well.




MAKE THE ARBOURS

Define the access to the front door with arbours built from primed exterior finger-jointed pine.


The decorative arbours are built using pairs of posts, clad on all sides and supporting a lintel on either side. The trellis arbour is made by adding an integrated lattice panel.

Adapt the size of the arbours to make the gateway proportional to the home and apply an exterior acrylic for a weatherproof finish.

TIP Use H4 treated pine for the posts and concrete directly into the ground, priming the posts and any cut edges.



PPG Suntuf Exterior, \$59 for four litres. ppgpaints.co.nz



Lay out the frame
Set out the arbour positions using a temporary 90 x 45mm timber frame,

measuring the diagonals for square then bracing it. Mark post locations with stakes at the corners then dig $900 \times 300 \times 300$ mm post holes.





Sink the posts


Add 100mm gravel then the posts to the holes. Check for plumb then skew-screw the posts to the frame. Clamp temporary braces between the posts and frame then mix water and fast-set concrete in the holes.



Attach the lintels

Use offcuts to support the lintel then secure with 120mm x 14g bugle screws. Continue the height mark around the post using a speed square then secure the second lintel and cut the post to length with a handsaw.


ARBOUR GATEWAY POST 320 2700 measurements in mm LINTEL TOP. SPACER INNER 200 CLADDING **CUTTING LIST** INNER-**SPACERS** CLADDING PART SIZE NO. <-- CLADDING 22001 TREATED PINE 3300 3300 x 90 x 90 Posts 4 PRIMED FJ PINE Lintels 2700 x 185 x 42 4 2200 x 138 x 42 Cladding Inner cladding 2385 x 90 x 19 BASE SLATS SPACER Rails 5 1800 x 90 x 42 525 x 90 x 19 Base spacers 900 CLADDING **Spacers** 300 x 90 x 19 8 CONCRETE **FOOTINGS** 450 x 90 x 19 2 Top spacers Slats 1800 x 42 x 18 10



TIP This cutting list makes two arbours,

one with a trellis.

A Secure the cladding
Remove the lintel supports then
prop the base of the cladding above
the post footing using a timber offcut.
Secure the cladding, butting against
the lintel with equal overhang both
sides then add the inner cladding.



Make the lattice panel
Leave off two sides of cladding.
Position the rails side by side and square lines across the edges 223mm from one end then at 150mm centres.
Secure the spacers with 40mm x 8g screws, adding the rails as you go.

Finish the trellis

Attach a straightedge 140mm
above the top rail as a guide, position
the slats centred on the markings and
butted against the guide, then secure
with 60 x 2.8mm galvanised nails.
Add the remaining cladding.

BUILD RETAINING WALLS

If your front garden has a gentle slope, create zones with level terraces that can be planted up to create contrast with the contoured raised area closer to the house.

Here, the gradually curving wall butts against a paved driveway and retains a 700mm high garden bed making garden maintenance easy.


Each wall is built on a 50mm thick bed of concrete poured into a 100mm deep trench, ensuring the base of the first row stays below ground level.

The large base stones are about 300mm long and the intermediate stones are about 250mm long.


For the top, we used smaller cap stones but you can also use pavers, cut with a bolster and lump hammer.

Set out a curved wall using a hose and line marking paint, then excavate and fill to create a vertical face, digging a 400 x 100mm deep footing trench.

TIP To speed up the excavation process, hire a bobcat for the day.



Establish the angle Keep the face of the wall 500mm from the setout line, hammering in long stakes at the ends and at suitable points in between to follow the curve. TIP Angle the stakes back 100mm per metre of wall height for stability.






2 Set stringlines
2 Secure stringlines to the stakes as a guide to maintain the face angle of the stone as the wall is built.

TIP Move the stringlines up the stakes as each course of stones is laid, just as


you would to build a plumb brick wall.



3 Spread the footing

Mix four parts gravel, two parts sand and one part cement then spread a 50mm thick concrete footing along the whole trench, working in sections.

TIP If the soil is dry, make the concrete mix a little wetter to keep it workable.



Concrete edging

If the wall meets grass at the top or base, add a 100mm wide strip of concrete for mowing.


Excavate a 100mm deep trench that's about 150mm wide and position 90 x 45mm timber formwork, secured with pegs.

Fill behind the formwork with concrete, levelling the surface with a steel float, and finish by rounding the front edge of the concrete with a concrete edger.


When the concrete has cured, remove the formwork and backfill the gap with soil.



Marshalltown Concrete Edger, \$31, from Toolware. toolware.co.nz



Lay the base course
Position the base stones in a random arrangement of size, following the stringlines to ensure a consistent angle for the face. Butt the stones tightly against each other, keeping a flat edge on top for the next course.



5 Add the fill
To assist drainage, wrap geotextile fabric around agricultural pipe and butt it against the base stones. Moving the stringlines, lay the courses in one direction, staggering the joints. Fill behind the wall with gravel.

Finish the wall
Split off wedges from larger stones using a lump hammer and bolster and use them to fill gaps. Set a stringline at the finished wall height, apply a thin bed of concrete and lay the capping stones, tapping them down.

SAVE ENERGY COSTS

Keep warm this winter without running up the power bill with these simple D.I.Y. solutions for the entire home

repare for the cold months with this can-do guide to improving the efficiency of your home from the living room to the laundry.

- ADD INSULATION to reduce the need for artificial heating. The range of D.I.Y. products for walls, ceilings, floors and pipes means it's more affordable than ever.
- CLOSE OFF ROOMS being heated and once warm, turn down or switch off the thermostat.
- The day to let in winter sun and add warmth to the home, choosing curtains with pelmets to help keep out the cold night air.
- APPLY WEATHER STRIPPING around doors and windows to block draughts.
- **INSTALL ENERGY EFFICIENT** LED light bulbs throughout the home.


FOR EVERY SPACE

■ LIVING ROOM Use lamps to illuminate specific areas instead of overhead lighting, choosing light coloured shades for the most light.

Connect multiple electronics such as a TV and DVD to a power board with individual switches.

- LAUNDRY Save water and power by only washing full loads and in cold water, hanging clothes on the line or an indoor airer to dry.
- KITCHEN Turn appliances off at the wall when they're not needed to avoid standby power bills and only boil the amount of water needed for a cuppa and not the full jug.











Hole in the WALL SHELVES

Cut out a piece of plasterboard and install a timber frame for recessed shelving you can build in a day for just \$105

DIY> \$105

HAVE IT DONE FOR \$505

SKILL> 1 2 3 4 5

TIME> 1 DAY

Shard to come by but in a room with plasterboard walls, you have extra space at your disposal.

Easy to build, this shelving is a box measuring 1800mm high and 395mm wide that fits between wall studs spaced 405mm apart. If your studs are at 600mm, simply adjust the dimensions of the box.

Before you buy the materials, choose the position, locate the wall studs and cut a hole in the plasterboard using a keyhole saw.

To get the box width, measure between the studs at the top and base of the opening, checking for plumb with a spirit level, and subtract 10mm.

For the depth, measure from the wall surface to the back of the hole and subtract 6mm, cutting the shelves to fit with a 1.5mm gap either side.

TIP Walls contain pipes, wires and more, so you need to find a clear spot.

CUT THE COMPONENTS

For standard 90 x 45mm wall studs and 10mm plasterboard, build the box using raw or primed pine.

Cut two noggins from 90 x 45mm timber to fit between the studs at the top and base of the box, securing with screws skewed through the ends into the studs.


The box sides, top and base are cut from 90 x 19mm pine with two rows of 5mm holes drilled on the sides for the shelf support pins.

Secure a strip of pegboard with 5mm holes to an offcut of 42 x 19mm timber with adhesive, using the template to drill the shelf pin holes 20mm from the edges of the sides.

TIP Paint the box after the face frame is attached, let it dry then secure it in the wall cavity, adding the shelves.



Irwin Keyhole Saw, \$32. irwintools.co.nz




Cavity inspection

To check the space between studs is usable, cut a 75 x 50mm hole in the wall with a keyhole saw.

Use the mirror of a compact and a torch to look inside. Inspect the space for pipes, wires and other obstructions. If the cavity is clear then cut the hole but if not, repair the plasterboard.


TIP Switch plates and outlets indicate wiring in that stud space.

INSTALL THE SHELVES




1 Cut the hole

Luse a stud finder to find the studs, marking level lines at the top and base between them and plumb lines down the inside edges. Use a keyhole saw to cut the plasterboard, letting the blade follow the sides of the studs.




Make the face frame

Position the face frame rails between the stiles and clamp. Drill 2mm pilot holes and secure with screws through the outside of the stiles into the rails, covering the screw heads with timber filler.




Orill shelf support holes

Secure a strip of pegboard to a 19mm thick offcut then clamp it to the box sides as a template. Use a stop collar on a 5mm drill bit to make 10mm deep shelf support holes 20mm from the edges, spaced 50mm apart.




Attach the face frame

Position the face frame on the box with 20mm overhang on the outside and drill 2mm angled pilot holes at 300mm centres, securing with screws. **TIP** Or use 30 x 2mm bullethead nails to secure the face frame from the front.




Assemble the box

Position the top and base between the sides and drill 2mm pilot holes, securing with screws. Position the ply back and secure with nails on one side, square up the box using a builder's square, securing the other three sides.



Install the shelves

Position the box in the wall cavity and secure to the noggins with screws. Secure one screw through the centre of the sides but don't over-tighten and pull them out of plumb. Insert the shelf pins and position the shelves.



CUTTING LIST

PART	SIZE	NO.
PINE		
Box sides	1800 x 90 x 19	2
Box top and base	357 x 90 x 19	2
Shelves	354 x 90 x 19	7
Face frame stiles	1840 x 42 x 19	2
Face frame rails	351 x 42 x 19	2
Noggins	405 x 90 x 45	2
PLYW00D		
Back	1800 x 395 x 3	1

Handymanmagazine.co.nz

Go online to download the tools, materials and costs to make these recessed wall shelves.



The 2013 Trusted Brands survey winners are going to be announced in our Reader's Digest August edition – and to celebrate the results, YOU have the chance to WIN \$500!

Entering is simple – Just the Trusted Brands New Zealand Facebook page and tell us what trust means to you!

TO ENTER and find out more about Trusted Brands visit www.trustedbrands.co.nz

Full terms and conditions can be found online. Entries close 20th June.

magazinesdownload.com



RUNG HUNG CLOTHES RACK

Paint an old timber ladder and mount it on the wall to create vertical storage for clothes and accessories

I loor space is often at a premium in a small bedroom and without enough wardrobe storage, clutter can become hard to avoid.

This clothes rack made from an old timber ladder provides valuable storage without dominating a space.


To revamp a ladder, prepare the timber for painting using a belt sander, then drill holes in the rungs for coathangers. Secure the ladder to timber brackets painted to match. Clothes are hung from the rungs and storage boxes stacked on top, with bags, hats, scarves and wraps draped over the ladder ends and brackets.

To hang the rack, calculate the weight of the ladder, your clothes and any other items, then choose the appropriate fasteners.

For over 10kg, use sleeve anchors like Dynabolts in masonry walls. In plasterboard use metal toggle bolts or secure 65mm x 8g screws to the studs.




Ryobi 800W Belt Sander, \$99. ryobi.co.nz



Sand the timber
Use a belt sander to remove
any old paint or other finishes,
wearing eye, ear and breathing
protection. Smooth the raw timber
by hand with a sanding block
and 180 grit abrasive paper.




Paint the ladder
Fill any holes or cracks in
the ladder with timber filler and
sand smooth. Apply two coats
of purple acrylic using a paintbrush,
sanding lightly between coats with
180 grit abrasive paper.



Hang the rack

Mark the positions of the hangers on the rungs and drill the holes using a 6mm twist bit. Secure the brackets to the end rungs using 25mm x 8g timber screws then secure to the wall with screws, toggle bolts or Dynabolts.







BRANCH-BRACKET WALL SHELF

Install a floating shelf with supports sourced from the garden for a simple yet eye-catching display

from a piece of flat-packed furniture into a distinctive display shelf by securing it to the wall with forked branches.

We used crabapple tree branches but any other smooth-barked tree such as eucalyptus will work.

Source branches from an arborist or the next time you prune, save ones 30mm thick with a straight main branch and a second forking off at 45°.

Irregular and organic shapes like tree branches need to be adapted to be used with a board in place of geometric shelf brackets.

Trim the branches to fit into a right-angled space using a simple clamping technique, then secure them to the shelf with 40mm x 8g countersunk timber screws.

TIP If you don't have a melamine board, use 800 x 300 x 18mm plywood, MDF or particleboard.



Stanley Heavy Duty Handsaw, about \$10. stanleytools.com



Trim the branches
Temporarily secure a length of
90 x 45mm timber at right angles
to a scrap piece of plywood, then
clamp the straight side of the branch

to it. Use the edge of the ply as a guide to cut the fork with a handsaw.



Attach the brackets

Clamp the shelf upright, position the branches against and trace around the ends. Drill clearance holes in the shelf and pilot holes in the fork ends.

TIP Drill near the base of the branch marks so the screws penetrate enough.



• Hang the shelf

Duse a spirit level to mark the shelf position then drill clearance holes through the branches and secure to plasterboard with Wall-Mates or to masonry with wall plugs and screws.

TIP Support the shelf on a ladder.



KNICK-KNACK SHELVES

Make the most of an empty corner and install floating shelves to put books and bric-a-brac on show

DIY> \$95
HAVE IT DONE FOR \$495
SKILL> 1 2 3 4 5
TIME> 1 DAY

Remember Grandma's corner cabinet filled with a lifetime of treasures? Here's a modern take on that old-fashioned display method.

Floating shelves like these are simple, cheap, quick to make and free up valuable floorspace.

Installed in a corner they also have the bonus of using wasted space and can be put up in any room, as the size and number are easily adjusted.

These shelves are just triangles cut from 16mm thick MDF using a jigsaw.

They sit on supports with mitred ends to fit in the corners, cut from pine moulding using a handsaw.

The shelf supports are secured into the wall studs while the shelves are attached with adhesive and nails. **TIP** Try Colonial Pine Moulding Architrave, 60 x 18mm, about \$18 for 2400mm, from Porta (porta.co.nz).

SECURE TO THE WALL

We used a stud finder to locate the wall studs then installed four shelves, starting 600mm from the floor with a spacing of 400mm in between to maintain an open, uncluttered look.

For extra storage, five shelves positioned at 300mm spacings can also be installed.



For a neat flush fit it's important to check the adjacent walls are square to one another using a builder's square before cutting out the shelves.

If the walls are out of square, mark and cut out a cardboard template for the shelves, then check the fit is correct. To cut out the shelves transfer the template to the MDF.

Finding wall studs

Corner studs are easy to find so attaching at that point will be easy, but the next stud may be a little too far away to suit the supports.

If that's the case, secure the shelf support at the outer end using a plasterboard gravity toggle.


Drill a 10mm hole through the plasterboard then pass the machine screw through the batten and wind it into the toggle head.

Insert the toggle through the plasterboard, pull back and tighten the screw with a screwdriver.



50mm Ramset Gravity Toggles, \$7 for a four pack. itwproline.co.nz

MAKE THE SHELVES




Cut the shelves

Mark a diagonal cut line across two 600mm squares of MDF and cut triangles using a jigsaw and a sharp timber blade. Round over all cut edges with 180 grit abrasive paper.




/ Mark the shelf positions

In the corner, mark the support positions, starting 600mm off the floor then spaced at 400mm for three more. Use a spirit level to extend 500mm long lines across the walls.



Prepare the supports

Lise a mitre box and handsaw to cut eight 500mm shelf supports with a 45° angle on one end and a 45° mitre on the other. Sand all cut edges and apply two coats of acrylic paint.



Secure the supports

Check the mitre joints, use a spirit level to position the supports, securing to the wall studs with 50mm x 2.0mm bullethead nails. Punch in the nail heads and cover with timber filler.



Paint the shelves


Apply at least two coats of semi gloss acrylic to the shelves using a small roller, leaving it to dry between coats. Paint the underside of the shelves and the front edges.



Position the shelves

Run a bead of PVA adhesive along the top of the supports. Starting at the base, position each shelf and secure with 30 x 1.6mm bullethead nails on both sides spaced at 150mm centres.

KNICK-KNACK SHELVES measurements in mm



CUTTING LIST

PART	SIZE	NO.
MDF		
Shelf squares	600 x 600 x 16	2
MOULDING		
Shelf supports	500 x 60 x 18	8

Handymanmagazine.co.nz

Go online to download the tools, costs and materials to make knick-knack shelves.



Makita has been the circular saw of choice for kiwis for over 30 years, offering the perfect combination of power, performance and reliability in a range of sizes, cutting depths and features.

Take the 5806B 185mm, the hardworking all

rounder or the 5007NK 185mm, 1,800W of pure grunt with 63.5mm cutting depth at 0°. There's the 5008MG 210mm, the lightweight yet powerful saw with 75.5mm cutting depth and magnesium base. Or the standard in circular saws, the N5900B 235mm, a 2,000W workhorse

excellent for ripping and cross cut work in everything from ply to hardwood. All work with thin kerf blades for greater accuracy and less drag on the saw increasing work life. Just another reason why Makita circular saws are used by more builders nationwide.



Siline DON'T MISS THE NEXT ISSUE OF Fan Cymal **Kitchens Gardens** Sanders How to design a brand Jobs to do in the winter garden The essential guide to new kitchen DIY and choose belt, orbital, random orbital and what to plant now for the best finishes. and detail sanders. flowers and edibles in spring. PLUS Storage upgrades and PLUS Tips, techniques and **PLUS** Foolproof DIY pest surface updates on a budget. buyer's guide. control techniques.

Find more issues at magazinesdownload.com

CIRCULAR SAWS

This powerful tool is great for making long, clean, straight cuts in a range of materials





WHICH BLADE?

blade to the edge of the baseplate.

The more teeth on a blade, the smoother the cut. Use blades with 16 teeth for fast cutting along the grain, 24 teeth for general purpose cutting, and 40 teeth for sheet material or fine cuts in timber. Use specialty blades for material other than timber.



Ozito 180mm three-pack, \$20. Comprises 16, 24 and 40 tooth blades for hardwoods, softwoods and various plastics.




Irwin Marathon 184mm, 24 teeth, \$33. Welded tungsten carbide teeth for a 30% stronger bond and 50% longer life.




the guide for saw stability.

Makita BluMak 185mm, 40 teeth, \$35. Anti-friction coating for clean, smooth cutting with tungsten carbide teeth.






Diablo Demo Demon 184mm, 24 teeth, \$40. Lock-tooth technology for framing and demolition of timber, nails and all.




Diablo All Purpose 184mm, 40 teeth, \$45. Tungsten carbide teeth for extreme impact resistance in timber and plywood.



Irwin Professional 184mm, 60 teeth, \$40. Precision diamond-ground teeth for fine trim cutting and finish work.


BEVEL CUTS

For tight mitred corner joints on eaves, deck surrounds or cabinetry you need to make perfectly square and straight bevel cuts. Use the blade angle indicator to set the required angle before tightening the tilt control on the saw.




1. SET THE DEPTH OF CUT

Start by unplugging the saw, retracting the blade guard and positioning the saw on the board. Adjust the baseplate until the blade extends about 5mm past the base of the board. Tighten the depth control lever.




3. MAKE THE CUT

Start your circular saw then nick the board with the blade to make sure it's aligned, keeping the saw's baseplate tight against the edge and sliding the saw through the cut. Let the short piece drop free.



2. HOLD THE SPEED SQUARE TIGHT

Clamp the board securely to a level work surface then line up the front of the blade with the cutting mark. Slide a speed square against the baseplate then hold it tightly or preferably clamp it against the board.




4. KEEP THE SAW STEADY

Maintain firm contact between the back of the saw baseplate and the square until the saw blade completely clears the board. Allow the blade guard to close before releasing the trigger.

SMOOTH ANGLE CUTS

Decks, pergolas and timber frames often require angled cuts to be made. The key is to use a guide with an adjustable arm that allows you to set the angle, or to clamp a straightedge at the desired angle to guide the saw baseplate.




1. LINE UP THE SAW AND GUIDE

Align the blade with the cut line and slide the square up to the saw's baseplate. Grip the guide firmly against the board. TIP Retract the blade guard to prevent the lip catching on the timber.




3. KEEP THE SAW MOVING SMOOTHLY

Concentrate on keeping the baseplate tight to the guide and the saw moving at a constant speed throughout the cut. Avoid stopping and starting, and be mindful to keep the cord free from getting snagged.



2. PUSH INTO THE CUT

Start the saw and slide the baseplate against the guide, pushing the saw firmly and steadily into the cut. If the guard has been retracted release it about 30mm into the cut. TIP To retract the guard, clamp the guide.




4. COMPLETE THE CUT

Keep moving the saw steadily forward while keeping the back of the baseplate in contact with the guide. Let the blade fully exit the timber and allow the blade guard to close before releasing the trigger. >

PLUNGE CUTS

When you can't start a cut from an edge, like when making a window opening in sheet material, plunge cuts are very useful. Excellent technique is required for this potentially dangerous cut, as it presents a high risk of kickback.



1. POSITION THE SAW

Hold the front edge of the baseplate down firmly, aligning the 90° notch on the front of the saw with the cut line. Retract the blade guard with one hand and sight down the blade to align it with the cut line.



3. CUT FORWARD

When the back of the baseplate connects with the workpiece, release the blade guard and cut forward. Watch the front of the blade carefully to stop the cut at the corner. Let the blade fully stop before lifting it from the cut.



2. LOWER THE BLADE INTO THE TIMBER

Start the saw and allow it to spool up to full speed. Gradually pivot the saw down to start the cut without moving it forward. Hold the saw firmly while making the cut to make sure it doesn't kick back.


MINIMISING RISK

Suitable for experienced DIYers only, plunge cutting can be a dangerous way of using a circular saw.

Says Symon Maxwell,
National Training Manager
for Ryobi, 'If you have any doubts
in your ability, then enlist the help of someone
capable and experienced.'

Follow Symon's tips for safe plunge cutting.

- * Plan and prepare each cut.
- * Ensure the blade is sharp and in good condition.
- * Keep the cord clear of the work area, making sure it will travel unhindered with the saw.
- * Make sure you can perform the cut without the saw being obstructed from above or below.
- * Have secure footing and tuck in loose clothing, hair and jewellery.
- * Take your time and let the saw do the work.
- * Ensure that you are wearing all of the appropriate safety equipment.




*TESTING THE ACCURACY

The two notches at the front of the baseplate indicate the position of the blade when making cuts, when it's either at 90° or tilted to 45°. Position the edge of the notch on the line, with the blade on the waste side.

If using a straightedge guide to cut large pieces of sheet material such as plywood, check the guide is accurately positioned by starting the saw and pushing it forward to just barely nick the edge.

Check the width of the cut stays on the waste side of the line and if it's slightly over, adjust both ends of the guide to correct it.




*USING THE CUTTING GUIDE

To use the factory edge of a piece of timber for accurate cuts along the grain, use the T shape cutting guide called a ripping or side fence that normally comes with the saw.

The fence is secured using a bolt that can be tightened with a shifter, screwdriver or by hand if a wingnut.

Slide the fence through the slots in the baseplate, adjusting it so that the distance from the outside of the blade to the inside of the fence is the width of the desired cut.



TIP Add an extra 1mm to allow for the fact the teeth splay out slightly wider than the blade thickness.


*REPLACING THE BLADE


To change a blade, first disconnect the power then loosen the bolt that keeps it secure, turning it in the same direction as the rotation of the blade, which is anticlockwise.

Most saws feature a spindle lock button that locks the blade so the bolt can be loosened and a new blade secured.

If yours doesn't, use a clamp or pair of locking pliers to immobilise the blade before loosening the bolt, usually with an Allen key.

CHANGE THE BLADE if it's blunt or worn, especially if you are planning to cut hardwood and the tungsten carbide teeth are chipped. >





CIRCULAR SAW BUYING GUIDE

Circular saws are categorised by the diameter of their blade. The most common and best size for the DIYer in the corded range is an 185mm blade. The amount you spend on a saw should depend on what you'll use it for and how often.

CORDLESS

Cordless circular saws are smaller, quieter and can be less intimidating for a novice DIYer than electric saws, but they are also generally more expensive. Be aware that the battery is often sold separately at extra cost, as with the three saws below, so choose a model compatible with a cordless tool you already have and use the same battery for both.

OCCASIONAL USE



Features a powerful motor and a compact, lightweight design that allows the 150mm blade to cut to a depth of 45mm at 90°.

Ryobi 18V Li-ion 150mm Cordless Circular Saw, \$129. ryobi.co.nz

REGULAR USE



Great cutting performance and electronic protection that prevents the battery from overloading or overheating, and excessive discharge.

Bosch 18V Li-ion 165mm Cordless Circular Saw, \$329. bosch-do-it.co.nz

HEAVY USE



Powerful saw with two-step gear reduction for increased torque. The 165mm blade cuts to 66mm at 90°. Battery recharges in 22 minutes.

Makita 18V Li-ion 165mm Cordless Circular Saw, \$559. makita.co.nz

ELECTRIC

Corded circular saws provide reliability and the best overall performance if used hour after hour. There is no recharging to worry about, but you need to be mindful when trailing a 20m extension cord around a worksite. They can be used for cutting all types of timber and sheet material, with specialist blades available for tile, aluminium, concrete and plastic.

OCCASIONAL USE



A handy tool at the right price for many cutting jobs around the home with 1200W of power and a soft grip for comfort.

Ozito 1200W 185mm Corded Circular Saw, \$65. ozito.co.nz

REGULAR USE



Comfortable ergonomic handle for optimum control and a 1500W motor that delivers sufficient power to handle any DIY job.

Bosch 1500W 184mm Corded Circular Saw, \$115.

HEAVY USE




Features a built-in light and blower function for improved accuracy, with a powerful 1800W motor and a blade that cuts to 63.5mm at 90°.

Makita 1800W 185mm Corded Circular Saw, \$299.









Hang the FastTrack Rail and snap on the plastic cover.



Snap shelving and accessories onto FastTrack Rails.



TIMES SCREWING MORE STORAGE HOOKS INTO STUDS





FastTrack® Garage System





Space saving WORKBENCH

Build a storage cabinet with a fold-down top to squeeze a complete workshop into a small garage

DIY> \$290
HAVE IT DONE FOR \$1090
SKILL> 1 2 3 4 5
TIME> 2 DAYS

any of us have a single car garage which means our workspace has to double as a parking area. If that's the case at your place then this is the bench for you.

At 400mm wide this bench can be positioned against a wall and when the car is out of the way it opens up to a generous 1540 x 800mm worktop.

The front half of the benchtop is hinged and simply lifts up, with pivoting support arms that are held in position by removable ring bolts.

It has an underbench shelf that's handy for keeping power tools and also large enough for paint tins, plus four drawers for storing DIY materials.

Made from plywood with a pine frame, the benchtop and drawer faces are finished with clear polyurethane and the rest with green acrylic paint.

TIP Hang a pegboard over the bench to keep hand tools within easy reach.

CUT THE COMPONENTS

The bench is cut from two sheets of 15mm thick CD plywood with the bench back and drawer bases cut from 6mm plywood.


Have the components cut to size by your supplier or use a circular saw and straightedge guide.

The bench frames are cut from 90 x 45mm pine with the 20 x 19mm drawer guides cut along the grain from an offcut of 90 x 19mm pine.

Make sure you select the sheets of CD plywood carefully, as it is not an appearance-grade product. The knots and any defects are filled on the C side, so use it facing out.



Zenith 110 x 9.3mm Ring Bolt, \$9. itwproline.co.nz



Folding benchtop


The drop-down top means that when the bench isn't in use it's only 400mm wide and doesn't encroach on valuable floorspace.

Butt hinges allow the top to swing up and down with support arms on the sides rotating to carry the weight of the top.


The arms are locked in position with ring bolts pushed through clearance holes.

TIP To secure the arms more positively, tap T nuts into the clearance holes and wind the ring bolts into them.


MAKE THE BENCH




Assemble the carcass
Position the frame sides between the fronts and backs, securing with screws. Secure the frames to the fixed benchtop and base, turn the benchtop upside down and position the sides, securing with screws into the top



Position the drawer sides between the fronts and backs, securing with screws at each corner. Add the bases, slide in the drawers and shim the faces with even gaps, attaching the handles first so the drawers can be removed to secure the faces from the inside.




2 Attach the shelf
2 Position the shelf using the divider and offcuts as supports. Mark the shelf position on the sides then drill pilot holes between the marked lines and secure with screws. Position the bench face down and secure the back panel with screws at 300mm centres.




Secure the folding top

Turn the bench upside down and
butt the folding benchtop against the
fixed top. Position hinges 75mm from
the sides and in the centre, securing
with screws to the folding top and the
frame. Centre the brace on the folding
benchtop and secure with screws.



Install the drawer guides
Position the divider, checking for a neat fit so the shelf is not bowed.

Mark the divider location on the base and shelf then drill pilot holes and secure with screws. Secure the base drawer guides first then measure up 165mm to secure the top guides.



Add the support arms
Cut a half-circle on one end of the support arms using a jigsaw, and a 45° angle on the other. Position the arms against the sides, drill 6mm pilot holes and secure with coachscrews. Drill 10mm diameter holes for the ring bolts through the arms and frame sides.

SPACE SAVING WORKBENCH measurements in mm 1540 FOLDING BENCHTOP BRACE FIXED BENCHTOP FRAME BACK WASHERS SUPPORT SUPPORT ARM ARM FRAME FRONT FRAME SIDE BACK SHELF COACHSCREW RING BOLT DIVIDER DRAWER GUIDES 330 DRAWER SIDE BASE GUIDES 165 FRAME 1410 SIDE FRAME FRONT 1410 CUTTING LIST PART SIZE NO. DRAWER SIDE ' **PLYWOOD** 1540 x 400 x 15 2 Benchtops DRAWER Sides 865 x 400 x 15 2 BACK Base and shelf 1410 x 400 x 15 2 DRAWER FRONT 132 Back 1440 x 835 x 6 DRAWER BASE DRAWER DRAWER SIDE Divider 330 x 400 x 15 FACE Drawer bases 693 x 380 x 6 4 380 163 Drawer front and back 693 x 132 x 15 350 Drawer sides 350 x 132 x 15 DRAWER 693 x 163 x 15 Drawer faces 4 HANDLE PINE Frame front and back 1410 x 90 x 45 4

Frame sides

Brace

Support arms

Drawer guides

310 x 90 x 45

775 x 90 x 45

1406 x 70 x 35

380 x 20 x 19


4

8

Handymanmagazine.co.nz

to make a space saving workbench.

Download the tools, materials and costs



GET THE GARAGE SORTED

Turn a disaster area into an organised DIY haven in no time with these five quick and easy storage ideas



Smart shelf system

One clever way to gain space is to use areas like the gap between the garage door and the ceiling for shelving.

We used 90 x 45mm timber for the supports and 9mm thick plywood for the shelves, but the design can be adapted to store lengths of timber or sheet materials instead of plastic bins. **PLAN THE SHELVING** by determining which way the joists run, spreading the weight of the shelf supports over three adjacent joists.




Measure the space

 ☐ To find the height of the support sides, measure from the ceiling to the top of the garage door and subtract 25mm. Build three shelf supports with angle brackets at the corners and tops.



Attach the shelf supports


Luse a stud finder to find the joist centres. Position the shelf supports, drill pilot holes and secure to the joists through the angle brackets with M6 x 50mm coachscrews.



Install the shelves

Cut 9mm ply into 1800 x 1200mm pieces, position on the shelf supports and secure with 30mm x 8g screws.

TIP These shelf supports are spaced 600mm apart with 400mm clearance.




A must for any keen DIYer, a solid workbench offers a sturdy surface for building as well as a place to keep power tools when not in use.

You can build a bench yourself but if you don't need to customise it to suit the space a readymade option can be a real time saver.


The Rack It Work Bench, \$117, from Handy Storage, is a good size at 1280 x 920 x 450mm, and takes only 10 minutes to build using just two tools. handy-storage.co.nz



O ASSEMBLE THE FRAME by slotting the beams into the end uprights. Tap with a mallet to seat the beams.



ATTACH THE BENCHTOP by positioning it upside down with the frame on top, securing with screws.



Garden shed

The great Kiwi shed is something of a cultural icon, and if the garage is a dumping ground for unfinished DIY projects, then a dedicated storage space might be the answer.

Duratuf sheds are made in New Zealand and feature full timber framing. They are sold in kit form with an 18-year cladding warranty. Available in a range of sizes and colours, the heavy gauge steel sheds have no corner joins to improve weatherproofing and safety. duratuf.co.nz



Duratuf Fortress Tuf 800 Shed, 2810 x 1690 x 1975mm, \$1286.

Wall-mounted storage

Reclaim floorspace by using the walls for storage. The Rubbermaid FastTrack range of hooks, baskets and shelving can stow almost any item you can think of. sims-distributing.co.nz FASTTRACK RAILS are quick and easy to install, working with standard 450 or 600mm stud spacing. With the starter kit, everything you need to get stuck

into organising the garage is in one box. Simply attach the rail to a wall and add the multipurpose hooks that come with the pack.

THE HOOKS can be attached directly to the wall or snapped into place on the rails using a lever-operated lock-on system, with the large hooks holding up to 22kg.





Capable of hanging everything from lawnmowers to power tools, these heavy-duty hooks keep all the garage essentials to hand, and off the floor and workbench.

The Crawford Heavy Hanger, \$12, from C.E. Lawford, can be easily secured to plasterboard, wall studs or masonry and can be paired up to create a shelf. celawford.co.nz



WORLD'S MOST FLEXIBLE FOAM

Did you know that Gorilla Nailpower Flexi was recently tested by SGS Industrial? Visit our website for the full test report



- High thermal and acoustic rating
- Insulative, adheres and waterproofs
- Insulation R2.8
- Unique click and fix system
- Excellent elongation at break
 three times that of standard foam
 - Minimal post expansion
 - Expands as it extrudes from the gun, allowing better control





www.holdfast.co.nz





nick and following a few commonsense safety rules. Ban kids and pets from work areas, avoid any distractions, don't over-exert yourself and always work at a steady pace.

STORAGE AND MAINTENANCE

Look after your tools and store them carefully for many years of service.

■ GIVE EVERY TOOL A HOME by keeping them in assigned places where they won't be damaged by other items.

Store cutting tools where their sharp edges won't be blunted, and

household purchases, including new shoes and furniture.

■ PROTECT SAWS AND CHISELS by storing them in blade covers. This prevents the tools from being damaged or from causing you damage when you're rummaging in your toolbox looking for something else.

If the tools don't come with blade protectors, make your own. Buy plastic report cover spines from a stationery shop and slide them over the teeth of your saws, or cut slits into tennis balls and slip them over chisel blades.

of chisels to store, it's worth investing in a roll-up leather case.

■ KEEP CUTTING TOOLS SHARP and clean to help prevent accidents. Never let them get damaged or dull and if they're past repair, replace them.

To tell whether a handsaw needs attention, examine its blade under a magnifying glass. If the teeth are rounded, look online for a saw and blade sharpening service near you.

For a saw clogged with resin from cutting soft timber, use oven cleaner then spray the blade with silicone.



POWER TOOL SAFETY

Always follow the manufacturer's instructions for maintaining and operating power tools.

If you have lost the owner's manual, check the manufacturer's website as they usually have the manuals for all products.

Follow this general advice for working safely with most power tools.

- they aren't in use and disconnect the batteries of cordless tools. Many accidents happen by brushing against the on/off switch of a tool and accidentally turning it on.
- AVOID CLOGGED AIR VENTS which can cause the tool to overheat. If vents do become blocked, clear them with compressed air or a vacuum cleaner.
- MINIMISE DUST or sawdust when working by attaching the dust collection bag that is usually provided with the tool. This will not only help with the clean up but also reduces the chances of a fire.
- TREAT CORDLESS TOOLS WELL
 by using only batteries and chargers
 designed for the unit.
- charging batteries and unplug in temperatures below 4°C or over 40°C. Batteries rely on chemical reactions that slow down in cold weather and cease altogether when it's very hot. High temperatures cause battery packs to degrade much faster than normal.




DIY SAVERS

Learn hundreds of tricks and keep more cash in your pocket by stocking the bookcase with the DIY bible Save \$20,000 With a Nail (\$70, readersdigest direct.co.nz).





ENFORCE ORDER IN YOUR GARAGE



Solve all your storage problems with the clever Horizon Series system.

Mix and match shelving units, cabinets, drawers, plastic totes for your perfect storage solution.

- Modern Silver vein powder coated finish
- Boltless system
- Quick & easy to assemble
- Flexible with fully adjustable shelves

For more information visit: www.handy-storage.com.au or www.bunnings.co.nz You can also like us on Facebook.




storage

Handyman

BUYER'S GUIDE

Take the DIY option for your home improvement projects by choosing the best tools and equipment from our market round-up







Saniflo has a sophisticated, state-of-the-art plumbing solution that allows you to situate your brand new bathroom in locations too hard or expensive to plumb using traditional techniques. Saniflo's quiet, state-of-the-art, concealable macerator pump system transports waste water up to 5 metres vertically or up to 100 metres horizontally easily reaching your nearest plumbing mains.

For more information call 1300 554 779 or visit saniflo.co.nz



Love carpet-like grass? Try grass-like carpet. A house is not a home without... a nice Lawndale Artificial Grass Carpet

stretch of nicely manicured lawn.

Here's a delightful way you can bring the great appearance of grass, and the pleasure of walking on it, indoors as well as out.

Windsor Carpets Lawndale Artificial Grass Carpet works beautifully laid on indoor and outdoor decking, inside conservatories, around swimming and spa pools, or just in the backyard to save yourself hours of regular watering, mowing and maintenance.

has a refreshing and pleasant life-like appearance, and is economical, hardwearing, easy to cut, shape and lay, and easy to clean.

Treat your home or garden to the carpet that's like grass - Lawndale Artificial Grass manufactured in New Zealand by Windsor Carpets Ltd for New Zealand conditions, very high UV content.

Available from Bunnings in Lawngreen, Silver, Beige and Olive.



Daltons Fremium Planter Tabs

- Slow release feeding for up to 12 months.
- Safe, easy to handle and convenient.
- For trees, shrubs, ground cover and containers.
- Improved uptake of nutrients due to reduced leaching.



The choice of professionals the choice of gardeners.







Perfect Pine Panels

Porta panels are perfect for DIY projects such as making a coffee table, blanket box or shelving. They are edge laminated for extra strength and stability. Machine sanded and ready to paint or stain, Porta panels are manufactured from premium quality, clear grade pine sourced from sustainable plantations. They are available 300, 450 or 600mm wide and 14 or 19mm thick. For more information, visit www.porta.co.nz



portamouldings

Handyman BUYER'S GUIDE



values of the leading trade brand - reliability, durability, hard-working performance and innovation, even a 12 month trade warranty - but without the frills that add to the cost. So you can enjoy serious tools at not so serious prices. Each tool also comes with superior features such as the new 82mm planer now with up to 2mm depth of cut. With full ball bearing construction and a hardworking 580w genuine Makita motor. The MKP082G has dual operation safety switch and reversible solid carbide blades for longevity of service. Standard accessories includes guide rule, wrench and blade gauge.





WORMSRUS WORM BIN



Earthworms recycle organic material and return the nutrients to the earth, enriching it and helping create new soil. Compost worms can consume up to 30% of your household rubbish, which they turn into rich castings. This **WormsRus worm bin** will take 7-10 litres of scrap fruit and vegetables a week (no citrus or meat) and is ideal for small to medium sized families. Just put it in a shady spot, add water each week, and the worms do the rest. You can tap into a ready supply of rich liquid fertiliser, and the worm castings can be tilled into your soil. Brilliant!

For more information go to www.wormsrus.co.nz phone 0508 9677 • info@wormsrus.co.nz

Simple design, elegance and affordability for kitchens and laundries




Our Project Equip, Slim and 500 ranges have been developed to provide practical, affordable and simple designed solutions for your kitchen and laundry.

All sinkware comes complete with overflow, wastes & plugs, plus lifetime warranty on stainless steel.

For full information about the range offered by Totara Marketing please call **09 274 4393** or visit our website

www.totaramarketing.co.nz

email sales@totaramarketing.co.nz




NOW AVAILABLE AT YOUR LOCAL HARDWARE STORE

20KG

0800 ASK CEMIX

20kg Bags

www.cemix.co.nz



"We can help you unlock the secrets of D.I.Y."

With D.I.Y. workshops, in-store experts and handy in-store guides or online how-to's, there are heaps of ways we can offer you D.I.Y. advice. Whatever your level of experience our experts will be on hand to help.

Free in-store workshops

Bunnings Warehouses hold free D.I.Y. workshops every weekend on a wide range of home improvement projects. This month, get hints and tips on everything from energy saving D.I.Y. to power tool know how. Contact your local store for details.

In-store advice, easy repair and maintenance guides

Need some fix-it advice? You'll find home upkeep simple with helpful tips and advice from our in-store experts. Plus, we've got handy D.I.Y. brochures in-store or you can download one at bunnings.co.nz.



Perfect your projects with online guides

We've got a wide range of helpful videos, calculators and planners available at bunnings.co.nz They're full of expert tips and cover everything from painting to choosing the right tool for the job.

To find all the information you need for your next D.I.Y. project, visit bunnings.co.nz.





Do now

- **START** planting onions but keep them weed free for a good harvest and store them correctly for a long shelf-life, from page 102.
- IDENTIFY and fix nutrient deficiencies in soil for healthy plants, on page 106.
- USE the fallen leaves of deciduous trees to make nutrient-rich leaf mould, see page 108.



THIS MONTH

With winter hanging in the air the garden slows down but there is still plenty to do outdoors



Sow now

To harvest fresh food over winter, spring and summer, sow these vegies now.

- SNOW PEAS
- PEAS
- **LETTUCE**
- CARROT
- RADISH



Plant now

For garden colour and fragrance in late winter and spring, plant these ornamentals in June.

- ENGLISH DAISY
- CALENDULA
- ALYSSUM
- LINARIA
- STOCK



Transplant now

Winter is the best time to move deciduous trees and shrubs as they go into a period of dormancy.

Mulch around the base with a 100mm layer of well-rotted cow manure towards the end of winter to help boost spring growth. TIP Add water-storage crystals to the soil when transplanting.





Top pick

Red Hot Pokers bloom on tall flower spikes in a burst of red, orange, yellow or green. To increase the number of flowers, leave clumps in the same position in the garden for three or more years. When a clump becomes bulky, dig it up, divide and replant. Cut off dead flower spikes and pull away old leaves as they die. Red Hot Pokers need full sun and well-drained soil. Certain species tolerate light frosts, making them a good colour injector for cool areas.

TLC for tools

Winter is the perfect time to take care of your tools.

Start by soaking hand tools and secateurs in diluted household cleaner with a splash of bleach, scrubbing them clean with a stiff wire brush or steel wool.


For larger tools, scrape the soil from any metal surfaces, wipe over with a cloth dipped in cleaner and sharpen cutting edges using a broad file.

Remove rust spots over WD40. Hammer nails into the shed wall to hang tools

with steel wool and wipe heads up.

When to grow

Vegetables can be loosely grouped according to their growing season. Here is a brief guide to the three main groups, including the most common varieties and the ideal planting conditions.



VARIETIES Broad beans, broccoli, Brussels sprouts, cauliflower, onion, peas, spinach and swede. **PLANT** in temperatures of 10 to 20°C or even lower.



INTERMEDIATE SEASON

VARIETIES Beetroot, carrot, celery, leek, lettuce, parsnip, radish and silverbeet. **PLANT** when temperatures range

between 15 to 25°C.



WARM SEASON

VARIETIES Beans, capsicum, cucumber, eggplant, pumpkin, potato, sweet potato, sweet corn, tomato and zucchini. PLANT in temperatures above 20°C.





For a blaze of colour in even the smallest garden, go for the bright and bold foliage of a Japanese maple

WORDS JECCA BLAKE

s the name suggests, these maples are native to Japan, growing as understorey trees in forests and the edges of woodlands.

Treasured for their dazzling autumn foliage display, they have been cultivated in Japan for centuries and in the West since the 1800s.

Deciduous small trees or large shrubs, Japanese maples are all slow-growing plants.

They are happy in full to part sun, as long as they have protection from harsh conditions. Most grow to about four metres, though under ideal conditions some can reach 10m high.

Autumn colour can be red, green, yellow or purple in a variety of leaf shapes and sizes. The best seasonal colour is shown in climates with clearly defined seasons.

Japanese maples must go dormant over winter, so they have a hard time surviving in climates where it doesn't get cold enough.

BONSAI

MAPLE

The leaves have five, seven or nine lobes and are usually from 40 to 120mm long.

They range from the broad classic maple form to fine or cut leaves, which are heavily lobed, to filigree or dissected lace-like foliage, and even variegated. The names of maples give a clue about the foliage. Atropurpureum means purple or red leaves and is used as a generic name as well as a particular cultivar.

These types prefer afternoon shade as their leaves discolour with too much sun or too much shade.

Dissectum varieties have finely cut leaves that can be barely thicker than the skeleton of the leaf veins. These plants need protection from wind and hot sun, as they scorch easily.

TIP Small-leafed Japanese maples are particularly popular as bonsai plants.

WEEPING MAPLES

A popular type of dwarf maple is formed by grafting a fine-leafed Japanese maple with a weeping habit onto an upright understock.

The tree will generally grow only as tall as the understock, usually one or two metres.

Most commonly grown as a feature tree, they also take on starring roles in rockeries and in large pots. Some have lollipop-like, straight forms, while others fall in rippling waves that would look at home in a Japanese watercolour.

Pruning a maple

Trim weeping varieties in winter when branches are visible or in summer when thinning is easier.

TIP Pruning in very hot weather can burn newly exposed bark.



REMOVE ANY STEMS that stick up from the weeping shape. Trim the outer branches at the base to the preferred length, removing growth from beneath the graft.



TAKE A LOOK at the tree's shape from a few steps back, then prune any branches that don't fit the natural flow. It should look like a symmetrical waterfall.



IN THE GARDEN

Position maples in a protected spot, away from strong winds.

In all but the coolest areas they do better in semi-shade. Morning sun or dappled sunlight are the best options.

They like moisture in their shallow root run, so rich, friable, free-draining soil is best but any that isn't heavy clay or very alkaline will do.

PLANT by digging a hole four times the width of the rootball and a little deeper. Mix rich compost into the dug-out soil and fill the base of the hole.


Remove the plant from its pot and gently tease out any circling roots, then position it in the hole and backfill with enriched soil.

MULCH with 70mm of well-rotted

MULCH with 70mm of well-rotted organic mulch, keeping it at least 100mm clear of the trunk.

CARE for Japanese maples by watering regularly for the first three years. They don't need a lot of water but do need it in consistent amounts.

PLANTING A JAPANESE MAPLE



In heavy clay soil, plant into a mound of new friable soil well above the original level to create a zone of good drainage. Check that there is sufficient moisture after rain, as shallow falls may evaporate quickly.

PRUNE in winter or summer, removing branches that spoil the shape of the tree and any that are diseased or crossing.

Summer pruning stimulates less plant growth than winter pruning, so you can get away with cutting back a little more and the tree will stay thinned out for longer.

WATCH FOR sucking insects, as scale and mealy bug sometimes feast on young shoots. They can be easily removed with a toothbrush or thumbnail, or sprayed with pest oil.

Aphids can also be a problem. Use a soap-based spray or blast with a jet of water from the hose.

Caterpillars are a common problem, but just remove them from the plant and squash them.

Fungal problems can be an issue, especially in young plants and bonsai,


so don't overwater, plant too deeply or grow in heavy soil.

Repot a tree with fungal issues into a disinfected pot filled with fresh potting mix.

Leaf tips turning brown can be a sign of overwatering or of leaf scorch. Adjust watering if needed, or consider moving the tree to a more protected part of the garden, or planting screening trees nearby.




Kiwicare Organic Super Spraying Oil, \$13 for 250ml. kiwicare.co.nz



CHOOSING A VARIETY

There are a huge number of Japanese maple cultivars available from nurseries. Look for a potted plant with a style of leaf and autumn colour to suit your garden, checking the mature size to make sure you have the space.




This small tree has soft green foliage in spring that contrasts beautifully with its mature salmon pink bark. Its foliage turns pale yellow and orange in autumn. Growing to 5m high, this maple is suitable for smaller gardens.



The young coral-pink stems of this maple stand out brilliantly against the bare older bark in winter. Growing to 6m tall and 5m wide, it suits a larger garden and prefers a protected spot. Autumn foliage is yellow to apricot.



A small tree for year-round colour with purple-green leaves that blaze into bright crimson every autumn, it grows to about 3m tall and wide, with a dense canopy. Grow as a specimen tree in front of hedging or near larger deciduous trees.



Sweet or savoury, fresh or fried, this versatile veg is easy to grow, harvest, store and cook

WORDS JECCA BLAKE

nions are a kitchen staple and despite taking a long time to grow compared to many fast-cropping vegies, they are very easy to add to the home harvest.

They need a sunny spot in rich, well-drained soil with a pH of 6.5 to 7 that is not high in nitrogen. A bed that grew tomatoes or zucchini over summer is ideal.

Biennial plants, they grow leaves and bulbs in the first year and usually flower in the second, though they can form flowers early and bolt to seed.

They can take six to eight months to mature, but you can harvest as you grow and properly stored mature onions will last a long time. Varieties are often described as early, mid or late season, referring to the planting time. Early go in over autumn, mid in early winter and late in late winter and spring. Plant one of each for months of successive crops.

Red, white and brown onions are all available in varieties suitable for different climates, so make sure you choose the right type for you.

Brown onions are best for cooking. White onions have a milder flavour and can be cooked or used raw. Red onions have the sweetest flavour and are the best to eat raw.

All onions are part of the allium family, which also includes leeks, shallots, garlic and chives.

Alliums produce ball-shaped purple, blue or white flowerheads on a long stem. These add a beautiful feature to the garden if you're keeping the onion for seed, but you should lift mature onions if flower stems start forming, or cut off the flowers.

Growing varieties suited to your area and sowing at the right time will help to prevent onions bolting to seed.

TIP Fence off alliums from pets, as they're poisonous to dogs and cats.

CHOOSING A VARIETY PUKEKOHE LONG KEEPER SWEET RED HUNTER RIVER WHITE Full-flavoured white flesh Excellent keeping onion Stores well SWEET RED HUNTER RIVER WHITE Good-sized bulbs White flesh Stores well Stores well

IN THE VEGIE PATCH

Rake in a fistful of sulphate of potash per square metre for all soils, adding dolomite for non-alkaline soils.

SOW SEEDS about 5mm deep in rows 300mm apart. Thin seedlings as per the spacing listed on the pack.


WATER REGULARLY at soil level so the onions don't dry out. As they reach maturity, water only in dry conditions.

Don't mulch, as onions can rot if covered, and feed every three months with low-nitrogen fertiliser. Weed by hand without disturbing the onions.

HARVEST CROPS as needed once bulbs form or snip the leafy tops for greens at any time. Pull up immature bulbs as spring or green onions for salads.


Dig up onions when the tops die back, leave them in the sun until the outer skins are dry then wipe off any soil, removing the dead tops and roots. Store in a cool, dry place or mesh bag.

Brown onions keep for six months, white onions for three and red for one. **WATCH FOR** thrips, tiny insects that feed on new leaves, damaging growth. To prevent infestations, keep the area weed free and water at the roots. Remove onions showing mould or rot.




Planting onion seedlings

If your previous crop is still in, or the soil is cold or wet, start onions as seedlings. Sow seeds into punnets at the correct time for the variety, leave to grow into strong seedlings, then plant them out into the garden.




SOW THE SEEDS 5mm deep in punnets of seed-raising mix. Keep just damp in a sunny spot and when big enough to handle, empty the punnets and separate the seedlings. TIP Don't sow early for the variety or the onion may bolt to seed.



MAKE A SHALLOW TROUGH in the soil of the garden bed. If your seedlings are tall, trim the roots and tops by half. Use a marked-up piece of timber or a knotted rope to ensure the correct spacing between seedlings, usually 50 to 100mm in rows 300mm apart.



OPOSITION THE SEEDLINGS in the trough, backfilling to bury the roots and not the bulbs. They will stand up in a few days if flat at first. Give them a good watering the first week.
TIP Grow with silverbeet, carrots and lettuce but not peas or beans.



Double-onion pizza

PREPARATION TIME 25 mins COOKING TIME 30 mins SERVES 4

INGREDIENTS

1 shop-bought 30cm pizza base

1 Tbsp olive oil

2 red onions, halved and thinly sliced

2 brown onions, halved and thinly sliced

2 cloves garlic, crushed

1/2 tsp sugar

3 Tbsp tomato pasta sauce

1/3 cup sliced bocconcini

10 sage leaves

- PREHEAT THE OVEN to 240°C. Spray a baking tray with cooking spray. Position the pizza base on the prepared tray.
- MEANWHILE heat 2 teaspoons of the oil in a large non-stick frying pan over medium heat. Add the onions and garlic and sprinkle with the sugar. Cover and cook, stirring occasionally, for 7 minutes or until the onions are soft. Uncover and cook, stirring frequently, for 5 minutes or until golden brown. Stir in pepper to taste.
- © COMBINE THE PASTA SAUCE and the remaining oil in a small bowl. Brush the mixture over the pizza base and spread the onion mixture over the top. Add the bocconcini and the sage leaves. Bake for 10 minutes or until the dough is crisp and the onions are hot.

CHOP ONIONS WITHOUT TEARS

Onions are essential for lots of dishes but chopping them does have the side effect of making eyes water. Some cooks recommend chilling onions first but the only real way to stop the tears is to wear goggles.





Problem solver

NUTRIENT DEFICIENCIES

Yellowed leaves, poor fruit set or a failure to thrive? It could be something your plants didn't eat

hen you have followed all the rules on the label for your plant but it's still in poor health it could have a nutrient deficiency.

These occur when the soil is lacking one or more of the nutrients the plant requires to thrive.

Deficiencies often show up in the leaves, which may be discoloured, distorted or dropping off.

The oldest leaves can show problems best where deficiencies have built up, though certain problems, like calcium deficiency, show first in young leaves.

A plant nutrient is any element required for normal growth. The air supplies the essential elements of carbon, hydrogen and oxygen but others are supplied by the soil.

Synthetic or organic fertilisers can prevent or treat deficiencies.

Some sap-sucking insects, fungi and diseases can cause similar problems, so look out for them, too.

And check that you haven't over or under-watered, which can also cause foliage problems.

GROW HEALTHY PLANTS

Improve your soil by adding well-rotted manure or compost, and spreading organic mulches or leaf mould around existing plants.

Digging it into the soil to a depth of 50mm can help to keep any nutritional problems at bay.

For gross feeders such as citrus, hibiscus, zucchini and tomato, just use a good quality complete fertiliser designed for that plant. Or target the problem and treat specifically.

TIP Always water plants well before and after feeding.



Yates Dynamic Lifter Organic Plant Food, \$18 for 7kg.



Feeding pot plants


Plants growing in pots rely on us to keep them healthy. Nitrogen is often lacking, as decomposing potting mix can use it up, keeping it from hungry roots.

Fertilise container-grown plants regularly when they're actively producing new growth, generally from spring to autumn.

Use a gentle liquid fertiliser or a pelletised organic variety, as salt-based fertilisers can burn confined roots and leave excess salt crust on the pot and mix.

DETECTING AND TREATING DEFICIENCIES

Look for these symptoms in your plants to identify nutrient deficiencies in the soil. Confirm your diagnosis using a soil test kit before applying the remedy, then treat at the recommended rates.



Older leaves yellow at the bottom of the plant with others pale green. Slow, spindly growth may appear. TREATMENT Blood and bone, manure and fertilisers containing nitrate, ammonium or urea



Hortico All Purpose Soluble Fertiliser, \$17 for 1kg. hortico.co.nz




Leaves turn yellow between the veins and the plant suffers from slow growth.

TREATMENT Epsom salts and dolomite



Tui Epsom Salts, \$10 for 600g. tuigarden.co.nz



Dark red-purple leaves with older leaves looking burnt at the tips and poor fruit set.

TREATMENT Phosphate, manure

TREATMENT Phosphate, manure and bone meal



McGregor's Vegemax, \$10 for 400g. mcgregors.co.nz



Yellowing between leaf veins, plus scorched and curling leaf edges and pulpy fruit.

TREATMENT Manure, seaweed extracts and sulphate of potash



Seasol Seaweed Concentrate, \$11 for one litre, from Tui.



New growth is distorted and can yellow and die, and fruit is afflicted with blossom end rot.

TREATMENT Lime, gypsum, dolomite and crushed eggshells



Daltons Big Value Garden Lime, \$8 for 8kg. daltons.co.nz



New leaves pale between veins to light green, yellow or white.

TREATMENT Seaweed extract, iron chelates, and ammonium sulphate and compost to lower pH



Yates Gro-Plus Sulphate of Ammonia, \$13 for 2.5kg. yates.co.nz



Collect fallen leaves then pile them up, wet and forget to make a free mulch and soil improver

WORDS JECCA BLAKE

allen leaves aren't just pretty, they're also full of essential minerals for your garden.

The problem is they fall in such numbers that they can overwhelm the compost bin or form an impenetrable layer if left on the ground.

They are best composted separately in a leaf mould heap, where they break down via a special type of slow, cool decomposition driven mostly by fungi, rather than the warm, fast action of bacteria in a standard heap.

Leaf mould produces a wonderful end product that can be dug in to improve any soil, used as mulch or incorporated into potting mix.

And forget the balancing and turning of traditional compost, just pile up the leaves, wet and forget.

For the best leaf mould, use leaves from deciduous trees, leaving out any with fungal or viral infections.


If you don't have enough in your own garden, collect them from footpaths and nature strips in the neighbourhood. Leaves from evergreen trees break down more slowly, so keep them to a minimum.

In six to 12 months you'll have a rich mulch to use on pots and garden beds and within a year or two, a nutritious soil conditioner that also makes a brilliant addition to homemade potting mixes.

TIP Large leaves left on the lawn block sunlight, which can weaken turf. Run the mower over the lawn with the catcher off and the shredded leaves will soon disappear into the grass.


LEAVES TO USE

These trees have mineral-rich foliage that breaks down slowly to make a rich soil conditioner. Small leaves rot faster, so shred large or thick leaves.



Building a bin

To make leaf mould, build a bin in a sheltered part of the garden where rain can still get to the leaves, like next to a shed, as they decompose faster if kept damp.



MEASURE OUT a square or rectangle to fit your space. Position a garden stake at least 1000mm high at each corner and hammer firmly into the ground.



SECURE CHICKEN WIRE to the stakes with galvanised staples to enclose the bin on three sides.
TIP The front is left open so you can add the leaves to the bin.



OPILE UP LEAVES to the top, wetting them down with a hose. When the bin is full, add a mesh front with tie wire so you can remove it to access the leaf mould.



MAKE LEAF MOULD

Although you can make leaf mould with just a heaped-up pile of leaves, the process is easier to manage with some sort of container.

In a small garden, use the bin bag method. Collect fallen leaves and save them in a garbage bag, hosing with water to soak the whole lot.

Make a depression in the top of the tied-off bag and punch a few holes to let in rain. Punch more holes at the base to let excess moisture drain out and keep the bag in a shady area.

If you have space, build a leaf bin, which will allow you to pile your leaves as high as possible. They'll rot down, so don't worry if your pile is tall to begin with.

Leaf mould can take two years to rot, so have more than one bin if you want to use it fully rotted.

TIP Plane and sycamore leaves can take three years to rot. Shred them finely or run over the pile several times with a lawnmower to speed things up.

FEED THE GARDEN

Depending on how long you leave it to break down, leaf mould has many uses in the garden.

It is ideal for use around trees, shrubs, perennials, woodland plants and ferns, while annuals and vegetables prefer the higher nitrogen available in normal compost.

YOUNG LEAF MOULD is usable after six to 12 months when the leaves start breaking up and crumble easily.

Use this young product to mulch garden beds and around trees and shrubs, dig it into the soil to add organic matter before planting, or use it as topdressing for lawns.

WELL-ROTTED LEAF MOULD is a dark brown crumbly material that's produced after one to two years, with no real sign of the original leaves.

This material can be used the same way as young leaf mould but also as seed-raising mix. Or combine it with equal parts washed sand, loam and garden compost to make potting mix.



Use leaf mould to protect plants like ferns that have roots near the soil surface.

Get more online

Visit handymanmagazine.co.nz/mag for tips on Garden Pests And Weeds.

SUBSCRIBE to New Zealand's BESTDIY MAGAZINE

Just \$49.95 for 10 ISSUES



- Save time
- Save money
- Never miss an issue
- Delivered to your door

TO SUBSCRIBE © GO ONLINE handymanmagazine.co.nz
CALL 0800 449 284 weekdays (local call cost)

Verdigris pots

Handyman stylist Gema Beneitez created a rustic flowering display using plastic pots and new plants.

To turn pots into antique-look planters, all you need is a few days and several types of paint.

The bluish-green coating that develops on copper, giving the surface a weathered patina, is called verdigris.

To get the effect without the chemical reaction, use paint to create an aged copper look.

TIP The best type of pots for this finish are those with ridges and lips, not smooth, featureless containers.



Zinsser Smart Prime Undercoat, \$40 for one litre, from Haydn. haydn.co.nz

Painting the pot

It takes several coats of different finishes to achieve the look of verdigris, and each layer needs time to dry thoroughly.

APPLY A PRIMER to the pot then a coat each of gold enamel paint and amber shellac, leaving it to dry between coats.

coat the Pot with a mixture of white and aqua-green acrylic paint, watering it down to apply with a sponge and cloth to get the aged effect.


FINISH THE VERDIGRIS by dipping a small brush in a very small quantity of white paint and lightly touching the most protuberant areas of the pot.

SEAL THE FINISH with a coat of clear polyurethane.

TIP A dry bristle brush can also

be used to stipple the paint.

AFTER The faux copper finish turns the pots into rustic planters for snapdragon and verbena. BEFORE These lightweight plastic pots were a good size but not very visually exciting.



Clean and healthy pools

Balancing your water involves maintaining the pH, alkalinity and calcium levels. Incorrect pH can lead to a variety of problems including:

- LOW pH (below 7): eye and skin irritation, and swimming discomfort; excessive chlorine/sanitiser use (costly); water can eat at plaster grout, cement, metal pipes and pool equipment.
- IDEAL pH (7.2-7.6): by having the ideal water balance you use far less chemicals; more cost-effective.
- HIGH pH (above 7.6): eye irritation; poor chlorine/sanitiser efficiency; scale can form on pool walls, inside pumps, filters and other equipment causing numerous problems such as restricted water flow, poor filtration, cloudy water.

Regular testing of pool water is essential so you will also need a water testing kit as incorrect or inadequate water treatment can lead to serious problems and needless expense. Remember that the majority of pool chemicals are highly toxic and it is recommended that they are kept in a locked shed well away from children.

Correctly balanced water will protect your pool and equipment, enhance the killing power of pool-sterilising chemicals and provide a safe, pleasant swimming environment.

Winterising treatment

Bacteria and algae can grow in your pool over winter when it is not being used so it is essential to maintain a level of chlorine to prevent more growth. We recommend you take the following steps to keep your pool clean throughout winter.

- Vacuum and brush the pool thoroughly.
- Backwash the filter.
- Check that the water is balanced and adjust if necessary.
- Add Clean The Green winteriser to extend the properties of the sanitiser. With filter running, add Clean The Green (refer to the label for dosage rates) direct to the water around the edges of the pool.
- Check the chlorine level once a week throughout winter and adjust where necessary.
- Run the filter for at least one full day, once a week.

We also recommend that you backwash the filter before switching off. And we recommend that pools be covered during winter to prevent the build-up of leaves, dust and dirt. Precautions should also be taken to prevent frost damage to the pool and accessories.




Visit www.spaceindustries.co.nz for more information or ph 09 262 3902

ekologiX*

engineered bamboo composite

NO OILING, PAINTING OR SEALING REQUIRED. EVER.

Ekologix Decking is made from a unique bamboo composite that looks and feels like wood, but is incredibly low maintenance - never requiring oiling, painting or sealing. It's also tailor made for the unforgiving elements, meaning it resists rot, decay, termites and the sun, all naturally.



Plantation grown bamboo

Recycled HDPE

UV stabilizers, binding agents,

88mm WIDE

137mm WIDE

Price incl. GST. Offer valid until 31 Dec 2012

[†]Price incl. GST. Offer valid until 31 Dec 2012

Mould and mildew resistant



to further reduce its impact on the environment.

EASY INSTALLATION

MAINTENANCE

ENVIRONMENT

Ekologix Decking can be installed just as easily as regular

hardwood timber decking, with no special tools required.

Ekologix Decking is resilient and requires little maintenance

compared to timber decking. However, like all exterior

Care and Maintenance Guide visit www.ekologix.co.nz

Ekologix Decking is made from plantation bamboo and

recycled plastic bottles. As one of the fastest growing plants

harvesting of established tree plantations. And by recycling

plastic bottles destined for landfill, Ekologix Decking is able

in the world, bamboo provides a sustainable alternative to the

building materials, it requires cleaning depending on

its usage and amount of foot traffic. For the full

For the full Installation Guide visit www.ekologix.co.nz

Scratches repaired by sanding



Resistant to rot and decay

No oiling, painting or sealing required



Weather resistant



Commercial Slip Rating (R11)



Termite resistant



Use standard woodworking tools



10 year limited warranty Please visit www.ekologix.co.nz for full warranty details.

www.ekologix.co.nz

Available at **SUNNINGS** warehouse