QUICK, BUDGET-FRIENDLY KITCHEN MAKEOVERS









• TRUSTED QUALITY SINCE 1921 •



RustOleumRockSolid.com.au












COVER PHOTOGRAPHY STUART SCOTT

This issue

08 HANDY STUFF

Keep cosy indoors and out with these heating solutions



Renovate

16 GET INTO THE CUBE

A 70s home gets a modern update

26 KITCHEN REVIVAL

Upgrade the surfaces on a budget

34 5 EASY KITCHEN STORAGE SOLUTIONS

Make the most of your cabinets

38 BRAND-NEW BENCHTOP

Replace laminate benches DIY


40 BUDGET KITCHEN TRANSFORMATIONS

Save money on a big or small reno

48 CUSTOMISE A CLOSET

Transform a walk-in wardrobe





Decorate

53 MAKE A MINISCAPE
Terrarium gardening basics

58 TIN CAN PLANTER
Upcycle old food containers

Build

60 GARAGE REVAMP

Turn a dingy den into a slick space

66 POWER UP

Install a garage door opener

72 BUILD AN OCTAGONAL DECK
Lay a deck over an old patio

78 QUICK AND EASY TIMBER FIX

How to revive weathered wood

Outdoor

80 WINTER GREENHOUSE PROJECTS

Get a head start on seeds and cuttings in the cool months

88 DESIGNER HOUSE NUMBER

Add kerb appeal with a concrete block you can cast DIY

Garden

96 RAISING AFRICAN VIOLETS

Grow this old favourite and enjoy indoor blooms all winter

100 BLOOMING DELICIOUS

Plant bare-root fruit trees now in any-sized backyard

104 GROW LUSCIOUS LILIUMS

Get bulbs in the ground now for a stunning summer showcase

110 BRINGING BULBS INDOORS

How to force spring blooms into an out-of-season display

112 POP QUIZ

Check your knowledge of dogs by identifying these breeds


Subscribe


to Handyman pl13





EDITOR'S LETTER





hey say a cluttered house is a sign of a cluttered mind. If this sounds a bit like someone you know, it's easy to fix.

When you can clearly select what is essential, non-essential and rubbish, you can quickly dictate what to keep and what to throw out.

Kitchen makeovers

This issue of *New Zealand Handyman* is dedicated to helping you get the house in shape with clever and easy storage solutions for the kitchen, wardrobe and workshop.

These projects are quick and simple to install and look fabulous. And now that your mind is less cluttered, you can focus on the things you enjoy.

As the kitchen is the hub of the home, you want to make sure it is as nice as it can be. So we hope you are inspired by our kitchen surface makeover story, on page 26.

Cherie Barber also shows us three kitchens that she's transformed on very tight budgets, on page 40.

And after comparing the before and after pictures, you'll agree what she's accomplished is tremendous.

Welcome to winter

Winter has arrived and we're sharing great ways to enjoy the cooler weather.

There are outdoor projects, such as growing from cuttings and seeds in the greenhouse, and how to build a simple cold frame, on page 80.

Learn how to create kerb appeal with your house number, on page 88.

And if it's colour you're after, we show you how to grow African violets, on page 96, and force spring bulbs to grow indoors, on page 110.

Enjoy the issue,

MANAGING EDITOR **LEE DASHIELL**



PRODUCT OF THE MONTH

Save yourself time and effort by using the P&N Quickbits TCT Cut-Smart Drill Bit which drills and countersinks without having to change tools (pandn.co.nz).

For use in cement sheet, timber, plastic and other materials, it has an adjustable depth stop for accurate control of the countersink depth.

The countersink is tungsten carbide-tipped and a clever nylon stop collar prevents the tool from marking the surface of the material you're working on.

The hex shank suits quick-change adaptors and the pack contains two multi-purpose replacement drill bits and an Allen key.





THE KÄRCHER WINDOW VAC

The quickest way to streak-free windows.

Ideal for cleaning smooth, flat surfaces such as windows, benchtops, showers and mirrors as well as condensation removal. The window vac is three times faster than traditional cleaning methods and you are left with streak-free windows with no smearing. www.karcher.co.nz



Game changer

A drier, warmer, healthier home for a fraction of the cost



Unovent® is an effective, easy to install, Home Ventilation System that costs up to 75% less than other systems.

The Unovent system draws dry air from the roof space, reducing window condensation and moisture build-up in drapes, carpet and furniture - which in turn prevents rot, mould & mildew from forming (major causes of asthma & allergies). Unovent is simple to install (just like installing down-lights) is whisper-quiet, and with a running cost of less than \$1 per month...

A dry, warm and healthy home is now within reach for everyone.



Ph 09 950 4436 or 0800 2 UNOVENT email: info@unovent.co.nz www.unovent.co.nz

- Landyman

EDITORIAL

EDITORAL DIRECTOR LYNN LEWIS
MANAGING EDITOR LEE DASHIELL
DEPUTY EDITOR ARTEMIS GOUROS
ART DIRECTOR KATE TIMMS
CHIEF SUBEDITOR AMANDA SHAW
PROJECT EDITORS STUART SCOTT, ADAM WOODHAMS
SENIOR EDITOR DANIEL BUTKOVICH
SENIOR SUBEDITOR NICK BANKS
GRAPHIC DESIGNER STEPHEN DIBDEN
FEATURES WRITER ASHLEIGH PERRIOTT
WEB PRODUCER TALISA CLAVIJO
DIAGRAMS STEPHEN POLLITT
NEW ZEALAND EDITOR BRUCE SCOTT
T: 64 9 488 0862 E: bruce@regatta.co.nz

ADVERTISING

GROUP ADVERTISING DIRECTOR (ANZSA) SHERON WHITE T: 61 2 9018 6280 ADVERTISING SALES MANAGER KRISTINA FROHLICH T: 61 3 8844 5542 ADVERTISING MANAGER NEW ZEALAND KERRY MCKENZIE T: 64 9 528 7103 E: kerry@hawkhurst.co.nz

MARKETING

MAGAZINE MARKETING MANAGER GALA MECHKAUSKAYTE
WEBSITE MANAGER BRONWYN POVOLNY

PRODUCTION

PRODUCTION MANAGER BALAJI PARTHSARATHY T: 61 2 9018 6115

PUBLISHING

DIRECTORS WALTER BEYLEVELDT, LANCE CHRISTIE
PUBLISHER, MANAGING DIRECTOR WALTER BEYLEVELDT
OPERATIONS DIRECTOR ASIA PACIFIC ADINA GHERMAN

READER'S DIGEST ASSOC. INC.

PRESIDENT & CEO BONNIE KINTZER
VICE PRESIDENT & COO INTERNATIONAL BRIAN KENNEDY
EDITOR-IN-CHIEF INTERNATIONAL MAGAZINES RAIMO MOYSA
EDITOR-IN-CHIEF THE FAMILY HANDYMAN KEN COLLIER

NEW ZEALAND OFFICE

HANDYMAN MAGAZINE PO BOX 25679, ST HELIERS, AUCKLAND 1740

SUBSCRIPTION ENQUIRIES

T: 0800 400 060 E: customerservice@readersdigest.co.nz www.handymanmagazine.co.nz



PUBLISHED BY READER'S DIGEST (AUSTRALIA) PTY LTD

(ABN 81000565471) 80 BAY ST, ULTIMO, NSW 2007

© 2016 READER'S DIGEST (AUSTRALIA) PTY LTD

PREPRESS BY SINNOTT BROS

UNIT 7, 108-120 SILVERWATER ROAD, SILVERWATER NSW 2128

PRINTED BY TIMES PRINTERS PTE LTD, 16 TUAS AVE 5, SINGAPORE 639340

DISTRIBUTED BY GORDON & GOTCH



Handyman magazine is printed on PEFC-certified paper, providing an assurance that the paper is produced from sustainably managed forest, recycled and controlled source.

All content ©2016 Reader's Digest (Australia) Pty Ltd, all rights reserved. Reproduction without permission is prohibited. All prices and information are correct at the time of printing. Prices quoted are recommended retail prices and may vary. All material sent to Handyman (whether solicited or not) will not be returned.

All do-it-yourself activities involve a degree of risk. Skills, materials, tools and site conditions vary widely. The editors have made every effort to ensure accuracy but the reader remains responsible for the selection and use of tools, materials and methods. Always obey local codes and laws, follow manufacturers' operating instructions and observe safety precautions.

Reader's Digest (Australia) Pty Limited collects your information to provide our products and services and may also use your information for the marketing purposes of RD and/or selected corporate partners. If the information is not provided you will be unable to access our products or services. Our Privacy Policy at www.readersdigest.com.au/privacy-policy contains full details on how your information is used (including how we may share your information with our affiliate companies in the US or other overseas entities), how you may access or correct information held and our privacy complaints process.



Love your ceiling and the savings.

You'll love Earthwool® glasswool insulation because it's so easy to install in your ceiling and it will help you **save up to \$400**° on your power bill.

This is because Earthwool glasswool is made using recycled glass and features high R-values, which is the measure of their thermal performance. The higher the R-value, the better for you and your wallet.

For more information, visit thinkinsulation.co.nz



*smarterhomes.org.nz/smarter-home-guide







WINTER WARMERS

Keep the cold at bay this chilly season with these heating solutions

WORDS ASHLEIGH PERRIOTT



Warming ways

Raise the temperature inside with a Moretti 11-fin 2400W Oil Column Heater, \$99. It has an LED display with timer and remote control, overheat protection and a family friendly tip-over safety switch.

bunnings.co.nz



Coffee cosy

Forever letting your drinks go cold when you're busy? Keep it at 50°C and never waste a cup again with a Mustard Hot Cookie USB Coffee Cup Warmer, \$18. mobilefun.co.nz



Foodie fire

Warm the house and cook dinner on a Scandia Heat 'n' Cook Radiant Heater, \$2399. It has an oven, heater, cooktop and lined firebox. bunnings.co.nz



Toasty tones

Freestanding or mounted on a wall, the Akai Flat LED Glass Panel Heater, \$99, will bring both warmth and style to your home. With a 24-hour timer and adjustable thermostat, it's splash-proof so it can be installed in the bathroom.

bunnings.co.nz

Warm wrap

No heater? No problem when you have a plush Ovela Heated Electric Throw, \$67. It has detachable wires, nine heat settings, and automatically turns off after 10 hours. >

kogan.co.nz





KEEP OUT UNWANTED GUESTS FIT A DIY SECURITY OR BARRIER DOOR

Super strong Security and Barrier Doors available now, range of colours and grille types, plus fixed and adjustable sizes that make it easy to fit just about any opening. Plus Quality Doric locks and hardware all backed by manufacturers warranty. Visit website for more details or to view the installation video.









Party pleaser

Turn a patio into a winter outdoor entertaining area with a Heatstrip Classic Radiant Electric Heater, from \$635 each, which can be mounted on the ceiling or on a wall.

heatstrip.com.au



Backyard blaze

Organise a dinner party around a Cast Stone Fire Pit, \$249. The durable cast stone base surrounds a 760mm-diameter steel fire bowl that is topped with a domed safety screen to contain sparks.

bunnings.co.nz



Garden glow

riverleagroup.co.nz

Warm up around a Chapala Tibor Mexicana Chimenea, \$260. Measuring 570 x 1110mm and hand-crafted from Mexican clay, it brings a glow to outdoor living.

Cold cure


Put a Jumbuck Outdoor Patio Heater, \$139, in your pergola for a warm winter. Powdercoated, portable and weather-resistant, it features easy one-step ignition and has a built-in shut-off valve in case of an accident.

gasmate.com.au

Breeze barrier

Create a cosy alfresco room around your deck with Windoware Outdoor Bistro Blinds, available in various sizes from \$193. The heavy-duty, UV-protected PVC joins together with zips to block breezes and keep out the wet weather.

bunnings.co.nz





British Paints®



Exterior

Achieve a beautiful, durable exterior finish fast.

- □ No undercoat required on most surfaces
- ☐ Only one coat on previously painted similar colours
- □ Only two coats over bare surfaces
- □ True Self Priming Extra Bright Base







www.britishpaints.co.nz





bunnings.co.nz

HANDY STUFF





Warm wear

Stay warm outdoors with an AEG 12V Heated Jacket Kit, from \$199. Heated by carbon-fibre elements with three temperature settings controlled by the push of a button, its pro-lithium battery will power the suit for up to nine hours.

aegpowertools.co.nz

Mighty mitts

selkbag.co.nz

Skip fingerless gloves and wear functional Kathmandu Advection Gore Windstopper V3 Gloves, \$80. They feature a breathable mesh palm with a silicone grip, windproof fabric backs, stretch fleece cuffs and a touchscreen compatible fingertip.

kathmandu.co.nz



Frosty fix

Find relief from cold feet when working in the winter garden with Skellerup Red Band Gumboot Socks, \$18. They have a special elastic support that prevents them from slipping down your legs.

skellerup.co.nz



Cool cover-up

Use a Battery Heated Scarf, \$30, to warm your neck. Easy to clean, it has a removable, battery-powered heating pad. Made of micro fleece, it also has pockets for your hands.

innovations.co.nz



BRUSHLESS IS HERE IN THE INC. IN THE INC.

MORE TORQUE*

A brushless motor has 4x the amount of power generating components.

MORE DURABLE*

Made more of steel & copper instead of wearable brushes, brushless motors generate less heat and friction for a longer life.

LONGER RUNTIME*

As friction is reduced, brushless motors run cooler and more effeciently, enabling longer battery runtime.

* versus Ozito brushed motor cordless drills





*Chargers and batteries come with a 12 month replacement warranty

Check out the Brushless Drill Driver & Brushless Hammer Drill in store.



What's new

Indoor projects are the way to go this winter. Install insulation, do a spot of plumbing or paint your way through the cold weather. Whatever the project, get it sorted at Bunnings Warehouse.




PAINT AWAY BACTERIA

Mould Stop Primer, made by Zinsser, is a fungicidal protective coating that allows you to paint over and kill mould, mildew and odour causing bacteria. The formula contains antimicrobial which prevents these nasties from growing on the film. This paint is perfect in bathrooms, office buildings, factories and more. Plus, the primer is waterproof too. From \$39.97

ENJOY A WARMER WINTER

Earthwool Glasswool's R4.1 Ceiling Segment Insulation will help lock in the warmth this winter. Its super soft, easy to install and will save you money on your energy bill. It doesn't contain any formaldehyde and is made using recycled glass with ECOSE® Technology and is non-combustible, making it safe for the whole family.

From **\$81.22** per bale.





NO SANDING

SAND FREE FILLER

Polyfilla's Small Interior Crack Filler Spray allows you to tidy up minor cracks and imperfections quickly. This is a broad wall filler that comes in an aerosol format. Simply spray, smooth off and walk away. Easy application means easy clean up. It also dries in 10 minutes — that's super quick. **\$16.97**

SEAL IT

Stay on top of home maintenance with Polyfilla's Kitchen and Bathroom Crack Filler. Plug up holes and cracks where moisture is an issue like your laundry, bathroom and kitchen. This filler dries in 2-3 hours and is also water and mould resistant. From \$15.97





SERIOUS ABOUT HEATING

Whether you're in your workshop or out on site this 5000W Diesel Fan Heater, made by Full Boar, will keep your work place toasty. It has a 50L fuel tank and has a heat output of 175000BTU. It also features a flame sensor, auto cut off no oil and a 0.05MPA low pressure atomization. \$699



Protect your home and loved ones with Protector Aluminium Security Doors. With black or white to choose from, they're guaranteed to match the colour of your home. These doors are also incredibly strong in construction and therefore able to withstand the wear and tear of everyday living. \$350

SAFETY AT HEIGHTS

This super strong, dual purpose fibreglass ladder by Rhino has an industrial load rating of 150kgs. The fibreglass construction makes the ladder electrical safe, as well as the additional feature of non-slip treads to ensure your safety when working at heights. 1.8 – 3.3m **\$260**





CLEAN MODERN LOOK

The Amio Shower Mixer, made by Methven, has a clean design. It features concealed fixing screws for a cleaner chrome look. It's fitted with a quality ceramic cartridge for all round durability — and, like the Amio Sink Mixer & Amio Basin Mixer, it has a 20 year warranty. The shower mixer is ideally suitable for water pressures above 55kpa. It also has a WELs Mains rating of 3 star/low 4 star. \$279

THE PERFECT MIX

Methven's Amio Basin and Sink Mixer's suit every home. With a 20 year warranty, they're designed for all round durability and longevity. These mixers are suitable for water pressures between 35-500kpa. They feature globally certified 450mm braided stainless steel hoses which increases flexibility and performance, whilst allowing for easy installation. They are also rated WELs Mains 3 star/low 4 star. From \$299

CLEAR AS DAYLIGHT

Give your windows a streak-free finish with the Karcher Window Vac WVS. With a 35min run time, on a full charge, it can clean 105 square metres per charge. Its bar spacer is adjustable so it can clean right up to the edges. The Window Vac isn't limited to windows; it can clean all smooth surfaces like tiles, mirrors and shower screens. It also comes with 2 x removable & rechargeable 3.7V lithium-ion batteries, 250ml spray bottle with microfiber cloth, 20ml glass cleaning concentrate, battery charger, battery station and a 2 year warranty. **\$225**



EYE CATCHING KITCHEN

The Noir Black Granite Kitchen Sink will give your kitchen a sleek new look. Made from 77% quartz and 23% acrylic, it is extremely hard wearing and easy to clean. In fact, it will maintain its colour and resist scratches and stains for many years. This is an order only product. \$348



CLEAN STEAM


The 1300W 2in1 Steam Mop, made by Dirt Devil, is steam ready in 30 seconds. There's no messing around with this powerful Mop. It has a run time of 17 minutes, which is plenty of time to attack any mess. Its quick swivel capabilities and 6.1m chord allows it to get into tight spaces. It also has flexible edges to cover baseboards and floors at the same time. \$99




Not all products featured are available in all stores, but may be ordered. Shelf prices may be lower than advertised to ensure lowest prices every day. We reserve the right to restrict the purchase of commercial quantities. All prices quoted are inclusive of GST. Prices valid until Wednesday 27th July 2016, or while stocks last.











Simple and streamlined

The view from the entry is directly into the dining room, a low key and simply arranged space housed in the original single-storey building.

An eight-seater dining table and high-gloss white chairs and storage unit are offset by a wallpapered shelving nook. It ties into the colour scheme and is an unexpected addition in the mostly neutral palette.

The eye is drawn outdoors through the doors and windows to the green landscape and the turquoise pool.

Continuing the minimalist look, the adjacent kitchen has a long island bench with storage clad in walnut and topped with Carrara marble. The island extends into a breakfast bar, positioned to take advantage of the views.

A high-gloss cabinet with an integrated fridge provides more storage, so every surface is kept clear, with the oven economically and ergonomically tucked into the end.

Drama and glamour

The living area is a long space that opens off the entrance. The new extension provides a double-height ceiling, accentuated by the pivoting panels that can either close off the room or create a little more privacy.

Munro was concerned that the high ceiling may make the space feel ungrounded or cold.

'I understood we would have the recess under the mezzanine but didn't


anticipate the success of the stone cupboards, which look more like a sculpture than storage,' he says.


At the other end of the living space, the cantilevered cube forms a low and cosy zone. This area picks up the walnut element from the kitchen as cladding on the ceiling.


Lighting and sound are recessed into the cladding and, in keeping with the intimate feel, the back wall is painted a deep Prussian blue, which serves to absorb some of the light and add depth to the room.

'I'm so happy with the contrasting materials in the living space. The room really does have many personalities, depending on where you decide to sit and what time of day it is,' says Munro.

Furnishings are few but very well chosen. Comfortable and unfussy in form, they allow for a variety of arrangements and activities without overwhelming the space.










Choose an accent colour in a jewel tone to bring out the serenity of a neutral backdrop and natural materials such as stone and timber



The master bedroom, which is more like a parents' retreat, is in the cube. The 70sqm area features stunning views front and back, benefiting from the floor-to-ceiling windows that open onto a Juliette balcony.

'There is little need to go over the top decorating this house, as the view often takes centrestage and the light moves through the day,' says Munro.

A large part of the success of this calming and undemanding home is plenty of storage, and most of it hidden. Clever planning allows for the integration of storage in every room.

Built-in robes look like a partition wall in the bedroom, opening on the

other side to create a dressing room. And further down the hallway, the bathroom is more than just an ensuite.

With a view back up the hill, the green bush creates a scenic backdrop and imbues the bathroom with a sense of privacy and retreat.

A sage green wall is calming and plays into the Scandinavian theme suggested by the gloss vanity and a tribute to an Eero Saarinen tulip table.

The freestanding bath takes in the spectacular view, while an oversized shower makes room for two.

'It's these small details that impact how we feel and function. This is the home we always wanted and the house that fits this site,' says Munro.



The secret to creating and maintaining a simple decorating scheme is to have concealed, built-in storage, and lots of it

Two floating vanities feature in the bathroom.



...For 75% LESS vs cost of bottled gas.

Heatstrip® by Thermofilm is the cost effective electric radiant heater that unites efficiency with style. Ideal for your alfresco and outdoor entertaining area, pergola, patio, balcony. Even your garage, shed or hard-to-heat indoor space.

Heatstrip runs at a quarter of the cost of bottled gas, is more efficient over a larger area and won't corrode. It's easy to install and operate, an optional controller adjusts the timer and warmth levels. For more information go to www.heatstrip.com.au







Find more issues at magazinesdownload.com

Private and practical


Three bedrooms and a bathroom extend off the cube in a loft space that was part of the original home.


Designed for teenagers, the bedrooms are practical and gender neutral. Earthy colours reflect the outdoor scene and built-ins provide extensive mixed storage.

'Having the kids in a separate part of the house is great for them and us, even more so because they have their own bathroom,' says Munro.

The design approach in the loft is simple, with success dependent on attention to detail, such as the grout lines of the wide-format bathroom tiles aligning perfectly with the vanities.

'It's quite extraordinary to have teenage children and not be living in a certain level of chaos, but this place never feels overwhelmed.'







Unlike bottled water, by filtering your water you will have access to an ongoing supply of fresh, contaminant free water that cannot only be used for all your drinking water, but also for cooking, washing vegetables, making tea and coffee even feeding your pets.

The options are endless. You are no longer limited to the amount of filtered water you can use.

You can have filtered water in just minutes with the benchtop, on tap and filter jug solutions. With the installed undercounter systems, you can have an endless supply of filtered water direct from your own tap, or as an additional point of use with many systems supplied with a quality faucet in the kit. There is also an extensive range of branded fridge filters to suit just about any fridge.





bunnings.co.nz

Come and see the exclusive range of Stefani Water Filtration products at your local Bunnings Warehouse.

KITCHEN REVIVAL

Give your dated kitchen a full facelift in just a weekend with these inexpensive and simple surface repairs





replace any peeling edges and give the entire surface a light sand.

Repair any dents, then apply a laminate paint or use a special-effect coating to get the look of stone.

Metal magic

A stainless steel benchtop can add an industrial edge to complement a contemporary design. It can come with challenges, though, as rust and fingermarks can build up.

To remove rust and water spots from the bench or sink, make a paste of one part cream of tartar with a bit of lemon juice in a small bowl.

Apply the paste to the spots and let it soak before wiping clean with a cloth dipped in white vinegar.



Rust-Oleum Benchtop Coating System in Diamond White, \$236. haydn.co.nz



Hillmark SteelPower Stainless Steel Cleaner, \$14 for 250ml. hillmark.com.au



Flooring

If your kitchen floor has burn marks, holes or tears, patch the damaged section with a new piece of vinyl.

You can buy a sample piece of vinyl, but make sure it shows any repeat patterns. If you can't match the flooring, find a hidden spot inside the pantry or under appliances and cut out a piece to use.










Out the vinyl

Use a utility knife to cut around the damaged area, then loosen the adhesive in one corner using a hairdryer and lift with a putty knife. Cut a patch to match the damaged area, extending it 15mm around the pattern or grout line.



Position the patch

Tape the replacement patch over the damaged area with painter's tape and cut through the new patch with a sharp utility knife, following the pattern line.

TIP Use a ruler to guide the knife to ensure smooth, straight cut lines.



60 Apply the adhesive

Remove the replacement patch and the damaged section and any backing material. Apply a vinyl-flooring adhesive with a small-notched trowel and secure the replacement patch, going over the seam with a vinyl floor sealer.





Rust-Oleum® Benchtop Transformations



Rust-Oleum® Benchtop Transformations is the simple, affordable and hassle-free way to transform your worn or damaged laminate benchtop into a beautiful, durable, glossy surface in just one weekend. It's ideal on kitchen and bathroom benchtops, bars and tables.

FEATURES:

- Breakthrough silicone epoxy will not yellow
- Handles the toughest household cleaners
- · Low odour
- Ideal for tiled walls, splashbacks and benchtops
- Covers 4.6 sqm
- Available in Diamond White and Galaxy Black





bunnings.co.nz



Timber doors show knocks more than high-gloss cabinetry but are easy to touch up, then stain or varnish for a natural finish.

Polyurethane is similar to clear varnish but is easier to apply, making timber doors durable and giving them a medium-level shine.

Before resurfacing timber cabinet doors, remove any handles, then repair cracks, scratches and dents with a filler in a matching colour.

Sand the surface smooth, wipe off the dust, then use sugar soap to clean oil build-up, particularly on cabinets near the rangehood and fridge.

Stain the timber, then use a brush or short-nap roller to apply 2-3 coats of a clear polyurethane, letting it dry and sanding lightly between coats.

DIY TIP

Repair minor scratches in timber with a walnut. Just rub it diagnonally over the damage, then repeat with your finger to set the natural oils.

Cabot's CFP Floor Clear

Cabot's CFP Floor Clear Gloss Polyurethane, about \$61 for 1L. cabots.co.nz



PICTURES ISTOCK

REPAIR ESSENTIALS,

Well-maintained timber fits seamlessly

RIGHT Raw or slightly stained timber

cabinets work well in an urban style.

into a modern kitchen design.



Specialty Cleaning and Protection Solutions



Market-leading cleaning solutions specifically designed to clean, care, protect and maintain appliances and surfaces in the home.

Ideal for stainless steel, ceramic glass and solid element cook tops, stone surfaces, washing machines, dishwashers, rangehood filters and more.

The range has been tried, tested and recommended for all of the big names in the appliance business.

For more information visit www.hillmark.com.au



Budget revamp

This kitchen had a good layout and new appliances, so homeowner Kate Griffith couldn't justify spending on a reno, but she felt the all-white scheme made it stark and cold. The solution was a DIY makeover.

- REPLACE THE FACE Paint doesn't adhere well to high-gloss cabinetry, so replace the existing doors. If the cabinetry is in standard sizes, this can be done with flatpacked options.
- create a contrast Add colour to a neutral backdrop for a big impact. Here, the red doors make the stainless steel splashback pop, while the white bench and blinds look fresh. New handles with a modern profile update the look.

After

Red gloss doors replaced the old white ones to add energy and colour to the room.

DESIGN TIP

Before

0

Use warm colours such as red in the kitchen to create an inviting space that guests will gravitate towards and feel comfortable in.





EASY KITCHEN STORAGE SOLUTIONS





nanmagazine.co.nz JULY 2016

to the face frame of the cabinet

floor and one to the back wall. Or

you can drive screws through the


divider from the shelf above. >



Store cutting boards
Create a dedicated storage
space for your cutting
boards by adding a rack to the
inside of a cabinet door.

Cut to size 12mm thick acrylic or plywood, then smooth the edges using sandpaper and round the lower corners with a belt sander.

Use ferrules or timber blocks as spacers and secure the rack with screws and washers.



Organise spice jars
Save time hunting through your spice collection to find the right one by reorganising them in simple wire drawers.

Install two of the drawers in a cabinet, then add the spices in matching clear-glass jam jars.

Write the name of the spices on the jar lids and arrange them alphabetically for easy access.

JULY 2016 New Zealand Handyman

36





POWER of GILUE



AQUADHERE

HIGH QUALITY

WOOD WORKING ADHESIVES

Whether you are repairing wooden items inside the home, building furniture or looking for a commercial strength adhesive, Selleys Aquadhere has a solution to meet all your wood working needs.





FOR THE DOER"



DIY TIP

Laminate is an affordable and durable benchtop material that is easy to cut and install, making it ideal for DIY installation.

What you need

Drill
Forstner bit
Tape measure
Carpenter's square
Pencil
Handsaw
Spanner
Chisel
PVA adhesive
Benchtop joiners
Safety gear


Join and install a laminate bench to give the kitchen a modern update

aminate benchtops are durable and come in a wide range of designs and colours, making them ideal for any kitchen. They're also easy to install DIY.

Benchtops are available in lengths of up to 2400mm and will need to be

measured and cut to size before they are attached to the cabinets.

Most kitchens require multiple benchtop sections, which are joined underneath for a smooth finish. TIP You can order laminate benchtops cut to size at your local Bunnings.



Mark the joins

Lay the benchtop sections in position on the cabinets and from underneath mark where they join. Turn the sections over and line up the marks. Measure and mark out the drill points on the underside of the benchtops, according to the manufacturer's instructions.




Mount the brackets

Drill pilot holes in the centre of the back panel of each cabinet at the top, then attach the brackets using screws. Drill guide holes in the horizontal braces at the front of each cabinet. Position each benchtop section the right way up on the cabinets.



Orill the holes

Drill holes in the underside of the benchtop with a Forstner bit, using masking tape to mark the depth. Use a handsaw to cut two grooves 10mm apart between the hole and the edge of the benchtop. Make a channel by tapping out the waste with a chisel.



Join the benchtop

Apply PVA adhesive to each side of the joint, install the joiner bolts and tighten using a spanner. Secure the benchtop to the rear brackets with screws. Use the guide holes at the front to drill pilot holes in the benchtop, then secure with screws.



Save money when revamping the hub of the home, whether it's a cosmetic reno or a major overhaul

WORDS AND PICTURES CHERIE BARBER







GET THE LOOK

Johnson Tiles 300 x 100mm Gloss Ceramic Wall Tile, \$40 for 40. johnsontiles.com.au

Windoware PVC Venetian Blind, 1630 x 1200mm, about \$14, from Bunnings.



Foreno Espree Chrome All-pressure Sink Mixer, \$89. foreno.co.nz



Everdure 9-function Built-in Oven, \$599. everdure.com











AVAILABLE IN:

300x400 Sorrento Olive (Ceramic Wall Tile)

400x400 Sorrento Olive (Ceramic Floor Tile)

FINISH:

Wall - Gloss

Floor - Gloss, Matt, Grit





AVAILABLE IN:

300x400 Sorrento Charcoal (Ceramic Wall Tile)

400x400 Sorrento Charcoal (Ceramic Floor Tile)

FINISH:

Wall - Gloss

Floor - Gloss, Matt, Grit







CIOSET CIOSET

Install drawers and shelving DIY to maximise wardrobe storage

WORDS AND PICTURES MELISSA DARR

or five years, crafty blogger
Melissa Darr put up with a less
than user-friendly walk-in robe
in the master bedroom. It had ample
hanging space, but that was about it.

'There wasn't much in it, so we lived with stuffing our clothes into a little tower of drawers,' says Melissa. After doing more important reno jobs, such as the kitchen and bathroom, Melissa had the time to take on the wardrobe.

'I was tired of living with a dysfunctional closet, so the first step was to decide what we wanted from the space.'



Building storage is a big carpentry job, so tailor off-the-shelf options instead



EXPERT SECRETS

Assess what needs to be stored, then design a closet to suit your actual needs.



Melissa's goal was to increase drawer and shelving space in the wardrobe without it turning into too big a job.

'I wanted something pre-made that we could customise to fit our space and that was easy to install,' says Melissa.

After researching different options, they decided to go with Clever Closet by Handy Storage (handy-storage.co.nz).



installation took only an afternoon.





Custom vs standard

'There are two ways you can go with Clever Closet. You can buy a pre-packaged system to fit into an area or you can tailor the parts to suit your needs, which is what we did,' says Melissa.

'What I loved was that we could install open wire shelving next to the window and not block out the light.

'While the Clever Closet system is a little more expensive than buying melamine wardrobe inserts, it's worth spending the extra money.

'It can be completely customised, there are no bulky cabinets, and it is super simple to install.


'With all our clothes now so easy to access, there is no more need to rummage around or make a mess.'





1 Install the hang track

Mark the top of the closet system and secure the horizontal hang track, checking for level with a spirit level. Hang the wall strips vertically from the hang track, checking for plumb. Secure the strips with screws.



2 Make the frames

Build the sliding basket frames for the drawers, following the manufacturer's instructions. Install the shelf brackets in the wall strips, then add the wire shelves and engage the locking clips, working from the top down.



3 Add the drawers

Secure the sliding basket frames to the wall strips with screws, leaving enough room in between so they run smoothly on the tracks and keeping them clear of the ground. Slide the drawers into the frames.



Official 35th Anniversary Tribute to Holden's All Time Greatest!



TECHNICAL SPECS

- Powered by a reliable Seiko VD 54 B movement
- Exclusive Commodore badge motif
- Chronographic stopwatch function

THE WATCH CASING AND BAND

- Crafted in rugged stainless steel
- Rotating bezel
- Reverse engraved with famous slogan 'Originality is everything whatever way you look at it'
- Side etched with famous IT'S A HOLDEN ad slogan

Winner of over 60 major awards including five prestigious Wheels Car of the Year Awards, the Commodore is the greatest Holden of all time. Now, you can show your pride with the "Holden Commodore Watch," the official 35th anniversary tribute to the first name in motoring!

Officially authorised by Holden, the "Commodore Watch" offers the same technical precision and luxurious styling that has

made its namesake the Number #1 choice amongst Holden drivers for over 35 years. The case is handcrafted in tough stainless steel for durability. The watch face showcases a Commodore emblem in a gleaming silver tone. Three chronographic sub dials offer a stopwatch function, accented by retro-styled stripes reminiscent of the car's 1978 launch. The side is engraved with the famous ad slogan 'Originality is everything whatever way you look at it.' Every Commodore driver knows the feeling!



Arrives with a Certificate of Authenticity, in a custom-gift box

Selling out fast. Act now. Money-back guarantee.

Once a Commodore driver, always a Commodore driver, so our limited stock may sell out in record time. Act now to secure your "Holden Commodore Watch" for just five easy instalments of \$55.00. That's only \$275, plus \$19.99 postage and handling, back by our 120-day guarantee. To order, send no money now. Just return the coupon or go online today at www.bradford.net.nz/holden

For quickest delivery, order online: www.bradford.net.nz/holden

Quoting promotion code: 26976



THE BRADFORD **EXCHANGE**

Please Respond **Promptly**

YES! Please reserve the "Holden Commodore Watch" as described in this advertisement. I understand I need pay nothing now.

Please allow up to 15 business days for delivery. All sales subject to product availability and reservation acceptance. Credit criteria may apply. Our privacy policy is available online at www.bradford.net.nz. From time to time, we may allow carefully screened companies to contact you. If you would prefer not to receive such offers, please

tick this box.

or

PAY	NOTHING NOW	
Ar/Man/Minn/Man	First Name:	

Mr/Mrs/Miss/Ms	First Name:		200 000-20
Surname:			
Address:			
	************	Postcode:	

Reserve yours today. 3 easy options:

1. MAIL no stamp required, to: The Bradford Exchange, Freepost No.98331, PO Box 91901, Victoria Street West, Auckland 1142

2. PHONE: 09 829 0475 -10am-7pm Mon - Fri

3. ONLINE at www.bradford.net.nz/holden







Taking action for animals

Each year SPCA Auckland helps more than 15,000 sick, injured and abandoned animals. With no funding from the government, we rely on supporters in the community to help us do our work.

SPCA Guardians are a special group of regular monthly donors who help us take action for animals in five key ways:

- Prevent cruelty
- Rescue
- Rehabilitate
- Shelter and re-home
- Seek justice

For more information about becoming an SPCA Guardian please visit our website www.spcaauckland.org.nz email guardians@spca.org.nz or phone og 256 7307

MAKE & MINISCAPE

Create landscapes under glass with this step-by-step guide to terrarium gardening

WORDS CLEA CREGAN PICTURES RICH MACDONALD



a tiny garden that mimics a real landscape, bringing nature inside.

Easy and low-maintenance, you don't need a green thumb to become a terrarium gardener. And there's no right way or wrong way to make one.

Experiment with containers, plants and decorations and see what happens. Use these projects as a guide and add your own creative twists, or improvise with plants readily available to you.

Either way, the terrariums on these pages will inspire you to give miniscape gardening a try.

Building your landscape

The process for planting a desert or forest terrarium is generally the same. It is important to have all of your elements ready to go before starting and to give yourself enough time.

Assembling a terrarium can take between 20 minutes and two hours, depending on the complexity of your project. Make sure you thoroughly wash, clean and dry the glass vessel.

Lay out the equipment and inspect your plants, checking that they look healthy and are free from any dead leaves or pests and diseases.

Arrange your plants in the order you'd like to plant them. Once you're happy with the layout, you can begin.

The step-by-step instructions on the opposite page illustrate the basic steps in terrarium gardening, and can be adapted to any of your projects.

® See more terrarium designs

Tiny gardens





Design your own living sculptures and miniature green worlds to enjoy year-round



This edited extract is from Miniscapes by Clea Cregan (Hardie Grant Books, \$35), from Wheelers (wheelers.co.nz).

Visit pinterest.com/DIYHandyman

CREATE A TERRARIUM



Start with a clean glass container.



Sprinkle in 4 tablespoons of horticultural charcoal, then add a 50-70mm layer of soil.



Cut a piece of butcher's paper a bit smaller than the container and position on the gravel or pebbles.



Add more soil in some areas to make a mound and create variations in height.



Remove the plants from the pots. Scrape excess soil from the rootballs and trim any roots longer than 50mm.



Dig holes, position the plants and fill in with soil, firming it down to remove any air pockets.



Put tall plants at the back and small at the front. Wash down the sides and water the plants with a spray bottle.



Finish the miniscape with feature rocks, decorative stones, pebbles, crystals or figurines. >

MINISPHERE

Find more issues mag

Air plants don't need soil so are lightweight for hanging.

Air plants don't require soil, as they use their roots to anchor themselves to rocks and branches.

Soak air plants in a bowl of water for 30 minutes. Drain the plants and shake off any excess water, as they may rot if they hold extra moisture for too long.

Pour grey stones into the orb. Add glass pebbles around the front, then arrange the air plants. Add coral, shells, a sea urchin and starfish.

Attach fishing wire or string to the glass loop at the top of the orb, then hang it.



inestlownload.com

Guidelines

- Give it a position in bright, indirect sunlight.
- Remove the plants and soak in water once a week for 30 minutes. Spritz with water using a spray bottle in the warmer months.
- Curled leaves indicate that the plants are not getting enough water.



What you need

15cm glass tealight orb

1/4 cup decorative grey stones

1/4 cup glass bead pebbles

1 Tillandsia stricta

1 Tillandsia ionantha 'Rubra'

1 Tillandsia ionantha v Mexico

1 Tillandsia ionantha 'Peach'

Small handful of coral rubble

Handful of small shells

1 dried sea urchin

1 dried starfish

PRICKLY PEAR

Cacti and succulents come in different shapes, colours and sizes. A tall vessel protects fingers from spiky leaves.

Pour the black stones into the vase and gently shake to create an even layer. Sprinkle the charcoal evenly over the top. Add three-quarters of the potting mix to the container.

Remove the plants from their pots and gently scrape away the soil, so you are left with the rootballs.

Put small plants around the inside edge and tall in the centre. Firm down



the remaining soil to cover the roots. Place large rocks and river pebbles in between the plants.

Add a section of cream gravel, then an area of grey pebbles and dark grey stones. Water the plants thoroughly using a spray bottle.

What you need

35cm pear-shaped glass vase
3 cups small black stones
½ cup horticultural charcoal
4 cups succulent potting mix

- 1 Gymnocalycium mihanovichii friedrichii 'Moon Cactus'
- 1 Haworthia fasciata 'Zebra Plant'
- 1 Pilosocereus azureus 'Columnar Cactus'
- 1 Aloe longistyla
- 3 Lobivia silvestrii 'Peanut Cactus'
- 2 Echeveria glauca
- 1 Rhipsalidopsis gaertneri 'Easter Cactus'

5 large rocks

Handful of black river pebbles

¼ cup cream gravel

1/4 cup light grey pebbles

1/4 cup dark grey stones



Guidelines

- Give it a spot with bright, indirect sunlight.
- Slowly pour ½ cup water onto the soil once a month in winter and every two weeks in summer.
- Wear garden gloves when handling cacti.
- Let the soil dry out between waterings.



o make this rustic hanging planter, all you need is an old bicycle rim, with the spokes removed, and an assortment of old containers.

For a hanger, four lengths of 3mm wire were wound around the bicycle rim at equal intervals, then twisted together at the top to form a loop.

As a decorative effect, the wire was twisted at the rim to create a spiral.

exp

The exposed metal surfaces will weather to make the rustic planter look aged



Paint the cans

Remove the labels, then wash and dry the cans thoroughly. Position them on stakes and apply spray paint, using three or four similar colours. When dry, lightly sand the cans to expose the metal on the ridges.



Make drainage holes

Use a 4mm metal drill bit to make a drainage hole in the base of each can. Drill hanging holes in the side of the cans by sliding them onto a 90 x 45mm timber offcut and drilling two holes 20mm apart, 40mm below the lip.



Attach the cans

Thread a length of wire through the two holes in the can, then wrap each end of the wire around the bicycle rim and twist the ends together to secure. Position the cans on both the inside and outside of the rim.



Low-maintenance succulents are easy to grow.

GARAGE REMANDE

Overhaul the workshop by adding storage and resurfacing the floor

PROJECT AND PICTURES STUART SCOTT

ften a dumping ground for everything from sports gear and broken appliances to car parts, most garages have little room for tools.

This poorly organised workshop was taken over by clutter and had become unusable, with no space to work.

We cleared it out and revamped the space with a fresh paint job on the walls and a new-look floor, using a coating system that took just a weekend.

The junk was thrown out and purpose-built cabinets and lockers were introduced, as well as a workbench and wall-mounted tool storage.



A pegboard above a workbench keeps hand tools organised and easy to access

Adding storage

One of the main considerations when redesigning a garage is where to put everything. This is when storage systems become essential.

In an area of the home that's often short on space, it pays off to think vertically by installing tall cabinets and multi-tiered shelving units. We added a range of storage systems from Ultimate Storage and Ryobi that keep the workshop organised and uncluttered, and provide security.

A number of heavy-duty Zenith
SureHooks, designed to hold anything
from rakes and brooms to bikes and
ladders, were also installed to turn
the walls into extra storage zones. >









Clean the area

Wash the floor with a hose or pressure washer. Using a degreaser, scrub the floor surface and walls with a stiff bristle brush. Rinse thoroughly once the whole area has been scrubbed and wait for it to dry before etching.



Etch the concrete

Mix the etch in a watering can. Wet the floor lightly and sprinkle the surface with the etch. Scrub the floor thoroughly with a stiff bristle brush, repeating until finished, then rinse the floor and allow it to dry fully.



Paint the floor

Mix one pouch of the floor coating, adding tint and anti-slip if desired. Pour it in 100mm x 1.5m ribbons and work it in 1.5sqm areas, rolling out the paint in an M/W pattern. Repeat until the floor is fully covered.



Paint the walls

In a windowless workshop, white walls help reflect light into dark corners, improving visibility for working on DIY projects and other jobs.

This gloomy garage had both painted and raw brick walls, so before coating the concrete floor, we gave them a new finish. We primed and painted the walls white, using a semi gloss as it is easy to wipe clean.

The new paint brightened up the workshop and also helped prevent

any potential brick dust or flaking paint from the walls falling onto the new floor coating as it cured.




Always paint the walls before replacing or resurfacing a floor





A simple solution for hanging larger items such as outdoor tools, Zenith SureHooks Garage U Hooks, from about \$11, can easily be attached to the wall DIY (itwproline.com.au).



\$99 for a one-drawer cabinet, is a flexible storage system that can be customised by adding extra drawers and cabinets (ryobi.co.nz).

Safe, secure and spacious, the Ultimate Storage Tall Cabinet, \$569, provides plenty of room for locking away your workshop gear (ultimatestorage.com.au).

> Available in a range of sizes, from 20-160L, the Ezy Storage Bunker Heavy Duty Tub, from \$14, offers a tidy home for garden equipment

With castors for mobility and a compact, space-saving design, the Ultimate Storage Five-drawer Under-bench Tool Chest, \$429, is the ideal solution for a small garage.









Find more issues at magazinesdownload com Opening the door with a remote control takes the hard work out of parking. **SAFETY TIP** Make sure your new garage door opener complies with updated safety regulations that came into effect in May this year. JULY 2016 New Zealand Handyman

POWER UP

Add an automatic door opener to take the grunt out of accessing the garage

WORDS FRANK GARDNER

of the car just to open and close the roller door on the garage, especially on rainy days?


There is an inexpensive solution if you are prepared to DIY install an electronic roller door opener.

Chamberlain roller door openers cost just a few hundred dollars from the hardware store and can be installed by one or two people in as little as two hours using just a few standard tools (chamberlaindiy.co.nz).

Each door opener kit comes with an instruction manual, which should be read in detail and thoroughly understood before proceeding with the installation.

You'll also need to check the measurements of the garage door, as the maximum allowable height is 4.5 metres, with a maximum door area of 16 square metres.

The door must also be spring balanced and the axle diameter no more than 35mm.




If the garage roller door has a base handle, remove it and attach the weight bar using the handle holes.

Or, if there is no handle, centre the weight bar to mark and drill two 5.5mm holes. Position the bar on the roller door and secure with the supplied bolts, washers and nuts.


DIY door basics With models designed for both sectional and roller doors, it's easy to choose a product that suits your door. **◆ AFFORDABLE OPENERS** start from just \$377, they suit all major door brands and come with full installation instructions so are easy for DIYers to set up. EXISTING DOORS don't need to be replaced, as long as they are in good working order. **QUICK INSTALLATION** allows your garage door to be completely automated in under two hours. SAFETY MECHANISMS include an automatic reversal system that stops and retracts the door if it is obstructed while closing. MANUAL RELEASE means the door can still be opened during a power failure, allowing you to enter and exit the garage. 🗲

INSTALL A ROLLING DOOR OPENER



Test the door

Check the door to ensure it is well balanced, and not sticking or binding, by disabling all locks. Lift the door to halfway and move it up and down a few times. The door should remain spring balanced. If it doesn't hold or binds anywhere, call a qualified door technician to make adjustments.




Program the settings

Untie the door, then raise and lower by hand to check the operation in manual mode. Plug in the opener and turn it on, then use the buttons to program it for right- or left-hand operation, open and close limits, and force settings. Cycle the door up and down so the force is set and learned.




Fit the stop collar

Install the stop collar on the shaft of the roller mechanism on the end opposite to where the door opener will be attached. Fit the stop collar hard against the boss of the door drum, tighten with a socket and check that the U-bolt holding the door shaft to the bracket is secure and tight.



Test the safety reverse

Position a 40mm thick timber offcut flat on the floor and lower the door. If the door stops on the offcut, reprogram the limit settings and repeat the test. When the door reverses off the timber offcut, remove it and run the door opener through a full cycle.



Install the opener

Take the rope through the release handle and manual release cable. Open the door fully and tie it up, supporting the weight on a ladder. Remove the U-bolt and wall bracket. Slide the opener over the door shaft, engaging the drive legs in the drum wheel, and clamp. Refit the U-bolt and bracket.



- Ladder
- Adjustable wrench
- Socket wrench with 8, 10 and 13mm extended sockets
- 300mm socket extension bar
- Phillips head screwdriver
- Tape measure
- Spirit level >



CHAMBERLAIN

Turn this...

into this...



with a DIY remote controlled garage door opener



Sectional door

Before automating a sectional garage door, it's important to do research to ensure the opener matches the door.

A Chamberlain sectional door opener suits doors less than 16 square metres in size with a curved track and maximum door height of 2.2 metres.

The opener must be securely suspended, so check out the wall and roof above the garage door.

Sufficient structural supports need to be in place and if you have a ceiling, extra support brackets and fastenings may be required. If you don't have an additional access door to the garage, you'll need a quick-release accessory to allow manual entry in case of power failures or breakdown.

Before installation, lift the door halfway, then release it. It should stay in place if it's balanced and supported by its springs. Raise and lower the door to check for binding, and call a technician to adjust it if necessary.

You'll need a 240V powerpoint located close by to plug in the opener. If not, call an electrician to install a new one, don't run an extension cord.







Chamberlain 3-Channel Mini Garage Door Remote, about \$70.

Chamberlain HandyLift
Deluxe Rolling Garage Door
Opener, about \$379.




For easy garage access, add an electronic opener to a roller door






INSTALL SECTIONAL DOOR OPENER



Install the header bracket

Close the door and mark the vertical centreline of the door on the wall or ceiling above it. Fully open the door and draw an intersecting horizontal line at least 50mm above the high point of the door. Centre the header bracket on the horizontal line and secure with the supplied screws.



4 Attach the door arm

Secure the door bracket to the frame of the door, then pull the manual release cord to disengage the trolley. Slide the trolley 300mm from the header bracket, then install the curved arm onto the door bracket and connect with two bolts to the straight arm at a 20° angle.



Assemble the rail


Separate the rail ends and add the centre pieces, sliding the rail connectors over the joins. Adjust the nut on the pulley assembly to tension the belt. Slide the rail bracket onto the power head and secure with brackets. Position the rail bracket against the header bracket and pin together.



6 Program the settings

Plug in the opener and turn it on.

Open the rear access panel to set the travel limits of the door using the program and arrow buttons. Run the door through an up and down cycle and use the buttons to set the force. If the door won't open or shut properly, check it isn't binding or sticking.



3 Secure the brackets

Prop the opener in position and open the door, centre the rail over the door and position a 50mm spacer in between. Bend the hanging brackets and secure to both the ceiling and rail brackets. Add a centre rail bracket in the mid position of the rail, securing to the ceiling with hanging straps.



6 Test the safety reverse

Position a 40mm thick timber offcut flat on the floor and lower the door. If the door stops on the offcut, reprogram the settings and repeat the test. When the door reverses off it, remove the timber offcut and run the door opener through a full cycle.

BULDES OCTAGNAL DECK

A simple position-and-cut system creates this freestanding design

PROJECT FRANK GARDNER

he octagonal shape of this striking timber deck brings a sense of contemporary style to the backyard. It took two people four days to build the deck and it cost about \$2500.

Concrete footings form the foundation for square brick piers to support a treated timber frame that was clad with kwila deck boards. TIP Cut the parts slightly longer than the cutting list to allow for cutting mitres during assembly. The battens are cut from 100 x 50mm kwila.

Choosing the timber

Many builders prefer to use treated pine for decks because it's light to work with and easy to cut, but recycled hardwood can sometimes be cheaper.

When using recycled timber, check for straightness, remove old nails and chamfer splintered edges. Position any bows in the beams and joists face up and check they're flat on top using a spirit level, smoothing with a planer.



Treated pine used for deck joists should be at least H₃ rated

Preparing the site Although the deck is self-supporting, draw a plan showing all dimensions and the height above ground to check with the council for approval.

One centre beam runs the full width of the deck.

CENTRE BEAM

BEAM


BATTEN

BATTEN

Clear the site of debris and grass, levelling it roughly with a slight slope for water runoff.

To control weeds, cover the ground with geotextile fabric or weedmat and add a 50mm layer of 10mm gravel for drainage.








TIMBER STAIN is oil-based with pigment that changes the colour of the decking but lasts about two years before a recoat is needed. **ACRYLIC PAINT** provides the best protection, lasting at least three years, but it conceals the timber grain. >






BUILD THE DECK



Set up profiles as guides

Mark a 4346mm square and set profiles in the corners 600mm outside the building line, using a water level to keep them the height of the beams. Use a builder's square to set parallel stringlines on the profiles, ensuring they measure 6152mm diagonally.




Secure the beams

Check the framework is square by measuring the diagonals then cut the centre beam to fit between opposite corners, bevelling the ends to fit and positioning it on the centre pier. Cut six beams to span from corners to the centre, securing with nails.




Pour footing to build piers

Dig 400mm deep holes 300mm square for the side footings and 400mm square for the centre, mix and pour concrete then leave it to dry. Lay three rows of bricks 230mm square for the side piers and 350mm for the centre then position capping on top.



6 Add the joists


On the sides of the beams, measure equal points from their ends to position the joists then mark and cut angles on the ends that attach to the beams. Secure the joists to the sides using joist hangers and nail into the beams.



Position the sides

Cut the sides 1800mm long with a 45° outward splay at the ends and position on the piers, securing with 75 x 3.75mm galvanised bullethead nails and nail plates.

TIP The ends alternate between inside and outside adjacent sides.



6 Attach the battens

Cut 100 x 50mm timber in half along the grain then position the battens along the beams, marking and cutting the angles, keeping the top flush and securing with nails. Plane the surface flat then coat all timber for weatherproofing.

INSTANT FOUNDATION SYSTEM

IDEAL USES

Decks, Garden Sheds, Portable Buildings and more

EASY TO INSTALL

Just place on level ground and you are good to go

No more digging holes and pouring concrete!

ULTRA DURABLE

20 times lighter than concrete blocks

Low profile design

Australian made and 100% Recycled

Using the world's most trusted floating foundation system for over 35 years



Designed to replace heavy concrete blocks used in the floating foundation deck block system trusted for over 35 years!

ONLY LIMITED BY YOUR IMAGINATION!

IDEAL FOR GARDEN SHEDS. LOW PROFILE & RAISED DECKS










Email: enquiries@dlm.co.nz **Web:** www.dlm.co.nz/tuffblock




BUILD THE DECK



Set out the decking


To secure the first section, position the decking with 20mm overhanging the sides, temporarily securing to the joists with nails. Set stringlines along the centre of the joists and battens as a guide to drill two 2mm pilot holes in the boards, securing with nails.



Finish the hub


When all the sections are complete, measure and mark the centre hub in the shape of an octagon, use a jigsaw to cut it then drill pilot holes to secure it with nails.

TIP Use a nail punch to tap all nail heads below the surface.




8 Cut the section to fit

Secure a guide fence to trim
the decking along the centre of the
beams, setting the blade to 20mm
deep and cutting to a triangular
shape. Position stringlines along
the battens, drilling pilot holes and
securing with two nails into the ends.



Mattach the side decking

Cover the sides one section at a time, cutting three decking boards with the ends at 22.5°. Position the first one under the overhang of the top decking, using nails as spaces to position the others, securing with three pairs of nails.



Complete the sections

For the next section, cut decking with 22.5° at one end to position against the first section. Trim the overhang then repeat for the next, cutting the last section before securing.

TIP To position decking with even

gaps, tap nails into beams as spacers.

Align decking


Some decking isn't quite straight and needs to be forced into line to secure.

Hammer a chisel into the joist and lever it back to push the board into position, securing a nail before releasing the chisel.

TIP Tap a nail into a small timber offcut to use as a spacer.



OCTAGONAL DECK measurements in mm







xterior timber can start to look weathered after a few seasons of being exposed to harsh weather conditions.

This built-in bench seat, clad in treated-pine decking boards, was looking worn out and unwelcoming.

To spruce it up and extend the life of the timber, we gave it a clean, sand and stain in just 30 minutes.

Bringing timber back to life is a simple three-step DIY job, requiring only basic equipment. Depending on the size of the surface, the only power tool needed is a sander.

DIY TIP

Use water-based oils to restore weathered timber, as they're easy to apply, give a good finish and clean up is simple.








Clean the area

Thoroughly clean the area, brushing away any dust or dirt from the surface of the timber. If the timber is soiled or mould is present, treat it with an exterior surface cleaner and allow it to dry thoroughly before sanding.



Sand the timber

Use a belt sander to sand the timber. If the surface is very badly weathered or the old stain is difficult to remove, start with coarse-grit sandpaper, progress to medium-grit paper, then finish with fine-grit paper.




Apply the stain

Wipe down the timber to remove the sanding dust before applying two coats of a suitable exterior finish. TIP We used a water-based oil in a natural finish, but you can use tinted stains to get a different look.







arge or small, permanent or just seasonal, a greenhouse can be the ideal solution for cool-season gardening.

The way a greenhouse works is simple, with the structure providing protection from the cold and trapping available natural sunlight and warmth that's often in short supply in winter.

Using a greenhouse also makes it easier to control other aspects of plant care, such as watering.

This means you can keep plants that prefer warmer conditions alive and healthy during the cooler months. You can also make use of the protected environment to get a head start by growing from seed ahead of time.

Protect plants In temperate regions, we generally talk about greenhouses or glasshouses, but different types of structures can be used, depending on the climate. GREENHOUSE This structure is covered with high-strength polycarbonate or glass and protects and insulates plants from temperature extremes, while still allowing light through. HOTHOUSE In cooler regions or some commercial situations, greenhouses are often heated and are referred to as hothouses. • COLD FRAME This is a mini greenhouse that is usually low to the ground with a hinged top.

Traditionally, in cold climates, the frame is attached to the rear of a hothouse and left unheated.

Seedlings or cuttings can then be raised in the hothouse and, as the warm season approaches, moved to the cold frame for hardening off before being planted in the garden.

Use hardwood cuttings

We generally think of growing from cuttings only during the warm months when growth is vigorous but, using a greenhouse, you can grow a range of plants from cuttings in winter.

The type of material you need to propagate from is all-important.

In the warmer months, you'll strike cuttings that are either soft-tip, which are the new vigorous, non-flowering growth tips, or semi-hardwood shoots, which have started to become rigid but still retain a bit of flexibility.

In winter, hardwood is the best material to propagate. These are stems that are thoroughly rigid.

The success rate with hardwood cuttings is usually much higher than with other cutting types, although they take longer to establish.








Take the cuttings

Take cuttings that are rigid, about as thick as a pencil and at least 100mm long, but no longer than 200mm. Make clean cuts at a right-angle on top and sloped on the base, so you don't get the top and base mixed up.



2 Trim the cuttings

De-thorn the cuttings and trim them as required, making a fresh-angled cut at each base. Add propagating mix to a pot, making 50mm holes in the mix. Dip the cuttings in root hormone gel, then insert in the holes.



S Label the cuttings

Firm the propagating mix down around the cuttings, top up if needed, then water in. Add a label with the name of the plant and the potting date. Keep the pot in the greenhouse out of direct sunlight.



123

and wisteria.

Cuttings and seeds have very different growth requirements to mature plants, and to maximise success you need to use the right potting mix.

You need a mix with very good drainage, yet adequate moisture, an

appropriate, gentle balance of nutrients, and lots of small spaces between the particles so new roots can take anchor.


Only a specialised propagating mix or a seed and cutting potting mix will provide these ideal conditions.

CUT CLEANLY When taking cuttings, you need to make very clean cuts. If your secateurs are blunt, they'll crush the stem, making it hard for the plant to grow roots. It's also more likely that rot or fungus will penetrate your cuttings and cause them to fail.



Dismantle the secateurs

Use a wrench to remove the spindle nut and washers. Put them in a dish in the order they came off so they aren't muddled when reassembling. Remove any screws or nuts that are securing the blade to the handle or body.



Sharpen the blade

Wash and dry all the parts. Work the blade over a sharpening stone, then flip it, laying it flat on the stone and rubbing it in a circular motion to remove any burrs. Sharpen again if the blade won't cut a piece of paper.



Clean the secateurs

Use steel wool to clean any surfaces with excess dirt or rust. Wipe all parts clean and reassemble the secateurs, ensuring that you do not over-tighten the spindle nut. Lightly spray with lubricant, then wipe off any excess.

Raising seeds

It's no secret why nurseries always manage to have beautiful annual seedling vegetable and flower plants to sell at just the right time of year. It's because they use greenhouses.

If you're a regular vegie or flower gardener, a greenhouse can allow you to have your own seedlings ready to go when the weather is right.

This means you can grow your tomato seedlings in late winter ready for the last cold night or frost to pass.

Growing from seeds much earlier in the season like this will save you money, as you won't have to worry about buying punnets.

You can also grow seeds on a smaller scale in windowsill trays.







rind more issues at





EVERY KIWI SHOULD HAVE A PAIR.

Available in Mens, Womens/Youth, Children and Junior sizes. www.redband.co.nz LOVED BY KIWIS



RED BAND

FOR GENERATIONS

Making a cold frame

This cold frame is made from plywood and features an acrylic lid instead of glass, making it lightweight enough to move around as needed.

Built as a ply-clad frame with a lid, it's designed to sit on soil, concrete or gravel. Position the cold frame in dappled light or cover with shadecloth in full sun. During heavy frosts, cover the frame with hessian at night.

Keep the lid clean to let light penetrate and open it whenever possible to minimise fungal problems. This cold frame has a notched post that is used to hold the lid open.

During summer, protect seedlings from drying out by raising the lid just slightly or opening it only at night.


Fasteners
Secure the plywood panels to the frame with exterior adhesive and 25 x 2mm galvanised nails at 100mm centres. Make the frame using 50mm x 8g treated pine screws and the lid with 40mm x 8g.



Make the frame panels

Use a circular saw and straightedge to cut the ply panels to size with the top edge of the sides sloping from back to front. Use adhesive and nails to secure the panels to the studs and rails, with the top edge of the side studs and ends of the side top rails cut at 5°.





Construct the frame

Drill four equally spaced 2mm countersunk pilot holes, 20mm in from the edges, to secure the front and back panels to the ends of the side panels with screws. Measure both diagonals to check the frame is square, adjusting if necessary.





Weatherproof the frame

Paint the inside of the frame with exterior paint in white. Treat the exterior with a timber stain and clear sealer or paint it a colour.

TIP White paint on the interior reflects light inside the cold frame, helping plants to grow more quickly.

COLD FRAME






Build the lid


Position the lid front and back rails between the side rails, checking the lid for square by measuring the diagonals. Secure the butt joins using adhesive and screws then reinforce with angle brackets at each corner.

TIP Use brackets rated for exterior use.



6 Reinforce the lid

Secure the centre rail to the front and back rails flush with the top edge using adhesive and screws. Secure four cross rails with screws through the lid sides and skewed into the centre rail. Attach the lid to the frame back with brass hinges. Paint and stain the lid.



6 Glaze the lid

Run a bead of clear exterior silicone around the lid frame and on the centre rail. Position a 1200mm square of clear acrylic, sealing the edges with heavy-duty waterproof tape. Cut four 45° notches into the lid pole at 150mm spacings from the top.

DESIGNER HOUSE NUMBER

Create a piece of landscape art to give your home kerb appeal

WORDS AND PICTURES ADAM WOODHAMS

hey serve an important function, yet house numbers are often overlooked as a design feature.

So make yours stand out to make sure visitors and delivery people can find your place every time.

We created a house number that can't be missed, and doubles as a piece of modern landscape art, by using a simple concrete casting technique.

Cut a plywood mould, mix up a batch of coloured concrete and pour it over letters or numerals. We used 200mm high characters, so if smaller characters are used, bear in mind some raised sections may be too fragile.

You can easily adapt this technique to create other pieces of garden art. Just make sure you work on a surface that can support the load of the concrete. Or lay a tarp and work on the ground.



Take this concept to the next level and include a house number block in a new boundary or retaining wall



Mixing concrete

Dry-mix sand and cement in a wheelbarrow in a 3:1 ratio, using a bucket to measure it out. We used a 9L bucket.

Add the oxide and continue to dry-mix, ensuring the colour is consistent. Add water, blending as you go, until it is a consistency just short of pourable.

Off- and real-white cement allow you to create bolder colours without grey undertones.






Zenith 8-10 x 50mm Treated Pine Countersunk Head Screws, about \$24 for 50. itwproline.com.au



Cemix Drimix Black Oxide Powder, \$20 for 1kg. cemix.co.nz

Sika SuperGrip 30-minute Construction Adhesive, about \$21 for 310ml. sika.co.nz



Cemix General Purpose Cement, \$8 for 20kg.


OUTDOOR **SAFETY TIP** Always wear safety breathing and eye protection when handling and mixing any cement-based products. Make a landscape statement with a DIY house number block. What you need Papier-mâché characters Form ply panel Timber screws High-strength adhesive Washed river sand White cement Black oxide See how to create this block Watch it at youtube.com/HandymanMagazineAU Handymanmagazine.co.nz JULY 2016

MAKE THE BLOCK



Mark the plywood


On a flat surface, mark a 690 x 315mm base, two 690 x 140mm sides and two 340 x 140mm ends on plywood. Mark one edge of the ply as the top and, with the base edge as the starting point, draw a line for the characters using a spirit level. The base of the mould will create the face of the finished block.



Secure the characters

Apply a generous amount of adhesive to the back of the characters and position carefully, remembering they must read backwards. Carefully wipe off any excess adhesive and position the mould in the sun to dry.

TIP Use a quick-drying adhesive suitable for smooth and porous surfaces.




Position the characters

Position the characters, remembering they must read backwards, then mark their locations on the plywood. They should be 50mm in from the edges to avoid cracking and about 30mm apart. TIP We used 200mm tall papier-mâché characters, but to create letters DIY, cut them from plywood with a jigsaw.




6 Add the concrete

Mix the concrete, then tint using oxide powder, ensuring the consistency is just short of pourable. Add it to the mould, pushing it around the characters and into all four corners. Add the remaining concrete, firming it down, then trowel off the surface. Cover with plastic and leave overnight to cure.



3 Make the box mould

Use a circular saw to cut along the marked lines on the plywood for the mould base, sides and ends, using a guide to maintain a consistent cut. Position the side panels flush with the base, clamp and secure with screws. Position the ends and secure to the base and sides with screws.



6 Remove the mould


Once the concrete is cured, remove the screws and side panels. Carefully roll over so the mould base faces up. Starting from one end, pull off the base slowly and gently. Don't attempt to lever the base off, even if it offers a lot of resistance. Remove the characters from the face of the concrete block.



MORE THAN CONCRETE

RAINPROOF BAGGED CONCRETE

OUR GREAT PRODUCTS NOW COME IN RAINPROOF BAGS!





A New Zealand first, we are proud to bring you our concrete products in new innovative rainproof bags.

Our Multicrete General Purpose Concrete and Fastcrete Fast Setting Concrete are now in rainproof bags which you can store outside making DIY construction that much easier!

For more information on our new bags and full range of products, visit www.cemix.co.nz.



Handyman BUYER'S GUIDE

Take the DIY option for your home improvement projects by choosing the best tools and equipment from our market round-up





Heat your entertaining area for 75% less than bottled gas with 100% more style.


Heatstrip® by Thermofilm is the cost effective electric radiant heater that unites efficiency with style. Ideal for your al-fresco and outdoor entertaining area, pergola, patio, balcony. Even your garage, shed or hard-to-heat indoor space. Heatstrip runs at a quarter of the cost of bottled gas. It's easy to install, an optional controller adjusts the timer and warmth levels. For more information go to www.heatstrip.com.au



address: 27 Rosalie Street, Springvale Victoria, Australia 3171 phone: +613 9562 3455 email:sales@heatstrip.com.au










bunnnings.co.nz




Handyman BUYER'S GUIDE









D.I.Y. Workshops

Brush up your knowledge and gain new D.I.Y. skills with workshops in-store and online.

Our workshops are held every weekend on Saturday and Sunday from 11am - 1pm for Adults and Kid's sessions from 10am - 2pm. Covering a wide range of topics, these workshops are heaps of fun, suitable for all levels of experience and a great way to learn new tips and tricks.

If you can't make a session, don't worry - we have heaps of step-by-step guides and expert help in-store, plus handy on-line videos 24/7.



Here are just some of the handy on-line videos available at bunnings.co.nz

HOW TO PAINT A CEILING

The easiest way to transform your home and keep it looking tidy with a fresh coat of paint.

REPAIR HOLES IN PLASTER

A simple project with the right tools and instructions.

HOW TO REPAIR GUTTERS

Ensure your gutters are repaired before the cold season strikes.

GET CREATIVE IN THE KITCHEN

When it comes to designing your dream kitchen, we can help you every step of the way.

• HOW TO INSTALL A BROOM CUPBOARD

This easy to follow guide will show you how to install a broom cupboard in your kitchen or laundry area.

HOW TO BUILD SHELVING

Check out this simple shelving project for the home office.

USE A ROUTER

Using a router for the first time can be a difficult task, but we'll make it easy.

HOW TO CHILD PROOF A HOME


Protect your child from hazards at home.

MAKE THE MOST OF YOUR PANTRY

Make it easier to find what you need in your kitchen.

WHEN TO PLANT

Gardening advice designed to help you save time, effort and money.









Give them the right care and you'll find these indoor favourites are easy to grow

WORDS CHERYL MADDOCKS

mong the world's most popular flowering indoor plants, African violets (Saintpaulia ionantha) will flower for months if given the right conditions, adding brilliant colour indoors.

They belong to the Gesneriaceae family and there are about 20 species in the *Saintpaulia* genus.

While the original flowers were purple-blue, there are now many cultivars in a range of colours and bicolours. They can bear double flowers and the petals have either smooth, fringed, ruffled or frilled edges.



EXPERT

An excess of leaves often causes a failure to flower, so remove every third leaf and a few small ones in the crown of the plant.



Help them thrive

Native to a tropical climate, African violets grow best in temperatures ranging from 15-24°C. Cold conditions can stop growth, but it will increase when the weather warms up.

- **POSITION** Give them a well-lit spot that doesn't get direct sun, or just a little early morning sun. Turn the pots regularly to ensure even growth.
- **SOIL** Use a potting mix specially formulated for African violets and plant in small pots, as they prefer to be slightly root-bound.

○ WATER When the top of the soil feels dry, water with lukewarm water. The best way is to add water to the saucer and let the plant soak up the moisture.

Remove the saucer after about 30 minutes, when enough water has been absorbed. Don't stand the plant in water for too long. In cool weather, allow the potting mix to just about dry out before watering.

• **FEED** Give them specially formulated African violet food every four weeks, except during the winter.



Make sure African violets get lots of light or they won't produce flowers and the foliage will turn yellow



TAKE CUTTINGS

African violets grow easily from leaf cuttings and it is an inexpensive way to increase your collection.

There are two methods of propagating these plants, either in potting mix or water.

Take cuttings from a plant you already have or share leaves from different cultivars with your friends.



Transplant new plantlets into their own pots when 25mm high





1 Cut the leaves

Select 1-3 healthy mature leaves from the centre of the plant and cut off with a 25mm long stem using secateurs. Trim the bases with an angled cut. Fill a small pot with seed raising and cutting mix.



2 Plant the leaves

Make a hole in the mix with a pencil and insert the stems so the leaves are above the mix, ensuring they don't touch. Water lightly using a mist spray and position the pot in a well-lit but shaded spot.

Propagate in water



1 Take a cutting

Choose a healthy mature leaf from the centre of the plant with a 50mm long stem. Make an angled cut at the base of the stem. Select a container that will support the leaf above the rim.



2 Add the leaf

Fill the container with water to cover the base of the stem and add the leaf. Wrap the container in foil to help root development and prevent algae growth. Transfer to a small pot when roots form.

African violets like humidity, which is why they can be grown successfully on bathroom or kitchen windowsills.

Standing the pot on a saucer filled with damp pebbles will increase the humidity, as will growing a group of African violets in the one spot.

CHERYL'S PICKS

Did you know?

In 1892, the District Commissioner of Tanganyika, now Tanzania, Baron Walter von Saint Paul-Illaire, who had an interest in botany, sent seeds of a plant he'd discovered to his father in Germany for study.

He handed them to the Royal Gardens of Herrenhausen, Hanover.

The flowers from these seeds acquired the genus name Saintpaulia after the Saint Paul-Illaire family, and received the species name, ionantha, because of their similarity to the garden violet. 🧈



A light and humid windowsill makes an ideal home.

Yates Brigitta African Violet Food, \$11 for

200ml. yates.co.nz

Daltons African Violet Mix, about \$6 for 5L.

daltons.co.nz





Plants with benefits

Flowering fruit trees are an excellent landscape choice and, as a bonus, have many sustainable advantages as well.

Being deciduous, they provide leafy summer shade while letting the sun and warmth stream through in winter.

Many are the perfect size for today's smaller gardens, most are tolerant of a wide range of conditions and they're also very hardy once established.

As they lose their leaves in one big autumn drop, they're quite tidy for the rest of the year. The fallen leaves make a great addition to your compost heap.

Their beautiful spring-flowering display is followed by delectable fruit in summer and throughout autumn.



Lots of fruit trees benefit from an annual prune, so check the label for details


BREEDING MATTERS

Most fruit trees used to be literally as tall as a house but, today, grafting and hybridising has given us designer trees to suit any situation. The size description only relates to the tree, not the fruit, so a dwarf or miniature tree will still bear full-sized fruit. Here's a selection from Waimea Nurseries (waimeanurseries.co.nz).



Miniature

The dwarf 'Pixzee' Peach bears masses of full-sized fruit but only grows to 1.5 x 1.5m. It fruits well in cool to warm temperate regions and is even suitable for large pots.



Columnar

Fruit trees with a columnar form, such as Ballerina Apples, are ideal for narrow beds or where space is at a premium. They only reach a little over 3m tall and 60cm wide.



Low maintenance

The Initial apple tree reaches a tidy size of 4 x 4m and has been bred to resist apple scab, making it easy to care for and an ideal choice for the home gardener.

Pollination

Many fruit trees do best growing in the company of other suitable fruiting trees, as it increases their pollination and, in turn, the fruiting rate.


Check the labels before buying, as some are self-fertile but others perform best with specific varieties nearby.

This doesn't mean you need a huge garden, as you can buy double-grafted plants with two or more varieties combined to maximise pollination.

You can also use duo or trio planting techniques and put multiple trees in one planting hole.



The Granny Smith is a great pollinator for other apple varieties



Grow a duo or trio

Is your garden small, but you fancy a couple of different trees? Does your preferred tree need a partner to assist with pollination, but you don't want to lose too much yard?

There is an amazingly simple solution, called multi-planting.

Following the regular steps for planting, dig a slightly larger hole and place 2-3 compatible varieties back-to-back, leaning a little outwards, then prune any inward-pointing branches.

This technique is suitable for apples, cherries, almonds, apricots, nectarines, peaches, pears and plums. The smart idea is to combine varieties that will cross-pollinate to improve your harvest.











WHAT TO GROW

Oriental lilies

Popular cut flowers, these lilies can have wavy petals or double flowers. All sweetly perfumed, they come in a wide range of colours and grow up to 1.1m high.

LA Hybrids

Breeding has crossed Asiatic hybrids with *L. longiflorum*. Called LA Hybrids, they feature vigorous, fragrant flowers in various colours and reach a height of 500-800mm.

Tiger lily

This lily bears spotted orange blooms, and cultivars come in shades of pink or yellow. Tiger lilies (*Lilium lancifolium*) grow to 1m or more and like cool climates.

Christmas lily

Also known as a November lily,

Lilium longiflorum produces up
to 10 waxy, sweetly scented white
flowers on each stem. It tolerates
some lime and grows up to 800mm.

Asiatic lilies

Available in a range of colours, Asiatic lilies are very hardy plants and will multiply quickly in the garden. They grow to a height of 500-800mm.

The Madonna lily

The flowers of the Madonna lily (Lilium candidum) are pure white with golden anthers. Unlike other lilies, it likes slightly alkaline soil. It grows to about 1.5m high.



Connect with us

1099000

It's barbecoe season, so to get you

ready for alfresco cooking, watch our two-minute video on giving an old barble a good clean then try our BBQ prawn recipe. To help you create the perfect space for outdoor living,

we have top design tips from an

expert. And start growing tomatoes now, if you haven't already, with our

foolproof guide. Plus don't miss out on our fantastic \$15 deal for 5 issues of Handyman magazine, Hurry, the

Dear Reader,

offer ends soon. Happy DIYing!

Handyman DIY: we show you how

ALFRESCO LIVING

NEWSLETTER FROM HANDYNAN MAGAZINE

Get the latest DIY & garden tips in your inbox every week




Videos Recipes Articles Projects Prizes Ideas
















handymanmagazine.co.nz










Chill the bulbs

Put the bulbs in a paper bag, marking their name on the outside. Put them in the vegetable crisper in the fridge and leave for 3-10 weeks.

TIP The later in the season you bought the bulbs, the less chill time they'll need.



Add a growing medium

Fill the base of the container with the growing medium, such as glass marbles, gravel or pebbles, to about a quarter or a third of the depth of the container. Fill the container with water to just below the top of the marbles.



Position the bulbs

Remove the bulbs from the fridge and stand them root-down on the growing medium, pushing them in until the base of each bulb contacts the water. Position the container in a cool indoor spot, ensuring the water is kept topped up.



GET THENSE

JUST \$15 FOR 5 ISSUES

HURRY! OFFER ENDS 27 JULY



New Zealand All States and All State

VISIT HANDYMANMAGAZINE.CO.NZ/5ISSUES OR CALL 0800 400 060* MON-FRI 8.30AM TO 5.30PM AND QUOTE '5 ISSUES'

*local call costs from landlines only

SELLEY5®

IF IT'S SELLEYS IT WORKS®





LIQUID RAILS® RAPID CURE

- FAST CURE IN 10 MIN
- WATERPROOF
- FILL GAPS UP TO 3MM
- PAINTABLE
- **HEAT RESISTANT**

SUITABLE FOR:

- · Timber · MDF · Tiles · Rubber · Plasterboard
- · Plastics · Masonry · Metals · Concrete · LOSP Treated Pine