

ENJOY JUICY TOMATOES ON DEMAND WITH OUR GUIDE TO GROWING YOUR OWN LAY FLOATING FLOORBOARDS IN A DAY We show you how! is greener on YOUR side of the fence Design confidence DIY grout and repairs Dollar-saving tips GENIUS STORAGE Inspired ideas and projects for stashing your stuff in style Peaceful Oasts Create the Bathroom Of Your Dreams HOW TO TAKE CARE OF YOUR GARDEN TOOLS \$6.50 • OCTOBER 2018 Plant Choose Kestore healthy salad greens the right power drill outdoor furniture



#### SELECT

#### THE NEW CUSTOM VANITY RANGE BY STEIN



WHITE COMPACT, WALL HUNG



LIGHT OAK, WALL HUNG WITH HANDLE



BLACK OAK, WALL HUNG WITH INTEGRATED SILVER HANDLE



LIGHT OAK, FLOOR STANDING WITH INTEGRATED BLACK HANDLE



1200 BLACK OAK, WALL HUNG, HANDLELESS WITH COUNTER TOP STONE AND ADDITIONAL BASINS



SELECT YOUR COLOUR AND STYLE



**Handleless** 




Handle Sold separately



**Integrated Handle** Integrated handle available in Silver or Black




#### **SELECT YOUR SIZE**




500

Floor Standing Handleless option only, top included




500

Wall Hung Handleless option only, top included




600

Floor Standing




600

Wall Hung




750

Floor Standing




750

Wall Hung




900

Floor Standing




900

Wall Hung



1200

Floor Standing




1200

Wall Hung

BASE DIMENSIONS ONLY, EXCEPT FOR 500 (+ or - 3mm)

#### SELECT YOUR TOP





#### **Composite Stone**

White stone, 30mm thick Available as a single or double basin.

#### **Vitreous China**

White Vitreous China, 20mm thick.

#### **Counter Top Stone**

Marble stone, 20mm thick.

## OCTOBER ISSUE







#### REGULARS

- FOLLOW US ONLINE
  Join the cyber club on the
  Handyman website
- HANDY STUFF
  What's new in sustainable gear and gadgets
- NEXT MONTH
  See what's ahead in our
  November issue

#### **RENOVATE**

- 14 BEACH POISE

  An almost bygone beach house embraces a very contemporary vibe
- 24 BRILLIANT BATHROOMS

  Make this hard-working room
  a restful, inspiring oasis
- 34 HOW TO AVOID A
  BATHROOM BLUNDER
  Avert the common pitfalls with our
  planning guide and helpful how-tos
- 46 BATHROOM REVAMPS
  FOR ANY BUDGET
  Reno guru Cherie Barber shows
  what to save, what to lose





PHOTOGRAPHY ALICIA TAYLOR




















#### **DECORATE**

**52 LOVE STORAGE** Get your house in order

#### **BUILD**

**56** GO PRO?

Do it yourself or dial up a tradie? Know when to make the right call

**60** FAST FLOORING FIXES Lay a floating floor or fix a problem

**64 FAB FLOORS** 

These surfaces feel great underfoot and won't trample your budget

**66 DRIVING FORCE** 

How to pick the right power drills and bits for your needs

**72** BUILD A HERB PALLET **PLANTER** 

A simple DIY looks simply great

#### **OUTDOOR**

#### **78 GARDEN FURNITURE REVAMP**

Reclaim those weathered classics

**84 SPRING LAWN GUIDE** 

Install your own irrigation system the right way

#### **GARDEN**

#### **92** JUICY, PLUMP TOMATOES

Experience the difference of delicious home-grown tomatoes

#### **100 TEND YOUR TOOLS**

Preserve your tools for years of use

#### **104** GROWING POTTED FRUIT

Turn a tiny space into an orchard

#### **108 LUSCIOUS LEAVES**

Farm healthy spring greens at home



## handymanmagazine.co.nz

😘 Most popular on Facebook





JOIN US ON FACEBOOK OVER 54,500 DIYERS AND GROWING!





facebook.com/HandymanMagazine pyoutube.com/HandymanMagazineAU page HandymanMagazine pinterest.com/DIYHandyman plus.google.com/+HandymanMagazineAU page HandymanMag



iving with a dysfunctional, outdated and crumbling bathroom can be a real drain – pardon the pun – but there's so much to consider when planning a reno that getting started is half the battle!

Starting from page 24, we have loads of DIY tips, advice and inspo to help you create your dream bathroom – from advice on what NOT to do, to budget makeovers, to fixing up those fiddly odd jobs you've been putting off.

#### **Storage salvation**

They say you can never have too much storage, and WE say if you're going to have loads of storage, why not make it as stylish as possible? Head to page 52 to find out how to incorporate chic, practical storage throughout the home.

#### **Lush lawns**

As the warmer weather sends us outside, it's the perfect time to address the state of our lawns after the ravages of winter. On page 84, check out our expert tips for transforming your patch of green from straggly and patchy to full and fluffy.

Before you do, though, head to page 100 to find out how to keep your garden tools in tip-top shape.

Happy DIYing!



EDITOR **ZOË MEUNIER** 





#### PRODUCT OF THE MONTH

If style and safety are of equal importance when creating a barrier for your pool area, look no further than The Architects Choice glass pool fence system, available in a range of post types, finishes and accessories.

Better yet, this system is simple to install as a DIY project, with all the parts you require available off the shelf from your local Bunnings Warehouse. There is even an online project calculator to help you find out everything you need (including pricing). To get started, just visit www.thearchitectschoice.com.au/nz.



## NOIR SIMPLE ELEGANCE

77% QUARTZ and 23% acrylic Heat proof up to 300°C. Impact resistant Antibacterial and extremely hygienic 10 year warranty

**NOIR 570** 



570 x 500 x 200 Bowl: 500 x 435 x 200 Colour: Black

NOIR 860



860 x 500 x 185 Bowl: 425 x 425 x 185 Colour: Black

**NOIR 1000** 



1000 x 500 x 140/185 Large Bowl: 360 x 430 x 185 Small Bowl: 170 x 285 x 140 Colour: Black



For full information:
P 09 274 4393
sales@totaramarketing.co.nz
www.totaramarketing.co.nz

## landyman server and se

#### **EDITORIAL**

EDITOR ZOË MEUNIER

ART DIRECTOR ADELE BURLEY

DEPUTY ART DIRECTOR GERALDINE LANZARONE

SENIOR EDITOR AMANDA SHAW

CHIEF SUBEDITOR GRAEM SIMS

CONTENT EDITOR MARC MCEVOY

NEW ZEALAND CONSULTANT EDITOR DAVID FAULLS

DIGITAL CONTENT MANAGER GREG BARTON

DIGITAL EDITOR MICHAEL CRAWFORD

PROJECT EDITORS ADAM WOODHAMS, STUART SCOTT CONTRIBUTORS FLEUR ANSON, CHERIE BARBER, JACKIE BRYGEL, SITA SIMONS, JOHANNA LEGGATT, CHERYL MADDOCKS, ELEANOR WATSON

#### **ADVERTISING**

GROUP ADVERTISING DIRECTOR **SHERON WHITE** T: 02 9004 4407 ADVERTISING SALES MANAGER **KRISTINA FROHLICH** T: 0407 309 493 NEW ZEALAND HAWKHURST MEDIA SERVICES **KERRY MCKENZIE** T: 64 9 528 7103 E: kerry@hawkhurst.co.nz M: 0275 969 979

#### **ENQUIRIES**

T: 0800 400 060

E: sales@readersdigest.co.nz

#### **NEW ZEALAND OFFICE**

HANDYMAN MAGAZINE

PO BOX 25679, ST HELIERS, AUCKLAND 1740

#### **PUBLISHING**

PUBLISHED UNDER LICENCE BY DIRECT PUBLISHING PTY LTD

Published by Direct Publishing Pty Ltd (ABN 81000565471) 431 Warringah Rd, Frenchs Forest, NSW 2086 ©2018 Direct Publishing Pty Ltd Printed by PMP Limited 8 Priddle St, Warwick Farm, NSW, 2170 Distributed by Gordon and Gotch Pty Ltd



Handyman magazine is printed on PEFC-certified paper, providing an assurance that the paper is produced from sustainably managed forest, recycled and controlled source.

All content ©2018 Direct Publishing Pty Ltd, all rights reserved. Reproduction without permission is prohibited. All prices and information are correct at the time of printing. Prices quoted are recommended retail prices and may vary. All material sent to *Handyman* (whether solicited or not) will not be returned.

All do-it-yourself activities involve a degree of risk. Skills, materials, tools and site conditions vary widely. The editors have made every effort to ensure accuracy but the reader remains responsible for the selection and use of tools, materials and methods. Always obey local codes and laws, follow manufacturers' operating instructions and observe safety precautions.

MOVING? Please notify us of your change of address six weeks before you move. MAIL PREFERENCE We value you as a customer and trust that you enjoy our products. Occasionally, we make our mailing list available to carefully screened companies whose products we believe may be of interest to you. If you prefer not to receive these mailings, please write to: Privacy Officer, Direct Publishing Pty Ltd, 431 Warringah Rd, Frenchs Forest, NSW 2086.







## PERMEABLE, PRACTICAL AND VISUALLY STUNNING

Natural Paving is proving popular with the more environmentally friendly minded as an option to hard paving surfaces.

#### If you are looking for something

with stunning character that compliments the design and individuality of your property.

Something that is robust enough for commercial drives and so aesthetically pleasing to suit the most discerning private garden path or entertaining patio.

If you are environmentally

aware and are looking for an option that offers a permeable solution with high attenuation to help mitigate storm water runoff and sheeting during heavy rainfall.

If these things are important to you then Have a look at the option Natural Paving can bring to your development.



You may have seen the adds on TV or tested our stand in Bunnings or one of our selected landscaping supply yards, now is your opportunity to make a difference.



**PHONE** 0508 628 728 **WEBSITE** www.naturalpaving.co.nz

#### HANDY STUFF

## SUSTAINABILITY

Do your bit for the environment with these great products for the home and garden



#### Dry spell

Avoid the costly tumble dryer and hang your washing on a LTW 12-rail Wire-coated Clothes Airer, \$43.60.

bunnings.co.nz



#### Bag trade

Help end the plastic bag plague by using Maze 9L Slim Compostable Bags,
\$8 for pack of 20.

briscoes.co.nz

#### Air care

Reduce heat and moisture in your roof by installing a Bastion 300mm Aluminium Mill Roof Vent, \$80.

bunnings.co.nz



#### Kitchen scraps

Transform food waste into rich nutrients using a Bokashi Single Bin Kit, \$63.

bunnings.co.nz

#### Under cover

Cut power bills by insulating your ceiling with Earthwool Glasswool R-3.6 430mm ceiling batt, \$73.10 per 10.47sqm bale, \$7 per sqm.

bunnings.co.nz



#### Water wise

Store rainwater for garden and laundry use in a Hydrowater Ltd 250L Green Water Tank, \$189.

hydrowater.co.nz



#### Straight flush

Save water with Mondella Signature WELS 4-star 3-4.5L/min Rimless Back To Wall Toilet Suite, \$399. ▶

bunnings.co.nz



WORDS MARC MCE



# PERFORMANCE YOUNGEASURE

Made in the USA with global components.

An advanced metal dual return spring allows for a reduction in overall size, while retaining maximum strength

A more compact and ergonomic design makes it easier and more comfortable to hold whilst taking up less space on your tool belt.

> A thicker and stiffer blade for stronger, straighter standout

#### **ERGONOMIC AND LONG LASTING**



and performance.

Abrasion resistant
MAXSHIELD™ blade
coating provides
the longest lasting
protective blade
coating ever applied
to a STANLEY®
FATMAX® tape
measure.



15cm of Blade Armor™ providing extra reinforcement to the most vulnerable part of the blade.



A thicker and stiffer blade for 4M worth of stronger, straighter standout



Drop tested to survive a 15M drop and designed to survive extreme job-site environments.

\* Compared to STANLEY® FATMAX® 33-894

\*\* Usable after 15M drop onto packed soil

SUNNINGS Warehouse

#### Mood light

Combine style with an energy-saving light fixture by installing a Brilliant Lighting Black Clyde LED Pendant Light, \$139.

bunnings.co.nz

#### Solar flare

Light up your garden and pathways using a Lytworx Solar 40 Lumens LED Spotlight with Backlight Ring, \$22.

bunnings.co.nz

#### Show down

Replace costly halogen downlights with this HPM DLI 90mm LED Downlight, \$88.

legrand.co.nz



#### Sun pump

Use the sun's energy to pump water with the Aquapro AP1360SP Solar Pump/Panel Kit, \$399.

bunnings.co.nz



#### **Energy saver**

Monitor the energy use and running cost of household appliances with the Arlec Energy Cost Electrical Meter, \$22.80.

bunnings.co.nz



## Remote control

Never leave lights on again
- control them remotely
with the Philips Hue A19
LED Bulb Kit in White,
\$145 for a pack of 2.

bunnings.co.nz



#### Water saver

Fit a Foreno Water Saver Kit between your shower elbow and the shower hose to make the shower more water-efficient, \$10.30. ▶

bunnings.co.nz



## EXPERIENCE FULL CONTROL

The next generation of water blasters

- Compact, powerful & versatile
- Patented anti-rust pump
- Long life water-cooled motor
- Full Control trigger gun with digital display

Kärcher's Full Control range is equipped with innovative features for top performance and user comfort.

www.karcher.co.nz



makes a difference

#### **HANDY STUFF**



#### Root therapy

Store water at the roots and keep plants alive with Gardman Watergel Water Storing Crystals, \$21.50 for 500g. horticom.co.nz



#### Bottle ban

Cut down on buying plastic spray bottles by using pesticide concentrate with a Nylex 5L Heavy Duty Garden Sprayer, \$47.

bunnings.co.nz

#### Top mulch

Retain moisture in your garden beds and pots by covering the soil with Daltons Coloured Bark Mulch, Red, \$9.90 for 40L

daltons.co.nz





#### Weep water

Minimise water loss to evaporation and wind drift with a 15m Pope Waterweeper Hose, \$27.50.

popewatering.co.nz

#### Worm cafe

Recycle your organic waste into rich worm tea for the garden with a Reln Garden Worm Cafe, \$99.

bunnings.co.nz




#### Time keeper

Water your garden with a Holman Outdoor 6-station Irrigation Controller, \$139. ❖

holmanindustries.co.nz







## DIY Glass Pool Fencing Solutions The Choice is Simple

Safe, stylish and affordable. Bring your outdoor areas to life with clean lines and clear views you only get with glass. Choice of post systems, gate hardware and finishes. Getting started is easy, use our online calculator to estimate and plan your project. For further details visit thearchitectschoice.com.au

**Proud Partners** 









WORDS SITA SIMONS PICTURES PRUE ROSCOE

A redesigned home in an iconic location creates a vision of bygone beach style, with a very modern edge


long the vast and beguiling coastlines of New Zealand and Australia, there is an architectural narrative that has been honed over the past 100 years – a story about how we interact with the beach, the water and the light.


In Tamarama, a Sydney suburb geographically characterised by steep escarpments surrounding the beach in the city's eastern suburbs, the homes that cling to the hillsides are a mishmash of changing fortunes. Some of the most expensive real estate in the city, represented in dramatic new architectural builds, sits alongside other houses that were cheaply constructed in the 1960s and '70s and are poorly suited to the location.

Luigi Rosselli Architects were tasked with taking a small structure that was ill-suited to its site, and creating a family home where new and old would seamlessly blend. Tama's Tee Home was constructed on what was solid and reusable from the previous house.

About 50% of the previous structure was kept, including the street-level garage and the large sandstone retaining wall to the front of the home.

'The wall as an original element really grounds the whole build,' says project architect Raffaello Rosselli. 'It adds warmth and allowed us to succeed with the contrast of the concrete and strong, sculptural shape of the new building.' ▶







#### Making the old new

'Where possible we looked to retain rather than discard and start again,' says Raffaello. 'There had been probably three generations of building on the site, each layer added over time. The bones were well constructed - it only needed to be brought together and made cohesive.

'Sustainability is something we take seriously. The embodied energy that goes into a new build, just in materials, is often more than the energy used by a building throughout its lifetime, so there are huge environmental benefits in maintaining as much of the original structure as possible.'

Most of the demolition was to the front, with the aim of providing new living areas that make the most of the iconic views. The new concrete 'T' structure to the front of the house was designed so that the extra levels could be built without having to stack onto the existing garage, which they suspected wasn't structurally sound enough to bear the weight.

This creative solution provides both a practical answer and a sculptural element that sets the build apart. The additions balance on the T-shaped concrete pillar that is splayed out to carry the main living level of the house.

The seamless junction between the pillar and beam, similar to the junction of the nose to the eyebrows on a human face, helps to frame the views down to Tamarama and the beach.

'Many modern builds with views will succumb to the idea of having great expanses of glass walls and glass balustrades, which then in turn come to define the materiality. I like to think more is not necessarily better in this regard, so we work to preserve and enhance views, and custom-design screens to work with the light. Inside you get filtered and not blinding light, and outside, the facade is interesting, textured and layered. The plywood shutters contrast with the hard concrete.'

This concept of restraint is also applied to the garden, where a simple lawn and low shrubs maintain clear sight lines to the horizon and the Norfolk Island pine trees that characterise the locality. ▶







## ...For 75% less vs cost of bottled gas.

HEATSTRIP® is a range of stylish, premium electric strip heaters.

With huge running cost savings compared to bottled gas heaters. Electric heating that provides a gentle, comfortable warmth for your outdoor alfresco area; also great for indoors. Available in DIY or hard-wired model.










TT-MTM
Optional Controller

www.heatstrip.com.au







The signature Luigi Rosselli curves play with form in graceful ways. This is exemplified by a freeform gas fireplace that is the pivot point at the intersection of the dining room, TV room and kitchen, with the main staircase spinning out tangentially and dramatically.


'Fireplaces and stairs can be really fun to work on,' says Raffaello. 'A fireplace is such a traditional item so it's great to work that design and make it new. The suspended, timber-clad top section sits above the heavier base; the installation's curves not only form an aesthetic dynamic but also make

it possible to get up very close to the fire, so you can interact with it.'

The terms 'open plan', 'flow' and 'seamless design' are all buzzwords in contemporary architecture, and particularly suitable for the Sydney coastal climate. However, such concepts require a layering of filters, ▶



A gentle green palette diffuses glare in the bathroom and kitchen.



in the form of doors, curtains and shutters. The dining area of the open-plan living space features an Oracle pendant by Christopher Boots.

'The reason that a building looks good in the end is the attention given to resolving all the details, right down to the smallest element, both indoors and out,' says Raffaello.

The right combinations of materials let a facade age gracefully while inside,

the feeling of flow and simplicity is all down to those fine details. The finishes need to harmonise with the forms.


'I like the intricate but simplistic nature of penny round tiles in the bathroom. They diffuse light well, so glare is minimised in the mirrors. They are a practical choice, too, as tiling curved surfaces can be very difficult, so it makes sense to use small tiles that don't have to be cut,' says Raffaello.

The colour choice is modern and soft, and has texture that is harder to achieve with large-format tiles. The gentle green is a break from the vast whiteness of the walls and the light that floods each space.

Carried on in the kitchen in a light sage green, the softness of the palette tempers the large swathes of full-height cupboards and the imposing timber island topped with black porcelain.









lower-ground floor

ground floor

first floor





Take a lift from the basement car park to the lower-ground floor, which has a living area and terrace flowing onto the lawn, plus teenager's retreat. The ground floor features the kitchen and dining areas, plus bedroom, study alcove and piano room. The first floor accommodates two more bedrooms and a terrace.

#### **Responding to location**

Marine-grade roofing materials and stainless steel fixings were necessary in this oceanside location to combat the decaying elements of the salt, humidity and wind. Concrete, when used well, can be quite resistant to the elements and has a raw quality that suits a coastal environment.

In this build, an off-white cement used in the concrete delivers a beachy, luminous glow that will take on the weather over time and blend into the surroundings. The concrete was formed with wood-grained boards that were

skilfully curved at the corners to give its texture and patterning.

To adapt to the hillside, the house was built over four storeys. On the ground floor, the main living area flows onto a terrace on the north side that catches the winter sun and summer sea breezes. Access had been a problem in the existing house, with three flights of steep outdoor steps the only way to reach the living area. The steps remain but are now undercover, and a small internal lift operates from the garage at street level. ❖



Follow these guidelines and make your new bathroom a special domain

WORDS REBECCA SENYARD





he bathroom has evolved. No longer is it merely a practical room for personal use – it's now seen as a space to escape and unwind.

It's also one of the hardest-working rooms in the home, and one of the most difficult to get right when renovating.

Careful planning is required to create a space that is both functional and done in a style that won't date quickly.

These on-trend tips will help you turn your bathroom into a zone that will have you feeling relaxed upon entry and revitalised upon exit.

#### **Style**


Before any decisions are made about materials, colours and fixtures, it's important to decide on the style of bathroom you wish to achieve. Is it to feel like a moody grotto, an open resort oasis or luxurious high-end abode? Settling on a style clarifies those other decisions that will have to be made.

These days there is a strong trend towards bathrooms that evoke the impression of a day spa or resort, like the stunning feature bathroom pictured here, designed by Vanessa Cribb from Indigo Jungle in Brisbane.

'The brief was to create a relaxing, resort-style space, including the use of timber and concrete and a feature wall tile,' says Vanessa. 'Another important factor was to bring the garden inside as close as possible, hence using the large-scale windows. The overall effect is one of harmony and relaxation. It's a mini home retreat.' ▶









Create your dream bathroom for a stunning price with **VIVACE**, one of seven unique and affordable styles from Mondella.





The wall-hung or floating vanity is the first choice when it comes to bathrooms. It's visually appealing and best for cleaning, although it does limit the storage options. To compensate, consider creating extra storage behind the mirror or by positioning shelving on adjacent walls.

Stone benchtops are retaining their popularity, as they alleviate potential water damage worries that clients have when using laminate benchtops.

Bench-mounted basins are also still on-trend, as they allow the stone benchtop to become a prominent feature in the bathroom. These types of vessel basins, which are over-mounted on the vanity bench, also allow for more space in the vanity cupboard underneath. Bear in mind, though, that these basins tend to be heavier, so the vanity needs to be a strong construction.

In the right colour, tapware can be a feature in a bathroom. Bold-coloured taps can be the solution for that eye-catching statement, particularly in smaller areas.

Matt black, white and gold taps are the most common contenders against chrome when it comes to trending colours in tapware.

While mixer taps are a popular all-in-one solution, in-wall taps free up vanity bench space.

Colleen Silvester, general manager of Divine Renovations in Queensland, recommends choosing a tap that is boldly coloured, as it is the one feature in the bathroom that can be replaced inexpensively in the future if the tap colour dates or fades.

'Black tapware is on-trend now and harmonises with many design genres,' she says.

#### **DESIGN TIP**

Be bold with your choice of tapware. It's one bathroom item that can always be changed without great expense if it dates or fades.



#### Tiles and grout

Tiles are still the most common choice for wall and floor coverings in bathrooms, and always a great way to introduce colours and patterns.

Hexagonal tiles are back in a big way, but the other trend is for large tiles, as these require less grout and therefore lessens the opportunity for mould to grow. But you may have to opt for smaller tiles in older bathrooms, as larger tiles can be hard to lay on existing floors and walls when uneven levels come into play.

For a budget tile option, Colleen recommends subway tiles.

'They are one of the cheapest and most flexible tiles to work with in terms of lay patterns,' she says. 'Clients are opting for the herringbone lay to add a point of interest without the hefty price tag of a pre-set mosaic. Be aware the herringbone lay does attract an increase in labour costs for the tiler, but it's worth every penny.'

Dark grout always makes a bold impact. It can make light tiles stand out and is a great choice for areas where a lot of grout will be seen – with penny tiles, for example.

While tiles will remain a popular choice for walls, solid surfaces that require less grout can be just as competitively priced as tiles and are becoming a more sought-after style to minimise the likelihood of mould developing in the bathroom.

Porcelain and laminate slabs are ideal for whole wall coverings. But if tiles are still your preferred wall and floor choice, consider a smaller grout line of 1.5mm.

#### **Colours**

Black, white and grey are considered to be safe colour combinations to choose when designing a bathroom, but don't hesitate to go against the grain and introduce some colour.

Two on-trend colour combinations are in the softer shades of green and pink. Both hues offer the feeling of freshness and vitality, yet reflect peace and tranquility.

Greens and pinks are known to have a calming, restful and renewing effect, which make them perfect for a bathroom interior that is designed to be a relaxing escape. ▶

Contemporary palettes are favouring soft shades of pink.

# TURES (TOP) **SMITH & SONS** (BOTTOM) **FUSION-LOC**



#### Fittings and storage

Storage is essential in a main bathroom. But it is often compromised by the selection of slimline or wall-hung vanities, which reduce storage space underneath. Concealed storage behind mirrors and shower niches are good solutions, but they need to be factored in during the design process.

Don't underestimate the usefulness of fittings such as hooks and towel rails that can provide wall-hanging solutions, without the need of concealment. Choose fittings in matt black for a bold and on-trend look.

Fusion-Loc is a range of bathroom accessories (exclusive to Bunnings) that can be installed in the bathroom with no need for drilling into tile walls. ▶





### **NEXT LEVEL**

These innovative fixtures rewrite the book on design and functionality.

#### **Shower power**

Rain showerheads are becoming a bathroom must-have, but the water pressure can be disappointing. A combined rain showerhead with wall arm is ideal, as it gives you the best of both worlds: a rain shower and a handheld shower to give instant pressure when needed.

Mondella Vivace Shower Exposed
Rail & Hand Set with Round
Head, \$349. bunnings.co.nz

#### In vanity

The Stein Select Vanity Range covers several size, top, colour and handle options. This 1200mm base unit features large internal storage with four soft-close drawers. It has been carefully constructed from durable materials for bathroom conditions, and is covered by a 5-year warranty. The handles are sold separately.

#### **Access all areas**

Whether you're renovating your bathroom or building new, choosing a toilet suite that looks good and is well constructed is a must. This model features a heavy duty soft-close seat and a dual in-wall flush panel. With a WELS 4-star rating, this toilet is great for the environment and reduces your water bill. \*



Stein 1200mm Light Select Wall Hung
Handle Vanity – cabinet only,
\$619. bunnings.co.nz







SELLEY5®



### HOW TO AVOID A...

# BATHROOM, BATHROOM, BILLIONS OF THE STATE OF

When creating
your dream
bathroom, plan
before you install

WORDS REBECCA SENYARD

lanning a bathroom renovation is not for the faint-hearted. Whether you're a seasoned renovator or a newbie about to embark on a fixer-upper project, the bathroom is probably the area where most people come unstuck.

While we all get excited about the process of planning the ultimate dream renovation, before you make emotional decisions on what you want in your bathroom, it's important to consider what will *work* in your bathroom.

Logistical considerations need to be confronted before heart-over-head decisions are made.

Here, we list the biggest bathroom reno pitfalls that can be avoided with the right preparation and research. ▶



World's #1 **Selling Toilet Valve** 





**Access Panels** 

**Universal Toilet Repair Valves** 





EASY INSTALL



#### **LACK OF PLANNING**

The saying goes, 'If you fail to plan, you plan to fail', and nothing could be more accurate when undertaking a bathroom renovation. Some of the questions you need to ask during your planning process are:

- What is the size of your existing bathroom?
- Can you extend walls to make the bathroom bigger?
- How are the existing plumbing and electrical services run in the bathroom?
- Are you able to work with these existing service positions for your chosen fixtures?
- Do you have enough budget to

reconfigure the bathroom if the existing design could be improved?

- Is the toilet in the best position?
- Can a freestanding bath fit?
- Is the floor able to support a freestanding bath?


Your builder will be able to answer these and other questions for you.

They will then give you guidance on what you can hope for when planning your bathroom renovation. While they may charge a fee for this, the initial outlay will probably save you dollars and heartache later, as an experienced builder can prevent many of the common bathroom pitfalls and usually suggest improvements to your plans.

Colleen Silvester, general manager of Queensland's Divine Renovations, says choosing the right builder comes down to reading client reviews and asking their clients about the builder's work.

'A realistic timeframe for planning a bathroom renovation is three months, as this allows time for product selections, plans, preparation of contract pricing and tradie scheduling,' she says.

During the initial planning stage, you will need to determine if you can project manage the bathroom renovation yourself or need to employ your builder for the role, in which case they will do this as part of their fee.





It is a massive mistake to have your tiler run out of tiles before they've finished the job. It can be stressful and costly to be waiting for them to be restocked or, horror of horrors, be told the tiles you ordered were the last of the lot.

When choosing your tiles, check on the supply. If you do choose to go with a tile that has been discontinued, make sure the leftover stock will cover your bathroom reno.

Make definite decisions on which walls will be tiled and whether they will reach the ceiling or go three-quarters of the way up the wall.

When ordering tiles, consider the width of the grout and the pattern they will be laid in (straight, pin wheel, herringbone or diagonal). It's a rule of thumb to order 15% more than you require to ensure you have tiles for breakages, cuts and waste. The unused tiles can then be stored for future use or sold on TradeMe or similar websites – it might even give you some cash to put towards styling the bathroom.

#### **TILE CALCULATIONS**

To work out how many tiles you need to order for your bathroom renovation, follow this four-step process.

- 1 Measure the area to be tiled. You will need to measure the length and width of the floor and then the walls that need to be tiled. Use a measuring tape and write down the distances in metres.
- 2 Multiply the length and width measurements of each surface to calculate how many square metres need to be covered. As an example, a bathroom with a wall that is 4 x 3m will calculate to 12sqm. Do this same calculation for the floor and other walls to be tiled. Then add each measurement together to get an area that is the total, measured in square metres.
- 3 Allow for extra tiles by adding 15% onto the total area. These spare tiles will accommodate breakages, waste and cuts to tiles to fit into the lay of the bathroom.
- 4 Find out how many square metres a box of tiles will cover. Divide this figure into the total area, plus 15%, to calculate how many boxes of tiles to order. If the combined total is 150sqm and the box of tiles covers 10sqm, you will require 15 boxes of tiles. ▶




that can make this vanity look like an eyesore is the plumbing configuration.

Typically, the waste and water points need to come through the wall for a wall-mounted vanity. If the existing services penetrate through the floor, your wall-mounted vanity is not going to 'float' with protruding pipes below it. If there is no way to hide the pipes or if the budget is too tight to get them chased

under the floor and up through the stud wall, you may need to consider getting them boxed in or painted. If that's not ideal, reconsider your choice of vanity. A floor-standing vanity may be better.

Consider the height of the wall vanity from the floor as well. There should be at least 300mm clearance to allow for easy cleaning. Less than this has the potential to conceal the pipes, but it will accumulate dirt and be frustrating to clean in the future.



# HOW TO UNBLOCK A U-BEND

# REPLACE A CRACKED TILE

Slow water drainage in a bathroom sink can be caused by a build-up of grit, hair and soap in the U-bend under the sink. If the pipe isn't totally blocked, try a homemade drain cleaner: ½ cup of bi-carb soda, 1 cup of white vinegar and 4L of boiling water. Pour down the drain and repeat if necessary. This should take care of any greasy build-up, but solid blockages need to be removed using these steps.

is backed up into the basin. Bail out water until there is just enough to cover the plunger cup. Place the plunger cup over the drain and pump vigorously, straight up and down, to remove blockages. Wear gloves to remove the waste.



REMOVE gunk from the U-bend using a coathanger. Clean thoroughly with detergent and a bottlebrush. Smear petroleum jelly around the threads of the screws to make removing them easier next time, before reassembling the U-bend. ▶







#### WHAT YOU NEED


- Grout scraper or oscillating multi-tool
- Grout removal blade
- Drill, ideally with hammer function
- 6mm tile bit
- Cold chisel
- -
- Scraper
- Replacement tile
- Tile adhesive
- Grout

REMOVE the existing grout using a hand scraper or an oscillating multi-tool fitted with a grout removal blade. An angle grinder could be used, but there is a risk of damaging the adjoining tiles. This method is far safer.











#### Taps and basins

Choosing the right tap to suit your basin is crucial to prevent blunders – the positioning of the spout is particularly important. If you've opted for a pop-up plug and waste, for example, you don't want the stream of water to hit the plug when the tap is turned on, or you'll be forever mopping up your benchtop, your floor, and probably your lap.

This may sound like an easy task to get right, but mistakes like this happen too often. Spouts that don't meet the basin can be fixed by choosing a longer spout or taller basin mixer. For bench-mounted vessel basins, opt for a taller basin mixer, as a standard basin mixer won't clear the rim.

If you've opted for wall-mounted mixers with a semi-recessed basin, make sure the spout will reach the bowl and the water flow won't target the pop-up plug. These design flaws can be avoided at planning stage when choosing your taps and basins from your supplier.





Modern bathrooms have been having a love affair with concealed cistern toilets for their cleanliness and minimalistic look. But this type of concealed cistern may not work in your bathroom if there isn't enough space in the wall cavity. Also, some concealed cisterns require an access panel for future maintenance.

An in-wall concealed cistern needs to be mounted inside the wall cavity. If there is no space directly behind the toilet, consider an in-duct concealed cistern in the ceiling or a cabinet.

As Colleen from Divine Renovations advises, 'The in-duct concealed cistern is for rooms where there is limited wall cavity space. This way you have the option to be more creative with mounting behind a wall, in a ceiling or inside vanity cabinets, for example. The flush plate and button can be installed on a nearby countertop and can be remotely flushed. An allowance for access panels has to be planned ahead.'

## REGROUT TILES

rout in a shower area is inevitably going to break down. Large cracks and crumbly chunks are alarming, but smaller fractures can be trouble, too. Fractures and stains that won't wash out may indicate spots where water is wicking in and working its way behind the tiles.

The good news is that if you catch it in time, before moisture penetrates and damages the tiles' bond, you can quickly and easily give tiled surfaces a new lease on life – and a fresh look – by applying a new layer of grout. Here's how.



SLICE along each edge of the silicone/wall joints with a sharp utility knife. Pull out the old silicone, then scratch out or grind away at least 3mm of grout from all the horizontal and vertical lines with a utility knife, grout saw or oscillating multi-function tool that has been fitted with a carbide grit segment blade.



WIPE away the unwanted grout with gentle, circular strokes as soon as the grout feels firm (5-20 minutes), using a well-wrung sponge. Use a clean edge with each pass. Rinse and wring out your sponge in one bucket of water, then dip it into a second bucket and wring it out over the first to keep your sponge clean.



**2 CLEAN** out all the dust and loose debris from the grout joints using a stiff brush and vacuum. Mix the grout with water in a bucket using a paint-mixing paddle until it becomes a thick paste. Rest for 10 minutes to allow it to absorb moisture, then give one last stir. Work in small batches so you're not racing the clock before the grout dries.



5 SCRAPE out any grout that has got into the joints where you intend to add silicone. After the grout has dried for an hour or two, buff off any residual haze with a soft towel. Let the grout dry overnight before applying silicone along any joints and corners. Your shower/bath should be ready for use in 24 hours. ▶

#### WHAT YOU NEED


- Utility knife, grout saw or multi-tool fitted with carbide grit segment blade
- Stiff brush, vacuum cleaner
- Paint-mixing paddle
- Grout (choose unsanded for joints up to 3mm, or sanded for wider joints)
- Rubber-soled grout float
- Grout sponge
- Silicone
- 2 buckets



3 SPREAD grout at a 45° angle to the grout lines with a rubber float – the aim is to get as much grout as you can into the joints. Press hard and work the float in several directions. Immediately after filling the joints, rake off the excess grout by tipping the float on its edge and pushing it diagonally across the tile. Work quickly.

Save time and avoid mess with Cemix Repair & Grout. It's a fast setting, versatile, non-shrink cementitious grout and patching mortar for small projects, \$73.80 for 5kg. Visit cemix.co.nz.





#### **Freestanding baths**

A freestanding bath is a popular feature in many bathroom designs, but what can look like a gorgeous feature in a brochure can turn into a pain in the butt to clean.

Don't squeeze in a freestanding bath without at least 150mm clearance around the bath for easy access. Space may also be needed to allow for a floor-mounted mixer tap. If space is a big limitation in your bathroom, a back-to-wall freestanding bath may be the way to go.

#### **Combined wet space**

No-one wants to be forced to choose between a bath and shower when they really want both. So renovators are often combining the shower and bath in the one space.

This can be an ideal solution, but there needs to be consideration about keeping a larger wet area clean, and also if adequate drainage has been allowed to prevent water pooling around the bath. A simple panel of glass can segregate the two areas to keep the wet zones separate.

Jackie Hawke, project consultant for Smith & Sons in Ashgrove, Queensland,

says, 'The shower over a bath is also very popular with clients. Some bath designs combine a good depth for bathing with a flat base that makes it ideal for showering. Couple it with a shower screen that folds back when you are relaxing in the bath and you have a great addition. This is an

ideal way to save space if you don't have the room to separate the shower and the bath.'

As with most problems, a compromise is often the best way to find a resolution. And sometimes the compromise works more in your favour when designing your dream bathroom.




# **APPLY SILICONE**

aps and cracks in silicone can make a bathroom space look a little worse for wear. While it can indicate a moisture issue in the bathroom, silicone will peel and crack over time due to age, movement and sometimes the incorrect product being used when it was first applied. The only way to fix a gap in the silicone join is to remove the existing strip of silicone and apply it again with the right product.

When choosing your silicone, make sure you choose a suitable product for the job. There are silicones for roofs and gutters and silicones for use in kitchens and bathrooms. In the bathroom, an anti-mould or sanitary grade silicone is the best choice. There is also a variety of colours to choose from.




REMOVE the old silicone using a utility knife or blade and run it along the edges of the join so that the silicone peels away. A blade can be used from the knife to scrape away any excess silicone attached to the tiles. Dust away all silicone residue.



USE the utility knife or a hacksaw blade to cut the silicone bottle. Be sure to only cut the top nib, as you need to screw the nozzle onto the bottle. Use a hacksaw to cut the end of the nozzle on a 5° angle. This will help you when you apply the silicone to the join. Insert the bottle into your caulking gun.



a rag and mineral turpentine. To get an even edge and to prevent silicone being smeared on all the tiled surfaces, use painter's tape to mask the join, running it along the top and bottom edges of your join.



CAULK the join by running the tip of the nozzle from one corner until you reach the end of the join. Apply in an even flow. Use a paddle-pop stick to run along the silicone to create a neat finish, then remove any excess. You can also spray water onto your finger and run the tip of your finger along the join.

#### WHAT YOU NEED

- Painter's tape
- Hacksaw
- Silicone for kitchens and bathrooms
- Old rag or lint-free cloth
- Paddle-pop sticks
- Caps for silicone (to cap silicone after use)
- Utility knife and spare blades
- Caulking gun
- Water spray bottle
- Mineral turpentine





5 REMOVE the tape and let the job dry once you're happy with the finish. Depending on how well you have masked the job, you may need to wipe away some excess silicone using mineral turpentine and a rag. Allow the silicone to cure for at least 24 hours before using the shower. ❖

Q Find it at Bunnings

# BATHROOM BEAUTY

Transform your bathroom with these stylish fittings featuring bold black

- 1 Mondella Matte Black Vivace Vitreous China Basin, \$169.
- 2 Mondella Black Vivace Tall Basin Mixer, \$147.
- Mondella Matte Black Vivace Towel Holder, \$49.
- 4 Mondella Matte Black Vivace Shower Shelf, \$85.
- 5 Mondella Vivace Shower Exposed Rail & Hand Set with Round Head, \$349.

iving your bathroom a makeover will add value and appeal to your home. The bathroom is one of the busiest rooms used by the whole family, so it's wise to give it special attention when updating.

And it needn't be hugely expensive. Simple additions can transform this room. The trick is to select elegant fittings that complement the sort of style you want to create.

Here we display a range of products that can be used in a makeover even if space is tight.


The largest additions include baths, shower units and vanities, but you'll create an impact even with small changes such as a tap or a mirror, that are functional as well as beautiful.



#### **ELEGANT SIMPLICITY**

A rule of thumb for modern bathroom design is to keep things simple. The less clutter, the better. By minimising what's on display with clever storage such as vanities and shaving cabinets, your attention will be drawn to the beautiful fixtures and fittings.

For a quick and easy on-trend facelift to your bathroom, change taps or mixers to brass or matt black. These tones add a classic element to a modern design and will complement the cool grey and white colour palettes that have become popular recently.





- 1 Mondella Vivace Wall Mounted Bath Spout in Matte Black, \$69.
- 2 Mondella Matte Black Vivace Mixer, \$139.
- Mondella Concerto Vitreous China Square Basin, \$129.
- 4 Mondella Vivace Extended Basin Mixer, \$147.
- 5 Caroma Noir Freestanding Bath 1700mm Black and White, \$1975.
- Mondella Matte Black Vivace Bathroom Towel Holder, \$49.
- 2 Dorf Black and Copper Ren Tower Basin Mixer, \$299.
- Mondella Matte Black Vivace Vitreous China Basin, \$169. \*





Renovation expert Cherie Barber demonstrates how easily pattern and texture can transform the everyday into the wow

#### WORDS AND PICTURES CHERIE BARBER

ven for the most budget of bathroom renovations, the plain, all-white look is giving way to more trend-driven styles and colours. Pattern is making a comeback!

Decorative floor tiles can really transform a room and there are designs to appeal to every audience. Bathroom fittings in matt black, nickel and rose gold provide a stylish departure from safe chrome. Textural surfaces, such as timber veneers, add warmth and make interesting features.

However, the key to a successful bathroom makeover is restraint. Keeping the backdrop neutral is essential. As one of the most expensive rooms in the house to renovate, you certainly don't want your new bathroom to be out of date even before the paint has dried. Taps and other fittings are not difficult to change down the track if you choose to. And, of course, paint colours can be changed in a day.

Here are three bathrooms that show what you can do on a modest budget. ▶





#### **MORE THAN CONCRETE**

### **TILING PRODUCTS**

#### **PREPARATION**



#### **TILE BOND LATEX**

Formulated ready to use as a primer to enhance bond between substrates and to increase the flexural & compressive strengths when used as an additive.









#### FLOOR REPAIRER

Floor Repairer is a one component, polymer modified, cementitious high strength mortar specifically designed for the patching & repair of cracks and imperfections in floors before applying floor coverings such as carpet & tiles.







#### **RUBBERGUARD**

Rubberguard is an elastomeric one component waterproofing membrane that has been designed for a range of under-tile waterproofing applications.









#### **ADHESIVE**



CEMIX

WALL & FLOOR TILE ADHESIVE

#### PRE-MIXED PASTE ADHESIVE - TILES

DIY friendly pre-mixed, white, flexible, anti-slump ceramic tile adhesive recommended for most internal thin bed wall & floor applications over concrete.









### WALL & FLOOR TILE ADHESIVE

A highly flexible, polymer modified, white cement based adhesive used for most internal external wall and floor tiling applications including bathrooms, toilets, etc.







A cement based economical adhesive for interior or exterior fixing of tiles on rigid concrete surfaces by professionals.





#### 🕻 FINISHING

#### **COLOURED TILE GROUT**



Flexible smooth finish cementitious grout designed for use with most types of mosaic, ceramic tiles and natural stone applications in internal or external wall and floor grouting applications for joints between 1mm - 8mm.

**Available in 7 colours** 

White | Light Grey | Dark Grey | Black | Beige | Vanilla | Ivory







#### **TILING SEALANT**

#### **COLOURED SILICONE.**

A flexible sealant for use in joints such as wall and floor tile joints, bath edges, etc. It has great adhesion for ceramic tiles, glass and also can be used in a shower recess.

Available in 8 colours
White | Light Grey | Dark Grey Mid
Grey | Black | Beige | Vanilla Ivory



#### **GROUT SEALER**

Stain resistant water based penetrating clear waterproofing sealer that can be used for impregnating and sealing of the grout that resists water, oil and acid based contaminants.





To see our full range of tiling products, please visit our website www.cemix.co.nz

















#### **RETRO REFRESH**

Sometimes it's actually much more interesting to work with an old-style vintage element than to ditch it. And you also save money!

Here, I decided to embrace the retro pink bath and make it a feature, and choose complementary fixtures and fittings to round out the chic look.

The bathroom walls were painted to match in pale pink and I lashed out almost \$650 on matt black tapware from Bunnings for contrast. The old eyesore of a vanity was replaced with an inexpensive new one, and the new round basin was chosen to echo the glam look of the circular mirrored cabinet above.

The new colour scheme actually now works really well with the existing mosaic floor tiles, and helps to make the final look a happy marriage of retro and contemporary.





was crying out for a modern palette. Discoloured grout, cracked sealant and mould-ridden creases didn't help the overall appearance.

But on a tiny budget that didn't allow for new tiles or waterproofing, it became a matter of targeting cosmetic changes that would pack the biggest punch.

First up was White Knight tile primer and paint which dramatically smartened up the dated wall tiles.

A new flatpack vanity and budget basin were \$600, and I organised to have supplied and installed the black-framed, pivoting glass screen for \$600. That had a huge impact and helped to open up the space, as the old sliding screen closed in the bathroom.

I was able to paint the existing wall cabinet beside the door to match the new colour palette, which trimmed the budget, leaving room for some modern matt black bathroom hardware from Bunnings to finish the look. ▶



# Aqualine® - preventing steam and moisture penetration

Proven in over a million kiwi homes over the last 20 years





# OUC STORAGE

Take control of your surroundings with these nifty design ideas

**WORDS JACKIE BRYGEL** 

place for everything and everything in its place – so the saying goes. These words resonate in our homes of today, with clean, sparse design themes considered the ideal.

But for some of us, it sounds like wishful thinking.

It needn't be. Keeping clutter at bay through effective storage can not only create a visual sense of order and neatness, but also reduce stress levels. Finding what you need exactly when you need it can be a revelation. Returning each day to a harmonious home free of mess is calming to the soul.

As stylist and decorator Michelle Hart of Melbourne-based Bask Interiors says, 'When your house is full of clutter and disorganised, your mind can reflect this. Everyone tends to function better when a house is clutter free.'

Take control of your home by making every inch of storage space count.
While you're at it, incorporate solutions that are stylish as well as functional.
Use storage as an opportunity to inject individuality into your house.







Curate your shelves, grouping objects by colour or style for a sense of unity. Just leave some empty space between items.

Lauren Li, creative director of Sisalla Interior Design in Melbourne, believes a home that is well organised and presented will feature a combination of both storage styles.

'Too much concealed storage can feel closed in, while balancing the area with some open storage allows for breathing space,' she says. 'On the other hand, we want to use clever storage to conceal shoes at the front door, and things like sports equipment.'

Even storage units themselves can inject style and interest.

'We're seeing some clever storage ideas for the home in gorgeous colours,' says Lauren.

#### **Roomy solutions**

Room by room, drawer by drawer, take time to identify the particular storage needs of each zone in the house.

Pay extra attention to the kitchen: nowhere is effective storage more essential than in the heart of the home.

'The kitchen really needs to be logical




and orderly,' says stylist Michelle. 'The pantry needs adequate shelving so you can see everything. Small appliances should be out of sight, if possible in an appliance cupboard or butler's pantry.'

Wide and deep drawers can provide considerably more storage space and are easier to access than cupboards. Always store heavy items low down and infrequently used items up high.

'Large drawers for pots can be fitted with dividers for the lids, so everything has its place,' says Lauren. 'Consider designing a tall drawer for oil next to the cooktop for convenience when cooking.'

Storage is also key in the bedroom, helping to infuse the sleep zone with







CLELLAND DESIGN/JONA

PICTURES JASMINE M

a sense of order and tranquility.

'Floor-to-ceiling built-in wardrobes with adjustable shelving make the best use of vertical space,' says Michelle.

Storage under the bed may be an option. Use double-duty furniture, such as a bedside table with drawers, to optimise functionality.

In bathrooms and laundries, vanity units or cupboards can provide effective holding space for supplies. Colourful or natural woven baskets can be used to make a feature out of storing necessities such as towels or separated washing loads. Consider installing a mini clothesline above the laundry trough for a space-savvy drying solution.

To prevent a play area or family room becoming overrun with toys, invest in child-friendly shelving units.

'Make it as easy as possible for children to neatly pack away their own stuff,' says Lauren.

'Big tall baskets with fitted lids are also great for soft toys or random pieces,' adds Michelle.

#### The power of decluttering

Regardless of storage options, a house filled to the brim with possessions is unlikely to provide a sense of sanctuary from a busy world. If you feel as though you're drowning in 'stuff' – whether it be excess clothing, crockery or paperwork – it's time to declutter.

Try making a list of the areas in your home that need the most attention, and then a list of the items in those areas that you do and don't need. Find permanent storage for any unhomed items, rather than leaving them on tables, benchtops or simply on the floor.

Lauren advises that you tackle one bite-size area at a time.

'Just think about one drawer or one bench,' she says. 'Try to be systematic, and grab a garbage bag and a plastic tub. Fill the bag with rubbish and the plastic tub with the things you want to keep. Then go through the items in the tub and put them away one by one.'

A place for everything? It can be done. And you *can* do it. \*





Call in a tradie or complete the project yourself? Make the right call and save time and trouble

PRO?

**WORDS JOHANNA LEGGATT** 

fixers and DIY warriors. If there is a letterbox to knock up, a shelf to erect or a back deck to stain, Kiwis are renowned for mucking in and getting the job done.

There is enormous satisfaction in rolling up the sleeves and wading into a project. But let's be realistic: we all have our limits. And some projects need to meet building or council regulations – and that means enlisting a professional with recognised qualifications to complete the task.

Some jobs require specialist tools of the trade that are too expensive or impractical to get hold of. Others are perhaps once-in-a-lifetime challenges where there's simply no value in mastering the job when a tradie's expertise can save you hours, if not days, of struggle.

So how can you tell what's safe to do on your own and what needs a call for back-up? It's a fine line for a dedicated DIYer to know when to fold and call in a pro. Here are a few guidelines.





#### **KITCHEN CAN-DO**

Let's start with kitchen renovations, by way of example.

Seasoned Australian property flippers Jo Yates and her partner, Ben Adams, believe there are plenty of jobs that people think are beyond their reach, but are perfectly doable. One such job they recommend DIYers take on is kitchen tiling.

'Tiling a kitchen wall is often straightforward and you can do it in half a day,' says Jo. 'But go for larger tiles, as subway tiles can be a nightmare to lay out.'

Queenslander Adrian Ramsay from Adrian Ramsay Design House agrees kitchen tiling is relatively straightforward, as long as novices stick with large tiles.


'Try to avoid small glass mosaic splashbacks for your first job,' he says. 'Check out YouTube tiling videos if you're not sure.'

One of the easiest kitchen jobs is changing the cabinet handles and repainting the cabinetry – something you won't need the pros for.

'Just make sure that you measure the new cabinetry handles so they will fit the existing holes,' says Adrian.

'Like everything in DIY, it's all about research and preparation.

The process should be two-thirds research and one-third work but, unfortunately, too often it's the other way around.' ▶





#### **KEEP IT SIMPLE**

The key to DIY success is to focus on projects that are simple and easy to pick up as you go.

Changing kitchen fixtures and fittings, for example, is great for beginners. But when it comes time to upgrade the benchtop, it's best to outsource to those in the know.

'If you're going for a nice marble benchtop, then you don't want to be cutting your own stone,' says Jo.

Adrian agrees, especially if the benchtop happens to be concrete.

'Never pour the concrete in situ for your benchtop yourself,' says Adrian.

'It's a really difficult job to get right, yet people still attempt it. I've managed to do it myself and I was very nervous – and I'm handy.'

Installing floating floorboards can also be straightforward if you take your time and conduct a lot of online research beforehand, says Jo.

Painting, both inside and outside, is another obvious DIY cost-saver.

'I certainly can't do a better job than a professional, but it's not something that anyone else would notice,' says Jo.

'I also use a spray gun, which is much faster than a brush.'

#### **NO-GO ZONES**

In order to keep costs down, Jo and Ben take on a lot of the work themselves, but there are three areas they won't touch: electrical, plumbing and knocking down walls, which may be load-bearing.

'Those jobs are best left to the professionals, for safety as much as anything,' says Jo.

She also doesn't attempt to waterproof bathrooms or tile bathroom floors or walls.

'You need to get a good angle on the bathroom floors so that the water doesn't pool but is directed to run down the drain,' says Jo.





'And waterproofing in bathrooms is best left to the professionals, too, especially if you're in a unit,' she adds. 'You don't want any leakage into downstairs residences.'

Adrian is a big fan of giving DIY a go – aside from electrical and plumbing work. But he advises people to tread really carefully with large jobs.

'I wouldn't recommend laying your own broadloom carpet,' says Adrian.

'If you cut the carpet incorrectly or you don't lay a patterned carpet down straight, it can look terrible.'

And while painting the exterior of a house is doable with the right preparation and equipment, don't attempt your own exterior cladding.

'That is a very difficult job,' says Adrian, 'but people still try it.'

#### **TIME FACTOR**

Then there are the DIY jobs that are simple and easy to do, but which still make more sense to hire a tradie.

Jo and Ben, for example, have installed a number of flatpack kitchens, but on their most recent renovation they hired a professional to do it.

'It would normally take us about a week, but the professional did it for

us in two days and it cost something like \$1200,' says Jo.

'I work as a freelancer, so sometimes it's more practical for me to go to work and earn money to pay for someone else to do a job like that.

'These are the things you have to weigh up. If you're taking unpaid leave to renovate, then sometimes it's better if you pay to get things done faster.'



#### You can do lots of jobs DIY but leave anything difficult to the professionals

Painting, too, can be a painstaking task, and occasionally it's more sensible to hire a professional even if it costs more, or if there are awkward and dangerous areas to get to.

'You could do the big sections yourself and hire a professional to do the trims and under the eaves,' says Jo.

'It's a lot safer that way.'

#### **QUALITY CONTROL**

Finally, there is the issue of the end result. You need to be honest about whether you can pull off a professional look or whether your DIY ambitions are a mere pipedream.

Plumbing, waterproofing and

electrics need specialist knowledge.

If you've worked in a trade or you're handy or have had previous experience, then you'll find it easier than others, but be honest about your strengths.

If you do want to learn, ask the tradie that you hire if you can watch what they're doing. Or take a training course and practise first.

Adrian sums up the philosophy.

'You need to pick your battles,' he says. 'Do the basic things DIY, but for anything difficult or hard to fix if it goes wrong, get in a tradie.' \*



Floating floorboards come in a range of colours and materials, such as natural timber glued to plywood and laminated

melamine. Pre-finished, the boards simply click together and provide good insulation when used with an underlay.


Before laying the floor, check the clearance under the doors. Mark at least an 8mm clearance, then remove and trim the door.

Lay floorboards in a staggered pattern, checking every 5-6 rows that the boards are still square. After clicking the boards into place, gently tap the board along the side and ends. Minimise gaps at the end joints by positioning end-to-end boards as close together as possible.



#### Trim the architrave

Remove old skirting boards with a chisel levered off a block, removing protruding nails. As a height guide, place flooring and an underlay offcut against architrave and trim the base using a multi-tool saw.



#### Add the space blocks

Place 12-15mm spacers behind the starter boards and at the ends for an expansion gap. Ensure the first row is square to the wall. Click in the second row to keep the boards in position.



#### 7 Install the last row

Measure the gap for the last board row, allowing for the expansion joint. Clamp the board across two saw stools and rip to width using a circular saw. Click in position and tap together with a pull bar.



#### Tape the underlay

Unroll the underlay foil-side down and tape edge by the wall. Peel off cover strip and secure to the floor. Secure other edge with duct tape and trim with a utility knife. Overlap the join with the next strip.



#### **5** Lay the boards


Place boards in a staggered pattern with the joins at least 250mm apart. Angle the boards at 25° and click into place, then tap together. Cut the ends square to the walls and secure with a pull bar.



#### Fit the skirting boards

Remove the spacers at the starter boards, then secure the skirting with 50mm brads, starting at the door architraves.

Create scribe joints at internal corners and mitre joints on external corners.



#### Square off the first row

Use a pencil and small block to scribe a line on the first row of boards, allowing for a 12-15mm expansion gap. Check the corners for square, then use a small circular saw to cut along the line.



#### 6 Cut out the doorjamb

Click the door board into place, then use a pull bar to help slide it under the cut architrave. Position the next board and mark the cut for the jamb, with 12mm for expansion. Cut with a jigsaw.



#### Fix transition strips

Rip a 25mm wide strip from a board. Plane the top edge at an angle to create an easing transition at the doorway. Apply a protective coat and use clear silicone to hold in place. Rehang the doors. ▶



#### **REFINISH SLATE**

Slate is a dense but soft material that is easily scratched and should be protected from furniture and harsh traffic.

Protect and revive your slate by sealing it with a quality penetrating sealer, such as Cemix Tile & Slate Sealer, \$90.80 for 4L, having first thoroughly cleaned and prepared the slate.

REPLACE any loose grout, taking care to colour match with oxides, then leave to dry. Sweep and vacuum the floor to remove dirt, grime and debris, then apply masking tape to skirting boards if necessary.



**CLEAN** the slate using a slate cleaner diluted in hot water to the manufacturer's ratio, usually 1:50, and a scrubbing brush. Mop the floor and rinse twice with hot water, leaving it to dry for 24 hours before sealing.



STIR the sealer well. Seal the floor, applying a coat over the slate with a quality paintbrush or applicator pad. Leave it to dry for the specified time before applying extra coats if required.




#### **FIX LAMINATED TIMBER**

Minor chips and scratches on laminated timber flooring can be fixed with filler products from a hardware store. If the damage runs deeper than a scratch, a plank may need replacing.



◆ DRILL RELIEF HOLES using a 10mm bit at the corners of the mark-up and 6mm from the corners of the board.






REMOVE the damaged board, setting the depth of a circular saw to just deeper than the thickness of the floor. Cut away the centre section, then cut on an angle to the corner holes, using a chisel to break out the remainder.



2 SMOOTH the edges by slipping a dowel under the cut, then grab the section with pliers and tilt it down until the glued seam cracks apart. Snap it upwards to break the adhesive, then use a screwdriver to scrape off old adhesive.



3 LAY the new board, trimming the bottom lip of the side tongue and both grooves, applying timber adhesive to all edges. Position the tongue in the adjacent board groove, drop in place, wipe off excess and weight it until dry. \*



# FLOCION CONTROLL OF THE PROPERTY OF THE PROPER

Be inspired by this creative woodwork to fill in any awkward gaps in your floor This is an edited extract from Woodworking: Traditional Craft For Modern Living by Samina Langholz and Andrea Brugi (Quarto UK, \$40).
Photography by Ditte Isager.

oodworker Andrea Brugi and his Danish wife Samina Langholz live and work together in Montemerano, a hilltop village in Tuscany, Italy. Inspired by the rustic lifestyle and the spectacular views over the olive groves, they create wonderful carpentry pieces by hand.


'Wood is such a huge part of our lives. I would almost say, wood is our life, it has become our partner in life, and we have such a passion and respect for all its vagaries and complexities. We like to keep things simple and we don't like to overdo an idea,' says Samina.

'Andrea has always felt that our work should be something every person needs in their home. A piece you enjoy using and that gets more beautiful the more you use it.

'Without doubt, each finished item has its own distinctive character. As you work with natural wood, you will never achieve a polished, perfect result. Every piece is unique in its own way.'

This is how Andrea describes his work and collaboration with Samina.

'I just do what the wood tells me to do. Perhaps it also has something to do with the close relation with my Danish wife. She definitely has a great influence on my work – her Scandinavian touch with my organic rustic roots. Perhaps this is our secret. All our designs come from the heart and have a story. They are simple ideas, which we execute as honestly and cleanly as possible.'



### 023

Everyone knows it is almost impossible to fill or extend a missing piece of floor without it looking like an afterthought.

Once it was about camouflaging the change from one type of floor to another. Now it is about doing the opposite – seeking out the differences and highlighting them rather than trying to hide them, making a virtue of the contrasts.

So instead of spending time trying to find the same materials, search for the timbers, colours and patinas that inspire you the most.

Really there are no limits to what you can do if you embrace the flaws in timbers and use them in your creation – it's all about appreciating the difference. You can even play around with laying the grains in different directions.

Now, a small renovation of your own floor can end up as a piece of art.



MEASURE the area of floor you need to customise. Use the utility knife to cut out a template in cardboard. Place the boards on the template, then make any designs you want, making sure the boards are the same height. Cut out the shapes as per the template using a circular saw.

We have made an extended version of the herringbone parquet, but anything is possible. Herringbone floors are typically installed piece by piece in various constructions, either parallel to the wall or diagonally, as in our design. Diagonal installation visually expands the space, but it requires more material.



#### WHAT YOU NEED


- Recycled floorboards of oak, chestnut, or any kind of timber
- Circular saw
- PVA adhesive
- Ruler
- Soft wire brush
- Utility knife
- Pencil
- Cardboard
- Try square



2 PREPARE the boards by giving them a gentle scrub with a soft wire brush. You don't want to use sandpaper, as you will remove the patina of the wood.



3 ARRANGE the boards in the desired pattern, then secure all the pieces in position using adhesive.
Allow to dry thoroughly before walking on the flooring. \*





WORDS MARC MCEVOY

drill is the most popular power tool in the DIY arsenal, for good reason. It has many uses, from boring holes in timber, plastic, metal or masonry to driving screws.

The features of your drill will determine its suitability for each task and material. In this article, we guide you through the process of choosing the right type of drill for your DIY needs.

#### **CORD OR CORDLESS?**

The first decision: choose between a corded drill, which must be connected

to the mains power supply, and a cordless drill, which is powered by a rechargeable battery.

Every DIYer will want at least one cordless drill in their tool kit. Once charged and untethered from the mains power supply, it can be used anywhere, safely and conveniently. Cordless drills are ideal for projects requiring the drilling of holes and fastening of screws in tricky or distant locations.

Corded drills, connected to mains power, do not rely on a battery. That makes them generally less expensive, and obviously they don't need recharging. This makes them suitable for tasks requiring power for extended periods, or for use in a workshop. With the right attachment, these are great for disc sanding, buffing, and some types of grinding.

Until recently, the choice was fairly simple: cordless for convenience and portability, corded for power and endurance. But recent advances in battery technology mean that cordless drills now match corded varieties in most aspects of performance.

#### **BRUSHED OR BRUSHLESS?**

If you've chosen to go cordless, now decide whether to spend a bit more to acquire a 'brushless' drill. This refers to the electrical motor, which provides superior power than a motor *with* brushes.

Put simply, due to the reduced friction in its mechanism, it draws less energy. This significantly extends battery life, as well as the life of the drill itself. But brushless drills are more expensive.

Once you have decided on corded or cordless, and brushed or brushless, it is time to decide which drill action best suits your DIY needs. Power drills fall into three categories.

#### DRILL/DRIVER

The basic drill/driver will have a variable speed mechanism, usually controlled by the trigger, and an adjustable clutch, necessary for fastening screws into a range of materials without it slipping. They are capable of drilling holes into most materials, but cordless versions will struggle drilling multiple holes or

driving lots of screws into hard surfaces without frequent recharging.

#### **IMPACT DRIVER**

For fastening screws, an impact driver is the best choice. While a drill/driver has to be gripped tightly to sink a long screw deep into hardwood, causing it to possibly stall, an impact driver detects the screw's resistance, then applies a percussive action during the rotation, tapping the screw forward, requiring far less effort from the user.

Impact drivers don't twist in your hand under pressure. This makes them ideal for big fastening projects, such as a timber deck.

#### **HAMMER DRILL**

A hammer drill is designed for drilling into rock-hard surfaces such as concrete or brickwork. The hammer refers to a tapping pressure on the bit that is delivered in a chiselling action – like a jackhammer. (A rotary hammer drill is a more powerful version of this device.) The hammer action can be turned off so

#### DIY TIP

Most serious DIYers will have at least two matching batteries, so they can always have one on the go while the other is charging.

they can be used for fastening. But the hammer mechanism makes them heavier than a basic drill/driver.

#### **PICK A BRAND**

A drill brand's batteries can be swapped between the tools in their range. Once you buy your first cordless tool, stick with that brand for future purchases. It means you can buy your next tool 'skin only' – saving the expense of the battery.

Most brands bundle an impact driver and hammer drill together in a kit, with batteries. This should cover almost all of your drilling tasks.

#### **DRILL BASICS**

- Insert your chosen drill bit and check that it remains centred while twisting the chuck closed, or tightening the chuck key.
- Squeeze the trigger slightly to make sure the bit is spinning straight and the drill, if cordless, is charged.
- Start drilling or driving slowly, using the variable speed control on the trigger for greater precision.



Choose low speed for more power when drilling into metal and plastic or driving screws, or high speed for drilling holes into timber surfaces.



2 Choose the clutch setting Select a lower setting for small screws and less dense materials. Use higher torque for fastening into decking boards, and the drill setting for boring holes.





3 Set forward or reverse
Push the switch to control the
direction of the chuck: forward for
drilling and driving and reverse to
remove a screw or extract the bit. ▶

# DRILL BUYING GUIDE


Take your pick from this range to tackle any home project

#### **DRILL/DRIVERS**

A drill/driver will drill with the clutch mechanism turned off and drive screws with the adjustable clutch switched on.

#### LIGHT USE

Efficient tool for screw-driving and general purpose drilling in the home.



**REGULAR USE** 

Brushless technology delivering up to 40% more run time and 20% more power. Battery not included.



Ryobi ONE+ 18V Brushless Drill/Driver, \$169, excluding battery.

#### **HEAVY USE**

Capable of virtually any task at home or the job site, this drill/driver features a high-performance brushless motor.



Makita LXT 18V Brushless

Drill/Driver, \$189, excluding battery.

#### **IMPACT DRIVERS**

Impact drivers are suitable for hard, repetitive screw-driving jobs such as laying decking boards.

#### LIGHT USE

Compact design makes short work of driving and removing screws and bolts around the home.

Ozito Power X Change 18V Impact Driver, \$89, excluding battery.

#### **REGULAR USE**

Tailor-made for the DIY enthusiast, this is an easily controlled device with plenty of power and tough performance.

Ryobi 18V One+ Impact
Driver, \$119, excluding battery.

#### **HEAVY USE**

This brushless impact driver features a lightweight compact design with a comfortable grip for more control. Has 170Nm of maximum fastening torque.

Makita 18V Brushless Cordless
Impact Driver, \$177, excluding battery.

#### **HAMMER DRILLS**

Hammer drills are designed for boring holes in masonry surfaces such as brick, block, concrete, render or stone.

#### LIGHT USE

Value corded model features a keyless chuck, variable speed, all metal gears and ample power.

Ozito 13mm 710W Corded Hammer Drill, \$45.

#### REGULAR USE

Comfortable tool with keyless chuck, and easy switching from drilling to hammer mode for prolonged use.

Ryobi 500W 13mm Corded Hammer Drill, \$60.

#### **HEAVY USE**

Heavy-duty yet compact model with brushless motor suitable for the onsite DIYer or pro. Will drive screws as well as drill masonry.

Makita 18V Brushless Hammer Drill, \$208, excluding battery.

#### **CORDLESS SCREWDRIVERS**

Using a cordless screwdriver takes the effort out of securing or removing screws by hand. Ideal for working in small spaces, they're lightweight for doing small jobs such as assembling a shelf or fixing a chair. They have the least amount of power among drills (from 2.4-12 volts) but some can drive 100 screws on one charge. They're very handy devices, but they won't drill holes. ▶



CTURE (BOTTOM) GETTY IMAGES

## D.I.Y. Workshops

# Brush up your knowledge and gain new D.I.Y. skills with workshops in-store and online.

Our workshops are held every weekend on Saturday and Sunday from 11am – 1pm for Adults, and Kids sessions from 10am – 12pm. Covering a wide range of topics, these workshops are heaps of fun, suitable for all levels of experience and a great way to learn new tips and tricks.

If you can't make a session, don't worry - we have plenty of step by step guides and expert help in-store, plus handy online videos 24/7.



#### Here are just some of the handy online videos available at bunnings.co.nz

#### HOW TO INSTALL JOISTS FOR A DECK

A deck is the perfect place for entertaining, so it's important to make sure it's safe and secure. It all starts with a strong foundation and we can show you how to do it.

#### D.I.Y. SLATTED COFFEE TABLE

Stylish and practical, a slatted coffee table will look great in your living area. We can show you how to make one with easy-to-follow instructions.

#### HOW TO BEDESIGN AND LIPDATE A KITCHEN

Renovating your kitchen is a long-term investment. We can show you what you need to think about to ensure your kitchen is both functional and looks great.

#### CREATE VOLIR OWN PLAYGROLIND AT HOME

No matter the size of your backyard, you can set up a whole world of fun and adventure for the kids.

#### HOW TO SECURE YOUR HOME

We can show you how easy it is to secure your home to give your family some peace of mind.

#### HOW TO CHOOSE A GARDEN SCREEN

Choosing the right garden screen depends on how you want to use it. We'll show you what you need to consider before purchasing yours.

#### HOW TO PAINT A KABOODLE DOOR

You don't have to spend much time or money on transforming the look of your kitchen and we'll show you how.

#### D.I.Y. SHADOW BOX FRAME

Display your favourite items in a D.I.Y. shadow box frame. It's easy to put together and it also looks great.

#### WHAT TO DO IN THE GARDEN IN OCTOBER

With the winter chill gone your garden is about to burst into life, so check out our great ideas to get your garden looking great.

#### **HOW TO SAND WALLS**

Sanding is easy but it's important to know a few techniques to get a great result every time.





## **PLASTERBOARD**

Both plasterboard and the timber studs behind it are relatively easy materials to drill into, requiring only a basic drill.

- ◆ THE BEST BIT to use is a twist bit, which has a conical point and a spiral shaft to remove waste.

  Use a diameter to match the screw gauge if securing to the studs, or an appropriate diameter for the fastener if using a hollow wall anchor such as a toggle bolt.
- ◆ DRILL THE HOLE using the faster gear, if available, and select the drill setting on the torque clutch.



## **METAL**

The key to drilling into metal is to use low revs and cool the bit with oil.

- THE BEST BIT is a HSS (high speed steel) twist bit for aluminium and steel, or a cobalt bit for stainless steel.
- DRILL THE HOLE by using a centre punch to make a dimple in the surface, then apply a bead of putty around it and fill with oil to prevent overheating. If the hole diameter is bigger than 6mm, then drill pilot holes, starting with a 2mm hole and working your way up in bit sizes.



TIP Wear safety glasses when drilling metal to prevent metal fragments injuring your eyes.

TIP Use a stud/live wire detector before drilling into plasterboard walls to avoid damage or injury.

## TYPES OF DRILL BATTERIES

### LITHIUM-ION

Also called Li-ion, these batteries cost more but only lose up to 5% of charge a month if not being used, so they're usually ready to go on weekends. They provide constant full power right to the end of a charge. The battery is best put on the charger when it's used 65% of its power.

### NICKEL-CADMIUM

Known as Ni-Cd, these batteries lose about 20% of power a month when not in use and take a couple of hours to charge. Their output dwindles as they run out of power, but use them up fully before charging, as they can be prone to memory effect, reducing their ability to reach full charge.

## **GLASS**

A mirror is just glass with a reflective backing, so the same method is used for drilling holes in both.

- THE BEST BIT is a diamond core bit, as glass and tile bits have a tendency to grab and may leave conspicuous chips.
- ◆ DRILL THE HOLE by positioning the glass flat on a piece of plywood. To stop the bit wandering, tape cardboard over the hole position and begin drilling very slowly. Remove the cardboard to finish drilling at medium speed, applying light pressure to avoid cracking the glass.



TIP Test the drill trigger first to know the sound and feel of the slow speed level required.

## **TILES**

The bathroom and laundry often need a towel rail, mirror or soap holder attached to a tiled wall.

- ◆ THE BEST BIT for the job is a carbide-tipped glass and tile bit, as normal twist bits won't penetrate the glaze on ceramic tiles.
- ◆ DRILL THE HOLE using masking tape to mark the location and to prevent the bit from sliding off the mark on the tile. Switch off any hammer function and use the auxiliary handle to hold the drill with both hands, slowing down as the bit exits the back of the tile.



TIP Use a carbide-grit holesaw for creating holes that are large enough for plumbing fixtures.



TIP Pilot holes are not required for

treated pine decking.

## SPECIALISED BITS

SPADE BITS are traditionally large and flat with a centring point. They are used for drilling wide holes in timber.



AUGER BITS have a single spur, radial cutting edge and spiral flute for making extra-deep holes and mortises.



PLUG CUTTER BIT makes timber plugs that can then be used to conceal fasteners such as screw heads.



**DOWELLING BIT** has a point at the tip to prevent it moving off the mark, aligning dowel holes precisely.



countersinks at the same time so the screw sits flush with the surface.



FORSTNER BIT makes shallow, flat-bottomed holes and has a centre spur for positioning accurately.



**HOLESAWS** have a 6mm centring bit and hardened steel teeth to cut larger holes through timber and plastic. •



## BUILD A



## PALLET HERB PLANTER

ere's how to recycle an old wooden pallet into a rustic planter, perfect for growing herbs in any outdoor space.

Your herb planter can be built to any size. In this case, one pallet supplied

enough timber to make a top box, base box, feet, supports and spacers.

Use a tape measure, pencil and square to measure and mark the timber, then use a drop saw or handsaw to cut the timber to size.

CUTTING LIST		
PART	SIZE mm	No
Top box front and back	750 x 90	2
Top box sides	300 x 90	2
Top box base	750 x 90	2
Bottom box front and back	750 x 145	2
Bottom box sides	300 x 145	2
Bottom box base	750 x 145	2
Feet	300 x 90 x 50	2
Supports	500 x 90	2
Spacers	150 × 90	2

## DIY TIP

make sure you use a pallet that has been heat treated so it will be safe for growing food.

## WHAT YOU NEED

- Pallet
- Herbs, potting mix, weed mat
- Hammer, pliers
- Nails, screws, nail gun
- Drop saw, handsaw
- Measuring tape, pencil
- Wrecking bar
- Set square
- Dust mask, ear muffs, safety glasses






## **1** Dismantle the pallet

Use a wrecking bar to lever the timber slats from the frame of the pallet and cut the pieces to size. Remove any nails with a hammer and pliers.



## Assemble the box frames

Put on your ear muffs and safety glasses. Line up the fronts, backs and sides of each box so that the edges are flush, and secure with the nail gun.



## 3 Put on the base

Line up the base pieces on each box frame, leaving a gap between the timber so that the soil drains well. Use the nail gun to attach the base to each box.





## **1** Attach the feet

Use the heavy rail from the pallet for the feet. Line up the cut pieces on the base of the bottom box and secure in position using the nail gun.



## **6** Secure the supports

Attach a support to the bottom box sides and secure. Attach a spacer to each support to sit on top of the bottom box side, to take the weight of the top box.



## 6 Insert the top box

Slide the top box between the supports and secure with a nail gun. Line both boxes with weed mat, add potting mix and plant your favourite herbs. •



Set up your place for the entertaining season with some help from your local Bunnings

Light up your home in style with the Verve Akia Mustard Pendant. Its modern, industrial design and wood effect is sure to impress, \$89.

If you love growing roses, then the Pruning Gloves from Wells Lamont are for you. They're made from genuine leather and are reinforced in the fingers, \$24.98.

Fiskars Pruners are ideal for cutting through branches both thick and thin. Featuring soft grip handles, you'll love their ergonomic design, \$32.89.

Set up your outdoors like an island resort with the Mimosa Corner Lounge Setting.

It's perfect for relaxing with padded cushions and a sturdy design, \$1398.

If you take barbecuing seriously, the Matador Pro Kettle BBQ is ideal. It features a smart air control unit, an LCD screen and Bluetooth connectivity, \$499.

Perfect for your home D.I.Y. The Alfa
Double-Sided Step Ladder features non-slip
step treads and is made from durable
aluminium, \$69.



Illuminate your home with the Sengled Lifetime Smart LED Floodlight. It will last for years to come, \$35.




Fire up your next party with the Jumbuck 4
Burner BBQ. It has a stainless-steel hood, wok
side-burner and warming rack, \$599.





The Cabot's Deck Coat Applicator makes it easy to give your deck a new coat. You'll love the swivel head feature to get around tricky angles, \$39.97.



## Handyman

## BUYER'S GUIDE

Take the DIY option for your home improvement projects by choosing the best tools and equipment from our market round-up





## THE NEXT GENERATION OF WATER BLASTERS

The Full Control range is packed with innovative features for power, performance & convenience.

**CONTROL AT YOUR FINGERTIPS** 



KARCHER


makes a difference

# Here's what Mike had to say... "An extraction unit was having trouble getting rid of condensation from consecutive showers and it was affecting the paintwork. The Showerdome has put paid to those issues beautifully. It's a must-have". For a drier, warmer, healthier home, insist on Showerdome®

**0800 541 223** or buy online at:

www.showerdome.co.nz





GARDEN FURNITURE revamb

Forget throwing out old alfresco furniture, give it a fresh new look

PROJECTS LEE DASHIELL
MAIN PICTURES GEOFF BECK

TABLETOP Before transformation

ver the years, this table had weathered and been stained by food and drinks, giving it a very grubby appearance. And due to its uneven surface, mould had grown on it after a rainy season.


To create a barrier from the elements and to protect the surface, a few coats of paving paint and a glossy finishing coat were applied. A pattern was also painted on it by creating a stencil, with a striking Moroccan design as the influence.

## WHAT YOU NEED


- Bleach
- Scrubbing brush
- Masking tape, scalpel
- Tape measure, pencil
- Paper, thick cardboard
- Paintbrushes
- Grey and white paving paint
- Clear gloss sealant

123







Dilute bleach in warm water and, using a scrubbing brush, clean the top of the table to remove any dirt and mould. Wipe with a towel, then allow to dry completely. Apply a coat of grey paving paint to the tabletop, making sure all parts are coated including the edges and sides. Allow to dry. Apply a second coat and allow to dry.




## Create the pattern border

Using a pencil, draw lines to mark the desired distance for the white border from the edges of the table, then mark the desired width of the border. Apply masking tape on the outside of the lines all around the tabletop to form a path for painting the border. Trim the tape at a 45° angle in the corners where the tape intersects.









## **13** Make the stencil


Decide the size of your four-leaf shape. To ensure the curves are identical, draw one leaf shape on paper and cut it out. Make a four-square grid on paper and trace the leaf shape four times around the centre point. Cut out the four-leaf template. Make a grid on cardboard and trace around the template in an even pattern. Cut out the pieces to create a stencil.

## Paint the pattern

Lay the stencil on a section of the table. Using a paintbrush, dab white paving paint in a stabbing motion over the stencil, ensuring there is not too much paint on the brush to avoid it bleeding under the stencil. Carefully remove the stencil and allow it to dry before painting the next section. Touch up any uneven paintwork as needed.

## **5** Paint the border

Using a paintbrush, paint the taped path for the border with the white paving paint, then carefully remove the tape while the paint is still slightly wet, ensuring it is removed entirely and doesn't drip on the surface of the table. To protect the surface and give a clean glossy finish, apply two coats of a clear gloss sealant. ▶



## **METAL CHAIR** makeover

eft out in the rain, sun and cold, metal outdoor furniture takes a beating and can develop rust. Treated using a surface conditioner and painted in rust-proof gloss enamel, these chairs were brought up to date.

- Wire brush, scraper
- Scrubbing brush
- Flood Penetrol Penetrating **Primer Oil and Surface** Conditioner
- Gloss enamel paint, paintbrush





Scrape off flaking paint Remove all loose paint and rust from the chairs using a wire brush and a scraper. Wash the chairs using hot soapy water and a scrubbing brush to remove any dirt, then allow to dry.



Apply surface conditioner Using a paintbrush, apply a coat of surface conditioner, making sure it gets in every nook and cranny. This penetrates the rust to create a solid base surface. Allow to dry.



Paint the chairs Turn the chairs upside down and apply a coat of gloss enamel paint to the underside. Turn the chairs upright and paint the backs, seats and legs. Allow to dry, then apply a second coat.

## WICKER refresh

## WHAT YOU NEED

- Twine
- Scissors
- Stain and varnish in one
- Paintbrush
- Soft brush



ver time, wicker furniture sitting outside loses its lustre and the wicker itself becomes brittle and can break off. But you can easily revitalise wicker and give it a rich new tone, which will also protect and extend the life of your furniture.

Wicker kits are available to replace broken and missing areas, but to save money, twine was used to camouflage the damaged sections of these chairs.

They were finished with Bondall Monocel Jarrah Stain & Varnish and new cushions replaced the old ones.



## Repair any damage

Cut pieces of twine of suitable lengths, then wind each piece around any bald or damaged sections. Tie off the ends behind a leg or in a hidden area, then trim the loose ends. Brush off any dust, loose leaves or dirt, which may have got caught in the wicker.



## 2 Apply the finish

Using a paintbrush, apply the stain and varnish finish to the entire surface of the wicker chairs, making sure it gets into all the gaps in the wicker. Allow to dry and apply another coat if necessary. To complete the look, add new cushions. ▶



## SUNLOUNGER cover-up

utdoor sunlounger cushions are made to withstand sun and rain, but they can eventually become discoloured.

The existing cushions on these sunloungers were structurally still in good condition, so slip-on covers were made to update the look – at a fraction of the cost of buying new ones.


Hard-wearing synthetic fabrics are more suitable for outdoor furniture that is exposed to bright sunlight and, when not in use, the cushions can be stored in the shade to retain their vibrant colours for longer.

## WHAT YOU NEED

- Sewing machine
- Hard-wearing fabric
- Cloth tape measure
- Scissors
- Needle, thread







### Cut the fabric

Use a cloth measuring tape to measure the height, width and length of the cushion that is to be covered. Cut the rectangular top piece of fabric to the width and length dimensions, adding 30mm to the sides, top and base for a seam allowance.



## Sew the cover

Cut the base piece the same as the top but add twice the height measurement to the width measurement, plus 30mm on each side for a seam allowance. This piece will cover the base and sides of the cushion. With the right sides of the fabric pieces facing, sew the side seams.



### **10** Insert the cushion

For the ends, cut two fabric pieces to the height and width dimensions, adding seam allowances on all sides. Sew the ends to the main cover, leaving a long seam at the top open. Turn right side out and insert the cushion. Hand-stitch the top closed or use velcro patches. \*



## FOR INSPIRATION













Looking for more DIY inspiration? Pinterest lets you create and organise boards of your favourite pictures. It's a great way to find and share ideas for your next project.

Check out *Handyman* magazine's boards by going to pinterest.com/DIYHandyman for all things home and garden, from maintenance tips and storage solutions to decorating ideas, handy hacks and BBQ recipes.

Follow Handyman on Pinterest for more tips



## SPRING LAWN CARE

There are three main objectives when it comes to spring lawn care: repairing winter damage, getting it into condition as fast as possible, and preparing it for the long hot summer ahead.

## 1 Damage control

No matter where you live there's one simple fact – winter takes a toll on your lawn. The combination of cold, perhaps even frosty, conditions, short daylight hours and winter weeds can leave your lawn looking very lacklustre.

- ◆ TIDY UP Give the lawn a vigorous raking with a spring-tined leaf rake. This will collect loose material like leaves and twigs and it will also strip out dead grass from the turf thatch. You'll be surprised how fresh the lawn will look afterwards.
- TRIM BACK Prune plants that are reducing the amount of sunlight falling on your lawn. Overhanging greenery is the most common cause of dead or thin areas around the edges of the lawn.
- REJUVENATE If there are bare patches in high-wear areas, such as at the bottom of stairs, use a garden fork to open up the soil to air and water penetration. Bare patches in the middle of the lawn are probably caused by winter weeds that have now died back, so again, open the soil up gently. A lawn that is thin all over has probably reacted to a chilly winter. In all of these situations you can over-sow with a suitable lawn-seed blend to thicken up your lawn. But make sure you mow first or you will suck up all the seed!
- PATCH IT If a bare spot is beyond over-sowing, then simply replace it with a roll or two of new turf. ▶





## Prepare the area

Define the area with a spade and remove the remains of the grass. Use a fork to break up any compacted soil to a depth of at least 5cm. Remove the top 2cm layer of soil, including any roots or rocks, and level off with a rake.



### **3** Position the new grass

Lay the new turf, gently walking on it to maximise root contact with the soil. Water in well with a seaweed solution. Keep the area moist, not wet, until new grass starts to knit with the surrounding area. Avoid foot traffic until it's established.



## Condition the soil

Spread a layer of bagged lawn soil. If the area is high in clay, add some gypsum and coarse washed sand. Bring this to level with the surrounding soil, pressing down to remove any air pockets, and smooth off with a rake.

## Prune like a pro

The Ryobi 36V Brushless
Chainsaw Console is designed
with durability, reliability and
efficiency in mind. Its brushless
technology makes it
lightweight but powerful
enough for trimming back your
garden trees, \$399. ryobi.co.nz





## 3 Summer-proofing

Let's face it – you want to spend the summer *enjoying* your lawn, not working on it. Well, that's easy to do if you follow a few simple guidelines now and into the warmer weather.

- FEED, FEED, FEED Fertilising doesn't just green up the lawn, it builds a healthy root system that is better able to tolerate hot conditions, especially if you're feeding the soil as well. So as things warm up and dry out, your lawn looks better for longer.
- WATER WISELY PART 1 A quick sprinkle can actually do your lawn more harm than good, as it can become shallow-rooted and more vulnerable to damage from hot, dry conditions. It is better to water less frequently but more deeply. Use a quality sprinkler with a timer on your tap, and run it slowly to allow water to penetrate to a greater depth. Look for a sprinkler that has a large droplet size, as this will provide better distribution and less loss to wind.
   WATER WISELY PART 2 When
- soil becomes very dry it can actually repel water. This means that rain and water from sprinklers may just run off and not penetrate into the soil. Luckily, this is easy to overcome. Apply a quality soil wetter over your lawn and water will easily penetrate deep into the soil. This encourages deeper roots, saves water and reduces run-off. It also makes fertilising more efficient as nutrients aren't lost with run-off water.

## 2 Fast fixes

Get your lawn looking fab fast with these simple fixes.

- MOW Raking the lawn will give it a good tidy-up, but the first mow of spring takes it one step further. It will remove the grass tips browned off from cold conditions and stimulate new growth.
- FEED Fertiliser is essential. Lawns are often very nutrient depleted at this time of year, but a slow-release lawn fertiliser will keep them greening for several months. The average lawn will only take around 10 minutes to feed.

Some hose-on formulations and even fast green-up options will have your lawn looking green in days, not weeks.

◆ SOIL Don't forget your soil! It is packed full of beneficial microorganisms – everything from earthworms to microbes – that help convert the nutrients from fertiliser into elements which are more easily taken up by the grass. Soil needs feeding, too, so apply an organically fortified product when you feed the lawn or use a hose-on seaweed solution every few weeks.



Fertilising your lawn builds a healthy root system that can better handle hot weather



# For the best lawn & garden in the street





- New Zealand lawn seed company
- √ Top quality lawn seed
- ✓ A seed for every type of lawn
- ✓ Great range at prices you'll love
- ✓ Suited to NZ conditions





No dust No waste


## Natural soil conditioner with Calcium & Sulphur

- Granulated for easy spreading
- ✓ Water dispersible granules
- ✓ No powder drift & no waste
- ✓ Break up clay and hard soils
- For use in garden, lawns & pots

## MOWING TIPS

As spring rolls around, your lawn may not look like it needs a mow but you'll be surprised how much a quick go-over with the mower will freshen it up.

- FIRST TIME, TWO TIMES To clean the last of the winter debris from your lawn, first run the mower over with the catcher fitted and the height set one or two clicks higher than usual. Follow this with a mower set to mulching mode at the regular height. Think of it as a spring clean.
- ◆ DON'T MOW LOW Longer grass blades can better insulate the roots and the soil. If you scalp your lawn by mowing too low you'll end up with dead patches and give weeds an open door to invade. So what's the right height? Go for 'foot feel'. Take off your shoes and walk around barefoot. You want a lawn that's a little soft but not too springy with grass blades between your toes.
- MOW TO GROW Mulch-mow over spring and summer. This will help keep your lawn well insulated from temperature extremes and work to retain moisture. Mulch-mowing is also like lightly organically fertilising every time you mow.



## **HOW TO OVER-SOW A THIN LAWN**

If your lawn is looking thin all over then the easiest repair technique is to over-sow with a quality lawn seed.

- Select seed that is suitable for your region and situation.
- Look for seed that is blended with starter fertiliser or add a suitable starter fertiliser.
- Don't try to disperse the seed by hand use a suitable seed spreader.
- Spread seed evenly over the lawn. Walk backwards to keep an eye on coverage as you go.
- Water in immediately and keep the lawn moist, but not wet, until the new seed establishes. In spring this will take between 3-5 weeks.
- Minimise use of the area until the seed is established.
- Mow lightly once the new shoots are clearly above the existing lawn.



## A NEW LAWN

When it comes to a major lawn repair, you might find it's more sensible to replace rather than repair. Selecting the right lawn variety is the difference between a good lawn and a great one, so here are a few questions to ask yourself before you begin.

What is your lawn used for? Is it for kids and dogs and backyard footy, or the occasional stroll around? Different lawns tolerate different levels of wear, so it's important that the variety suits your lifestyle.

### What are your local conditions?

Do you get frost? Are you near the coast and get salt spray? Are your summers long, hot and dry or your winters cold and wet? These climatic factors need to be considered from the start.

## What are your garden conditions?

Is your garden sunny, shady or a bit in-between? Is your soil clay-based, sandy or very shallow? Is the area sloping or flat? How is the drainage? Again, these are deciding issues for selecting a suitable lawn variety and are also indicators of any preparation that may be required before laying new turf.

TIP Remember that the conditions can vary even within your property. Just because a variety performs well out the front, there's no guarantee that it will do the same at the back.



## Lawn varieties

New Zealand grass seeds are generally available as blends designed to work better in certain situations than others. Turf-type ryegrass, sometimes mixed with fescue, is the most common blend for our urban lawns.

- A blend of fine American turf rye and fine fescue will give you a rich, green lawn suitable in both full sun and dappled shade areas.
- A rye, fescue and browntop blend quickly establishes a lawn that is easy-care, and able to withstand vigorous wear and tear.
- Tall fescue is often used by landscapers and will result in a thick, durable lawn able to resist heat and disease once established. It is best kept mown longer, not scalped.
- A rye and clover blend is uncoated and suited to more rural properties, or for utility areas. It germinates quickly to give rapid cover and will give you a hardy lawn.

All lawns benefit from slow-release fertilisers. Soil wetting products, combined with sensible watering, will make your fertiliser more effective and keep your lawn green and healthy. ▶



## MOWER POWER

It wasn't so long ago that the only way to power your lawnmower was with a noisy, smoky two-stroke engine. Today you'll be hard-pushed to find one, as most now feature a more efficient and powerful four-stroke engine, or a super-quiet electric motor paired with a battery.



Today's electric mowers compare in price and power to petrol-driven machines

## Why go for battery?

Electric mowers are now comparable in price, and in some cases power, to petrol-driven machines. This means that for the average homeowner they are now a viable and smart option. So what are some of the other benefits of a battery-powered mower?

- No flammable fuel is required to run or store it.
- It starts at the flick of a switch or press of a button.
- It's generally lighter in weight so easier to manoeuvre, handle and store.
- Storage is more convenient you can stand it on end, lay it sideways, even hang it up as you don't have to worry about fuel leakage.
- Maintenance requirements are much lower – no spark plugs, air or fuel filters that need regular replacement. Just keep them clean and replace the blades.
- Lower emissions all-round most are quieter, making them more

- comfortable to use and less annoying for neighbours. Plus there's no smoke or fumes.
- It has massively lower levels of vibration so it's not as tiring.
- Some are available as 'skin' only so you can use your existing compatible batteries or only buy the batteries that you require.



## ADAM'S PICKS

To keep your mower in top condition, clean it thoroughly at least

twice a year

The AEG mower kit comes with two 4.0AH batteries and a 58V charger. It has a brushless motor for optimal performance, and features load sensing technology to provide more power in tough conditions.

AEG 58V Brushless Lawn Mower Kit, \$899, aegpowertools.co.nz



This Ozito mower kit is lightweight and portable, making it ideal for mowing small size lawns. It features 36V of power, a 330mm cutting width, five height adjustment positions, and a 30L grass catcher.

Ozito Power X Change 2 x 18V Cordless
Mower Kit, \$799. ozito.co.nz



The Ryobi 36V mower delivers clean, reliable, exhaust-free performance to get the job done quickly and quietly. It features a 400mm cutting path, ergonomic handles for user comfort, and offers five cutting height positions.

Mower Kit, \$599. ryobi.co.nz

This mower kit comes with two 18V 4.0AH lithium ion batteries with fast chargers. It features a 360mm cutting width, with six cutting heights from 25mm to 75m. It comes with a 40L grass catcher with capacity indicator.

Ozito Power X Change 2 x 18V Cordless
Lawn Mower Kit, \$499. ozito.co.nz



The Ryobi 36V Brushless Lawn Mower delivers petrol equivalent power instantly at the push of a button. It features a large 460mm cutting path and load-sensing technology so it adapts to cutting conditions.



The Victa VForce has a durable 18-inch solid steel chassis with dual swing-back blades, and a brushless motor paired with a 40V 4AH battery. It starts with a simple push of a button and squeeze of the safety bar.

Victa VForce+ 18" 40V Lawn Mower,



With the features and power of a petrol motor, this Victa is perfect for even larger lawns. The 21" cut gets through the grass fast. It comes with two batteries, which take 30 minutes to charge, so you can mow non-stop. •





## Juicy, plump TOMATOES

Experience the delicious difference of home-grown tomatoes

**WORDS** CHERYL MADDOCKS

f you want to appreciate the perfect tomato taste, you have to grow your own. The good news is that now is the perfect time to plant them. Garden centres are full of tomato seedlings and there's an even greater choice of varieties if you grow from seed. Tomatoes produce a high yield for the space they occupy and grow equally well in containers and garden beds. Here's how.



flowerbeds or grow them in pots.

- POSITION tomatoes in the sunniest spot available in your garden, as full sun is essential for a good crop. Protection from wind is also essential.
- PREPARE the soil by adding organic matter such as compost, old chicken manure or Yates Dynamic Lifter to the soil and dig one-third of a cup of complete plant food per square metre into the garden bed one week before planting. Use a pH kit to determine if your soil is acidic, and add some dolomite or liquid lime to the soil prior to planting if so. An alkaline soil also helps prevent blossom end rot.
- ◆ **PLANT** the seedlings 50-60cm apart. Tomatoes, unlike other vegetables, like to have their stems planted deeply.

Pinch or cut off the lower set of leaves and place the seedling in the ground about halfway down the stem. The plant will put roots out all down its stem, giving it a more developed root system so it can absorb more water and nutrients. To prevent transplant shock, water in newly planted seedlings with Seasol Seaweed.

• STAKE when you plant the seedling and not later on, when you might damage the root system. Place the stake 10cm away from the stem and, as the tomatoes grow, tie them to the stake for support. The soft and stretchy texture of old pantyhose make perfect

plant ties. Tomato cages can also be used for support.

- MULCH around the seedlings with straw, lucerne hay or sugar cane mulch to help retain soil moisture.
- WATER regularly and deeply as erratic watering causes tomatoes to split. To prevent disease, water around the base of the plants rather than overhead.
- FEED when the first flower truss appears with a soluble plant food such as Yates Thrive Tomato Food or a high-potash fertiliser.
- PICK tomatoes from the vine when they are ripe. Cut the stalk but leave the green calyx attached.





## Gardener's Favourite Composting and Worm Farming Solutions



Consider the many benefits that worm farming has to offer, from enriching your garden to diverting organic matter from landfill.









e 150L Compost

220L Tumbler

## **SOW SEED**

Growing from seed gives you a much larger choice of tomato varieties. If you sow seed successively from now until December you will have an abundance of tomatoes ripening at different times for a longer harvest.


## Sow the seeds

Fill any small pot or Jiffy Peat Pot with potting mix. Add a seed and cover with a layer of mix. Place the pot in a warm, well-lit position. Wrap in clear plastic to provide warmth but take it off as soon as the seeds germinate. Water with a mist spray.



2 Harden the seedlings
When the seedlings are about
75mm high, put the pot in a sunnier
spot to harden up. Transplant to
the garden or a larger pot when
they are about 100mm high.





## **COMMON PROBLEMS**

The best way to prevent disease, unless you are growing grafted tomatoes, is not to plant tomatoes in the same spot you planted them last year. If you do find your plant shows any of these symptoms, here's how to fix it.



**SYMPTOM** Fruit splits as it begins to ripen.

CAUSE Too much watering or heavy rain after a dry period. FIX IT Water regularly and deeply, especially during dry periods, at ground level.



SYMPTOM The bottom of fruit becomes sunken and turns black.

CAUSE Blossom end rot, a common environmental problem, caused by lack of calcium together with irregular watering.


FIX IT Add soluble lime and water regularly and deeply.



SYMPTOM Holes appear in fruit and young growth has been eaten.

**CAUSE** Fruit worm or tomato caterpillar.

FIX IT Apply Yates Tomato Dust when you first notice them.





symptom Lower green leaves turn a dull grey and eventually become brown and papery. CAUSE Yellowish tomato russet mites that are small and difficult to see.

FIX IT Apply a broad spectrum insecticide such as Yates Nature's Way Vegie Insect Spray.



**SYMPTOM** Lower leaves wilt and dry out and eventually the whole plant dies.

**CAUSE** Verticillium Wilt, a soil-inhabiting fungus that enters through the root hairs.

FIX IT Remove and destroy infected plants. Do not plant members of the Solanaceae family in the same spot for at least three years.



SYMPTOM Tiny holes appear in fruit.

CAUSE Fruit flies lay eggs under
the fruit skin and the hatching
larvae feed their way to the centre,
causing the fruit to rot.

FIX IT Use a fruit fly bait early in the season to detect fruit fly.

Destroy infested fruit and do not add them to compost.

## Did you know

The darker the colour of tomatoes the lower they are in acidity and the more antioxidants they contain.

## TOMATOES IN POTS

If you live in an apartment or have a small garden, it is easy to grow tomatoes in large pots or raised planters which can also protect against crop damage from pests.

Cherry tomatoes grow especially well in containers and produce good yields of small fruit. You can also cascade them out of hanging baskets.

Small bushy tomatoes like Tumbling Tom Red (or Yellow), Tiny Tim, Patio and Container Choice Red are perfect for pots.

- CHOOSE a large pot that is around 400-500mm with good drainage. A plastic pot is a good choice as it retains more moisture than a terracotta pot.
- FILL the pot with a good quality potting mix.
- INSERT a stake or tomato cage in the pot if you are growing a tall tomato.
- MAKE a hole in the potting mix and plant your seedling. Firm the mix gently around the seedling and water in with a seaweed solution.
- ADD lucerne hay as mulch around the seedling.
- WATER regularly as pots dry out faster than garden beds. Daily watering is often needed during summer.
- ◆ FEED regularly with a fertiliser formulated for flowers and fruit. ❖



With a prestigious history that spans more than a century, Cyclone has become one of the most respected and trusted names in gardening tools. Designed with comfort and quality in mind, Cyclone has the perfect gloves to fit the gardening job at hand.



## **POWER GARDEN GLOVES**

Knuckle & Palm Protection Genuine Leather

Adjustable Velcro Wrist

Anti-Vibration Palm







## MULTI-PURPOSE GARDEN GLOVES

Abrasion Resistant Slip On/ Off Cuff

Genuine Leather

Knuckle & Palm Protection











## **GENERAL PURPOSE GARDEN GLOVES**

Knuckle & Palm Protection

Flexible

Slip on Gathered Cuff

Tapered Fingers







## **INVISIGRIP GARDEN GLOVES**

Abrasion Resistant

Finger Dexterity Anti-Slip

Superior Softness











## **TEAL FLEXITEC GARDEN GLOVES**

Abrasion Resistant

Dexterity

Slip On/ Off Cuff

Screen Fingers







## **GREEN FLEXITEC GARDEN GLOVES**

Abrasion Resistant

Dexterity


Slip On/ Off Cuff

Touch Screen Fingers











## TEND YOUR TOOLS

WORDS DONYALE HARRISON

Keep your garden tools going for years with a little care

lean, sharp tools are a gardener's best friend. They will make the job much easier and help prevent the spread of plant diseases. Good-quality tools are an expensive investment, too. But after heavy use, garden tools can look the worse for wear. The good news is that it's the work of just a single afternoon to get them back to tiptop condition.

## **CLEANING**

## WASH AND DE-GRIME

The first thing to do is to give all of your tools a thorough clean. Good old soapy water and a stiff brush works a treat for most grime. You may need to apply some isopropyl alcohol, eucalyptus or tea-tree oil on a cloth if your tool has sticky sap on it. Use alcohol rather than oil on plastic handles.

### DEALING WITH RUST

To remove rust, rub your tool with a heavy-duty nylon scourer or some medium-grit sandpaper and wipe away any residue. Avoid cutting edges at this stage, as you'll repair them when you come to sharpening your tool.

For lots of rust, use a wire brush or a wire brush fitting on an angle grinder, wearing a mask and safety glasses and clamping your tool to a stable surface. Don't be too vigorous or you risk removing too much metal.



## SCOUR WITH SAND

To remove surface grime and rust, an easy way to scour tools is to fill a bucket with sand and a generous quantity of oil – leftover cooking oil is fine – to moisten the sand. Plunge your tools into the sand repeatedly. If you are not going to sharpen your tools, just wipe away the sand to leave behind a thin layer of protective oil. For rustier tools, follow with steel wool or sandpaper.

Keep the oil-sand mix in the shed for future use, as it lasts for years.



CLAMP TOOLS TO BENCH

# STURES (TOP) GETTY IMAGES (INSETS) DONYALE HARRISON

## **SHARPENING**

### SPADES AND SHOVELS

Sharpening the cutting edge on a spade or shovel makes it much more effective.

Before you start, clean the spade and pop on gloves and eye protection. While most filing removes only minute

specks of metal, even these can damage your eyes.

Clamp the spade to
a solid surface with the
cutting edge (usually the
front) facing up. Look
closely at the tip of the
spade to find the angle of
the bevel - the bit that forms the

sharp cutting edge. Hold a medium-sized flat mill file or coarse sharpening stone at an angle to match the original. If your spade is too blunt to see the original, 45° is a good option.

Run the file or stone in long strokes at that angle pushing forward and away from the edge. A shiny new edge will start to appear.

Some of the metal pushed away by the file will form a burr on the back edge. Run the file lightly over this side to remove it, then another light stroke on the cutting edge. Wipe over with a cloth to remove any residue.

When you're finished, rub the blade with an oily cloth – linseed oil is fine.



## FORKS, RAKES, HOES AND OTHER HAND TOOLS

Treat these tools as for spades, but you may need a smaller flat file to match the angles on the tool. You

may also need to sharpen
the cutting edge from
more than one side: the
existing angles on the
tool will tell you. Don't
sharpen your fork tines
too much, as you don't
want them going through
your boots in an accident.



While some of these tools come apart for sharpening, a sharpening stone or a specialist diamond sharpener works well for fiddly angles in those that don't disassemble. Some sharpening stones

DIAMOND SHARPENER

A diamond stone sharpens very quickly and retains its flat edge longer, such as this Eze-Lap Fine Diamond Hone & Stone Sharpener, \$19.90. bunnings.co.nz

require oil or water for use and some don't, so be sure to read the instructions.

Before you start, take a close look at the blade on your tool to match the cutting angle. A good tip is to colour in the blade angle with a marker pen – it will be removed as you sharpen so you can see where you have been. However, for any deep notches, you'll need to replace rather than repair the blade.

For bypass secateurs and loppers, start on the back edge of the blade and give a few almost-flat strokes with the sharpener to remove any dings. Move to the front edge and, matching the angle, follow the sharpener instructions for straight, sweeping or circular motions along the blade, moving evenly from the bottom to the tip. If you've coloured in with a marker pen, this is easy to see.


Once you've re-established the edge, turn the secateurs or loppers over and rub the back of the blade at a 5° angle to remove the sharpening burr.

For anvil secateurs, modify the steps above to allow for the fact that the cutting blade has a sharp edge on both sides, so keep the angle on each.

For shears and snips, treat as for secateurs but repeat the process for the second blade and keep the angle flat on the back edge.

To finish, check the alignment of the blades by cutting some paper. Apply oil over the moving parts and blades, then wipe away excess with a clean cloth.





The teeth on pruning saws come in several different patterns. Those with two sets of opposing teeth, sometimes with a top edge also, cut on the push and the pull and are designed to cut quickly, but they will leave a rougher finish than those that cut in one direction. Familiarise yourself with the angles of your pruning saw, and do a thorough clean – a small steel brush will get into every crevice.

Clamp your saw in a vice with the blade facing up, then, using a triangular cant file and matching the angle, file the main edge of every tooth. Give each one an equal number of filing strokes – eight at medium pressure is a good start. Reposition the saw in the vice as you move along the blade to keep it from shifting.

On a push-pull pruning saw, sharpen the main edge on every second tooth on one set of teeth, then do the same for the opposing set. Do the same thing with the small top edges, which often require fewer strokes. You should be able to see the clean edge, but use the secateur marker pen trick if you are unsure.

Axes are usually bevelled on both

sides of the blade. While a flat file will work to keep an edge, if it has become blunt you will need to use an angle grinder to put an edge back on. It may be worth having a professional sharpener restore the edge, and you can then keep it sharp.

Once you've removed your lawnmower blades, sharpen them as you would a spade. Clamp them carefully to a stable surface to keep control on this fiddly job.

Oil will help protect your blades. \*



## Groung words CHERYL MADDOCKS

## POTEDERUIT

Get going on your very own potted orchard now and you will soon be picking your own chemical-free fresh fruit

here's nothing better than picking and eating fruit straight from the tree, and a shortage of space at home need not deny you this pleasure. There are lots of dwarf varieties of citrus, stone fruits, apples and pears, even avocados, that thrive in pots on balconies and in courtyards.

And although their size has been scaled down, these new-generation dwarf fruit trees actually produce full-sized fruit. While you're at it, you can grow your own juicy berries, too.

## WHEN TO PLANT

This depends on whether the roots of your tree are bare or already in a pot.

- **DECIDUOUS** bare-rooted fruit trees, such as apples, pears, nectarines and peaches, should be planted during winter. Plant potted trees in winter and spring.
- EVERGREEN fruit trees can be planted at any time of the year, but in frosty areas wait until the weather warms to plant citrus.

## **CHOOSE YOUR POT**

Potted fruit trees do best in plastic pots, as they have better water retention than terracotta pots. So, to give your tree its best start, plant into a plastic pot and use a larger, more attractive terracotta pot as a sleeve.

Choose a pot with a diameter of at least 40cm – you can always increase the size of the pot as the tree grows. Remember, the bigger the pot, the more fruit the tree will bear. ▶

## **HOW TO TRANSPLANT**


After you've brought your new fruit tree home from the nursery, you'll need to transplant it into a larger pot. Choose a premium potting mix.



Water the tree thoroughly an hour or two before it is to be transplanted, then gently remove it from its container or bag. Half-fill the new pot with potting mix.



**2** Place the tree in the new pot, making sure that the soil level will remain the same in the new pot and that the graft will be 50-75mm above the soil level.



**3** Backfill with more potting mix and firm down. Water in well to remove any air pockets and top up mix if it has sunk. Remove any fruit to direct energy into new growth.



## **MAKE THE MOST OF WALLS**

If space is short, make use of fences and walls. Simply attach wire mesh to the surface and drape with grapes, passionfruit or kiwifruit. You can also use walls to espalier a fruit tree, which means training it to grow against a flat surface. You can espalier your own pear, apple and citrus trees on a trellis in a pot, or buy espaliered citrus ready-made from a nursery.



## **HOW TO GROW**

Productive plants are easy to grow with the right care.

• FEED your tree regularly to ensure healthy growth.
While premium potting mixes contain enough food for a short time, you'll still need to apply a three-month controlled-release nutrient in spring, summer and autumn, or soluble fertiliser


formulated for

Yates Thrive
Granular Citrus Food,
\$19.50 for 5kg.
yates.co.nz

flowers and fruit every six weeks from spring to autumn.

• WATER potted fruit trees deeply. Don't just give them a quick sprinkle with the hose or watering can. Keep dousing until the water runs out the

drainage holes.



Northcote Pottery

55 x 47cm Lime

Primolite Lily Pot, \$59.

northcotepottery.com

a routine based on the weather. In the warmer months you

will sometimes need to water every day. Be sure to place containers on pot feet for good drainage.

- MULCH with sphagnum moss or lucerne hay. This helps to retain moisture in pots; as the mulch breaks down, it provides structure and beneficial organic matter to the soil. Don't add mulch near the stem of the tree, as fungal disease could develop.
- MAINTAIN healthy microbes and essential bacteria in the potting mix, as it begins to slump during the year.

Add a light covering of cow manure or compost on top of the mix but don't change the height of the original level. Also apply a seaweed extract such as Seasol on a monthly basis, which adds beneficial microorganisms to the mix.

## WHAT'S GREAT TO GROW

## **Lemons and limes**

Dwarf lemon varieties and the Tahitian lime are perfect for pots. They can also be espaliered against a trellis.

Meyer is not as bitter as other lemons and produces an abundance of juicy, thin-skinned fruit. It is the most cold-hardy lemon but also tolerates heat.

Lisbon lemons are zesty, with up to 6% citric acid in their juice.

Eureka has very acidic lemons all year with the heaviest crop in winter.

Tahitian Lime produces green, juicy

fruit in autumn and early winter.

### **Mandarins**

Mandarins are favourites for children, as they peel easily and fit into lunch boxes. **Burgess Scarlet** is a medium-sized, rich flavoured mandarin that is easy to peel. **Corsica No.2 Dwarf** ripens around June-July. It peels easily and cleanly.

## Apricots, nectarines and peaches

The dwarf apricot varieties such as

Aprigold are best grown in the colder regions of the South Island.

Flavourzee, Garden Delight and Nectar Babe are delicious, yellow-fleshed nectarines you can grow in pots.

Pixzee peaches ripen early and have a luscious, tasty yellow flesh.

## **Pears and apples**

grow into small trees no

taller than 1.5m.

Garden Belle pear trees grow to around 2m tall and 1m wide, but aren't self-fertile so need a different pear variety nearby. Columnar apples such as the Ballerina range Waltz, Bolero and Polka are ideal for pots. The range of dwarf KiwiApples comprises four varieties which all



## **Avocados**

Feed young potted avocado trees about three times a year with cow manure, compost or a fertiliser with added nitrogen. Once mature, feed in spring with a fertiliser for flowers and fruit.

Wurtz is a dark-skinned avocado ideal for planting in pots. Grow Wurtz in a pot at least the size of a wine barrel.

Stand it on pot feet so that drainage is not impeded. Water regularly, especially on hot summer days when pots can dry out quickly.

## **Strawberries**

Strawberries are easy to grow and like a sunny spot. Use a quality organic potting mix tailored for vegetables and herbs and that ideally contains a three-month controlled-release fertiliser. Water regularly, especially when the fruit is ripening. When the flowers appear, feed with a fertiliser for flowers and fruit.

## **Blueberries**


Blueberries like an acidic soil, so use a potting mix tailored for roses, gardenias, azaleas and camellias. In spring, feed with the same type of controlled-release plant food. Or apply a soluble plant food for flowers and fruits monthly from spring until winter.

Make sure you grow the right blueberry for your climate, as some need a winter chill period to stimulate flowering and then fruiting.

Highbush blueberry

(Vaccinium corymbosum)
varieties are ideal in cool
regions. Rabbit-eye blueberry
(Vaccinium ashei) varieties do
well in warm climates. \*





## Give your seeds the best start this Spring!

Promote fast and healthy plant growth by using Jiffy® peat pots, pellets and greenhouses.

Jiffy® peat pots are:

- ✓ 100% Organic
- ✓ 100% Biodegradable
- Easy to use
- Environmentally friendly
- Best start for stronger, healthier plants



Jiffy<sup>®</sup> products are distributed in New Zealand by Mr Fothergill's Seeds.



## SCIOUS LEAVES WORDS CHERYL MADDOCKS

Farm a feast of fresh salad greens in a small, sunny space in just a few weeks

pring is here and the weather is warming, so now is the ideal time to get into the garden and sow some fresh leafy greens. Salad greens, annual herbs and Asian greens all thrive in this warmer weather and can be picked in a matter of a few weeks, so you'll soon be munching on your own homegrown harvest.

Leafy greens are good for you, too. Most are high in antioxidants and low in kilojoules, and are full of vitamin C, which helps to keep colds at bay.

Last but not least, growing your own greens is both cheaper and more convenient than making continual trips to the greengrocer. Lucky for us, they're incredibly easy to grow.



## SALAD LEAVES

- CELERY LEAF, also called Chinese or cutting celery, adds a refreshing celery taste to dishes. Pick the young leaves for salads and the older leaves for stir-fries.
- LETTUCE likes regular watering and a fortnightly application of a soluble plant food to ensure there are enough leaves for the salad bowl. Pick-and-come-again varieties are good for pots.
- ROCKET grows well in spring and will not bolt to seed. The leaves are at their best when picked young. Wild rocket has deeply serrated leaves.
- ◆ SALAD BEET leaves have a slight beetroot taste and are high in antioxidants. Harvest the young leaves frequently to encourage more leaves, and use in delicious salads and sandwiches.
- MIZUNA has a mustardy taste and deeply serrated leaves. You can also buy red-leaf mizuna. Frequent picking encourages more leaves. It goes well with Asian foods and fish.
- SPINACH is a great source of vitamins and minerals, whether eaten raw or cooked. Harvest frequently, and pick outside leaves individually in the same way as you pick silverbeet.
- WATERCRESS grows easily from cuttings, about 10cm long, placed in a jar of water. After about five days, roots will appear. Plant the cuttings in a self-watering pot and keep the potting mix damp. Pick as required.



Coriander

Salad beet leaves

## **GREEN HERBS**

- BASIL marries well with tomatoes and loves warm weather. Plant the seeds or seedlings now and enjoy the leaves until the cool weather arrives.
- ◆ CHERVIL LEAVES have a mild aniseed flavour. Add chopped leaves to dishes just before serving, as the flavour diminishes with the heat. Grow chervil in a semi-shaded position and moist soil. Let one plant go to seed and chervil will reappear every year in the same place.
- DILL has feathery leaves and flowers that attract beneficial predators into the garden. Its bittersweet leaves

- marry well with seafood and egg salads. Plant dill in a sunny or lightly shaded position.
- CORIANDER leaves, stems, seeds and roots are used in Asian recipes. It is also delicious in potato, tomato or egg salads. Coriander does not run to seed as quickly in spring as it does in hot weather.
- PARSLEY, whether the biennial curly or flat-leaf variety, is great for summer salads and barbecues.

  Parsley is very greedy, so regular feeding is essential to keep it producing its scrumptious leaves.





## **PEST ALERT**

**Snails and slugs** will love your greens as much as you do. Look for holes in leaves, shiny streaks on foliage and slime trails.

- FIX IT Protect your greens with snail and slug pellets. Or, make a beer trap by sinking a small container of beer into the ground.

  Caterpillars will chew leaves on young and old growth. Small seedlings may even be eaten.
- FIX IT Remove by hand. Kiwicare Organic Caterpillar Bio Control keeps most caterpillar numbers down as it contains natural bacteria that kill the larvae. Alternatively, use Yates Natures Way. ►

## What's trending

## Join the discussion

**Workshop Talk & Tips** 



## WHAT PLANTS DO YOU RECOMMEND FOR SCREENING AT 2-3m?

'A lot of people would recommend a pittosporum, as they are fast growing - up to a metre a year. For screening you just want one that is sturdy and grows upright as well as bushing out.' @Kermit

'There are a large number of plants that you could use for screening around that 2-3m mark: magnolias (Little Gem or Teddy Bears), pittosporums, camellias, viburnums, lilly pillies, photinias.' @Branchy249

'I've been recommended murraya. Apparently it is a great screening plant - very fast growing, fragrant white flowers and nice and clean.' @Kellie

## **WORKSHOP MEMBER PROFILE**

Roy Quinsey describes himself as just a 'young Aussie bloke living the dream on the south coast of NSW'. But the 24-year-old is anything but average. He has experience in a wide variety of trades and has tackled many different projects.


Roy says most of his skills come from exposure to the building industry.

'Dad taught me a lot,' he says. 'I also worked for my uncles doing plumbing, then did a lot of landscaping.'

Now Roy enjoys sharing his knowledge with Workshop members. One of his most popular projects is a cable trellis for a climbing vine hedge to cover an otherwise boring Colorbond fence.

'The cool thing about landscaping jobs is that they become more successful every time you see them,' says Roy. 'Things are always growing and changing.'

Roy loves the satisfaction that DIY provides, not to mention the cost savings he makes.



'But one of the greatest things about DIY for me is learning something new. I'm always hungry for new building skills.'

Roy recently bought his first house and is renovating it before moving in. He has tackled the home gym, the garage and ripped out a heap of messy jungle gardens. The to-do list includes a new kitchen floor, moving some living room walls, and installing a new staircase. Join Workshop to follow his progress

## **SHARE YOUR PICS**









Workshop is a fun online space where you can ask DIY and gardening questions, share photos and videos of your projects, get tips and inspiration for your home and much more. To join the discussion, sign up at workshop.com.au.

ASIAN GREENS

Like broccoli and brussels sprouts,
Asian greens belong to the Brassicaceae family. Research has shown that all brassicas are potentially anti-

inflammatory and reputed to reduce the risk of cancer. Add them fresh to salads or lightly stir-fry with soy sauce and ginger and serve as a side dish.

Bok Choy

- ◆ PLANT Choose bok choy, tatsoi, choy sum, Chinese broccoli, Chinese cabbage and mustard greens.
- **GROW** Sow Asian greens from seed directly where they are to grow. They will be ready in a matter of weeks.
- PESTS Watch out for the caterpillars of the cabbage white butterfly on the leaves. Spray with a caterpillar bio-control product or sprinkle with derris dust. Snails and slugs will also munch on your Asian greens so use environmentally friendly snail bait.

## **GROW TIP**

Coriander and rocket will take a little shade, but give other herbs the sunniest position available where they will flourish.



## **POTTED GREENS**

Leafy greens are the perfect balcony plants, as they all grow well in small containers. For larger options, they also grow well in big pots and troughs, or you can try a modular vegie bed. These are made from steel, timber or blocks, and are available in different heights and shapes to suit your space. They are particularly great for renters, as you can take the bed with you when you move.



To grow potted greens, fill containers with a good-quality potting mix and feed every two weeks with a soluble fertiliser.

Mulch the pots with lucerne hay or pea straw, and water regularly.

## **HOW TO PLANT A BOWL OF GREENS**

Plant a bowl or trough with your favourite leaves. We chose beet leaves, green mizuna, red mizuna, parsley, coriander and lettuce. Plant seedlings or purchase semi-advanced plants if you want to start picking earlier.



**WATER** the seedlings an hour before they are to be potted. Fill a 40cm wide bowl or large trough to about 25mm from the rim with a premium potting mix.



SQUEEZE the sides of the container to loosen the seedlings.
Gently slide them out of the container, one at a time, being careful not to damage the roots.



make a hole in the mix with a trowel and plant a seedling. You can plant several closer together than in garden beds, as you will be picking them frequently. •

