

TABLE OF CONTENTS

PROJECTS IN THIS ISSUE



OCTOBER/NOVEMBER 1997 Volume 5, Number 1, Issue 25

The system of Tylasu

- MATTIE Tonya Cowles' "unscary" trick or treater.
 - 2 HALLOWEEN WITCH
- Marjone Monorneff's quick and easy-to-paint witch.

 16 TRICK OR TREAT ANGEL
- Key Kelley-Fox puts a new twist on a Halloween classic 18 SEND OUT FOR PIZZA
 - Sandy Strecker may change your holiday planning.
- 20 THANKSGIVING WREATH Shirley Goodnoge's wreath salutes the holiday.
- 23 STARRY-EYED ANGEL
- 701ye Cowles' quick and easy argel
 24 O'CHRISTMAS TREE ANGEL
- Tonya Cowles' angel to adom your tree or packages.
- 25 HERE'S MY HEART ANGEL
- 52 STUFFED SANTA
- Sue Ann Thomason knows what Sunta's been doing.
 54 KRIS THE COOK
- Denise Johnston's Santa will brighten your kitchen.
- 56 NORTH POLE THAT-A-WAY

 Myra Mahy is headed in the right direction!
- 58 CANDY CANISTER
- Kethy Mornssey's second project in her new series.

 60 HEY! DIDDLE, DIDDLE!
- This table completes our adorable nursery thyme set.

 68 STENCILED CABINET
- Build and paint Linda Hendry's humming bird cabinet

 70 ACCORDIAN FILE FOLDER
- 7() ACCORDIAN FILE FOLDER
 The perfect spot to file your WSAW patterns, by Linda.

DEPARTMENTS & FEATURES

- 4 Editor's Letter Happy Birthday To Us.
- 8 Readers' Gallery Projects by our readers.
- 8 Wood Blanks & Sources Where to buy this issues' project blanks
- 22 ARTIST FOCUS Family Traditions: Tonya Cowles & Shirley Goodridge.
 26 Conversion Chart Color conversion chart for all projects in the issue.
- 51 Paint Spots & Wood Chips New Product reviews.
- 64 STENCILING All that you wanted to know about stericiling.
 72 Pa Pa & Me Puzzle The perfect project to complete with your youngsten.

Wood Strokes & Woodsrafts

battie



PREP STEP

Transfer the outline patterns from the pattern packet to the appropriate wood. and drill holes. Sand smooth with 150grit sandpaper, and dust off. Apply sealer, sand again lightly, and dust off. Transfer main pattern outlines. Transfer details as needed

BASECOAT

Base the wide bands on the witch's dress and her stocking patches Moon Yellow, and her stockings Golden Straw. Base her face and hands Shading. Flesh and the large pumpkin sign Tangelo Orange. Base her hat, hat brim, dress and sleeves, and the two wooden blocks Lamp (Ebony) Black

Base the pumpkins on the wide bands Tangelo Orange, the stars Golden Straw, and the leaves and stems Forest Green. Base the star cut-outs and the star and moon on the large wooden. block Golden Straw. Base the stripes on the witch's stockings Tangelo Orange.

SHADING & HIGHLIGHTING Shade the large numbkin, the witch's face and hands, the wide bands, the stars and pumpkins on the wide bands. her stockings, and the heel patches with Georgia Clay. Shade the leaves and stems on the pumpkins with Lamp (Ebony) Black Use an old scruffy brush to dry-brush

Buttermilk highlights on the stars, pumpkins, leaves, and stems on the wide bands, the star cut-outs, and heel patches. Dry-brush the witch's cheeks with Burgundy Wine.

DETAILS

Base the witch's eyes Jamo (Francy). clots of Buttermilk

Black, and when dry, highlight with All the plaid linework on the wide band stars, the heel patches, and the star and moon on the large wooden block is done with the script liner and

pumpkin is Lamp (Ebony) Black. All the

Paint Box

Lamp (Ebony)

Paints: DecriArt Americana Burgundy Wine Forest Green

Moon Yellow Georgia Clay Shading Flesh Golden Straw

Supplies: 33/4" x 4" & 21/4" x 2" wooden blocks 8" x 12" x 3%" pine

6" x 3" x 1/s" plywood

5" x 5" x 1/6" plywood 14" dowel, 3" long & 1/2" dowel, 6" long 150-grit sandpaper

Transfer paper 3 large buttons, 2 small buttons 19-gauge wire, 3" long

2.005 Black Sakura Micron Pigma Pen Scrap Halloween fabric for large bow Wood glue & hot glue Americana Matte Sealer/Finisher

Bruches-Loew Cornell

#8 shader #2 & #4 rounds

#2 script lines 1/4" angular shader Old scruffy brush

an Original Design by Tonya Cowles

Srin NV To order the wood blank for Mattic, send \$15,00 + \$4,00 S&H to: Family Tradition c/a Shirley Goodride

Belmont, NY 14813 stitching and linework is done with a #.005 Black Sakura Micron Pigma Pen.

EASY FINISH

Lightly sand edges with 150-grit sandpaper and finish with Americana Matte Sealer/Finisher, Wood-slue the arm to the witch, and glue small buttons to the arm and socks. Glue the hat brim to the het, and glue two stars to the brim. Insert the end of a 3" length of 19-gauge wire through the small star, insert the other end through the hat from the back to front. Curl to secure. Tear a 3" x 15" piece of scrap fabric and tie in a bow around a 16" glowel. Wood-stue the '4" dowled into the cump-Georgia Clay. The lettering on the kin and into the witches hand. Tie a piece of raffia around the dowel.

HALLOWELN WITCH



Charcoal. Base her hair and the pump-Use the 1/4" angular to base the witch's

and the straps of her shoes Black, Paint

With the remaining piece of fabric, tie a bow on the wire hanger. Add raffia

Paints:

Supplies:

12' x 6" x 34" pine or spruce.


Rrushes-



an Original Design Bow Island AB Canada

www.woodstroNADIA

TRICK OR TREAT ANGEL









SPATTER







PREP STEP

Transfer the outline patterns of the angel, her wing, the cat, and the base from the pattern packet to 'A' pine. Transfer the arm and note to 'B' plywood. Cut a 4" long piece of 'Va' dowel. Dull holes as indicated on the pattern packet. Sand ooch poles with cloved. The pattern outline is used on the beautiful packet. Sand on the piece. Transfer the transfer the decide.

BASECOAT

Use the #12 shader to base the angel's diress, arms, and hat Pansy Lavender, and the base Sand. Use the #10 shader to base the cat tamp Black and the wing Sand. Use the #6 shader to base her face and hands Medium Flesh, her stocking Sand, and her shoe lamp Black.

FACIAL FEATURES

Using a very dry old scruffy brush, dry-brush the cat's ears and the angel's and cat's cheeks Respherry. Dry-brush the area behind the cat's eyes. Buttermik

SHADING & HIGHLIGHTING EASY FIT WOOD-

the angels sace, hands, wing, stocking, and the base with Sable Brown. Use the angular to highlight the angel's chess, har, shoe, arms, and the cat with Buttermilk.

Use the #2 shader to base the angel's

nose Mistletoe and to add the thick Raspberry stripes on her stocking. Use the 30 liner to add the Buttermilk squiggles on the angel's dress, arms, hat and shoe, and the Sable Brown squiggles on her hands, stocking, Wing, and the base. Use the liner to add the thin Raspberry stripes on either side of the thick stripes on her stocking and to add the cat's thin Slate Grey whiskers and facial features.

The eyes, stitching, and all other linework is done with the liner and tamp Black Paint the car's hearts Muve. Add Thanium White highlight dots to the angel's and the car's eyes and cheeks with the stylus or the end of a small brush.

ANTIQUING

Use a spatter brush or an old toothbrush to spatter all pieces first with Lamp Black, then with Buttermilk. Let chy completely.

Sand the edges of all pieces to give a soft, worn look, sand off any paint that might be on the sides. Use a foam brush and apply a thin coat of your divoltes than coat of your soft of soft

EASY FINISH

Wood-glue and nail arms to angel with 1' brads. Wood-glue cat in place. Use a piece of 19-gauge wire to attach the wing to the angel's body. Spiral in the back to secure.

Wood-glue the dowel to the base.

and the angel to the dowel. Drill 14% hole in nose and thread capet thread through it. Wood-glue nose to face. The thread in back. Hot-glue hair to her head, a button on her shoe, and scrap fabric bows to her hat and the cat's neck. Place on your table, and wait to see how long it takes for people to realize shie's really an angel in disquise.

Paint Box

Paints:

DecoArt Americana
Buttermilk Raspberry
Lamp Black Sable Brown
Mauve Sand
Medium Flesh
Mistletoe Titanium White
Pansy Lavender

Supplies:

8" x 6" x 34" pine
5" x 4" x 36" bass or birch plywood
4" dowel, 4" long
4" dowel, 4" long
5" or drill bis
130-grit sandgaper
Transfer page
19-gauge black wire
Carpet thread
1" brods (small nails)
Wood stain

Scrap fabric for bows 1/2* old button Wood glue & hot glue Foam brush

Brushes: Silver Brush Limited

Golden Natural Series 20025 #2; #6, #10, #12 shaders 20065 ½* angular shader 20055 00 liner Small old scruffy brush

An Original Design by Kay Kelley-Fox Tompkinsville, KY

Tompkinsville, KY
For more wontherful projects by Kay, contact:
Shateri & Gayle Publications, Inc.
601 Washington Street
Newport, KY 4107
or call 1600 1655-4700



SEND OUT FOR PIZZA!!

Wood Strokes & Woodcrafts

www.woodstroNADIA

PREP STEP

PREP SIEP

Transfer the outline patterns from the patterns packet to the appropriate outline to the patterns packet to the appropriate outline to the survey's salf-settlers and feet from Me* prine. Cut his circle body, head, neck and slign piece, and his hands from Me* baltic birch phywood. Bill Me* holes through the center of the wooden baltis, Sand all pieces with 190-grit sandspaper, and varie clean. 310-grit sandspaper, and varie clean and sand again, Transfer the main piece them outline. Transfer the details as

needed. BRUSHES

Base with the 14" and #6 flats, using the size that best firs the area. All shading is done with the 14" flat and the #14 shader. The details are done with the #18/0 script liner and the #2 round

BASECOAT

Base the center of the sign Crocus Yellow, the sign's border and the turkey's beak and feet Pumpkin, and his

wattle Fire Red.
Base the furtherlys tail feather stripes
Fire Red, Pumpkin, and Crocus Yellow.
Kefer to the photograph for placement.
Make an 8.9. mix of water and Spice
Etwin, and slave at wash between the
stripes, on the back side of the tail, the
under the stripes, on the back side of the tail, the
wooden ball knees, and the dowel
less, let driv.

regit becomy

SHADING
Shade each tail feather down the center with Burnt Umber, Notice that the sides for the float change from the left side of the tail to the right side. In

both cases, start at the bottom of the tail feather and keep the shade on the bottom side.

Shade around the circle body, around the wings, around the head, under the neck, on the topknot, and on the neck above and below the sign with Burnt Umber.

DETAILS

To finish the face, base the bottom of the eyes with White. Shade that will be shade to with tiny floats of Burnt Uniber on both sides. Outline the eyes, base the eyes, best less that paint the eyes base the sterile on the sign with thinned settleting on the sign with thinned sign with thinned the bush to do the bught with Balle bush and dot again with White. All other linework and statching is and state with a NOS Black Sakura Nacron Pigma Pan. Add intee datable sider assentials after assentials.

en. Add knee

EASY FINISH
Lightly sand the edges except for
the wooden balls and dowels. Use
Aleene's Tacky Glue to attach the
body to the feathers, the head and
sign to the body, the best and wattle
to the head, and the wines to the

edges of the sign.
Glue the knees at the center point on the dowel legs, then glue the legs into the body, and the feet to the bottom of the legs. When the knees are in place, draw in the knee whiches making sure they face front. Spray even-

thing with Delta Satin Varnish.

Place in a prominent spot to remind everyone that pizza is an option for Thanksgiving Dinner! This little guy and his family will be more than thankfull.



Paint Box

Paints: Delta Ceramcoat

Burnt Umber Crocus Yellow Fire Red Brushes:

I now Cornell

7550 ¼° Flat Wash 7300 #6, #14 La Corneille Shaders 7050 #18/0 Script Liner

7350 #2 La Corneille Round Liner Supplies: 10" x 10" x 34" pine

12" x 12" x 16" Baltic Birch Ply (2) 1" wooden balls (with 14" drilled center holes) (2) 1/4" dowels, 51/2" long

Wood sealer Transfer paper Delta Satin Varnish #,005 Sakura Micror Pigma black pen



Pumpkin

Spice Brown

An Original Design by Sandi Strecker

o receive a brochure of Sandi's book pattern packets send \$2 to: Kountry Keepsakes

945 Calle Loro Palm Springs, CA 92262

















THANKSGIVING WREATH



PREP STEP

Transfer the outline patterns from the pattern packet to the appropriate wood.

Cut the boy, git, and pumpkin from W pine, and the banner, crow, boy's hand, and the pumpkin leaf from W plywood. Sand each piece with 150-git sandpaper, and wipe clean. Transfer the main pattern outline. Transfer the details an needed.

BASECOAT

Use the #10 shader to base the boy's suit and the girl's dress and moccasins Spice Tan, Rase the pumpkin, plant

pot, and banner Terra Cotta.

Use the #5 round to base the faces, hands, and the girl's legs Dark Flesh.

Base the girl's dress bottom and the boy's moccasins Soft Grey. Base the hair and the crow Black, the head-

bands Spice Tan, and the feather Bridgeport Gray. Brush the cheeks Red Iron Oxide with an old scruffy brush. Base the corn husts Timberline Green

and the corn stalk and pumpkin leaf Avocado. Base the corn Empire Gold and the pumpkin stem Spice Brown. Use the Mo shader to base the bottom of the dress, the collar, and the shoes Butter Cream. Base the shoe

IIGHLIGHTING & SHADING

Use the 1/4" angular shader to shade the hands, faces, the girl's legs, the pumpkin, plant pot, corn, and the hanner Burth Sierna.

pumpkin, plant pot, corn, and the banner Burnt Sierna. Shade the cornstalk and the corn flusks Pine Green. Shade the girl's dress, moccasins, both headbands, and the boy's suit Spice Brown: Shade the bottom of the girl's cress and the boy's moccasins Bridgeport Gray. Shade the boy's feather Black.

Use the angular to highlight the hair Soft Grey, and the Spice Tan areas Flesh Tan. Highlight the pumpkin, plant por and all the leaves Empire Gold, then the pumpkin stem and the hands Butter Gream.

Use the #0 liner to draw the linewon on the dress, headbends, boy's neck trim, line on the boy's moccasins and the ties on the braids (clonial Blue. Parit the bird's beak Empire Gold and the eyes Black, Paint the cross staches on the girl's sleeves, neckline, and the boy's paris Spice Brown. Parit the lines between the corn kemels Burtt Serina. Also paint a few of the termies Burtt.

























to the wreath

cornstalk, and glue the leaf on the numnkin Glue a small piece of Wi dowel into the back of the pumpkin stem and the other end into the hands. Insert two small eve screws on the back of the banner. Thread 19-sauge wire through to secure to the wreath.

of the comstalk one on the back of the plant not one on the back of the girl's right hand, and one on the back of the boy's right foot. Thread the 19-gauge wire through to attach wooden piece

the girl's necklace and the beads on Stencil the checks on the banner Rurnt Sienna Use the #6 shader to paint the lettering with Rutter Cream. All linework is done with a # 005 Sakwa Micron Pigma black pen.

Bridgenort Gray and the fringe on the

boy's sut and the girl's moccasins with

Use a stylus to dot the eyes of the boy, girl, and bird Butter Cream, Paint

Wood-glue a small piece of 1/8" alije the other end into the top of the comstalk. Glue the boy's hand on the

Hot-glue Spanish moss under the stalk. Glue the excelsior to the bottom of the wreath underneath the boy and girl's feet, and glue some sprigs of guncy grace in the excelsion Snew with several coats of Delta Satio Finish.

Paint Box

Paints

Supplies

Timberline Green Terra Cotta

6" x 4" x 1/6" ply 1/s" dowel, 10" long

Gypsy grass (rust color) #.005 Sakura Micron Pigma black

pen Brushes.

1/4" angular-4400

Old scruffy brush

#10 shader:4300



an Original Design hy Shirley Goodridge

contact: Family Tradition Woodstrokes & Woodcrafts

Space Brown



PREP STEP

Transfer the outline patterns from the pattern packet to the appropriate wood. Sand smooth with 150-grit sandpaper, and dust off. Apply waterbased wood sealer, sand again lightly, and dust off. Transfer main pattern outlines. Transfer details as needed.

BASECOAT & SHADING

Use the #8 flat to base the bear's face hands and legs Bambi, her dress Deep River Green, and the wooden star cut-outs 14K Gold

Use a 1/4" angular shader to shade the bear's face, hands, and less Cinnamon, and her dress Black. Use an old scruffy brush to dry-brush cheeks and inside ears with Barn Red.

HIGHLIGHTS & DETAILS

Use an old scruffy brush to dry-brush Ovster White highlights on the bear's dress, hands, and feet. Add Oyster

White highlight dots to her eyes with Use a #0 round to paint the stars on the bear's dress 14K Gold. Base the

heart on her heel Barn Red, and her mouth and nose Black. Base her eves Cape Cod Blue, Black, and Oyster White, All other details are done with a #.01 Black Sakura Micron Pigma Pen.

ASSEMBLY

Wood-glue arm and one large star to the bear's body. Insert two 8" lengths of thin gold wire through her outstretched arm, curling the top ends to

secure in place. Hot-glue the bottom ends into the holes in the wooden star cut-outs. Cut a 12" length of thin gold wire and wrap around a paint jar several times. Wrap loops around the circles with the remaining wire, wrap around

the ear and hot-glue in place Tear a piece of scrap fabric to measure 5" x 8" and tie in the center with a piece of thin jute. Hot-glue to the bear's back for wings. Make a small bow with the same fabric, and glue under her chin. Attach a hanger to the back and finish with acrylic matte spray sealer. You'll want to paint Starry-Eyed

Note: Two more angels by Tonya and the Paint Box for this project are on the next two per

Angel's friends too



















O'Christmas Tree Angel

PREP STEP

Transfer the outline patterns from the pattern packet to the appropriate wood, and drill holes. Sand smooth with 150grit sandpaper, and dust off. Apply water-based wood sealer, sand again lightly, and losts off. Transfer man pattern outlines. Transfer details as needed.

O' CHRISTMAS TREE ANGEL Use the #6 flat to base the angel's

face and hands Medium Flesh, her dress and sleeves Barn Red, and her wings Trail. Base the tree trunk Spice Brown, the angel's feet and the tree Deep River Green, and the large star at the top of the tree T4K Gold. Use a "4" angular shader to shade the

Green, and the large star at the top of the tree 14K Gold. Use a 'A' anguler shader to shade the angel's face and hands Barn Red, and the wings and tree trunk Cinnamon. Base the angel's dress and feet and the tree Black. Use an old southly brush to dry-

Use a #2 round to paint the stars on

the angel's dress and sleeves Dark Golderrod. Use the #0 round to paint her eyes Cape Cod Blue, Black, and Oyster White. Use the #2 script liner to do the linework on her wings Bam Red, and on the tree and heel patches 14K Gold. All other details are done with a

#.01 Black Safura Micron Pigma Pen.
Use an old scruffly brush to dny-brush
Oyster White highlights on the angel's
dress, wings, and tree. Add Oyster
White highlight dots to her eyes with
the stylus.

ASSEMBLY

Drill holes as indicated on the pattern packet. Wood-glue the langel's arms and tree to her body. Cut two pieces of 19-gauge wire 5" long, Insert each piece from the back, through the holes at the bottom of the langel's dress, and

twist into a spiral with needle nose pliers to secure. Insert the other end of the wires through the holes in her feet and secure in the same manner. Cut a piece of thin linen jute 10*

Cut a piece of thin linen jute 10° long, wrap around two fingers, and tie in the center with a small piece of thin jute. Hot-glue to head for hair.

Cut another piece of thin jute 8° long, fold in half, and glue ends into the hole in the top of her head for a hanger. Finish with anothic matter stay sealer.



Here's my Heart Angel

PREP STEP

Transfer the outline patterns from the nattern packet to the appropriate wood. Sand smooth with 150-grit sandpaper, and dust off. Apply waterbased wood sealer, sand again lightly, and dust off. Transfer main pattern outlines. Transfer details as needed

BASECOAT

Use the W4 flat to base the angel's face hands and feet Medium Flesh. her dress Deep River Green, and her wings Trail. Base the heart Bam Red and the wooden star cut-out Dark Goldenrod. Use a 1/4" angular shader to shade the

angel's face, hands, and feet with Barn Red, her wings Cinnamon, and her dress and the heart Black. Use an old scruffy brush to dry-brush

cheeks with Barn Red. DETAILS

Use the #0 round to base her eyes Cape Cod Blue, Black, and Oyster White. Lise the #9 script liner to add the linework on her dress Barn Red and Trail and on the heart Deep River Green and Trail.

Use a #2 round to paint the stars on the angel's dress and the heart Dark Goldenrod. Add stitching and detail lines with a #.01 Black Sakura Micron Pigma Pen.

Use we old scruffy brush to dry-brush Oyster White highlights on the angel's dress, wings, and tree. Add Oyster White highlight dats to her eyes with the stylus.

ASSEMBLY

Drill holes as indicated on pattern packet. Wood-glue the angel's arms and heart to her body. Cut a 12" piece of thin linen jute, and wrap around two fingers to make 1" loops. Tie in center, and hot-glue to head. Make a small bow from screp fabric, and hot-glue to

Cut a 7" piece of jute, fold in half and glue to back of angel for the hanger. Cut a 4" piece of 19-gauge wire, glue one end into the hole in the star, and curl wire leaving 1/1" to glue into the wing. Finish with acrylic matte spray sealer.

Paint Box

Paints: Delta Ceramcoat Barn Red

Cape Cod Blue Cinnamon Dark Goldenrod Deep River Green Medium Flesh Spice Brown

14K Gold Brushes:

Loew Cornell #2 round #2 script liner 1/4" angular shader Old scruffy brush

Supplies 10" x 6" x 34" pine for Starry Angel 6" x 6" x 1/2" pine for Starry Angel 10" x 6" x 1/2" pine for Tree Angel 6" x 6" x 1/2" pine for Heart Angel

5" x 5" x 1/4" pine for Heart Angel 150-erit sandpaper Waterbased wood sealer Transfer paper Thin gold wire, 40' lone Thin linen jute

19-gauge wire #.01 Black Sakura Micron Piema Marker Wood glue Needlenose pliers

Hanger for back Scrap fabric an Original Design

hy Tonya Cowles Scio NY

For more wonderful projects by Tonya, contact: Family Traditions Belmont, NY 14813 or call (716) 593-3254













Wood Strokes & Woodcrafts

14k Gold Alpine

Antique Rose Antique White Autumn Brown

illersweet Oran

Cherry Royale Raspberry Wine + Settler's Blue Ruspberry Wine Yellow + White

Butter Pecan Titanium White

Terra Cotta Janel + Olive Green

Summer Sky + Medium Grey + White + Li Grey Clay Bisque Portrast Medium + White Potpourri Rose + Rose Garden Rusty Nail

Vanilla Crean

Crocus Yellow Dark Flesh Dolphin Gray Empire Gold Fire Red Flesh Tan Fleshtione

ofonial Blue hristmas Green Cape Cod Blue

ifter Cream ne Haze

Blue Spruce Bridgeport Gray Burgundy Rose Burnt Sienna Burnt Umber

шоэ зэходэроом ммм

When two or these colors are fisted, the first color is used in the laggest amount with the other added in decreasing order. At indicates metallic point,


(Sorry no phone orders) Las Vegas, NV 89109

etty L. Byrd from her "Acrylic sins complete charts for the eigh

Pure Orange Calico Red Blue Ribbon Freench Blue Light Blue Magenta Maple Syrup Mystic Green


2x Purple + Plum Pudding Enspherry Sherbet + White Burnt Sienna + White

Opaque Red Opaque Yellow Oyster White Leaf Green Light Ivory Medium Flesh Gold / Gleams Gypsy Rose Hunter Green Indiana Rose Ivory



































































details as needed

BASECOAT

shirt and pants Tompte Red, his beard Use the #6 flat shader to base his face

ics Trail Tart Let dry, Repeat Use the #10-0 liner to base Santa's Nory, inside his mouth Black, and his belt

SHADING & HIGHLIGHTING

Santa's face, stomach, and mustache with a wash of Autumn Brown. Use the shader to highlight areas on his boots. Use the #6 flat shader to shade his

FINISHING TOUCHES

then wood-glue and nail Santa to the center of the base. Wood-glue the cookies to one side of the base. Place Santa next to a big plate of cookies, and just wait for the smiles!

Supplies:

Brushes:

T60 flat shader #6 Old furred-out flat shader

an Original Design

NADIA





mins Alning











Flesh Ten, the front, back and edges of

the book, the bottom and trim of the

cookie jar, and the handles of the rolling

Base the plates and bowls Burgundy

Rose or Quaker Grey, the jars a wash of

Burgundy Rose, and their lids Gold

Stain the rolling pins, cutting board,

bucket, and butter churn with

Fruitwood Stain. Base the ends of the

Base the eggs Flesh Tan and speckle

The stitches, linework, dash lines and

Wood-screw shoes to bottom of

legs. Wood-glue hat, nose, arm, apron,

and apron tie. Varnish with two to

Hot-glue curly wool for hair and

beard. Cut two pieces of sherps 91%*

wide x 71/2" long and hot-glue around

the bottom of leg. Wrap jute around

to conform with sides of head. Place

on face, covering sides with hair. Our

'9' wide strips of sherps and stue

around cuffs, bottom and upper front

Bend sides of gold wire spectacles

sherpa and tie in front with a bow

edges of coat.

three light coats of matte spray finish.

lettering are all done with the #.01

Black Sakura Micron Pigma Marker,

with Rurnt Umber. Base the stars Flesh

rolling pins with Burgundy or Albine.

Tan, Alpine, and Gold Gleams

DETAILS & ASSEMBLY

Gleams. Base the milk bottle Light Ivory.



Delta Ceramcoat Alpine Black Green Burgundy Rose Burnt Umber Flesh Tan Brushes:

Cold Gleams Light Ivory Medium Flesh Quaker Grey Rouge Robert Simmons Tole Master Series

196 liner

#4 flat scruffy Supplies: 19" x 6" x 34" pine

8" x 4" x 1/2" pine 8" x 8" x 1/4" plywood 3/4" wooden button plue for nose 200-grit sandpaper Delta Hallmark Wood Sealer Transfer paper #.01 Black Sakura Micron

Pigma Marker Delta Fruitwood Stain Hot glue (4) 11/2* wood screws

17%' gold wire spectacles 19-gauge wire Jute Vine tree

Small basket Dried apple slices

Small cinnamon sticks Misc, miniature wood Items: iars.

rolling pins, eggs, apples, bowls, butter churn. bucket, cookie jar and stars

Sherpa material Gold star garland 3" x 4" chalkboard Carly wool hair Matte spray finish



For more additable projects by Denise, contact: Darrow Production Co. P.O. Box 1457 41 Rono OK 73/36-1457 www.woodstrokeNADIA

PREP STEP Transfer the outline natterns from the pattern packet to the appropriate wood. Kris's body and shoes are 1/4" nine his arm, apron tie, hat, apron, flour sack and cutting board are '4' plywood Sand smooth with 200-grit sandpaper. and dust off. Drill a 36" hole 35" deep for nose button and in two places on the bottom of each shoe. Drill a Vat hale through the 36" hale on shoe bottoms and both hands. Apply Delta Hallmark Wood Sealer sand again lightly, and dust off with a tack cloth. Transfer main pattern outlines. Transfer details as

peeded PAINTING

Use the #19 flat to base Kris's face. hands and button plus nose with a wash of Medium Flesh. Base his hat and apron with a wash of Light Ivory, his suit and flour sack with a wash of Flesh Tan, and his shoes with a wash of Black Green.

Alpine: Paint stripes one way, let gry. then do the stripes the other way to get the darker area where the stripes meet Use the #4 flat to dry-brush his cheeks and nose with Rouge. Use the liner to add the Gold Gleams stars on Kris's suit and to base his eyes Black When dry, use the stylus or the end of a small brush to highlight his eyes with Light Ivory and to dot the stars with

MISCELLANEOUS PIECES If you have trouble finding the same pieces, be creative and add your own little treasures. Base the miscellaneous


Hot-slue excelsior in basket and the eggs on top of excelsior. Glue cinnamon sticks in bucket. Wire or glue wooden stars to tree and wrap free with star parland. Wire wonden items together with 19-gauge wire, curling wire between each. Refer to photo for placement

The stripes on Kris's suit are a wash of

ie jar and the inside pages of the book

wood pieces as follows: Base the clock-54 Wood Strokes & Woodcrafts







PREP STEP

Transfer the outline pattern of Santa his arm, and the base to 34" pine: the cardinal to 1/2" pine: one each of the signs to 34" plywood; and one each of Santa's mustache, hat fur, sleeve fur and coat fur to 1/8" plywood. Use a scroll saw to cut out all pieces.

Drill 1/16" holes in the signs, Santa's arm, and his shoulder; 3/6" holes in the bottom of the bird and the top of Santa's arm, and 1/4" holes in the bottom of Santa's boots and the top of the base.

Sand smooth with 150-grit sandpaper and dust off. Transfer main pattern outlines. Transfer cietails later as needed.

RASECOAT

Base Santa's face and screw hole button nose with Medium Flesh, Base his mustache, beard, all fur pieces, pompon, signs, and top of stand Buttermilk. Base his het, mittens, edges of the base, and the bird's body Napa Red, Base Senta's suit and pants Hauser Dark Green, his boots and the cardinal's face Lamp Black, and the cardinal's beak Marigold.

DETAILS

Shade Santa's face with a float of Burnt Sienna. Use a #8 flat to dry-brush his cheeks and too of his nose with Tomato Red. Use the #1 liner to drybrush his eyes with Lamp Black. Add exelashes with thinned Lamp Black and dab evebrows with Buttermilk. Highlight his eyes with small Buttermilk

dats fur, cuffs, signs, the top of the base,

beard, mustache and compon Use the #2 flat to paint comma stroke wings on the cardinal with a mix of Antique Maroon and a few drops of Lamp Black. Shade around cardinal. mittens and hat with the same mix. Use a #8 flat and the Antique Maroon and Lamp Black mix to paint thick stripes on the edge of the base. Outline thick stripes with two thin stripes.

Add a few drops of Buttermilk to Hauser Dark Green to an inly consistency. Load rake brush with mix. Paint stripes on suit with a light touch, holding the brush in a vertical position Outline stripes with Napa Red

Use a #1 liner to paint thin stripes on pants with the same Hauser Dark Green and Buttermilk mix. Shade pants, coat, and sleeves with Black Green

Highlight down each side of center lus or the end of a medium-size brush to dot boot buttons with Buttermilk Use a #12 flat dry brush to add Buttermilk highlights on toes of boots. part less, coat, and hat

Dot the cardinal's eve with Buttermilk. When dry add Jamo Black dot Lettering on sign is thinned Antique

Margon and Lamp Black mix. Dots are same mix. Outline signs with thinned Hauser Dark Green.

Base candy cane arrow with Napa Red. Use a #2 flat to dry brush stripes with Buttermilk. Outline stripes with thinned Buttermilk. Shade arrow with Antique Maroon and Black mix. With a #9 flat dry-brush highlights down center of candy canes with Titanium White.

ANTIQUING INSTRUCTIONS

You can use your own favorite antiquing medium, or try Myra's Paste Wax method: Mix one cup Johnson's Paste Wax with 1/4 tablespoon Burnt Umber Oil paint. Apply mixture with a sponge brush to all pieces. Wipe dry with a clean cloth. Let dry for 15 minutes and buff with a clean, dry cloth Deepen antiquing around edges with a cloth dipped in Burnt Umber oil paint. Wipe nearly dry on paper towel. Rub

gently around edges to darken. Use a clean cloth to blend into lighter areas. Use a spatter brush or an old toothbrush to spatter first with Buttermilk, then with Jamo Black

ASSEMBLY

Use Future Glue Gel Wood Glue to attach mustache, nose, hat fur, sleeve fur and coat fur to Santa. Cut two pieces of 92-gauge wire, 6" long. Tightly curl one end of each. Attach signs to Santa's arm. Wood-glue 3/16" dowel to attach the cardinal to Santa's arm. Wood-glue 1/4" dowel to attach Santa to the base. Gently tap furniture nail buttons in place on Santa's suit.

Paint, Box

Supplies: 30" x 6" x 3/4" pine

3" x 3" x 1/2" pine 5" x 5" x 1/4" birch plywood

6" x 6" x 1/6" birch plywood 1" x 3/16" wooden dowel 135" x 34" wooden dowel

(9mm) wooden screw hole hutton Transfer paper 22-gauge wire #64 Daisy Oxford Furniture Nails Future Glue Gel Wood Glue

Paints:

DecoArt Americana Antique Margon Black Green Burnt Sienna Hauser Dk Green

Napa Red Sable Brown Titanium White Tomato Red

Brushes: Loew Cornell All American Painter Series 4350-#0, #1 liner

Series 4300-22, #8, Series 4550-14" wash

La Cornelle 1/st rake

an Original Design by Myra Mahy

La Niesa, CA 91941









Candy anister



"Candy Canister" is the second project in our new six-part series of kitchen accessories designed exclusively for us by Kathy Morrissey. It is the first piece in the candy canister set. The next two canisters and the holder will follow in future issues.









Let dry at least one day to allow the marker time to set. Varnish with three costs of Delta Waterbased Varnish. Use Aleene's Thick Designer Tacky Glue to glue rubber weather stripping around the circle. Glue the circle and the knob to the back of the piece as indicated on the pattern packet

The second canister in the candy canister set will be in our next issue. In the meantime fill with your favorite candy, place on the countertop, and enjoyl Paint Box

Paints:

Blue Spruce Dolphin Gray Light Ivory Supplies:

Rose Mist Sandstone Silver Pine Williamsburg Blue

26" x 8" x 1/4" pine Small clear glass fishbowl (one for each canister) 400-grit sandpaper Delta Waterbased Varnish Transfer paper

permanent marker Aloene's Thick Designer Tacky

Wooden apple for knob (one for each canister) Weather stripping (optional)

Brushes: Loew Cornell La Corneille 34" wash We angular shader

0 spotter

an Original Design by Kathy Morrissey Hillsborough, NB, Canada

PREP STEP

Transfer the outline patterns from the pattern packet to 34° pine. The outline pattern piece for all three canisters must be cut at one time to ensure that all three canisters will fit together when assembled in the canister holder

The two dotted lines on the pattern indicate the cuts necessary to make three separate canisters. It is imperative that you make each of these cuts with only one pass on your scroll saw

(The painting detail patterns for the remaining canisters and the holder will be featured in the next three issues.) Cut out and sand with 400-grit sand-

paper and wine clean. Varnish with Deita Waterbased Varnish, sand again and wipe clean. Basecoat entire surface and the apple knob with an equal mixture of Sandstone and Light Ivory. (Keep lots of moisture in the brush.) Let dry well and transfer main pattern outlines. Transfer details as needed.

BASECOAT

Sandstone and Trail

Base the roof Dolphin Gray, shade with Williamsburg Blue, base the bush and tree foliage Silver Pine, shade with Blue Spruce, and base the heart Rose Cloud, shade with Rose Mist Base the door an equal mix of Sandstone and Trail: shade with

Autumn Brown Base the cloor knots and hinges Charcoal Shade around the cottage, sign and fence with an equal mixture of

Paint the edge of the piece at the roof Williamsburg Blue and the edge of the tree and bush Blue Spruce. Base the back of the piece and the circle Dolphin Gray.

Line the door, door handle, hinges,

lettering and all lining and stitching with Charcoal. The extra-fine dots are done with a fine-point black permanent marker.



HEY! DIDDLE, DIDDLE!

the cat and the fiddle
the cow jumped over the moon
the little dog laughed
to see such a sport
and the dish ran away with the spoon!

This table concludes the charming Nursery Rhyme table and chair set. If you missed the chairs, they can be ordered on page 74. The cow jumped over the moon chair was in issue #23 and the Fiddler was in issue #24. Together, these projects create an unforgettable ensemble that your family will enjoy handing down to future generations.



The side skirts, end skirts and the

legs were all milled out of 14" pine. Rip the side skirts (B), end skirts (C), and legs (D) as shown in step

photo 1 to the dimensions given in the cutting list.

All the blanks need their own specific length. Use the radial arm saw and crosscut all the blanks to the dimensions given in the cutting list and as shown in step photo 2. When crosscutting the less to their final length be



sure to use a stop block attached to

the radial arm saw fence to assure that all blanks will be the same length.

The legs will receive three countersunk holes along the end view blanks of the table. These holes attach the two blanks together. Refer to the side view

drawing on page 62 for proper hole locations for the legs. To make the countersunk holes. use the drill press and the proper countersinking bit for the #6 x 11/4"



wood screws as shown in step photo-

3. Later these holes will be plugged using the drill press, attached with a plus cutting bit and scrap wood. Fach leg consists of two blanks. To

assemble the less, butt one edge up against the blank with the counter sunk holes. Tightly screw three of the #6 x 11/4" wood screws as shown in step. photo 4. Refer to leas' top view drawing on page 62 to orient the two leg blanks.



Repeat steps 3 and 4 until all legs

have been assembled. The skirt blanks are used to acid strength to the table. To attach the side skirts to the end skirts, countersunk holes must first be chilled. The two end skirts fit in between the two side skirts. Evenly space two drill hole locations where the skirts meet, as shown in step photo 5. To make the countersunk holes for

the skirts, use the drill press with the



same countersinking bit that was used to make the holes for the leas. Be sure to countersink deep enough so that later a plug can be inserted to cover

the screw head Once the holes have been located and drilled hold the corners tightly together with a jig as shown in step photo 6 or with clamps pulling the two

corners tightly together.

Glue up contact surfaces and use



the # 6 x 1 1/4" wood screws to attach each corner on the skirt blanks. Be sure to check for square at each comer before moving on.

Step photo 9 shows how the leas connect to the inside corner portion of the skirts. Each leg sits flush with the top edge of the skirt blanks. Measure up from the bottom edge 11. Evenly space the two hole locations on the wider portin of each less.

November 1007











countersinking bit as used before. Countersink one drill hale into the other leg as it is shown in step photo 7.

Use the #6 by 11/41 wood screws to fasten each leg to the skirts. Cut the top (A) to the dimensions

given in the cutting list. I used plywood for its stability and also to avoid having to biscuit individual blanks together. Turn the legs and skirts upright. Set the top blank onto the legs and skirts as shown in step photo 8. Refer to the drawing below for top orientation. Two #6 x 11/4" wood screws are used on each edge to fasten the top to the skirts. Evenly space the two chill hale locations, and use the countersinking bit to drill into the top blank. Be sure to drill deep enough so that later you can cover the screw heads with wooden plues.

cutting bit in the drill press works great for cutting wooden pluss. Using a piece of scrap pine, make enough wooden pluss to fill all the countersink holes that were made in the pine hlanks

For the top blank, use a piece of scrap plywood, and repeat the process to make the wooden pluss.

After all the wooden plugs have been milled, use a dab of glue on the end of each plus and insert into the countersunk holes. With a hammer carefully tap each plug into the hole. Once the plugs have dried, sand each wooden plug flush. Prep the entire assembly by sanding through 150 grit sandpaper. Knock off any sharp corners or edges that may come in contact with small children. Continue on to page 63 for painting instructions.

11-

Qty	Part	Cutting List			
		T	w	L	Piece
1	A	36"	25"	30*	top (ply.)
2	В	350	212"	28*	side skirts
2	c	3/4"	210"	22*	end skirts
8	D	30	216"	22"	legs

Supplies

39 #6 x 1 1/4" wood screws

#6 x 1 % wood screw Side View **End View** Leg Top View 10)/-

PAINTING

Use the 1" wash to have the table less New and the skirts Black, Measure a 4" border around the table top and mark lightly Paint the 4" comers White. Tape the borders off to paint the center area Christmys Green. Let dry completely. Use the MR charles and News to paint along the green and white edges. Fill in remaining

areas with Navy using the 1" wash Seal the table top with matte finish after painting the base coats. If you are not happy with your stenciling atternet it will be much easier to wipe off with a damo cloth and try again.

STENCHING

Re sure to plan out your stenciling before you apply any paint. Use the large stencil brush to stencil the 1" checkerboard on the skirts White. If you start the

first check W^a from the edge of each skirt, the checkerboard should work out evenly Transfer the heart pattern from the pattern packet to a stencil blank or a thin niene of cardboard, and cut out with a

unitiv knife. Center the hearts in the four comers, and stancil Opeaus Red Center the five star stencil on the New

horders and stennil Ontque Yellow, Be sure to check spacing first. If you are uncomfortable about centering the alphabet and number stencils, it might be a annot lote to out paper to the size of the

table top and trace the stencils with a penof to be sure of the placement. Measure up W' from the bottom of the seen area. and draw a light pencil line. Center the number stencil, and stencil White.

Meanine drawn 8W from the top of the green area and 11/2" in from the erises. and lightly mark with pencil on both sides. Find the top center of the green area, which should be 11W from the sides. Measure down 197, and lightly mark. Draw an arc from the mark on the left side to the mark at the top center. Continue arc to right side. This is the base

line for the 11/6 alphabet stencil.

FASY FINISH Transfer the main pattern outlines of the

dish and spoon design from the pattern packet. Base the dish and all the less White the spoon Cadet Gray, and the arms Indiana Rose. Base the spoon's shoes Autumn Brown and the dish's shoes Black Transfer rietail lines. Base the spoon's

stocking stripes Naw and the dish's stocking strings Onague Red

Shacle the inside of the clish with a wash of Blue Haze. Let dry. Base his cheeks Indiana Rose, shade with Antique Rose Base both noses Antique Rose, Base the

spoon's eyes White. Black, and Blue Haze. Base the dish's eyes White, Black, and Leaf Use the #4 round to paint the squiggle

design on the dish Naw, the dish's shoe laces White, and to add all the other detail lines Black. Use the stylus or the end of a hrish to dot the shoe buttons Opaque White Finish with three or four coats of mette finish. Enjoy for a lifetime!













Paints: Delta Ceramonat Antique Rose Autumn Brown Cadet Gray Christmas Green Supplies:

Indiana Rose Opaque Red Opaque Yellow

Oolta Hallmark Wood Scaler Transfer paper

Painter's tarse (or masking tage) 1" checkerhoard stencil American Traditional Stencils RI 422 Alphabet & Numbers

To crear sericity—see wood source on page 8. Brushes: Silver Brush Golden Naturals

Large & small stencil brushes Matte finish

Mauamhar 1007

On Driginal Design bu Robert Joseph & Sandra Wagner, painted by Linda Hendry



STENCILING



BY BETSY EDWARDS

What is stenciling and where did it start? No one is sure exactly when the first person applied colored pigments through openings in one material to add contrasting decorations to another surface. However, most people agree that the craft began in prehistoric times somewhere in Asia and/or the Middle East.

A LITTLE HISTORY

In China, stenciling was used to decorate the walls of Buddhist monasteries and to reproduce sacred texts a centu-

ry before the Christian era.

In the first century A.D., stencils were used to teach Roman children how to write.

In the Victoria and Albert Museum, London, England, there are examples of stenciled Japanese silk garments dating from the eighth century.

Sir Aurel Stein discovered caves with stenciled decorations in western China believed to have been painted about 1000 A.D.

Stencils were also used in Europe in the MIddle Ages to decorate garments, churches, and public buildings; as early as 1440 stencils were being used to produce playing cards and religious images.

Primitive cultures employ stencils to decorate clothing, utensils, their homes, and their bodies.

Natives of the Fiji Islands cut shapes from dried banana leaves and applied vegetable dyes though these openings to produce wide geometric borders on their bark cloth.

Some tribes cut designs from cured animal skins and used these stencils to decorate their bodies on ceremonial occasions.

In North America, as in Asia, Europe and Africa, stenciling

was popular. In the mid 17th century, floorcloths were being stenciled in tile-like geometric designs.

By the early 18th century, sten-

ciled decorations appeared on tinware, wooden implements, walls, textiles, wallpapers, furniture—on just about every surface imaginable!

EARLY STENCIL MEDIUMS

Early artists had to mix their own paints using natural pigments, binders, and solvents. Less than 50 years ago, the choices were limited to watercolors, oils, japan paints, or metallic powders.

www.woodstrNADIA



STENCILING MEDIUMS & SURFACES

POSITIVE STENCILING When we think of stenciling, we

usually think of images created by positive stenciling—the application of paint through openings cut in the stencil material. Theorem painting uses multi-

ple positive stencils to form a complete picture without the bridges (or gaps) of traditional stencils-from two to five overlays are used.

NEGATIVE STENCILING Negative stenciling uses the piece cut out of the stencil as a template; this template is placed on the surface to be decorated, and the paint is pounced or swirled over the template-the paint is not applied through the design, but around it, leaving a negative image.

Any combination of these stenciling methods can be used to decorate any surface you choose.

WHAT MEDIUMS TO USE Today we can use watercol-

ors, oils, powders, spray paints, latex, acrylics, oil sticks, stencils creams, ink and/or chalk-we can choose the medium best suited to the surface we plan to decorate

For theorem paintings (especially on velvet), oil paints or oil sticks are the best choice. Oil November 1997

sticks, acrylics, and stencil creams are good choices for decorating furniture and other wooden items.

On paper use watercolors, oil sticks, liquid acrylics, stamp pad ink, stencil creams, or chalk,

Tube and liquid acrylic paints can be used on walls, textiles, tin and wood; just remember to remove most of the paint from your brush before applying paint through the stencil-less is always better!

Acrylics are the most versatile paints for stenciling. The clean up is easy-just use soap and water

STENCILING ON GLASS

For stenciling on glass and/or ceramics, I recommend acrylic enamels: follow the directions on the label to make your

designs dishwasher safe. STENCILING ON PAPER

Paper is a readily available and inexpensive surface. You can make your own greeting cards, produce custom stationery, or decorate scrapbooks and memory albums with stenciling.

As an alternative to color, use stencils to create tone on tone designs by pressure embossing. To pressure emboss, you'll need a light source (light box, sunny window or lamp under a glasstopped table): tape stencil to paper, place paper on light source (stencil side down), and use a stylus to trace the stencil openings. Voilal When the stencil is removed, you'll have a lovely raised (embossed) design.

STENCILING ON FURNITURE

Llove to stencil furniture and woodwork! To prepare previously finished pieces of furniture or woodwork, first sand with a coarse or medium grade of sandpaper-the more uneven the surface the coarser the sandpaper should be. Wipe away the sanding dust with a damp cloth or paper towel. If your surface is still uneven, continue to sand; if there are deep grooves or holes in the surface, build them up with wood putty or modeling paste. Allow your filler to dry, sand with medium sandpaper, wipe away the dust, prime the surface and basecoat with water or solvent based paint. Now you're ready to stencil



per acrylles and a hard-out stericii. This project will be shown on Home Matters TV Show on 10/10/97.

NOW YOU'RE READY TO STENCIL!

PREPARING OLD WOOD

If your furniture or woodwork is in terrible shape you may have to strip it of all previous layers of paint and/or stain.

Stripping is a bother and should be attempted only as a last resort While it is easier to strip furniture than woodwork, it's still an icky, messy job. Buy a paint-stripping product and follow directions exactly-remove all paint, varnish, stains and sealers down to the bare wood. This may require several applications of the stripper and a lot of scraping. When the surface is completely stripped, treat it as raw

PREPARING RAW WOOD

Raw wood (unfinished or stripped) must be sealed before applying a base coat; unsealed wood may warp, and paint will peel as the untreated wood absorbs moisture.

There are many wood sealers and primers available; generally you should use a waterbased sealer and primer under a waterbased paint and on oil-based sealer and primer under oil-based paints.

My favorite product, gesso, both seals and primes and can be used under either water or oil based paints. Apply one cost of gesso, let dry, sand, wipe away dustrepeat, then paint with your chosen base color. When the base cost is dry, decorate with your favorite stencil.

CUT YOUR OWN STENCILS

Many materials are used for stencils: acetate, mylar, vinyl, stencil paper, vellum, thin wood, sheets of zinc or tin-even poster board or plain brown paper.

You can cut your own stencils with a utility knife or an electric stencil-cutting tool. If you use a utility knife be sure to use a new. sham blade

Using an electric stencil-cutting tool may take a little practice but once mastered gives you greater control than the utility knife. Be sure not to hold the tool in one spot too long; it may cause blisters on the film. Which ever method you choose

experiment and have fun. If cutting your own stencil is not for you. don't worry-there are many wonderful designs commercially available.

APPLYING THE PAINT For paint application, you can

either use a stencil brush or a small sponge. Experiment I Load the brush or sponge with a

small amount of paint and tap off most of it on a paper towel and lightly tap the stencil design from the outside edge to the center. Or, if you prefer you can move the brush in a circular motion, again working from the outside edge to the center of the opening. Again. experiment and be sure to tape off the areas that will not be stenciled

PLAN AHEAD

Plan your design (where it will be placed, how many repeats, what colors, etc.) before you begin. For greatest detail and cleanest lines choose a laser cut stencil and use very little paint-you can always add more color, if needed. Use selfsticking stencils, stencil spray adhesive or tape to hold the stencil in place; then go for it! You'll be delighted with the results!

LIMITLESS POSSIBILITIES

Decorating with stencils can add colorful accounts to your home and can also help to pull a room together. Stencil a border around the room on walls or ceiling: stencil the entire floor or a canvas floorcloth. Stencil curtains, upholstery, pillows, lamps, flower pots... Look around youwhat do you want to decorate first? Betsy Edwards is a Certified Craft

Designer, a Cerified Professional Demonstrator and a Liquitex Certified Instructor. She is an artist consultant for Binney & Smith. Liquitex Paints and Education Coordinator for American Traditional

 Guide to Theorem Painting by Jackie Anoples · Stanck Artisand League (SAU)

















ASSEMBLY Cut the cabinet wood pieces from 36"

pine as indicated in the Paint Box. Transfer the bird latch piece to 14" birch plywood, and cut out with a scroll saw. Sand pieces before assembly,

Refer to the exploded perspective illustration in the pattern packet for assembly. Drill 14" hole 14" deep on the inside right side piece of cabinet for door stop. Cut out areas for hinges on the left side and door pieces. Woodalue and nail the sides to the back Attach hinges to door and inside left of cabinet. Glue and nail bottom to sides and back. Before attaching top piece. glue dowel in place for the door stop. Glue and nail top. Countersink any nails and fill with wood filler. Let dry and sand with 150-grit sandpaper. Drill a Wit hole in the top center of the bird's right wing, this will be the cabinet's letch.

BASECOAT

Use the 1° wash and wood sealer to seal the sides, door, cut out bird, and wooden knob. When dry apply / W etc. White Lightning to desired shade. You may want to paint the bird cutout and knob first to see if the main cabinet pieces will match the latch. If necessary a mixture of J. W. etc. White Lightning and Warm White may be used. Sand lightly with 400-grit sandpaper. Base the top and bottom pieces of

the cabinet Wintergreen, using the 1° wash. Use the #6 flat to paint the side of the small bird latch Wintergreen.

STENCILING Although we used the American

Stencils listed in the Paint Roy for this project, we modified the placement of the design elements to best fill the cabinet door space

Refer to the photo and use the design on the pattern packet for placement. Outline lightly where to place the stencil before you start painting. (Be sure to tape off any sections close to the pattern that you will not be stenciling.

Stencil with the lighter colors firstthe leaves, flowers, then the birds. Stencil the leaves Mystic Green; shade with Wintergreen. Stencil the flowers Light Blue: shade with Blue Ripbon Screw bird cutout in place (it must clear the door) and paint the top of screw with J. W. etc. White Lightning

before stenciling Stencil the hummingbird's beak and eye Licorice. Stencil the top of his head and the top of his wings Mustic Green Stencil the feathers and tail Teal, shade with Blue Ribbon. Stencil his throat Masenta and his tummy Wintergreen. Slightly blend the Wintergreen over the Mosenta to achieve a brownish tone Refer to the photograph for blending colors

EASY FINISH Screw wooden knob on door, and

spray with several coats of FolkArt ClearCote Acrylic Sealer Matte Finish This delightful, functional cabinet can house those necessary but not-so-pret-

ty items such as hair diver or steam iron that would otherwise clutter your counterst

Paint Box

Plaid FolkArt Blue Ribbon Light Blue Magenta

Paints:

Warm White Wintergreen Supplies: All pieces are cut from 3/4" pine:

Mystic Green

(2) 121/2" x 81/2" (for top & base) (2) 71/2" x 12" (for sides) (2) 9° x 12° (for back & door) 1/4" dowel, 11/4" long (for stop) 4" x 4" x 1/4" birch ply (for bird latch)

(2) 11/2" brass hinges wooden birch knob 150 & 400-grit sandpapers Delta Hallmark Wood Sealer J.W. etc. White Lightning White Finishing nails

Drill with us" & us" bits Countersink punch Wood filler Transfer paper

Painter's tape (or masking tape) American Traditional Stencils BL-620 Morning Glories BL-578 Morning Glories &

Hummingbird BL-67 Hummingbird To order stencils call-The Stone if Cottor at LODGS 2-STENCH

FolkArt ClearCote Acrylic Sealer Matte Finish Brushes:

Silver Brush Golden

wash, #6 flat Small stencil brushes

an Original Design



Stenciled Cabinet

Accordian File Folder



Paint, Gold Foil & a little creativity transform an ordinary accordion file folder into an elegant holder for your patterns or household paperwork.

PREP STEP

Cut two 121/4" x 101/6" pieces of 16" birch plywood. Sand with 150-grit sandpaper, wipe clean, and seal with wood sealer. Sand again with 400-grit sandpaper, and wipe clean with a tack cloth

BASECOAT

Use the 10" wash to base the front and sides of the wood Butter Cream. Let dry. Using a sea sponge and a mixture of Spice Tan and Plaid FolkArt Extender, spange the wood. While still damp, pick up both Spice Brown and Brown Velvet on the sponge, and sponge over the Spice Tan mixture, creating a blended look. Let dry

STAMPING WITH LEAF PRESSES Use the 16" wash to coat the Plaid

Stamp Decor leaf press with paint. Press lightly on scrap paper to remove some of the excess paint, then press evenly on the surface to be painted. (Be sure to test colors and thickness of paint before stamping on the final

wood piece.) Use different combinations of Timberline Green, Pine Green, Dark Goldenrod and Burgundy Rose on the same press to achieve Autumn colors. Lightly transfer a rough outline of the leaf pattern design from the pattern packet to the front wood piece, or be creative and come up with your own.

ASSEMBLY

Trim the back flap off the file folder. leaving a 1" flap. Glue the 1" flap to the inside the folder. Glue the plywood pieces to each side of the file folder and let dry

Transfer the corner pattern from the pattern packet to all the corners of the plywood. Use the end of a medium brush to dot the neitheads with Brown

Velvet. Let dry completely Use a #0 liner and Plaid Royal Coat Foil Adhesive to outline the leaves and the veins. Use the #6 shader and the adhesive to paint the corners

Following the manufacturers directions, apply Alaid Royal Coat Foil to the adhesive. Seal with the Plaid Royal Coat Foil Sealer. Finish wood pieces with Plaid FolkArt ClearCoat Satin Sealer. Let dry completely:

FASY FINISH Attach gold knob to front. (It will be necessary to file the screw end of the knob slightly so it won't protrud from the other side of the wood.) Drill a W hole in the back piece (centered and approximately 1" down). Thread both ends of the elastic cord into the back and tie in a knot. Loop at front and close. Now you have the perfect snot to file your Wood Strokes & Woodcrafts' patterns!

Paint Box

Paints: Plaid Folkart Burgundy Rose

Spice Brown Butter Cream Spice Tan

Supplies: Globe-Weis Accordion Brand Alphabetical File UPC 19171 No.

1917A (letter size) (2) pieces-121/4" x 101/4" x 1/4" birch plywood (smooth on one side) 150 & 400-grit sandpaper

Graphite paper Plaid FolkArt Extender Plaid Royal Coat Decoupage Foil Kit

Sealer Matte Finish Plaid Stamp Decor #53661-Leaves Demis Products, Inc. 1/s" gold knob

Brushes: Silver Brush

101 wash

An Original Design by Linda Hendry Antioch, CA

www.wood stNADIA

PaPa & Me

You cut the puzzle pieces & your little one paints the masterpiece!



We receive so many letters from grandparents and parents telling us how much they enjoy sharing their love of crafting with their children... Now we bring to you a new project feature to help you build positive memories and treasures to last a lifetime!



CUTTING THE WOOD

Transfer the puzzle pattern from the pattern pocket to a 19" x 10" piece of W- masonite that it is amount on one side. Cut puzzle pieces from the fame, and wood-slue the cut fame, to a 12" x 10" piece of 14" masonite to a 12" x 10" piece of 14" masonite puzzle and be sure to line up the puzzle and be sure to line up the puzzle and the sure to line up the puzzle and the sure to line up the puzzle and the sure to line up the puzzle with the puzzle with 150-services Sind the entire puzzle with 150-services services produces to 11" in the services puzzle with 150-services prodoper prouding comes sistents.

PREPARE FOR PAINTING

Use the 1° wash to base the top and sides of the puzzle frame with Warm White; it will take several coats. Let dry completely between coats.

NOW THEY CAN PAINT!! Now, here is the fun part for your favorite little artist! Be sure to supply a

good round brush and a good variety

of brightly colored acrylic paints. The palette in our Paint Box is a great combination of child-friendly colors. Sit back and watch a masterpiece in the making!

REPRODUCE AN EXISTING DESIGN If your favorite little artist is not available for painting or if you have a particular cherished design you would like reproduced, you can do it yourself.

Take some worn graphite paper and place it over the puzzle. Place a photocopy of the child's art on top of the graphite paper, and trace the design onto the puzzle using a stylus. March the colors to acrylic paint, pretend your a child, and paint!

EASY FINISH

Seal with FolkArt ClearCote Extra Thick Glaze, and let dry completely. Turn puzzle over, and separate pieces. Now you have a piece of your child's history to be tressured for years to come!

Paint Box

Paints:
Plaid Folkart
Calico Red
French Blue
Licorice
Maple Syrup

Shamrock Skintone Sunny Yellow Warm White

Supplies: 12" x 10" x 1/4" masonite (smooth on one side)

12" x 10" x 1/s" masonite (smooth on both side) 150-grit sandpaper Graphite paper

Wood glue Folk Arr ClearCote Extra Thick Glaze Stylus Brushes:

Silver Brush #4 round 1" wash 11/z" foam brush

An Original Design by Linda Hendry

Antioch, CA