

WALTER HALL EXPLORES MODIFYING SLIMLINE PEN KITS

Woodturning

THE WORLD'S LEADING MAGAZINE FOR WOODTURNERS

Adding decoration to your supported forms


Drilling irregular shaped holes

Richard Findley solves common skew chisel problems

In profile: from artist to woodturner – the work of Ted Sokolowski

PROJECTS

- Lighthouse pepper mill
- Make your own lathe stand
- 3 different bowl and platter designs
- London plane bowl using local timbers



SC3 Geared Scroll Chuck Package



Includes:

- SC3** Geared Scroll Chuck (Thread options below)
62313 50 mm Jaw Set
JS25N 25 mm Jaw Set
6025 Mini Step Jaw Set
10006 Woodworm Screw
61016 Pinion Key

Thread Options:

- 61004** 3/4" x 16 TPI
61002 1" x 8 TPI
61005 M33 x 3.5

SC4 Professional Geared Scroll Chuck Package



Includes:

- SC4** Professional Geared Scroll Chuck
62313 50 mm Standard Jaw Set
JSPIN Pin Jaw Set
62833 Standard Woodworm Screw
3326 8 mm Ball Hex Key
62825 Universal Spanner
Chuck Insert (See website for full range of inserts)

New Woodturning Chuck Jaw Range

As part of the design process involved in creating this brand new range, we looked in depth at the ranges of jaws available to today's woodturners. Our aim was to create a new range which allowed for all the flexibility currently on offer whilst also engineering out superfluous features and, where possible, condensing the attributes of some jaw designs to increase their usefulness. The result is a comprehensive range of 14 intelligently designed

sets of chuck jaws, some of which are brand new designs exclusive to Record Power.

This range offers woodturners a definitive collection of jaws to cover virtually any woodturning task and represents unbeatable value for money.



62321 35 mm Standard Jaws
£34.99



62313 50 mm Standard Jaws
£39.99



62329 100 mm Dovetail and Deep Gripper Jaws
£49.99



62317 130 mm Dovetail Jaws
£54.99



62322 75 mm Heavy Bowl and Gripper Jaws
£59.99



62323 Long Nose Jaws
£59.99




62327 Pin Jaws with 9 mm Bore
£49.99



62336 Mini Spigot Jaws with 13 mm Bore
£39.99




62337 Pen Jaws **£29.99**



62572 2 Inch (50 mm) Faceplate Ring
£29.99



62574 4 Inch (100 mm) Faceplate Ring
£36.99



62378 RP Plastic Soft Jaws
£16.99



62356 Remounting Jaws Mini - Up to 200 mm Bowl
£49.99



62376 Remounting Jaws Mega - Up to 295 mm Bowl
£79.99

Prices valid until 31.08.2015. E&OE.



For full details of the brand new range of chucks and jaws please visit the Record Power website or request your free copy of the Spring / Summer 2015 promotional catalogue.



Introducing the Brand New Range of Woodturning Chucks and Jaws

We are extremely proud to introduce the brand new range of Record Power woodturning chucks and jaws. This exclusive new range has been developed using Record Power's extensive experience and knowledge of woodturning in conjunction with a group of highly experienced professional and hobby woodturners, to bring

you the ultimate in quality, versatility and value. Incorporating the best elements of our previous ranges, we have also listened closely to our valued customers over the years and have taken note of their feedback, suggestions and requests to guide our design approach.



Precision Engineered Gears
Super Geared True-Lock™ technology ensures high levels of accuracy to provide smooth and solid operation.



Jaw Fixing System
The SC3 and SC4 feature a jaw fixing which will not only fit the Record Power series of Jaws but is also fully compatible with Nova and Robert Sorby brand jaws.



Heavy Duty Jaw Slides
The improved and enlarged jaw slides give unsurpassed holding power and load bearing ability. They are made from high tensile steel, reinforced with nickel and copper and heat-treated to ensure superior strength.



Sealed Backing Plate with Full Indexing
The SC4 features a strong backing plate to protect the gear mechanism from dust and 72-point indexing around the full circumference.



RECORD POWER
ESTABLISHED 1909®

www.recordpower.co.uk Tel: 01246 571 020

Over
100
years
Experience • Knowledge
Support • Expertise

RECORD POWER
ESTABLISHED 1909

STARTRITE

CORONET

BURGESS

Incorporating some of the most famous brands in woodworking, Record Power have been manufacturing fine tools & machinery for over 100 years. Built to last we provide support for thousands of machines well over 50 years old, which are still in daily use. Testimony to the sound engineering principles and service support that comes with a Record Power product.

WE DIDN'T JUST CREATE A NEW LATHE WE REDEFINED WHAT A LATHE COULD BE



Premium Bowl and Vessel Lathe



**Sweet
16**

Compact Capacity



Ten years ago no one thought a little company in a small town in Wisconsin would be influencing how lathes are made around the world. Innovations like stainless steel ways, standard adjustable height and the patented Tilt-Away are affecting a new generation of woodturners.

But it's not just the lathes. We've even changed how you get yours. You won't find a Robust lathe in a "big box" store. They are only available direct or through our network of woodturning specialists.

Rest assured that when you speak with a Robust representative, you are speaking with someone who knows something about woodturning.

Learn more about us, our lathes and our growing international network of woodturning specialists at www.turnrobust.com.

phil@philironswoodturning.co.uk

www.philirons.com

Tel: 01789 751284

Mr. Phil Irons is our
exclusive UK agent.



ROBUST

Because the
making matters.



Check out all of our great woodturning products and new lathe videos
www.turnrobust.com • Toll Free US: 866-630-1122 • International: 608-924-1133



Clarity of thought



PHOTOGRAPH BY GMC/ANTHONY BAILEY

When buying tools, buy wisely and start with a basic set

As mentioned many times before, I am privy to being party to many conversations, as are many people who attend events and club meetings, etc. and it won't take long before the talk gets round to tools, products and techniques. The conversations can be quite interesting, but I do sometimes feel that people become too focused on such things rather than what they want to make. Mind you, I know of people who have been to six or seven shows last year and didn't get in the workshop to make anything during that time span of the shows combined. I think the balance of seeing, buying and making needs to be looked at a little more closely in those instances. Yes, time is an issue too and I have some stories from people on that subject, which I will tell you another day.

But, overly focusing on one aspect in what is a series of things that should – if all goes well – come together as a whole, can lead to

trouble because you are not able to fully realise the intended result.

Yes, you might need some tools, but in reality probably not as many as you think or might already have. Many people don't realise what can be done with just a few basic tools.

The project might require something you don't have, but it is likely that involves something such as deep hollowing or undercutting work where straight tools won't reach or are not strong enough to withstand the cutting forces without chatter or breaking. Surface decoration might require some new items, but not necessarily what you think. Ask about them, visit shows, but if you do buy something, buy wisely. Think about what you will actually use it for and how and for what project. A friend of mine recently bought a load of specialist tools. They were good quality, fitted their intended purpose, but he doesn't do the kind of work they were intended for and is not sure he will now, but

at the time, he thought they would do other things as well. That is sad and to make it even worse, he didn't realise he hadn't yet got the basic tool setup for the work he did currently do. We laugh about it now, but it was an expensive lesson. I am sure the tools will get used, but not for a while I think.

Tools are a means to an end to help us create that thing we want – they will not make you a better turner. Practice will help you with techniques, but doing something only once in a blue moon does not help you develop those techniques. Techniques and suitable tools are only a part of the whole process – you need to have a clear idea of what you want to make and then get on and do it using the safest working methods possible and analyse mistakes – yes, we all make them – so you know how not to do something again.

Have fun,

markb@thegmcgroup.com



Woodworkers Institute website (www.woodworkersinstitute.com) is thriving. It would be great if you took a look and participated in the various discussions and competitions in our community, or see us on Facebook & Twitter.



Contents

Issue 279 May 2015

COVER IMAGE: See page 54 for our feature on artist turned woodturner, Ted Sokolowski. Photograph by Ted Sokolowski



Projects

- 12 **London plane bowls**
In the first of a series of projects on using your local timbers, Bob Chapman shows how a bowl saver can be used to make two bowls from London plane

- 26 **Lighthouse pepper mill**
Jim Duxbury makes a lighthouse pepper mill

- 39 **Lathe stand**
Robert Wicks shows you how to make a handy bespoke wooden lathe stand

- 60 **Designs for you**
Mark Baker shares three different designs for you to make, this time featuring bowls and platters

Technical

- 19 **Adding decoration to your supported forms**
Mark Sanger further explores developing supports and this month looks at adding decorations to your work

- 33 **Skew chisel problems**
Richard Findley continues his problem solving series and this month looks at skew chisel problems

- 46 **Modifying slimline pen kits**
Walter Hall takes you through the steps for modifying two slimline pen kits

- 64 **What you need to know about creating irregular shaped holes**
Kurt Hertzog shares his top tips for piercing and creating irregular shapes

- 75 **Routing on curved surfaces**
Anthony Bailey and Mark Baker look at making even depth router cuts on curved surfaces

- 84 **Garden trees & shrubs**
In the final part of this series, Dave Bates looks at the common trees and shrubs found in your garden, which can be turned

- 88 **Two-part mirror variations**
Philip Greenwood takes you through the steps for creating a multi-functional mirror on a stand

Community

- 3 **Leader**
Mark Baker talks about buying tools and the importance of starting with just a basic set

- 7 **Community news**
We bring you the latest news from the world of woodturning

- 51 **Next issue**
Find out what's in store for next month



46



NEWS, LATEST PRODUCTS, MAGAZINE UPLOADS & EVENTS

can all be found on www.woodworkersinstitute.com. These all appear on the magazine homepage and you can see a bigger selection by scrolling down the page and clicking on the individual stories. We also have an extensive online archive for you to browse

Subscribers!

Turn to page 44 for subscription special offers and you could save 30%!



Features

54 **Ted Sokolowski in profile**
From artist to woodturner – we look at the work of Ted Sokolowski

71 **In the workshop with... Manfred Diekenbrock**
German woodturner Manfred Diekenbrock tells us about his workshop and turning experiences

78 **The relevance of woodturning**
Rowland Penfold argues the relevance of woodturning, from the past, into the future and why the skill should be passed on to future generations

104 **Featured Artist**
Nick Agar shares a piece with us, whose design reflects the industrious heart of the city of London

Kit & Tools

96 **KIT & TOOLS**
A mixture of press releases showing the latest tools and products on the market. All prices include VAT, and are correct at time of going to press



Conversion chart	
2mm	(⁵ / ₆₄ in)
3mm	(¹ / ₈ in)
4mm	(⁵ / ₃₂ in)
6mm	(¹ / ₄ in)
7mm	(⁷ / ₃₂ in)
8mm	(⁵ / ₁₆ in)
9mm	(¹¹ / ₃₂ in)
10mm	(³ / ₈ in)
11mm	(⁷ / ₁₆ in)
12mm	(¹ / ₂ in)
13mm	(¹ / ₂ in)
14mm	(⁷ / ₁₆ in)
15mm	(³ / ₈ in)
16mm	(⁵ / ₈ in)
17mm	(¹¹ / ₁₆ in)
18mm	(²³ / ₃₂ in)
19mm	(³ / ₄ in)
20mm	(³ / ₄ in)
21mm	(¹³ / ₁₆ in)
22mm	(⁷ / ₈ in)
23mm	(²³ / ₃₂ in)
24mm	(¹⁵ / ₁₆ in)
25mm	(1in)
30mm	(1 ¹ / ₈ in)
32mm	(1 ¹ / ₄ in)
35mm	(1 ³ / ₈ in)
38mm	(1 ¹ / ₂ in)
40mm	(1 ⁵ / ₈ in)
45mm	(1 ³ / ₄ in)
50mm	(2in)
55mm	(2 ¹ / ₈ -2 ¹ / ₄ in)
60mm	(2 ³ / ₈ in)
63mm	(2 ¹ / ₂ in)
65mm	(2 ⁵ / ₈ in)
70mm	(2 ⁷ / ₈ in)
75mm	(3in)
80mm	(3 ¹ / ₈ in)
85mm	(3 ³ / ₈ in)
90mm	(3 ¹ / ₂ in)
93mm	(3 ⁵ / ₈ in)
95mm	(3 ³ / ₄ in)
100mm	(4in)
105mm	(4 ¹ / ₈ in)
110mm	(4 ¹ / ₄ -4 ³ / ₈ in)
115mm	(4 ¹ / ₂ in)
120mm	(4 ³ / ₄ in)
125mm	(5in)
130mm	(5 ¹ / ₈ in)
135mm	(5 ¹ / ₄ in)
140mm	(5 ¹ / ₂ in)
145mm	(5 ³ / ₄ in)
150mm	(6in)
155mm	(6 ¹ / ₈ in)
160mm	(6 ¹ / ₄ in)
165mm	(6 ¹ / ₂ in)
170mm	(6 ³ / ₄ in)
178mm	(6 ⁷ / ₈ in)
180mm	(7in)
185mm	(7 ¹ / ₄ in)
190mm	(7 ¹ / ₂ in)
195mm	(7 ³ / ₄ in)
200mm	(8in)
305mm	(12in)
405mm	(16in)
510mm	(20in)
610mm	(24in)
710mm	(28in)
815mm	(32in)
915mm	(36in)
1015mm	(40in)
1120mm	(44in)
1220mm	(48in)
1320mm	(52in)
1420mm	(56in)
1525mm	(60in)

HEALTH AND SAFETY

Woodturning is an inherently dangerous pursuit. Readers should not attempt the procedures described herein without seeking training and information on the safe use of tools and machines. All readers should observe current safety legislation.

Supporting Pens for Heroes

We are supporting Pens For Heroes.

This group has been set up to give something back to our countries heroes. You can find out about them on their Facebook page.

We will be donating 10% of the proceeds of all pen kits, blanks and tools sold during May 2015.



Pen Kits

Rotur 7mm Brass Tubes	£3.64
Rotur Cigar Pen Bushing Kit	£5.40
Rotur Cigar Chrome Kit	£8.38
Rotur Cigar Gold Kit	£8.38
Rotur Fountain/Rollerball Bushing Kit	£5.40
Rotur Fountain Pen Gold Kit	£10.09
Rotur Premium Twist Pen Kits	£17.10
Rotur Rollerball Gold Pen Kits	£10.40
Rotur Rollerball Twist Pen Kits	£16.78
OWT Pen Kit (single pen pack)	£4.80
OWT Pen Kit (5 pen pack)	£22.00
OWT Pen Kit Bushes	£5.84

Pen Turning Tools

Rotur Deluxe Colleted Pen Mandrels	£37.50
Rotur Deluxe Pen Turning Kit	£77.94
Olivers Pen Turning Kit Deal	£135.00
Pen Blank Vice – Centring	£68.10
Pen Blank Trimming Tool	£16.20
Pen Blank Trimming Tool Kit	£32.10
Pen Insertion Tool – Soft Handle	£10.39
Pen Insertion Tool – Wood Handle	£13.14
Rotur Pen Press	£53.95
Rotur Pen Turning Kits	£65.82
Rotur Universal Pen Mandrel	£27.60



Wood Pen Blanks

Ash	£4.72	Catello Boxwood	£10.92
Maple	£6.84	Satin Wood	£17.22
English Walnut	£9.44	Indian Rosewood	£17.22
Olive Wood	£14.63	Spalted Beech	£11.96
Rapallo Lacewood	£11.96	Bog Oak	£20.36
Birch	£6.60	Nicaraguan Cocobola	£16.96

Acrylic Pen Blanks



Chestnut Products
£3.75 each

Brody's Blanks



Pen blanks made by our
forum member Brody.
£4.80 each

Request your Free Catalogue

Our catalogue is now ready.
If you would like a copy posted to you
please contact us or visit the
website to view the online version.

Round & about

We bring you the latest news from the world of woodturning as well as letters from the Woodworkers Institute forum and important dates for your diary from the woodturning community

Building global woodturning alliances

Twinning towns and cities is a relatively well-known model used to promote exchange of ideas, comradeship, understanding and progress internationally. Pairing woodturning clubs across the globe can have similar benefits, as well as help enhance knowledge, expertise and collaboration among club members. Through these alliances, woodturning organisations can examine their strengths and weaknesses and explore their similarities and differences.

Beneficial partnerships

Successful international relationships between clubs are often facilitated through mutual contacts in the woodturning realm, such as an instructor or demonstrator who believes that synergies may exist between the two groups. Then, it's up to the individual clubs to determine whether the match is truly a fit, if they have similar ideals, views, goals, etc. To formalise the arrangement, it is recommended that the associating clubs define their objectives and seek their club's board approval.

In 2014, the Central Oklahoma Woodturners Association, USA and the Cheam Woodturners Association, UK, launched a sister partnership. They regularly exchange newsletters and information, mention one another on their respective websites, convene Skype meetings, trade DVDs of demonstrations, share member questions and queries, host international demonstrators and visitors and even swap wood. Based on mutual cooperation and



Michael Reggio, representing the Central Oklahoma Woodturners Association, USA and David Buskell, of the Cheam Woodturners Association, South London/North Surrey, UK

sharing, their innovative relationship is strengthening the woodturning community worldwide.

Last June, members of both clubs had their first opportunity to meet face to face at the AAW's 28th International Symposium in Phoenix, Arizona. Pictured are Michael Reggio, representing the Central Oklahoma Woodturners Association, USA and David Buskell, of the Cheam Woodturners Association, South London/North Surrey, UK.

AAW's Annual International Symposium

The Annual International Symposium can be an ideal venue for establishing meaningful global woodturning alliances for your club. You'll be able to tap into a vast community that shares a passion for woodturning and be able to establish connections across the globe.

The symposium offers three and a half days of classroom-type demonstrations and panel discussion, which are led by internationally known woodturners, veteran instructors and expert woodturning talent. The event will have something for turners of all expertise levels and interests. The list of learning topics

is extensive – from classic bowl turning, to surface carving and embellishment, to segmented turning, to spindle turning, to hollow vessels. A variety of special interest groups convene at the symposium, including segmented, ornamental, pen, multi-axis, women, disabled and youth turners. The conference features awe-inspiring exhibitions, galleries, an artist showcase and a huge trade show packed with the newest woodturning products and supplies. No other event offers the quality and breadth of programming like the AAW. What's more, the AAW's culture of cooperation, camaraderie and sharing will help you to gain knowledge and relationships that will last a lifetime, thereby strengthening you and your club and the global woodturning community.

AAW's 29th Annual International Symposium will be held in Pittsburgh, Pennsylvania, from 25–28 June, 2015. For more information, see details below.

Contact: AAW

Tel: (001) 877 595 9094

Web: www.woodturner.org



David Ellsworth provides an intimate critique in the AAW Symposium's Instant Gallery

Woodturner raises over £50,000 for charity

Andrew Stockdale was once told by a local woodworker he would never be able to handle making turned table lamps. Andrew has since gone beyond proving them wrong, making so far, £51,000 from his turnings. And this is all since retirement, giving all of the money raised to various local charities.

Andrew's primary chosen charities are the Royal Infirmary of Edinburgh, Heart Disease Research Trust Cardiac Appeal and Coldstream Health Centre Endowment Fund.

Absolutely every turning Andrew does goes towards making money for the charities.

It has got to a point now when Andrew gets so many commissions, he doesn't even need to advertise!

Having started off his woodworking career as a joiner, and after retirement having bought a lathe, Andrew has estimated he can raise around £8,000 a year from selling his turnings. Selling his standard lamps at around £150 and his bowls for between £25-£50, Andrew makes roughly £100 for each four items sold.


We asked Andrew why he chose the

charities he did and he told us how he had had major heart surgery 19 years ago, when the usual life expectancy after such an operation is 10 years. He tells us: "They have looked after me so well ever since, I just want to give back."

Looking toward raising money for the Coldstream Health Centre, Andrew told us that seven years ago he had a relapse and a speedy referral from the Health Centre to the cardiac unit, once again, saved his life. Again, Andrew is giving back to a charity that has helped him through tough times.

It's not just these two charities that Andrew has raised money for. He has also sold his turnings for a local cancer research charity and Macmillan Cancer Support. Recently, he has raised £2,000 to help fund a new set of doors for Braxton Church. The doors commemorate the 500th anniversary of the historic Battle of Flodden, which took place near the church.

We hope to hear more about his turning sales. Congratulations, Andrew, on your wonderful and inspirational achievement.



PHOTOGRAPH COURTESY OF ANDREW STOCKDALE

Andrew Stockdale with one of his turnings for charity

Isca Woodcrafts' 10th anniversary Wood Show

Isca Woodcrafts is once again hosting its popular woodworking show on 16 May, 2015 at Newport's magnificent Tredegar House. The business is also celebrating its 10th anniversary, thus making it a very special year.

The Wood Show takes place in the 17th-century stable block and courtyard, which is minutes away from the shop and will run from 10am-4pm. Entry is free but car parking charges will apply within the grounds.

For 2015, the company intend to keep the same ethos, putting emphasis on showcasing woodworking techniques and skills to encourage more people into woodcrafts.

Local clubs will be on hand to pass on valuable help and advice to all.

As always, the show will be supported by The British Woodcarvers – South Wales Branch – and Crow Valley Woodturners will be representing the AWGB. The South Wales Stick Makers Association will also be carving and answering questions.

In among that you can also expect to see fretsaw work, pyrography, furniture making, knife handles, lovespoons and musical instrument craftsmen and women.

Isca Woodcrafts will have a large selection of wood in both board and blank form, plus a range of exotic hardwoods. The shop will

open all day and the General Tool Store of Abergavenny and Ross will once again be selling their interesting array of wares. If you missed Newport Model Engineers last year, then they have also just confirmed.

For enquiries and to find out more about this year's event, contact Paul Roberts by seeing the details below.

When: 16 May, 2015

Where: Tredegar House, Newport, Monmouthshire, Wales NP10 8YW

Contact: Paul Roberts

Tel: 01633 810 148

Web: www.iscawoodcrafts.co.uk



Sycamore (*Acer pseudoplatanus*) sculpture with abstract marbling, by georg



'Pot of Gold MK III', 240 x 110mm, by edbanger



Pepper mill in bubinga (*Guibourtia demeusei*), by guido512

German Woodturning Exhibition 2015

In May, 2015 there is an opportunity to see great German woodturning at the Fifth German International Woodturning Exhibition. This year it will be sponsored by the woodturning association Weser-Elbe. Not only will there be a range of international demonstrators, but also first-class German demonstrators whose skills are not often seen outside Germany. It is an international family reunion, an exhibition with the latest technology products from the world of woodturning and last, but not least, a competition for the most beautiful works of art.

This year's show will take place in northern Germany about 100km south of Hamburg. The previous show was in Bavaria in 2013. Details of this event, in German, can be seen at www.dft-2013.de.

Contact: 16–17 May, 2015

Where: Heidemark-Halle, Soltauer Straße 39, 29683 Bad Fallingb., Germany

Web: www.dft-2015.de – please note this site is in German only, although Google translate may help

Umbrella stand

Hi Mark and Philip,
My name is Alison Drayton and I have been turning for a few years after being encouraged to do so by my husband, who is also a woodturner. We are members of our local woodturning guild, have been receiving *Woodturning* magazine for a number of years and find it a valuable source of information.

I have just completed the umbrella stand, which was featured in issue number 275 – see photo attached. I found the instructions and diagrams very informative and really enjoyed making it.

Thank you,
Alison Drayton

Alison's umbrella stand, which Philip Greenwood made in issue 275



PHOTOGRAPH BY ALISON DRAYTON

Your workshop

Hi Mark,
My workshop is a converted garden shed, about 3.6 × 2.4m, which is completely given over to a woodturner's workshop and in which I spend a great proportion of my time. Apart from my lathe, key essentials in the workshop are bandsaw, pillar drill, air cleaning equipment, safety helmet and radio – with volume set to a balance between being able to hear it when the lathe is running and not disturbing the neighbours. The key essential outside the workshop has proved to be a wife who understands that, however hard I try to get the dust and shavings off hair, shirt, jeans and shoes, some will inevitably get in the house.

Best regards,
Richard Shock



Richard's workshop, where he spends a lot of his free time!

PHOTOGRAPH BY RICHARD SHOCK

New manufacturer for OptiGrind wheels

We have just received confirmation that Dietmar Holzer has found a new manufacturer for his OptiGrind wheels – Branko Dragan s.p. The company is situated in Austria and previously produced the CBN coating for the wheels. They will take over the whole production process, completely unaltered, from blank to corrosion proofing and precision balancing.

Dietmar says the two companies have worked successfully together for several years and were able to develop the OptiGrind wheels further in

close cooperation, much to their mutual success.

The company will also continue to sell the following items, much sought after by woodturners: HoneStar; DS 3T1, tapered file with red handle; DS 3T2, tapered file, half round; DS HRS, half round file with clip and the T-Bar dressing tool. In terms of the nutmeg kits, they will continue to be manufactured and sold as normal. For further information, see details below.

Contact: Branko Dragan s.p.
Tel: +386 40 698 460



'Zeta' pen made using berberis (*Berberis aristata*) branch, by Walter Hall

Flamed beech (*Fagus sylvatica*) hollow form, inspired by the work of Ray Key, by Mark Sutton

ERRATUM

In issue 277, in Terry Mc.Donald's beer mug article, on page 89.

Unfortunately, the formula was not correctly printed and should have given the Greek symbol as $\bar{O}$. The correct formula should be: $V = 3.142 \times r^2 \times h$. Apologies for this error and we hope you enjoy the article

NEW STORE
SALFORD
NOW OPEN

Machine Mart

NOW 65 SUPERSTORES NATIONWIDE

WHERE QUALITY COSTS LESS

Clarke
TABLE SAWS
CTS10D

LEG STANDS AVAILABLE FOR CTS11 & CTS10D
£22.99 EX VAT
£27.59 INC VAT

FROM ONLY
£69.98 EX VAT
£83.98 INC VAT



MODEL	MOTOR	BLADE	EX VAT	INC VAT
CTS800B	600w	200mm	£69.98	£83.98
CTS11*	1500w	254mm	£139.98	£167.98
CTS10D	1500w	254mm	£149.98	£179.98

*Moulded base

INCLUDES LEFT & RIGHT EXTENSION TABLE

Clarke
4" BELT/ 6" DISC SANDER

- Dust extraction facility
- 4" x 36" belt tilts & locks 0-90°
- 225mm x 160mm table, tilts 0-90°
- 370w, 230v motor

CS4-6D
FROM ONLY
£84.99 EX VAT
£101.99 INC VAT



Clarke
6" BELT/ 9" DISC SANDER

- Includes stand
- 1 Hp/ 230v/ 1ph motor

CS6-9C
FROM ONLY
£199.90 EX VAT
£238.90 INC VAT



Clarke
1" BELT & 5" DISC SANDER

- Inc. 2 tilt/lock tables and mitre gauge
- 300w motor

CBS1-5
FROM ONLY
£59.98 EX VAT
£71.98 INC VAT



Clarke **MULTI FUNCTION TOOL WITH ACCESSORY KIT**

- Great for sawing, cutting, sanding, polishing, chiselling & much more
- 250w motor
- Variable speed



CMFT250
FROM ONLY
£34.99 EX VAT
£41.99 INC VAT

Clarke **BANDSAWS**

- HUGE RANGE IN CATALOGUE & ONLINE
- CBS250 INCLUDES STAND



MODEL	MOUNT	MOTOR	THROAT	EX VAT	INC VAT
CL CBS190	Bench	350w	190mm	£109.98	£131.98
CL CBS250	Floor	370w	245mm	£179.98	£215.98

Clarke **INDUSTRIAL ELECTRIC FAN HEATERS**

- Rugged fan heaters for small to medium sized premises
- Tough steel cabinet
- Adjustable heat output with thermostat

MODEL	HEAT OUTPUT	EX VAT	INC VAT
Devil 6002	0.7-2kW	£37.99	£45.99
Devil 6003*	1.5-3kW	£49.98	£59.98
Devil 6005	2.5-5kW	£74.99	£89.99
Devil 6009	4.5-9kW	£129.98	£155.98
Devil 6015	5-10-15kW	£189.98	£227.87

Clarke **CORDESS DRILL/DRIVERS**

- No load disc speed: 1490rpm
- 305mm Disc Diameter (1 x 60 grit sanding disc included)
- Dimensions (LWH): 440x437x386mm
- Weight: 28kg

MODEL	HEAT OUTPUT	EX VAT	INC VAT
Devil 6002	0.7-2kW	£37.99	£45.99
Devil 6003*	1.5-3kW	£49.98	£59.98
Devil 6005	2.5-5kW	£74.99	£89.99
Devil 6009	4.5-9kW	£129.98	£155.98
Devil 6015	5-10-15kW	£189.98	£227.87

Clarke **CORDLESS DRILL/DRIVERS**

- 10mm chuck size
- 2 Speed, Variable control - 0-350/0-1250rpm
- 21 torque settings

MODEL	VOLTS	BATTS	EXC. VAT	INC VAT
CCD180	18v	1	£34.99	£41.99
CCD240	24v	1	£39.98	£47.98
Bosch PSR18	18v	1	£49.98	£59.98

Clarke **DRILL BIT SHARPENER**

- Great for 3mm to 10mm HSS drill bits
- 70W motor
- Drill bit guide ensures sharpening at the correct angle
- Saves cost of new drills

MODEL	WATT	M/MIN	EX VAT	INC VAT
Clarke BS1	900w	380	£29.98	£35.98
Clarke CBS2	1200w	480	£69.98	£83.98
Makita 9911	650w	75-270	£94.99	£113.99

Clarke **BISCUIT JOINER**

- 860W Motor
- 11000rpm Operating Speed
- 14mm Cutting Depth

MODEL	WATT	M/MIN	EX VAT	INC VAT
Clarke BS1	900w	380	£29.98	£35.98
Clarke CBS2	1200w	480	£69.98	£83.98
Makita 9911	650w	75-270	£94.99	£113.99

Clarke **PORTABLE THICKNESSER**

- Max thickness capacity 130mm
- Planing depths adjustable from 0-2.5mm
- Powerful 1250w motor
- 8000rpm no-load speed

MODEL	WATT	M/MIN	EX VAT	INC VAT
Clarke BS1	900w	380	£29.98	£35.98
Clarke CBS2	1200w	480	£69.98	£83.98
Makita 9911	650w	75-270	£94.99	£113.99

Clarke **PLANERS & THICKENERS**

- Ideal for DIY & Hobby use
- Dual purpose, for both finishing & sizing of timber (CP-6 planer only)

MODEL	MOTOR	MAX THICK. CAPACITY	EXC. VAT	INC. VAT
CP-6	1100w	150w	£139.98	£167.98
CPT600	1250w	120mm	£169.98	£203.98
CPT800	1250w	120mm	£189.98	£227.98
CPT1000	1500w	120mm	£269.98	£323.98

Clarke **POWER PLANERS**

- 82mm cutting width

MODEL	INPUT	DEPTH	EXC. VAT	INC. VAT
Clarke CEP1	650w	2mm	£21.99	£26.39
Einhell RT - PL82	850w	3mm	£49.98	£59.98
B&D KW750K - GB	750w	2mm	£57.99	£69.99

Clarke **DISC SANDER (305MM)**

- Powerful, bench mounted disc sander • 900W
- No load disc speed: 1490rpm
- 305mm Disc Diameter (1 x 60 grit sanding disc included)
- Dimensions (LWH): 440x437x386mm
- Weight: 28kg

MODEL	HEAT OUTPUT	EX VAT	INC VAT
Devil 6002	0.7-2kW	£37.99	£45.99
Devil 6003*	1.5-3kW	£49.98	£59.98
Devil 6005	2.5-5kW	£74.99	£89.99
Devil 6009	4.5-9kW	£129.98	£155.98
Devil 6015	5-10-15kW	£189.98	£227.87

Clarke **CONTRACTOR 18V PRO CORDLESS DRILL/DRIVERS**

- 10mm chuck size
- 2 Speed, Variable control - 0-350/0-1250rpm
- 21 torque settings

MODEL	VOLTS	BATTS	EXC. VAT	INC VAT
CCD180	18v	1	£34.99	£41.99
CCD240	24v	1	£39.98	£47.98
Bosch PSR18	18v	1	£49.98	£59.98

Clarke **SHEET SANDERS**

- 110v in stock

MODEL	SHEET SIZE	MOTOR	EX VAT	INC VAT
CON300	190x90mm	150w	£12.99	£15.59
CON500	230x115mm	330w	£29.98	£35.98
Makita 80455	112x102mm	200w	£54.99	£65.99

Clarke **1000MM VARIABLE SPEED WOOD LATHE**

- Large 350mm turning capacity
- Variable speed
- Lockable tailstock
- High quality cast iron build

MODEL	WATT	M/MIN	EX VAT	INC VAT
Clarke BS1	900w	380	£29.98	£35.98
Clarke CBS2	1200w	480	£69.98	£83.98
Makita 9911	650w	75-270	£94.99	£113.99

Clarke **13" MINI WOOD LATHE**

- Ideal for enthusiasts/hobbyists with small workshops
- 325mm distance between centres
- 200mm max. turning capacity (dia)
- 0.2Hp motor

MODEL	WATT	M/MIN	EX VAT	INC VAT
Clarke BS1	900w	380	£29.98	£35.98
Clarke CBS2	1200w	480	£69.98	£83.98
Makita 9911	650w	75-270	£94.99	£113.99

Clarke **WOODWORKING LATHES**

- 3 PCE CHISEL SET INCLUDED WITH CWL1000

MODEL	CENTRE TO TURNING CENTRE (mm)	TURNING CAP.	EX VAT	INC VAT
CWL1000	1016	350mm	£114.99	£137.99
CWL1200	940	305mm	£189.98	£227.98

Clarke **BOLTLESS SHELVING BENCHES**

- Simple fast assembly in minutes using only a hammer

MODEL	SHELF DIMS WxDxH (mm)	EX VAT	INC VAT
150kg	800x300x1500	£29.98	£35.98
350kg	900x400x1800	£49.98	£59.98

Clarke **WOODWORKING LATHES**

MODEL	CENTRE TO TURNING CENTRE (mm)	TURNING CAP.	EX VAT	INC VAT
CWL1000	1016	350mm	£114.99	£137.99
CWL1200	940	305mm	£189.98	£227.98

Clarke **WET & DRY VACUUM CLEANERS**

- A range of compact, high performance wet & dry vacuum cleaners for use around the home, workshop, garage etc.

MODEL	MOTOR	BLADE	EX VAT	INC VAT
CTS800B	600w	200mm	£69.98	£83.98
CTS11*	1500w	254mm	£139.98	£167.98
CTS10D	1500w	254mm	£149.98	£179.98

Clarke **STATIC PHASE CONVERTERS**

- Run big 3 phase woodworking machines from 1 phase supply
- Variable output power to match HP of motor to be run

MODEL	MOTOR	WET/DRY	EX VAT	INC VAT
CVAC20P	1250W	16/12ltr	£47.99	£57.99
CVAC20SS*	1400W	16/12ltr	£59.98	£71.98
CVAC25SS*	1400W	19/17ltr	£64.99	£77.99
CVAC30SS*	1400W	24/21ltr	£86.99	£104.39

Clarke **TABLE SAW**

- Powerful 1800W Motor
- 5700rpm No Load
- Speed
- Laser Guide for accurate cutting
- With folding legs and wheels
- Large 930 x 640mm Table

MODEL	MAX. MOTOR HP	FUSE	EX VAT	INC VAT
PC20	2Hp	10amps	£229.00	£274.80
PC40	3.5Hp	20amps	£269.00	£322.80
PC60	5.5Hp	32amps	£319.00	£382.80

Clarke **13" MINI WOOD LATHE**

- Ideal for enthusiasts/hobbyists with small workshops
- 325mm distance between centres
- 200mm max. turning capacity (dia)
- 0.2Hp motor

MODEL	WATT	M/MIN	EX VAT	INC VAT
Clarke BS1	900w	380	£29.98	£35.98
Clarke CBS2	1200w	480	£69.98	£83.98
Makita 9911	650w	75-270	£94.99	£113.99

Clarke **1000MM VARIABLE SPEED WOOD LATHE**

- Large 350mm turning capacity
- Variable speed
- Lockable tailstock
- High quality cast iron build

MODEL	SHEET SIZE	MOTOR	EX VAT	INC VAT
CON300	190x90mm	150w	£12.99	£15.59
CON500	230x115mm	330w	£29.98	£35.98
Makita 80455	112x102mm	200w	£54.99	£65.99

Clarke **13" MINI WOOD LATHE**

- Ideal for enthusiasts/hobbyists with small workshops
- 325mm distance between centres
- 200mm max. turning capacity (dia)
- 0.2Hp motor

MODEL	WATT	M/MIN	EX VAT	INC VAT
Clarke BS1	900w	380	£29.98	£35.98
Clarke CBS2	1200w	480	£69.98	£83.98
Makita 9911	650w	75-270	£94.99	£113.99

Clarke **WOODWORKING LATHES**

- 3 PCE CHISEL SET INCLUDED WITH CWL1000

MODEL	CENTRE TO TURNING CENTRE (mm)	TURNING CAP.	EX VAT	INC VAT
CWL1000	1016	350mm	£114.99	£137.99
CWL1200	940	305mm	£189.98	£227.98

Clarke **BOLTLESS SHELVING BENCHES**

- Simple fast assembly in minutes using only a hammer

MODEL	SHELF DIMS WxDxH (mm)	EX VAT	INC VAT
150kg	800x300x1500	£29.98	£35.98
350kg	900x400x1800	£49.98	£59.98

Clarke **WOODWORKING LATHES**

MODEL	CENTRE TO TURNING CENTRE (mm)	TURNING CAP.	EX VAT	INC VAT
CWL1000	1016	350mm	£114.99	£137.99
CWL1200	940	305mm	£189.98	£227.98

Clarke **RANDOM ORBITAL SANDER**

- For sanding & polishing
- 125mm diameter sanding discs
- 4000-11000 opm

MODEL	WATTS/ EXC. VAT	INC. VAT
CDP5EB	350/5	£59.98
CDP101B	245/5	£79.98
CDP151B	300/5	£106.99
CDP10B	370/12	£169.98
CDP301B	510/12	£199.98
CDP451F	510/12	£2

Clarke **MORTISING MACHINE** CBM18

Accurately creates deep square recesses • Table size 150 x 340mm • Maximum chisel cap 76mm • Robust cast iron base & column ensures stability & accuracy • 95mm depth of cut

"It is fast and accurate with a good solid feel... Excellent value for money, I'm really pleased with it." See www.machinemart.co.uk

CHISELS AVAILABLE FROM £7.99 EX VAT £9.99 INC VAT

£144.99 EX VAT £173.99 INC VAT



visit machinemart.co.uk

FOR OVER **15,000** PRODUCTS

INCLUDING NEW **Xtra** SPECIALIST PRODUCTS

CLICK & COLLECT

NEW 500 PAGE CATALOGUE

over **1500** PRICE CUTS & NEW PRODUCTS

Machine Mart

NEW STORES

CLICK & COLLECT

over 1500 FACTORY SHED NEW PRODUCTS

GET YOUR FREE COPY NOW!

- IN-STORE
- ONLINE
- PHONE

0844 880 1265

Clarke **WOODWORKING VICES**

Record vv7

MODEL	MOUNTING	JAW (WIDTH/OPENING/DEPTH)mm	EXC.VAT	INC.VAT
Clarke	Bolted	150/152/61	£13.49	£16.19
CHT152	Clamped	72/60/40	£16.99	£20.39
Stanley	Clamped	75/50/32	£18.99	£22.79
Record V75B	Bolted	180/205/78	£24.99	£29.99

Clarke **10" SLIDING MITRE SAW**

• For fast, accurate cross, bevel & mitre cutting in most hard & soft woods

• 1800w motor

• Laser guide

£129.99 EX VAT £155.99 INC VAT

CMS10S2

MITRE SAWS

Makita

TH-SM 2534

Quality Range of Mitre saws and blades available

MODEL	BLADE DIA	MAX CUT BORE (mm)	DEPTH/CROSS	EX. VAT	INC. VAT
Inhell	210/30	55/120mm	£54.99	£65.99	
TH-MS 2112	210/25.4	60/200mm	£119.98	£143.98	
Fury 3	250/30	75/340mm	£159.98	£191.98	
Inhell	260/30	95/130mm	£199.98	£239.98	
TH-SM2534					
Makita					
LS1040					

Clarke **DUST EXTRACTOR/CHIP COLLECTORS**

£19.98 EX VAT £143.99 INC VAT

METABO ALSO AVAILABLE

• Powerful 750w motor

• 56 litre bag capacity

• Flow rate of 850M3/h

MODEL	MOTOR	FLOW RATE	BAG CAP.	EX VAT	INC VAT
CDE35B	750w	850 M3/h	56Ltrs	£119.98	£143.98
CDE7B	750w	850 M3/h	114Ltrs	£139.98	£167.98

Clarke **QUALITY CAST IRON STOVES**

20 GREAT STYLES IN STOCK

FLUES, COWLS & ACCESSORIES IN STOCK

POT BELLY

PRICE CUT

£89.98 EX VAT £107.99 INC VAT

11.8kW

BARREL

£209.99 EX VAT £250.80 INC VAT

6.9kW

Clarke **WHETSTONE SHARPENER** CWS200

• Produces accurate razor sharp cutting edges on chisels, scissors, tools etc

• 120w motor

• Grinding disc 200mm

• Wet bath • Leather honing wheel

£109.98 EX VAT £131.98 INC VAT

Clarke **MITRE SAW STAND**

CFMSS1

• Suitable for most sizes/makes of saw

• Inc. outriggers & rollers

£64.99 EX VAT £77.99 INC VAT

Clarke **ROTARY TOOL KIT**

CRT40

£29.98 EX VAT £35.98 INC VAT

Kit includes:

- Height adjustable stand with clamp
- Rotary tool
- 1m flexible drive
- 40x accessories/consumables

Clarke **DUST EXTRACTOR** CDE1000

• 50 litre tank capacity

• 183 m³/h flow rate

• 1000W input wattage

OTHER MODELS AVAILABLE

£99.98 EX VAT £119.98 INC VAT

Clarke **CIRCULAR SAWS**

• Great range of DIY and professional saws • Ideal for bevel cutting (0-45°)

CON185

*Includes laser guide

MODEL	MOTOR	MAX CUT 90/45 (mm)	EXC.VAT	INC.VAT
Clarke CCS185B	1200W	65/44	£34.99	£41.99
Clarke CCS2	1300W	60/45	£59.98	£71.98
Clarke CON185*	1600W	60/40	£59.98	£71.98

airmaster **TURBO AIR COMPRESSORS**

• Superb range ideal for DIY, hobby & semi-professional use

HUGE RANGE OF AIR TOOLS IN STOCK

CLARKE 9MM AIR HOSE FROM ONLY £5.99 EX VAT £7.19 INC VAT

£79.99 EX VAT £95.99 INC VAT

8/250

Clarke **DOVETAIL JIG**

• Simple, easy to set up & use for producing a variety of joints • Cuts work pieces with a thickness of 8-32mm • Includes a 1/2" comb template guide & holes for bench mounting

CDTJ12

Router not included

£54.99 EX VAT £65.99 INC VAT

WAS £71.98 INC VAT

Clarke **6" BENCH GRINDER WITH SANDING BELT**

• For sanding/shaping wood, plastic & metal

• Supplied with coarse grinding wheel & sanding belt

CBG6SB

£49.98 EX VAT £59.98 INC VAT

Clarke **BENCH GRINDERS & STANDS**

• Stands come complete with bolt mountings and feet anchor holes

6" & 8" AVAILABLE WITH LIGHT

STAND AVAILABLE FROM ONLY £41.99 EX VAT £50.39 INC VAT

£27.99 EX VAT £33.99 INC VAT

CBG8W features 8" whetstone & 6" drystone

With sanding belt

MODEL	DUTY	WHEEL DIA.	EX VAT	INC VAT
CBG6RP	DIY	150mm	£27.99	£33.99
CBG6RZ	PRO	150mm	£37.99	£45.99
CBG6RSC	HD	150mm	£47.99	£57.99
CBG6SB#	PRO	150mm	£49.98	£59.98
CBG6RWC	HD	150mm	£54.99	£65.99
CBG8W (wet)	HD	150/200mm	£55.99	£67.19

Clarke **HARDWOOD WORKBENCH**

• Includes bench dogs and guide holes for variable work positioning • 2 Heavy Duty Vices

• Large storage draw • Sunken knot trough

• LxWxH 1520x620x855mm

CHB1500

£129.98 EX VAT £155.98 INC VAT

Clarke **TABLE SAW WITH EXTENSION TABLES (250mm)** CTS14

• Ideal for cross cutting, ripping, angle and mitre cutting

• Easy release/locking mechanism for table extensions • 0-45° tilting blade • Cutting depth: 72mm at 90° / 65mm at 45° • 230V/50Hz, Motor: 1800W, max cut speed: 4700rpm

Shown with optional leg kit CLK5 £22.99 exc.VAT £27.59 inc.VAT

£119.98 EX VAT £143.98 INC VAT

Clarke **ROUTERS**

BOSCH

CR1C

DIY

MODEL	MOTOR (W)	PLUNGE (mm)	EX VAT	INC VAT
CR1C*	1200	0-50	£39.98	£47.98
Bosch	1400	0-55	£74.99	£89.99

POF1400ACE

ACCESSORIES IN STOCK

Clarke **ROUTER TABLE** CRT-1

Router not included

£56.99 EX VAT £68.39 INC VAT

• Converts your router into a stationary router table • Suitable for most routers (up to 155mm dia. Base plate)

Clarke **CR2 ROUTER**

£109.98 EX VAT £131.98 INC VAT

• Powerful heavy duty machine ideal for trade use

• Variable speed control from 7,400-21,600 rpm • 2100w motor • 0-60mm plunge depth, CR3 Router with 15 Piece Bit Set also available only £94.99

£113.99

INCLUDES 15 PIECE SET WORTH OVER £20

Clarke **5PC FORESTNER BIT SET**

• Contains 15, 20, 25, 30 & 35mm bits • Titanium nitride coated for improved cutting finish

CHT365

£9.98 EX VAT £11.98 INC VAT

VISIT YOUR LOCAL SUPERSTORE OPEN MON-FRI 8.30-6.00, SAT 8.30-5.30, SUN 10.00-4.00 *NEW STORE

BARNESLEY Pontefract Rd, Barnsley, S71 1EZ	01226 732297	EXETER 16 Trusham Rd, EX2 8QG	01392 256 744	MIDDLESBROUGH Mandale Triangle, Thornaby	01642 677881
B'HAM GREAT BARR 4 Birmingham Rd.	0121 358 7977	GATESHEAD 50 Lobbey Hill Rd, NE8 4YJ	0191 493 2520	NORWICH 282a Heigham St, NR2 4LZ	01603 766402
B'HAM HAY MILLS 1152 Coventry Rd, Hay Mills	0121 7713433	GLASGOW 280 Gt Western Rd, G4 9EJ	0141 332 9231	NOTTINGHAM 211 Lower Parliament St.	0115 956 1811
BOLTON 1 Thynne St, BL3 6BD	01204 386799	GLoucester 221A Barton St, GL1 4HY	01452 417 948	PETERBOROUGH 417 Lincoln Rd, Millfield	01733 311770
BRADFORD 105-107 Manningham Lane, BD1 3BN	01274 390862	GRimsby ELLIS WAY, DN32 9BD	01472 354435	PLYMOUTH 58-64 Embankment Rd, PL4 9HY	01752 254050
BRIGHTON 122 Lewes Rd, BN2 3QB	01273 915989	HULL 8-10 Holderness Rd, HU9 1EG	01482 223161	POOLE 137-139 Bournemouth Rd, Parkstone	01202 717913
BRISTOL 1-3 Church Rd, Lawrence Hill, BS5 9JJ	0117 835 1060	ILFORD 746-748 Eastern Ave, IG2 7HU	0208 518 4286	PORTSMOUTH 277-283 Copnor Rd, Copnor	023 9265 4777
BURTON UPON TRENT 124 Lichfield St, DE14 3QZ	01283 564 708	IPSWICH Unit 1 Ipswich Trade Centre, Commercial Road	01473 212523	PRESTON 53 Blackpool Rd, PR2 6BU	01772 703263
CAMBRIDGE 181-183 Histon Road, Cambridge, CB4 3HL	01223 326275	LEEDS 227-229 Kirkstall Rd, LS4 2AS	0113 231 0400	SHEFFIELD 453 London Rd, Heeley, S2 4HJ	0114 258 0831
CARDIFF 44-46 City Rd, CF24 3DN	029 2046 4421	LEICESTER 69 Melton Rd, LE4 6PN	0116 261 0688	SIDCUP 13 Blackfen Parade, Blackfen Rd.	0208 3042069
CARLISLE 85 London Rd, CA1 2LG	01228 591666	LINCOLN Unit 5, The Pelham Centre, LN5 8HG	01522 543 036	SOUTHAMPTON 516-518 Portsmouth Rd.	023 8055 7788
CHELSEA 84 Fairview Road, GL52 2EH	01242 514 042	LONDON CATFORD 289/291 Southend Lane SE6 3RS	0208 695 5684	SOUTHEND 1139-1141 London Rd, Leigh on Sea	01702 483 742
CHESTER 43-45 St. James Street, CH1 3EY	01244 311258	LONDON 6 Kendal Parade, Edmonton N18	020 8803 0861	STOKE-ON-TRENT 382-396 Waterloo Rd, Hanley	01782 287321
COLCHESTER 4 North Station Rd, CO1 1RE	01206 762831	LONDON 503-507 Lea Bridge Rd, Leyton, E10	020 8558 8284	SUNDERLAND 13-15 Ryhope Rd, Grangetown	0191 510 8773
CONVENTRY Bishop St, CV1 1HT	024 7622 4227	LONDON 100 The Highway, Docklands	020 7488 2129	SWANSEA 7 Samlet Rd, Llansamlet, SA7 9AG	01792 792899
CROYDON 423-427 Brighton Rd, Sth Croydon	020 8763 4600	LUTON Unit 1, 326 Dunstable Rd, Luton, LU4 8JS	01582 728 063	SWINDON 21 Victoria Rd, SN1 3AW	01793 491717
DARLINGTON 214 Northgate, DL1 1RB	01325 380 841	MADSTONE 57 Upper Stone St, ME15 6HE	01622 769 572	TWICKENHAM 83-85 Heath Rd, TW1 4AW	020 8892 9117
DEAL (KENT) 182-186 High St, CT14 6BQ	01332 290 931	MANCHESTER ALTRINCHAM Unit 7 Manchester Rd, Altrincham	0161 941 666	WARRINGTON Unit 3, Hawley's Trade Pk.	01925 630 937
DERBY Derwent St, DE1 2ED	01302 245 999	MANCHESTER OPENSHAW Unit 5, Tower Mill, Ashton Old Rd	0161 223 8376	WIGAN 2 Harrison Street, WN5 9AU	01942 323 785
DONCASTER Wheatley Hall Road	01382 225 140	MANCHESTER SALFORD* 209 Burny Road M8 8DU	0161 241 1851	WOLVERHAMPTON Parkfield Rd, Bilston	01902 494186
DUNDEE 24-26 Trades Lane, DD1 3ET	0131 659 5919	MANSFIELD 169 Chesterfield Rd, South	01623 622160	WORCESTER 48a Upper Tything, WR1 1JZ	01905 723451
EDINBURGH 163-171 Piersfield Terrace					

London plane bowls



PHOTOGRAPHS BY BOB CHAPMAN

In the first of a series of projects on using your local timbers, **Bob Chapman** shows how a bowl saver can be used to make two bowls from London plane

BOB CHAPMAN



After teaching chemistry for many years, Bob took early retirement to become a professional woodturner, and is a member of the Register of Professional Turners. He was a demonstrator at the 2009 AWGB Woodturning Seminar and is available for commissions.

bob@bobchapman.co.uk
www.bobchapman.co.uk

Ask woodturners where they get their wood from and you will get a variety of different answers. Some rely on found wood, some on sawmills while some pay high prices for each individual piece they use. Obviously we all know that wood comes, initially, from trees but there is usually little reference to the trees which provide this wealth of timber. In this sanitised, pre-packaged age it is as easy to forget the tree when we buy a bowl blank as it is to forget the cow when we buy a pint of milk.

Each article in this series centres around a different species of tree and I've tried to use common, local timbers easily obtained in the UK and, with luck, in Yorkshire, where

I live. I've deliberately avoided the term 'native timber' because I don't want to get into arguments about whether the sycamore (*Acer pseudoplatanus*), for example, which was possibly introduced into Britain by the Romans, should be regarded as native. Native it might not be, but common and local it certainly is. Of course 'local' is a relative term and depends on where you live. Many of the species local to the British Isles are also widespread over parts of Europe, Asia and North America. In any case, these timbers are not unique and any of the projects which follow in this series could just as easily be made from whatever timber is easy to obtain wherever you live.

I've also tried to spotlight the tree species with interesting examples or uses. Of course 'interesting' is a subjective judgement, but I hope I'll succeed in kindling some enthusiasm for trees, and that some parts of these articles may have a wider appeal than just the woodturner of the family.

London plane

Almost all tree experts consider the London plane (*Platanus hybrida*) to be a hybrid of the oriental plane tree and the American plane – the tree known in the USA as 'sycamore' but which is quite a different species from

the tree we in the UK know by that name. As tall as the five storey building behind it, the plane tree shown opposite is one of several in London's Russell Square, and its UK name, 'London plane', arises from its widespread use in the city since its introduction sometime in the mid 17th century. It is now estimated that over 50% of the planted trees in London are these hybrid plane trees, some of which may be more than 200 years old. The plane tree has several characteristics that equip it to deal with city living and these trees are found in city streets, parks, cemeteries and gardens all over the world.

More carefully tended than those in London, the plane trees in the other photo keep watch over the crosses at the World War II American Cemetery at Chateau Thierry, Northern France. Their camouflage colours seem curiously appropriate for this setting.

All trees 'breathe' through their bark as well as their leaves but the pores through which they do this soon become blocked by the atmospheric pollution, which occurs in any large city. Generally speaking, trees don't thrive in cities. However, the plane tree regularly renews its bark by dropping large irregularly shaped plates to reveal fresh bark beneath. The pattern of grey, brown and yellow patches is the most obvious feature

of the tree and one which makes it instantly recognisable anywhere.

In addition, the tree has very smooth, shiny leaves, which are easily washed clean when it rains. This, and the regular shedding of its outer bark, helps make the tree very tolerant of heavily polluted atmospheres. Plane trees are also very resistant to drought, making them suitable for paved areas where most rainfall is diverted into drains before it can soak into the ground.

London planes are large trees growing up to 50m tall. The timber is hard and fine grained, not unlike beech (*Fagus sylvatica*) but with a little more colour. When quartersawn it shows a delicate pattern where the medullary rays are exposed and it is known as 'lacewood'. The timber is not durable and is unsuitable for exterior situations but it cuts easily, takes a good finish and it stains and polishes well. It turns easily provided tools are kept sharp.



Plane tree in London's Russell Square



Plane trees in the World War II American Cemetery at Chateau Thierry, Northern France


Making a pair of London plane bowls

I found among my collection of timber a square of London plane, approximately 300mm square and 75mm-thick – ideal for a bowl. I decided to add interest to the bowl by texturing its rim and also, because the timber is quite expensive, it seemed a suitable candidate for the 'bowl saver'. This will give you a second, smaller bowl out of the same piece of wood.

PLANS

EQUIPMENT USED


3mm parting tool
25mm skew chisel
13mm bowl gouge
Proxxon long-neck angle grinder fitted with a Merlin eight-tooth chainsaw blade
6mm bead-forming tool
Woodcut bowl saver
Bandsaw
Screw chuck
Vacuum chuck, jam chuck or Cole jaws
PPE: latex gloves, facemask, respirator/dust mask




THE DESIGN

Work on the bowl began, as usual, with some sketching. Most of the bowls I make have a wide rim and I fancied getting away from that for a change, but my main concern was the texturing.


It was while drawing these sketches that various factors were decided – the bowl would have a slight incurve at the top, the texturing would continue over onto the rim, which meant the walls shouldn't be too thin and a narrow bead would be used to visually – and physically – separate the texturing from the smooth area below



1 Firstly, cut off the corners of the blank on the bandsaw and a drill hole for the screw chuck in the centre. With the blank mounted on the lathe, form a dovetail spigot and begin work on shaping the underside of the bowl. Position the flute of the gouge at about 10 o'clock, cutting from right to left on a 2-3mm wide section of the blade just to the left of the tip



2 Use the same gouge to shear scrape the surface by rotating it until the flute is at about eight o'clock and the lower wing of the gouge is at about 45° to the surface of the blank. At this stage, cut in the foot of the bowl so it is 2-3mm deep and about one-third of the bowl's diameter



3 For the texturing, use a Proxxon long-neck mini angle grinder fitted with a Merlin chainsaw disc

4 You are very likely to have to go over your piece more than once in order to get the desired effect. The texture obtained using the Proxxon will depend on several factors: firstly, the lathe speed you're using, the diameter of the piece, the angle at which the grinder is held, how heavy-handed you are and the rate of movement across the work




5 This photo shows the result of three or four passes with the grinder. The angle at which the grinder was held can be seen quite clearly. I get good results with the lathe on a low speed and holding the grinder at an angle of about 45° from top left to bottom right. In this position, the rotation of the grinder is aligned with the rotation of the lathe and this gives better control. Make light contact and cut from right to left, pulling the grinder gently across the surface



6 The chainsaw cutters leave quite a rough, splintery surface in places but bristle discs in the Dremel soon got rid of them. These yellow ones are 80 grit but, used gently, they de-fuzz the texturing without any danger of removing it. With the lathe off, rotate the work by hand while gently brushing the discs across the texturing in line with the indentations



7 Where the texturing begins there is a ragged start, which needs tidying up. Use a 6mm bead-forming tool to cut a small bead; this will help to separate the textured surface from the smooth surface. Position the bead so that it just overlaps the texturing and leaves a clean edge to it. Apart from a light sanding and polishing, which I advise to leave until later, this completes the underside of the bowl



8 My bowl saver is made by Woodcut and is a robust affair on a thick metal plate, which is held in the lathe's toolpost holder. It comes with two cutters of different diameters and the smaller one can be seen upside down on the far side of the plate where it is stored





9



10

9 Begin by positioning the bowlsaver so that the cutter will leave a wall thickness of about 16mm. This might seem thick but it is likely that your bowl isn't spherical and it is better to leave a thick wall than risk going through the bowl side and potentially wasting a good piece of wood. You can then remove the bowl from the chuck and use the bowlsaver's handle to swing the cutter round to its final position in front of the chuck



11



12

10 Adjust the position of the bowlsaver, by trial and error, so that the gap between the chuck face and cutter is again about 16mm. Repeat these checks, repositioning as necessary to ensure the cutter will follow a path that remains inside the bowl. Do not begin the cut until you are quite certain that a reasonably thick wall will be left in the bowl

11 Starting the cut can be quite nerve-racking and is accompanied by a certain amount of juddering and vibration from the bowlsaver. The cutting tip forms a wide groove to allow the arm of the cutter to follow it into the cut. Wear full face and head protection for this and all other turning and proceed slowly, steadying the cutter with your left hand to help dampen vibrations. As the cut proceeds, the swarf will build up in the cut and could jam the tool. Backtrack frequently to clear the cut



13



14

12 Surprisingly quickly the cut progresses to the centre and the solid core can be broken free. Note that this piece still has the central hole in it, so it can easily be remounted on the screw chuck later on

13 It's wise to check the wall thickness at several places before proceeding any further as it is bound to vary and you need to know where it is thinnest and just how thin that is. In this case, you're safe with a minimum wall thickness of about 10mm and much thicker in places

14 Using a 13mm bowl gouge, take the interior down to a roughly even thickness of about 8mm and texture the rim, maintaining the grinder at the same angle in relation to the rotation of the bowl. With the rim and the interior completed you can now power sand the bowl from 120 grit through 180 and 240 to 400 grit before sealing and wax polishing



15



16

15 All that remains to be done is the removal of the dovetail spigot and completion of the foot. If you have a vacuum chuck, reverse your bowl using this, although you can also hold it in a jam chuck or Cole jaws if you don't have a vacuum system

16 After removing the spigot from the bottom of the bowl, decorate the foot with a small bead formed using the same bead-forming tool. The bowl exterior can then be sanded, sealed and polished like the inside

17 The smaller bowl is made by remounting the core on the screw chuck and turning a dovetail spigot just as before. The usual procedure is then followed, removing the interior with the bowl gouge until the smaller bowl is also finished

18 This second bowl is a bonus that wouldn't have been possible without the bowlsaver. Although its dimensions are largely determined by the bowlsaver, my bowl measured a respectable 210 × 50mm

19 The finished bowls. A perfectly matched plane pair

“This second bowl is a bonus that wouldn't have been possible without the bowlsaver”

20 Of course, the bowlsaver can be used on any timber and this pair of ribbed and stained beech bowls were made from one piece of wood using the same bowl saver. The larger of the two is approximately 320mm diameter × 95mm and the smaller one is 240mm diameter × 70mm. In each case, the interior has been left unstained and the rim divided to create the illusion of a bowl within a bowl

21 Alternatively, different cutters may be used in the Proxxon angle grinder. This very deeply textured laburnum (*Laburnum anagyroides*) bowl was done using a mini Arbortech blade and then ebonised with a blowtorch ●

HANDY HINTS

1. The Proxxon grinder is a very useful tool but the thing I don't like about it is that it has a simple rocker on/off switch. If this gets pushed to 'on' inadvertently during storage, then the thing starts up as soon as you plug it in – with possibly disastrous results if you are anywhere near the blade
2. Using the Proxxon grinder with its rotation opposing that of the lathe makes it much harder to control and it tends to get carried deeper into the work with unpredictable and possibly dangerous results
3. The bowlsaver takes a very wide, heavy cut. Ensure that the bowl is held very firmly in the chuck because this is the most likely source of weakness in the setup. The juddering and vibration can be alarming so proceed slowly and withdraw frequently to clear the cut



NEW

**IT CAME,
IT SAW,
IT CONQUERED!**



PLUS 880

Ever-reliable cutting performance, improved handle design

- NEW ProTouch Grip for maximum feel
- 25% faster cutting performance*
- Full Range of Fine, Universal, Coarse and Coated PLUS Handsaws Available

www.irwin.co.uk

IRWIN®



*IRWIN® Jack® 880 Universal Double-Ground Saw

ROUTING & WOODWORKING CATALOGUE 2015



**NOW
AVAILABLE**

trend[®]
routing technology

60
YEARS

Request a catalogue now:
www.trend-uk.com
enquiry@trendm.co.uk
01923 249911

Adding decoration to your supported forms

Following on from my previous article on developing supports for your turnings in issue 278, in this article, I will be looking at how adding decoration to our supported forms through carving, texturing, piercing and use of pyrography can open up a whole new direction for our projects. Of course, you don't have to add decoration to a beautiful piece of wood as the figuring may be all that is needed. You may also prefer to try some of these ideas on a standalone project without a support – as with the previous article, I want to introduce you to a few ideas and to get you thinking about other ways of working and experimenting. Above all, it is all about the enjoyment of what we can make with wood and adding a few more strings to your bow is never a bad thing.

Nature as inspiration

There is a limitless variety of shapes and textures in and around our local environment, which we can use as a reference for our own work and which can be included to complement a form and add interest. Nature and manmade items can be explored and with their textures offer much scope to spark off an idea for a project – indeed there are many books dedicated to the subject of shape, form and texture containing hundreds of photos for the exact purpose of a reference for artists, sculptors and other makers. For example, *Surfaces and Textures: A Visual Sourcebook* by Polly O'Neil.

MARK SANGER



Mark is a professional turner living and working in Dorset. He specialises in creative turning that incorporates texturing, colour and mixed media. Mark has written numerous woodturning

articles, demonstrates the craft, runs courses and has produced DVDs on the subject.

Mark Sanger further explores developing supports and this month looks at adding decorations to your work



PHOTOGRAPHS BY MARK SANGER

Collecting ideas

Other than purchasing books, we can create our own archives to dip in and out of by collecting our own images with a digital camera. A few examples of photos I have taken of interesting items are shown here with kind permission of Compton Acres Gardens, Poole. This large urn and close-up of a crane statue are examples of interesting textures and how they have been used as decoration. The photo of an eroded cliff also shows an unusual texture. We can also look at pottery, ceramics and other artefacts in museums, etc. to see how other makers have decorated vessels. Also shown here are examples of Poole Pottery, pictured with kind permission of Poole Museum – www.poolemuseum.co.uk. Always ask permission before taking photos at venues as some do not allow it or have restrictions on the use of photos taken.



Large urn at Compton Acres Gardens, Poole



Examples of Poole Pottery, on display at Poole Museum



Close-up view of a crane statue, showing textured areas, also at Compton Acres Gardens, Poole

Pencil and paper


Once we have our photos, we can start picking out aspects of interest to incorporate within our projects. The idea here is not to directly copy but to come up with our own ideas, which are inspired by these points of interest. In the drawing below I have shown a group of sketches created

from the photos, using the erosion cliff face and the geometric shapes of the Poole Pottery vessel as reference with the latter reminding me of crazy paving. Once this process has been completed, I work further on my favourites and develop them until I find an idea that I want to work with.








Texture of an eroded cliff

Erosion



Crazy Paving




Positive or Negative

Sketching process showing how I came up with ideas for projects based on the eroded cliff and Poole Pottery textures

Mind map

A mind map is a way of visually organising ideas quickly and clearly. They are used in art, design and commerce and are an organic ongoing process, which can be added to with further ideas as you work. Once I have my photos, reference material and sketches, I can start a mind map. Here, a simple form is placed in the middle with further concepts being added, which generates further ideas and concepts, and so the process can be continued ad infinitum. Working clockwise from the top, I have added 'standalone' and 'supports', which both include several designs from the previous article. To these, three further

concepts are added giving a total of nine variations, with 'turned textures' being next, and so on, as we work around finishing with 'natural textures'. By mixing and matching these ideas, we end up with a total of 243 vessel variations. Add a further section on 'colour' and this would take it up to a total of 729 variations and you can just keep going. Of course, to include all of the ideas into one piece may not work but we can cherry-pick our favourites and swap them about until we have a suitable design. Other ideas may pop into your head, so remember to add these to the mind map as you go.



An example of a mind map

Tools

Next, we consider the practical aspects of making. For most turned projects, we can produce beads and coves for decoration using standard tools. If we want to add more complex textures, then we will need dedicated tools. This being said, a lot can be done with a set of woodcarving chisels and a simple rotary tool. For the occasional user, there are many

low-cost versions of these from well-known budget supermarkets that also sell power tools, which are ideal for starting with. Here you can see a selection of hand chisels and dedicated turning tools, which are used for texturing as well as a small selection of tools I have built up over the years which I use, including power carvers, a pyrography machine and

rotary tools. Also shown on page 22 is a small selection of burs and pyrography tips, which are available from many good woodworking outlets and are ideal for texturing. Power tools greatly speed up the process and are at times necessary, but as mentioned, a lot can be achieved with standard chisels and basic tools if you take the time to experiment.



A selection of hand chisels and dedicated turning tools used for texturing



Tools I use including power carvers, a pyrography machine and rotary tools




A small selection of pyrography tips and burs

Practice before starting the project

Practice new techniques on small sections of prepared wood before starting on the final project; this will allow you to try out the tools, see how they perform and discover what can be achieved with them before committing to the final project. For this, I cut $10 \times 50 \times 50$ mm pieces of a close grain wood on a bandsaw, finished with 120 grit abrasive and wrote the texture techniques and tools used on the back for future reference. Here you can see a few of these blocks with the

texture on the far left example being achieved with a woodcarving 'V' chisel. The effects you like the most can be practised on larger pieces until you perfect the technique and can then move on to your turned project. Spraying the practice textures with black or white acrylic paint allows the detail of the texture to be seen without the grain, but you can leave them natural if you want to see how the texture complements or contrasts with the grain.



Practice blocks showing examples of different textures

Putting it all together

Eventually, you can take the plunge and try out your ideas on a turned form; this can be nerve wracking as you could potentially ruin a piece, which has taken some time to turn. Being willing to wreck pieces is what we have to do to see if our designs on paper work – sometimes they will and sometimes they won't, but this is the best way to progress. Worrying about mistakes keeps us in our comfort zone and stops us trying out new things. Here you can see a close-up photo of an oak (*Quercus robur*) end grain form, which was textured to represent the cliff erosion previously shown. The form was turned and 'V' grooves were then cut into the surface at random with a skew chisel while the piece was mounted on the lathe and the grooves were cut progressively smaller and closer as I neared the base. The inside of the bowl was then finished with abrasive. The texture was achieved by cutting into the 'V' grooves and surrounding high points using 1.5mm, 1mm and 0.5mm piercing burs in a rotary tool. Finally, the surface was finished off the lathe



A close-up of an oak end grain form textured to represent cliff erosion

with a bronze brush, which helped to clear out and remove any remaining debris. I decided to leave the textured surface natural and applied no further finish. I decided to make a stand using scorched oak, which was rubbed back with a small wire brush to reveal the texture of the grain. A few fine coats of acrylic sanding sealer were then applied to seal on the carbon. At this point, I tried a natural base with a complementary pebble as a focal point as I thought the first support was too formal. Playing around with the forms, supports and materials is what I enjoy the most. On occasions, I just cannot make up my mind which one I prefer as shown here, so I just keep adapting until I am happy with the result.



The oak (*Quercus robur*) form mounted on a scorched base

“Being willing to wreck pieces is what we have to do to see if our designs work...”



An alternative base for the form, incorporating a pebble

Scorching wood

Scorching wood is an ancient practice not only to add texture but also longevity in harsh weather conditions. Scorching imparts a beautiful organic texture and the carbon residue protects the wood from the elements. Carving a turned form prior to scorching adds yet another dimension, as shown here in this beautiful ash (*Fraxinus excelsior*) end grain form turned by George Watkins – www.fromthetree.co.uk. Here George carved a simple vertical line down both sides to intersect with the carved rim and grain pattern. The form was then heavily scorched and rubbed back with a wire brush to remove the soft early growth and the result is striking with minimal work as the wood grain is used in itself as the main

texture/effect. The opening photo on page 19 shows another scorched example – an end grain oak form, which was treated in the same way and presented on a slate support. For this piece, I included bamboo to introduce another material, texture and colour.

Hopefully this and the previous article will give you food for thought on how texture and supports can be added to a turned project and introduce you to some of the tools you can use to achieve the effects. An encyclopaedia could be written on texturing and the tools and effects that can be achieved. Using only a few carving chisels, a low cost rotary tool and a few small burrs, you can have a lot of fun and this is ultimately the aim of woodturning, so enjoy the journey. ●



A beautiful ash (*Fraxinus excelsior*) end grain form turned by George Watkins

THE REVOLUTION CONTINUES

The NEW MIDI 'Revolution' joins the competitively priced versatile hollowing family. Produced by Crown Hand Tools it joins the trusted Sheffield pedigree synonymous with the Crown Hand Tools range.

Ideal for medium sized projects for those wanting to start out in the craft of hollow form turning without purchasing a larger system.

The NEW MIDI Revolution includes a 19 mm diameter shaft with an overall tool length of 575 mm. The modular design gives full flexibility for turning a wide variety of vessels including bowls, boxes, vases and hollow forms, accessing those hard to reach places is easy with the Midi Revolution.

AVAILABLE FROM ALL CROWN TOOL DEALERS WORLDWIDE

SEE THE REVOLUTION IN ACTION- www.marksanger.co.uk



- Includes fully adjustable 'Super Ring' cutter for ultra efficient material removal without clogging.
- Includes scraping cutter for general hollowing or finishing cuts.
- Compatible with all other cutters from the 'Revolution' series.
- Slim-line articulated design for unrestricted access to those hard to reach cuts.
- For the turning of end grain and cross grain woods both seasoned and unseasoned.
- Hand made in Sheffield, England.



Tel. 0114 261 2300

Fax. 0114 261 2305

Web. www.crownhandtools.ltd.uk

Email. Info@crownhandtools.ltd.uk

A woodworker's best friend



POCK-IT HOLE CLAMP™

- Eliminates the need for large bar clamps
- Clamps & surface-aligns pocket-hole joints easily
- Works with 3/8" pocket-holes on 3/4" thick face frames & casework
- 3" wide stock capacity
- Die-cast aluminium construction



Find your nearest stockist
benchdog.eu


It's time to get out the Good Wood.

Easy Wood Tools Moment #6

When you realize, now you have
the confidence to turn that
prized piece of wood.

No sharpening.
No complicated techniques.
Just Easy Wood Tools.

*Visit EasyWoodTools.com
for more Moments!



(859) 246.0294 www.EasyWoodTools.com
1365 Cahill Drive Lexington, Kentucky 40504



Lathes



Chucks



Tools



Hardware



Abrasives



Polishes



Trend

Respirators



Wood blanks



Pyrography machines

Shop is open
Tuesday to
Friday
9 to 4
Saturdays
9 to 12



We have manufactured fine pyrography tools for over 40 years.
Outfits starting at **£109.95**

Order online www.peterchild.co.uk
or telephone 01787 237291

PETER CHILD

WOODTURNING SUPPLIES

The Old Hyde, Little Yeldham, Nr Halstead, Essex CO9 4QT
Tel 01787 237291 Fax 01787 238522 www.peterchild.co.uk



Patriot Chucks
SuperNova Chucks
Record G3 Chucks
Multistar chucks
and accessories

CUBIC BORON NITRIDE
Grinding Wheels

Amazing edge on your tools
Better than diamond wheels
Cuts fast and cool
Does not wear down in size
Grinds on face and edge
No mess, long life

150mm x 40mm
machined to fit your
grinder **£162.75**

inc. mainland p&p
Other sizes in stock
Microcrystalline grinding
wheels also in stock



Hundreds of wood blanks
on display and priced





Lighthouse pepper mill

Jim Duxbury makes a lighthouse pepper mill

A uniquely designed wooden pepper mill is always a favourite both to turn and to use. Pepper mills can be made in a basic form from a solid piece of wood or complex wood glue-ups of contrasting colours. In some cases, forms such as a mushroom, the Seattle Space Needle, or even some of the historic lighthouses of England and others around the world would be of interest. All of these wooden mills can be attractively turned and are only limited by your own imagination. I have made numerous pepper mills of various shapes and sizes; however, the most popular is the lighthouse design. Let's get started.

JIM DUXBURY



Jim is a woodturner and inventor who thinks and creates 'out of the box.' He makes a variety of items, including kaleidoscopes, wooden hats, pens, and even a working Foucault pendulum. More of his fine wooden objects and plans can be found on his website.

www.cyberdux@bellsouth.net
www.duxterity.com/ec


EQUIPMENT USED

25mm spindle roughing or spindle gouge
 10mm detail gouge
 12mm parting tool
 2mm parting tool
 6mm point scraper
 41mm Forstner drill bit
 27mm Forstner drill bit
 6.75mm or H drill bit
 Callipers: both dial & OD
 Wire burner
 Abrasives from 100-320 grit
 Spray lacquer
 PPE: facemask, respirator/dust mask and extraction
 203mm stainless steel pepper mill kit – with detailed assembly instructions

TIMBER REQUIREMENTS

Maple (*Acer saccharum*): 76 × 76 × 203mm and 25 × 25 × 178mm – any white wood can be used
Wenge (*Millettia laurentii*): 51 × 5 × 102mm – any dark wood can be used
Cherry (*Prunus spp.*): 76 × 19 × 152mm – any brown wood can be used

PLANS



1 The first step is to gather all the materials to make your 203mm pepper mill



2 Start by placing the 76 × 76 × 203mm piece of maple (*Acer saccharum*) between centres on the lathe. You can then turn it to a diameter of 64mm, then mark a cut line 146mm from the drive end. Cut a tenon on the end of the cylinder to fit your chuck



3 Next, turn the piece round, mount it in a chuck and bring up the tailstock. Square off the end with a finish cut



“...when drilling with a chuck mounted in the tailstock, keep one hand on the drill chuck with pressure towards the tailstock”

4 This will be the finished bottom of the pepper mill. Slow the lathe down to about 450rpm and using a 41mm Forstner bit, drill a 13mm deep recess. Always remember, when drilling with a chuck mounted in the tailstock, keep one hand on the drill chuck with pressure towards the tailstock; this will ensure that the chuck does not work itself out of the taper

5 When that is completed, the next step is to mount a 27mm Forstner bit and drill through the cylinder. A drill bit extension may be required or the piece can be turned around and drilled from the other end if the Forstner bit is not long enough

6 When the drilling has been completed, remove the drill and chuck, put a cone end in the tailstock, slide the cone into the drilled hole and lock the tailstock in place

7 With a parting tool, cut a notch about 13mm wide down to a 38mm cylinder. This references both ends of the base and allows the taper to be easily cut

8 This lighthouse has a straight taper – no beads, coves, dimples or protrusions. The trim lines are burned in with steel wire mounted in wooden handles. To get the burn lines in the exact location, measure 13mm in from each end and place a pencil line. To make five lines, measure halfway between these two lines and mark a pencil line, then measure halfway between those lines and place more pencil lines. With a point scraper, make a small cut on each line...


9 ... you can then increase the lathe speed and burn the lines in

10 Once you've finished burning the lines in, you can sand the piece to a final finish

11 Next, turn the lathe speed down, move the tailstock out and part off. This completes the lighthouse base and we can now start on the top

“Be sure all grain is running in the same direction”

12 Because longer strips are safer to cut on the tablesaw and easier to glue and clamp, I show making three of this part at one time. This being said, the following dimensions are for a single top and will start with the light section. Take the piece of maple measuring 25 × 25 × 178mm and cut the 178mm length into four equal lengths. Then, take the wenge (*Millettia laurentii*) and cut the 102mm length in half, making two 51 × 51 × 5mm pieces. Take one of these pieces and cut it in half, with the grain, leaving two 51 × 25 × 5mm pieces. Next, take each one of these wenge pieces and glue a white piece onto each side of each piece. This makes two maple/wenge/maple pieces, which gives us the effect we're looking for. When the glue has cured, sand one side of each piece flat and glue these two pieces onto the remaining wenge piece. Be sure all grain is running in the same direction





13




14

13 Once the glue has totally cured, mount this piece between centres. Locate the axis points centred on the wenge wood cross, turn the piece to a 41mm diameter and part off both ends to make a final length of 38mm. Mount this cylinder in a chuck, locate the centre with a starter bit...

14 ... and you are then ready to drill through with a 6.75mm (H) drill

15 The roof and skirt of the light are made from the piece of cherry measuring 76 × 19 × 152mm. You then need to draw a 76mm circle and a 54mm circle...



15



16


16 ... and drill a 6.75mm (H) hole in the centre of each

“The roof and skirt of the light are made from the piece of cherry measuring 76 × 19 × 152mm”

17 Cut these circular pieces out on the bandsaw and with the aid of a metal rod or even the drill bit, glue and clamp one piece to each end of the previously turned light cylinder

18 When the glue has cured on this piece, mount it between point centres and turn a tenon, which measures about 6 × 54mm on the 76mm end

19 You then need to chuck up on this tenon and secure with the point tailstock centre. Next, trim all surfaces round and begin turning the roof and skirt shape



17



18



19

HANDY HINTS

1. Purchase the pepper mill hardware kit and ensure to read all instructions thoroughly before you begin
2. When drilling on the lathe, always keep one hand on the drill chuck with pressure toward the tailstock to prevent the chuck from vibrating loose
3. Always wear a face shield, especially when marking lines with callipers
4. Using sharp tools for all of your turning projects is a must
5. When sanding and burning, always wear a respirator. In fact, whenever you are in the workshop, full PPE should always be worn wherever possible
6. Use a started bit when drilling smaller diameter holes; this will ensure that the drill does not deflect
7. For maximum strength be sure all glued surfaces of the pepper mill are sanded smooth and flat

20 The next step is to set the callipers to 27mm and cut the 11mm tenon. You can then test fit this tenon in the base of the lighthouse. It must turn easily but not be too loose. Adjust as needed and sand all surfaces below the roof top

21 You can now remove the tailstock. From the pepper mill kit hardware, take the turn plate – a round disc with a square hole in it. Set the callipers to the exterior diameter of this disc. Wearing your face shield, set the lathe at a slow speed and mark a cut line in the end of the tenon. Exercising caution, resting the callipers on the toolrest, touch only the calliper tip closest to you and move this tip until the scratch line aligns with the other tip held just off the rotating wood. When the calliper tips are both over the scratch line, press the scratching tip in further to cut a solid line

“Touch only the calliper tip closest to you”

22 Then, using a small parting tool, cut a recess deep enough to receive the turn plate...

23 ... drill pilot holes and you are then ready to screw it in place

24 Next, reverse the piece and mount it in a chuck. Bring up the point tailstock and rough shape the roof

25 Once that is done, you can remove the tailstock and using a detail gouge with light cuts, finish the roof

26 Trim rings or roof designs can be added as you see fit. Final sand all the exterior surfaces and the mill is ready for you to apply your chosen finish. I use spray lacquer for most of my mills, but polyurethane or any of the hard surface finishes are suitable. A pepper mill can get a lot of use so apply three or four coats. When the finish has dried, mount the remaining kit hardware, refer to kit assembly instructions, add a few pepper corns and give it a try ●

HANDY HINTS

8. To achieve the exact location of a wire burn line, cut a shallow starter groove with a point scraper
9. Make the tenon between the base and light fairly loose so that it turns easily and will not bind should the weather change
10. It is helpful to mount hardware in place while mounted on the lathe
11. Pieces that are frequently handled should have a hard finish, such as lacquer. Oil finishes build up a patina and are not easily cleaned





Quality Jet Lathes

**SAVE
UP TO
£110**
Limited stocks
available



JWL-1015VS
5 star review

JWL-1015 & JWL-1015VS

- Cast iron lathe bed for stability and extremely low vibration
- Years of trouble-free turning due to high build quality
- Hollow tailstock and headstock for hollow boring
- 254mm capacity over bed and 368mm between centres
- 6 spindle speeds ranging from 400-3,300rpm
- Spindle indexed every 15° for fluting or veining
- Easy belt speed change, quiet Poly-V belt
- JWL-1015VS has the added benefit of electronic variable speed

JWL-1015
£379.94
Normally £479.95
Code 508263

JWL-1015VS
£449.96
Normally £559.96
Code 508264



Find your nearest Jet retailer at brimarc.com

Prices include VAT and are valid until 31st May 2015 or while stocks last. Available from participating Jet retailers only.



CRAFT SUPPLIES USA THE WOODTURNERS CATALOG

*Supplying woodturners with the finest quality tools,
accessories, and service since 1982.*



Robert Sorby
SHEFFIELD ENGLAND



Carter
PRODUCTS



www.woodturnerscatalog.com • 1-800-551-8876 •





TURNERS TOOL BOX
DAVID MARTIN



CREATIVE WELSH WOODTURNING LTD.

Turners Tool Box.Com

WOODTURNING – WOODWORKING – WOODCARVING
TOOLS & ACCESSORIES

LOG ON TO:

www.turnerstoolbox.com



Colt MaxiCut® Forstner Bits:
Metric & Imperial Sizes

**Woodturning Chucks
& Holding Devices Including the:**

Robert Sorby
Patriot Woodturning Chuck
&
Axminster Evolution SK114
Woodturning Chuck

All with additional accessories
making your time at the lathe a
more pleasurable experience

Bolt Action & Bullet Pen Kits

In a variety of different metal
finish's – Including the required
drill bits & the bushing sets
We have a large selection of both
manmade and natural pen
turning blanks to suit everyone's
needs

**New
Pen Mandrel Support**

Colt HSS-M2 150mm Pen Drill Bits
Sizes from 7mm upwards

DELIVERED WORLD WIDE

For more information Visit: www.turnerstoolbox.com

Order online Open 24hrs – All at the click of a button and delivered straight to your door

Email: info@turnerstoolbox.com – Tel: 01873 831 589 – Mobile: 07931 405 131



Stiles & Bates

The Woodturning People



Shop

Website

Mail Order

Courses

Upper Farm, Church Hill, Sutton, Dover, Kent. CT15 5DF

Tel: 01304 366 360

www.stilesandbates.co.uk
sales@stilesandbates.co.uk



Skew chisel problems

Richard Findley continues his problem solving series, and this month looks at skew chisel problems

PHOTOGRAPHS BY RICHARD FINDLEY

RICHARD FINDLEY



Richard is a registered UK professional woodturner living and working in Leicestershire. He discovered woodturning while working for his father as a joiner. Richard makes all kinds of work to commission, from replacement antique components, walking canes and stair spindles, to decorative bowls. It is the variety of work that he loves. He also offers demonstrations and a range of woodturning supplies.

richard@turnersworkshop.co.uk
www.turnersworkshop.co.uk

There has been a lot written about the humble skew chisel, I've even written some of it myself, but people continue to struggle with the skew, or avoid it all together. My intention with this series is to look at the problems that people face in their turning, but from a problem solving angle, rather than just saying 'do this' and 'do that', which doesn't always help.

There are a number of issues surrounding skew chisels which tend to trip turners up:

- Tool choice
- Catches when planing
- Catches when rolling beads
- Chatter marks
- Overly burnished timber after a cut
- Poor shapes
- Clean cutting end grain and pommels
- Did I mention catches?

So, you followed the instructions in your preferred turning book, or watched the demo at the last club meeting, bought a new skew chisel at the show last month, which promised to be an 'easy' skew; you have scoured past issues of *Woodturning* magazine for articles about the tool, but you still can't get it to do what it should! Frustrating, isn't it? Being a largely self-taught turner myself, I too have travelled this road, so I know exactly how you feel. I hope this article helps you with what can be an extremely useful tool.

Tool choice

There is a huge array of skew chisels on the market. There are round ones, square

ones, rectangular ones and oval ones, some are wide, some are narrow, skews can have rounded edges or square edges. The cutting edges can be curved or straight... have I missed any? Quite possibly!

Like so many things in the world of woodturning, if you asked 10 different turners for their opinion as to which is best, you are likely to get 10 slightly different answers. Most will tell you the one they use is the best because of 'X', 'Y' or 'Z'. So, which actually is best? Well, let me tell you a secret – they are all basically the same.



A selection of skews in various shapes and sizes

What? Really? Then why sell so many different sorts?

The answer is the same as why they sell so many different types of beer or cars or styles of jeans; simply because different people like different things. I believe that skew choice is a very personal thing. My best recommendation is to listen to what all of the different people advise, weigh up the options and then make up your own mind. If you can try out a few then all the better. Hands-on sessions at clubs are ideal for this. Your choice should be based on:

- Does it feel comfortable in the hand?
- Is it too heavy, too light or just right?
- Can you get it to work when being advised by a more experienced turner?
- Does it feel good/solid/controllable/comfortable when cutting wood?

Which is my favourite?

Funnily enough, my favourite skew isn't really a skew at all. My preference is for a beading & parting tool, which is a very traditional British tool and a kind of hybrid between a skew and a parting tool. The advantage being that it does everything that both tools can do, in one tool, meaning that for my production work it minimises the amount of tools I need with me at the lathe and prevents swapping between tools so often.

Referring back to my earlier statement, that all skews are basically the same, my beading & parting tool is no exception. It will plane, roll beads, clean end grain and cut pommels just the same as any other skew, as long as basic principles are applied. So for me, the best skew is my 10mm beading & parting tool.



Beading & parting tool in action

TOP TIP

To make any skew chisel work to its best, I would always advise using some abrasive along the long edges of the tool, just to remove the arris. This will help the tool to slide along the rest much easier. Of course, the rest itself needs regular maintenance to ensure it is smooth and allows the tool to glide along it. A regular rub with abrasive will normally be enough to achieve this

The fear factor

The biggest problem with the skew is the fear. Anyone who has experienced a catch with a skew will know that they can be spectacular and often quite alarming! This is the main reason for most people's fear of the tool. I hope that this article will help in some way to reduce, or even stop, catches altogether for you. Once catches are removed from the equation, your focus can shift to improving the shapes and the finish you achieve from the tool and enjoying the turning process, rather than worrying about catches.



A planing catch

Catch avoidance 1

To avoid these catches there are a few basics that need to be understood first:

- The tool sits on its bottom corner when planing
- Generally speaking, the short point is down nearest the rest and the long point is up, away from the wood and unsupported, but some people do it the other way round
- As the tool touches the wood, the natural downward force pushes the tool down into the toolrest, so you must only cut with a part of the edge that is supported by the toolrest.

The catch happens because you have touched a part of the tool to the spinning wood that is unsupported by the toolrest. Notice what happens when the downward force is shown with a pencil pushing downwards. If the force is towards the lower edge of the tool, it simply pushes



The downward force on the skew in the supported area of the tool...


Catches when planing

Planing with a skew is probably the first and simplest of all the actions you can do with the tool. The trouble is you get the tool on the rest, lift the handle and touch the edge to the spinning wood and immediately the tool is aggressively pulled off to one side, leaving a deep spiralling gouge mark in the wood. Sometimes you will begin the cut and all will seem to be going well until suddenly, seemingly without warning – bang! There it goes again!



Parts of a skew. Notice my skews are not very skewed in angle compared to some that you might see, which is simply my personal preference

the tool firmly onto the rest. If the downward force touches higher up along the tool edge, nearer to the long point, then there is no toolrest to support the tool – it is unsupported – and so slams down onto the rest with a bang, the geometry of the tool often causes it to be pulled back along the timber, causing a catch.



... and to the unsupported part of the skew – the main reason for planing catches

TOP TIP

While it isn't necessary, raising the toolrest to slightly above the centreline of the work can help if you struggle to control the tool when planing. Raising the toolrest will put you in a more elevated position, giving improved visibility and lifting the unsupported long point well away from the spinning wood.

Experiment with the tool, lightly touching different parts of the edge to the spinning wood and you will notice there is a 'sweet spot' at around the lower quarter point along the edge. Mark this point with a marker pen. Ideally, this is where you should be cutting. Now mark the centre point of the edge. Under no circumstances should you cut above this point when planing with the skew



Sweet spot and 'no-go' areas marked on the edge of a skew can be a real help when getting the feel of a skew



Planing with a skew. Notice the shaving is coming from the 'sweet spot' marked on the edge, giving me a smooth and controlled cut

MYTH BUSTERS:

Myth – 'a wide skew will solve your planing issues!'

It might... but might not! It is true to say that, because the tool is wider, the sweet spot is larger, meaning you have more leeway to make errors. The problem, however, is that because the tool is so much wider, the long point is so much further from the support of the toolrest that if a catch does occur, it could well be the biggest catch you have ever experienced! A narrow tool may actually be a better option, because the long point is much closer to the short point and the forces involved are greatly reduced, meaning that it is much less likely to catch at all. With my 10mm beading & parting tool, I aim to cut at around the centre point along the edge, which I find works well

Chatter when planing

So, you have planed along a few pieces of timber without a catch and seem to be getting the hang of it, but now, instead of catching, the tool, or perhaps the wood is now vibrating and chattering, causing a spiralling washboard type pattern along the timber. Chances are, the timber also appears to be quite shiny after the tool has passed along it.

Relax!

Easier said than done, but you need to relax. Naturally, all of those catches have made you a little nervous of the tool, so you hold on tight and apply plenty of pressure to stop it catching, but that is exactly why this new problem is occurring. By applying too much pressure to the timber, the heel and bevel of the tool rub on the wood, but too hard, causing the timber to compress – which causes the burnish or shine – and also to rebel against the pressure by causing the tool to bounce.

I'm getting chatter, is it me or the wood?

Chatter can be caused by the wood, so stop the lathe and inspect the timber. Several things in the timber can cause chatter:

- Knots
- Uneven grain patterns
- In some timber such as pine (*Pinus spp.*), the early and late growth that form the grain patterns can be different densities, which can cause chatter
- Slender work can chatter and bounce when cut

If none of these things appear to be present

then the problem can't be blamed on the timber. If any of them are present, then the solution is often the same as if they aren't present:

- Resharpener the tool – which is standard advice to solve almost any problem in turning
- Apply less pressure to the wood
- Be firm and positive with your movements, but don't fight the tool or the wood
- Remember, knots might be harder than normal wood, but they are still only wood, they will cut

So, you need to relax and just let the wood come to the sharp edge of the tool. You shouldn't have to fight the lathe or the wood, the lathe should do the work for you. If you are going to apply pressure anywhere, it should be tool to toolrest, rather than tool to wood. Pressure tool to toolrest can give additional stability but pressure into the wood will almost always result in chatter and vibration. If the wood is chattering because it is slender, you may need to offer some support with your front hand or employ a centre steady for additional support.

A second more practical thing you can do is to remove the heel of the skew. I always remove the heel from all of my tools because when first sharpened, the heel can be quite harsh to touch. This harsh edge rubs against the spinning wood and can exacerbate the problem. By lightly grinding it away, either into a secondary bevel or by riding it up the stone and gently round it, this softens the heel, making the contact between the hard metal tool and relatively soft wood, much lighter and greatly reduces chatter. This can be seen in the labelled photo of the skew chisel on page 34.

Rolling beads

With planing mastered, the next step is learning to roll beads. I think that rolling beads with a skew is one of the most difficult things to master in spindle turning, if not in all of turning. As with planing, generally speaking you will pick up the cut and begin forming the bead, then as you get about half way round the bead, suddenly, seemingly without warning – bang! Yet another catch! This time, though, the spiral catch has destroyed the bead!

MYTH BUSTERS:

Myth – 'I just lay the skew flat on the toolrest and form my beads like that'

While this will indeed enable you to form something resembling a bead and you will get away with it on dense timbers like boxwood (*Buxus sempervirens*), most commercial timbers will show a scraped and usually torn surface once you have stopped the lathe. To achieve a clean bead on any timber, from pine to boxwood, you need to cut it, not scrape it



A typical bead rolling skew catch

❏ Catch avoidance 2

The key to rolling a bead with a skew is to use the very tip of the tool. To ensure you are using the very tip, you need to look out for:

- A V-groove
- A feathered edge

If you can see the tip of the tool forming and sitting in this V-groove, it naturally raises a feathered edge before the cut. Done correctly, you'll have full tool control. It won't want to catch, it won't try to destroy your work – it will just allow you to guide it around the cut.

TOP TIP

Use the long point. The first book I ever bought to help teach me woodturning said that you must use the short point. The problem with this is that you lose sight of the tip of the tool as you form the bead. This is less of a problem to an experienced turner, but if you are just getting used to the tool, it seems obvious to me that being able to see the pointy end of the tool will be a great help to you. No matter which point you choose to use, the technique is actually the same: use the very point and look for the V-groove and feathered edge

Practice, practice, practice

Once you are able to turn a few beads without a catch, you will find that you become less worried by the next catch and can focus on the shape you are turning. Turn a row of beads with a skew – initially they are likely to be a bit flat and square or rather pointy, but with fewer and fewer catches, keep going and you'll find the shapes improve.


Cleaning end grain

People are often surprised just how clean a cut can be achieved across end grain with a skew chisel. The problems faced here range from the tool binding in the cut from taking too big a cut, uneven or angled surface from poor presentation and movement and, of course, yet another frustrating catch.

Success with this cut is all about slicing with the tool rather than just pushing it into the wood. Presentation of the tool plays a vital role in making this cut work as it should.



A typical catch when cleaning the end grain of a spindle blank



Rolling a bead with a skew. Notice that only the very tip of the tool is cutting



When cutting correctly with the very tip of the tool, the tip sits in a V-groove and a feathered edge is lifted in front of the cut. These are tell-tale signs that you are doing it correctly

TOP TIP

A very simple trick that can help with forming well-shaped beads is to draw a pencil line down the centre of the bead you've created; this gives you a guide to the position of the centre of the bead and helps to balance the shape.

The thing to be aware of when trying to form a bead is that there are several movements required to achieve the desired shape and keep the cut on the tip of the tool. The tool needs to move along the toolrest, it needs to roll, usually starting with the edge almost horizontal and finishing with it vertical, having rolled through 90°. There is also a slight swing to the handle, to allow the bevel to glide behind the cut and maintain control and a slight lift to the handle, as the tool will need to finish almost horizontal. With so much happening with this cut, there is little wonder that so many turners find rolling a bead is difficult



The start and finish positions of the skew when turning the left side of a bead




Notice how much movement is involved

Catch avoidance 3

With this cut you need to use the long point of the skew – right on that point again, just like rolling beads – and rather than just push, you need to slice with an arcing action. It is very important to understand how the bevel affects the direction of cut. If you hold the handle square to the wood, as people often feel they should, the bevel is pointing at an angle to the wood. To achieve a straight and square cut, you need to point the bevel in the direction of the cut, which means bringing the handle round to one side, allowing you to look along the bevel and see it pointing in the direction that you want to cut. You can try this out by making the cut with the handle in different positions and seeing the results.

With the bevel in the correct position, you need to begin the cut with the handle held low and lift it into the cut. The correct arcing and slicing motion is a combination of pushing forward and lifting the handle together, aiming to finish the cut with the point of the tool at the centre of the wood.

As with all cuts with the skew, don't be greedy with the size of cut. If you take too big a cut, the tool will just jam and you won't be able to go much further without extreme pressure, which will almost certainly lead to another catch. Small, light cuts are the order of the day with the skew when making any cut.



The correct position of the tool when cleaning end grain feels strange, but you should be looking along the line of the bevel to guarantee a straight cut



Cutting the end grain of a spindle blank, pushing forward and lifting the handle means you are cutting in an arc towards the centre of the wood


Cutting shoulders

This is really a combination of the techniques for slicing end grain and that of rolling a bead. The cut needs to stay on the very tip of the long point and needs to begin as a V-cut, which can be enlarged and then sliced into a square shoulder. If a curve is required, then this can then be formed, gradually, a cut at a time, still using the very tip of the long point. Some pommels are square, some have a slight curve, others are a full radius, all of which can be completed with the long point of the skew.

Rules of the skew – recap

All skew chisels are basically the same. As long as you follow some simple rules, then you will be able to use any skew successfully. The exact size and shape of the skew is totally down to personal preference. The rules are:

- When planing, use below the centre point on the edge
- When rolling beads, use the very tip of the tool. It doesn't matter which, just make sure it's only the tip
- Take small, light cuts
- When slicing end grain or cutting into a spindle, use a slicing and arcing action with just the long point of the skew
- Keep it sharp! ●



Cutting a pommel with a skew uses the same techniques as rolling beads and slicing the end grain

elipse



"This mask does it all , A quality item That fits well , doesn't steam up my glasses and I can wear a face shield at the same time Brilliant"

- Nick Agar (Professional Woodturner)

Johnson Tools

Wholesalers Of Fine Woodworking Tools & Consumables

Contact us for your nearest retailer

Tel: 07525 812453

info@johnsontools.co.uk

GO AHEAD, GLUE ALL

POWERFUL BONDING SOLUTION

ELMER'S GLUE-ALL®

Elmer's Glue-All is the perfect choice for all kinds of repairs. Versatile, easy to clean up and non-toxic, Glue-All delivers a solid bond every time.



Find your nearest stockist
elmersglue.eu

Available on the
App Store



steinert®

**The future will be
brighter, safer,
more precise,
more reliable,
more fun.**

Wait and see!

Soon available at:

The ToolPost • www.toolpost.co.uk • phone (UK) 01235 511101

INDULGE YOUR PASSION!



Lathe stand

Robert Wicks shows you how to make a handy bespoke wooden lathe stand

ROBERT WICKS



Robert has been turning for the past three years and is based in Berkshire. In addition to a busy international sports marketing role, he is the author of five Haynes manuals on a wide range of subjects, including adventure motorcycling and aviation. He says woodturning provides the ideal way to be creative. He has a keen interest in segmented work.

robert.wicks@gmail.com

started turning about three years ago and to get going I invested in a hobby lathe from Axminster Tools & Machinery. Over

time, my skill level has improved and I am now starting to demand more of the lathe and the hobby as a whole. I have also developed, as is undoubtedly the case with most people who discover turning, an ever-growing collection of tools and turning accessories.

While I have been happy with the lathe itself, the original stand was causing me a number of issues. Firstly, it is made of very lightweight material and hence not very rigid, contributing to unwanted vibration – an absolute ‘no-no’ when it comes to turning. The stand was also simplistic in its design and offered very little in the way of storage, aside from a single tray that seemed to be designed to ensure my stock and accessories were constantly getting covered in dust and shavings. Finally, as I am 6ft 5in tall, the

lathe was a little on the low side for comfortable operation and this was further compounded by the fact that I stand on a 38mm rubber mat in my workshop. With all of these issues in mind I decided building a lathe stand was a great project for the winter.

Before embarking on this project, three key things need to be considered in the initial planning: the length and width of the lathe bed; the need for rigid uprights – sides – to overcome the vibration issue and a suitable and cost-effective form of storage, preferably in keeping with the stand design. Once you are certain of your measurements, I recommend mocking up a cardboard prototype of one of the uprights; this enables you to carefully check the final height of the lathe bed, as well as the height of the shelves.

EQUIPMENT USED


Vertical screws
Japanese fine cut saw
Masking tape
Titebond glue
Wood screws
Nails
A selection of clamps
Jigsaw and/or multi-tool with plunge cut


blade
Danish oil
Bought storage boxes
Bosch Multi-tool
PPE: facemask, respirator/dust mask and extraction

TIMBER REQUIREMENTS

Two sheets of 48mm marine plywood

10 × 10mm plywood strips
3 pieces of 18mm ply





1 Start by cutting up your sheet to size and laminating together two pieces of 48mm marine plywood to create the thickness of the pieces required for the ends of the bench. You will find it to be more expensive than standard ply, but it tends to be more durable and with fewer defects. Make sure you have a good even coverage of adhesive on one face, then lay the two pieces together

2 Getting a good bond to ensure good lamination between the two sheets is essential. If necessary, use every clamp you have available at the time

3 Once you have your two uprights, use a jigsaw and/or multi-tool to cut the feet, tapered backs...

“Exercise caution when working with the uprights...”

4 ... and curved fronts. Exercise caution when working with the uprights as they are cumbersome and heavy

5 You can clamp the two ends together and clean up all the faces to make sure both match


6 Use 10 × 10mm plywood strips on the inside of each upright to support the shelves. Simply nail and glue them into position. They will come in very handy during final assembly, particularly if this is something that you are doing on your own. Remember to apply masking tape above and below the strips to make the glue clean-up easier

7 Create the lower storage shelf out of 18mm ply. Before putting this in place, glue and screw the lower central support leg that runs the full depth of the stand – without this the structure can bow under its own weight and that of the cast-iron lathe bed

HANDY HINTS

- 1.** Make a prototype out of cardboard to ensure the proposed dimensions meet your requirements
- 2.** Cut the sheets for each end simultaneously; this will save time and ensure they match up
- 3.** Don't cut the curved fronts too deep as you might find yourself standing further back from the lathe than you would like
- 4.** Source decent quality timber from a reputable merchant
- 5.** As the old adage goes – measure twice and cut once

8 Make the central shelf a double layer of 18mm ply for added rigidity across the centre of the stand and also bear in mind that this shelf carries the full weight of the accessory boxes content. Then, put a single 18mm sheet in place for the top shelf. In addition to the support strips, screw in each of the shelves using 75mm wood screws, preceded by a pilot hole. I have to admit that my storage boxes came from IKEA, but of course you can make these yourself if you don't want to buy them. The birch ply and general proportions suited the stand perfectly and saved me a great deal of time on the project. Be sure to get boxes that hold everything you need and take extra care in getting the shelf heights exactly right. If the storage boxes are not as deep as the stand, add a rear strip of ply directly behind the boxes, so they don't move backwards



9 You can now add the upper central support – this should have a matching curve to that of the two uprights, but not be quite as deep given the front and rear panels that run the full width of the stand. Secure this upright with wood screws from below and some Titebond. Depending on your own requirements, cut access holes in the base using the plunge cut blade on the multi-tool. I did this should I need to tighten the fixings beneath the tailstock or the toolrest assembly – this has been a recurring issue for me, undoubtedly brought about by the vibrations mentioned earlier



10 Drop in the front and rear panels on the top shelf – cut these to size once the stand is nearing completion. I used my Japanese fine cut saw to make minute, but very accurate adjustments here. Once in place, you have a tray that can be used for your tools during turning and for other items you need to regularly access. This can be further subdivided to create separate areas, depending on your requirements. For a clean front on the stand, use vertical screws every 100mm starting beneath the top shelf and into the underside of the panels. If you've already fitted the accessory boxes, remove these and countersink the screws, otherwise the boxes will foul on the screw heads when you put them back. Use the lathe bed as a template to mark the holes accurately. Drill and secure the lathe bed with good quality bolts



11 Now for the base on which the lathe bed will rest. Place this on top of the three vertical supports and secure with screws only – don't use glue in case you ever want to replace this element

12 At this point you haven't added in a backing board, as if you drop something down the back, it is easily accessible via the lower shelf. To finish, simply apply a couple of coats of Danish oil. To make life easier, it helps to label the storage boxes. You are then ready to put your lathe stand through its paces! ●





The north's premier woodworking store stages its Spring Open Event

Saturday April 25th 10.00am to 4.00pm

Sunday April 26th 10.00am to 3.00pm

This year we have the
chance of a rare event -
three masterclasses
each day from the world
renowned Stuart Mortimer



In addition there will be many demonstrations
throughout the show covering many aspects of
woodturning, woodcarving and woodworking.



An abundance of trade stands
will be offering their expertise
and with discounts throughout
the store of up to 75% off!

Free entry to the show, free parking and plenty of refreshments

Turners Retreat, Faraday Close Harworth, DN11 8RU

Tel 01302 744344 www.turners-retreat.co.uk eshop@turners-retreat.co.uk

WIN £100! - bring along this coupon* to the show and be entered
into our FREE prize draw to win a £100 voucher to spend in store.

Name

Email address

winner will be contacted by email

*one coupon per person

WALTER HALL EXPLORES MODIFYING SLIMLINE PEN KITS

Woodturning

THE WORLD'S LEADING MAGAZINE FOR WOODTURNERS

Adding decoration to your supported forms

Drilling irregular shaped holes

Richard Findley solves common skew chisel problems

In profile: from artist to woodturner – the work of Ted Sokolowski

PROJECTS

- Lighthouse pepper mill
- Make your own lathe stand
- 3 different bowls and platter designs
- London plane bowl using local timbers



SAVE UP TO 30% WHEN YOU SUBSCRIBE

FREE EARLY DELIVERY



projects technical kit&tools features
profile community turning featured artist
reviews tests workshop events&news



DIRECT TO YOUR DOOR

You pay less than **£3** an issue!
by Direct Debit

3 EASY WAYS TO SUBSCRIBE

+44 (0) 1273 488005



www.thegmcgroup.com



Please quote order code **A4665**

FREEPOST RTHA -TGLU -CTSK,
GMC Publications Ltd, 166 High Street,
Lewes, BN7 1XU (please affix a stamp if posting from overseas)

YES! I would like to subscribe to **Woodturning**

Subscriber details

Title	Initial	Surname
Address		
Postcode	Country	
Telephone	Email	

Payment methods (please tick and fill in chosen option)

☐ I enclose a cheque made payable to GMC Publications Ltd, or ☐ Please debit my credit/debit card

Card No.

Start date Expires Security code

Signature Date

☐ Direct Debit

Instructions to your Banks or Building Society



Name of account holder

Bank or Building Society account no.

Bank or Building Society sort code

Name and full postal address of your Bank or Building Society

Name

Address

Postcode

Originator's identification number

Reference number (office use only)

Instruction to your Bank or Building Society:
Please pay GMC Publications Ltd Direct Debits from the account detailed in this instruction subject to the safeguards assured by the Direct Debit guarantee. I understand that this instruction may remain with GMC Publications Ltd and, if so, details will be passed electronically to my Bank/Building Society.

Banks and building societies may not accept direct debits for some types of accounts.

Signature Date


Subscription options (please tick the appropriate price)

Pay by cheque/card	12 issues SAVE 10%	24 issues SAVE 20%
UK	☐ £42.66	☐ £75.84
Europe	☐ £53.33	☐ £94.80
Rest of World	☐ £59.72	☐ £106.18
Pay by Direct Debit (UK only) SAVE 30%		
UK only	☐ £16.59 every 6 issues	☐ £33.18 every 12 issues

The Direct Debit Guarantee: This guarantee is offered by all Banks and Building Societies that take part in the Direct Debit Scheme. The efficiency and security of the Scheme is monitored and protected by your own Bank or Building Society. Please see your receipt for details. Guild of Master Craftsman Publications will ensure that you are kept up to date on other products which will be of interest to you. If you would prefer to not be informed of future offers, please tick this box ☐ Offer expires 31/07/2015 Plus free gift with some issues, sorry not available overseas

A4665

Classics by Carter Toolworks



M42 High Speed Steel (HSS) is one of the most sophisticated materials used in tool production - and is so exotic that it is rarely used for woodturning tools. But if you are as passionate about producing simply "the best" woodturning tools - as is the case with Carter & Son Toolworks - then this is the ultimate material choice. Why? Because M42 creates supersharp - razor-sharp - edges that are also very, very durable. The M42 blades are mounted in beautiful - yes, simply beautiful - handles of aircraft grade turned aluminium to create woodturning

tools like no others. Aluminium not only gives a strong handle but dampens vibration, reducing tool chatter, yet remains a balanced delight to use, enhanced by the knurled grip. And because, with every justification, Carter Toolworks are proud of what they produce, every handle carries their engraved signature. If you are ready for the best that the tool industry can supply, then you're ready for Carter Tools. Drop in and take a test drive or call us on 01235 511101. Complete tools* from £114; blades from £66; handles from £60. Tools you will be proud to use.

NEW: We are pleased to announce that we have increased our range of Carter tools including all of their new releases for 2015. The range now includes the following tools, priced* with aluminium handles: 1" Bowl Scraper, £144.00; 1" Square Scraper, £144.00; 1/2" Skew Chisel, £117.60; 1" Radius Skew Chisel, £144.00; 3/4" Roughing Gouge, £138.00 and 3/16" Diamond Parting Tool, £126.00



Spring Open House

Saturday & Sunday June 6th & 7th 2015

10h00 - 16h00

with **Manfred Gangl** and
(Austria)

Ronald Kanne
(Netherlands)



Bring your woodturning tools and learn to sharpen them professionally in our **Free Tool Sharpening Clinic**. A **Bandsaw Clinic** will also be available, dispensing free advice and guidance, courtesy of Record Power

Free Entry * Free Parking * Free Refreshments * Free Demonstrations

The ToolPost

Unit 7 Hawksworth, Southmead Industrial Park, Didcot, Oxon. OX11 7HR • 01235 511101 • www.toolpost.co.uk

sharing expertise

*inc VAT. Price correct at time of going to press

Modifying slimline pen kits

Walter Hall takes you through the steps
for modifying two slimline pen kits

PHOTOGRAPHS BY WALTER HALL



WALTER HALL



Walter Hall is a woodturner who has specialised in making pens and pencils for more than 20 years. Based on the beautiful Northumberland coast in the UK, Walter sells his bespoke pens and pencils through local craft centres and via his website.

walter@walterspens.co.uk
www.walterspens.co.uk

Nowadays there are hundreds of different styles and designs of pen kits on the market and it is easy for a pen maker to make a wide variety of writing instruments without ever doing more than some basic turning and assembling the kits in accordance with the instructions. In order to make a pen that is truly individual, however, more adventurous pen makers choose to move away from basic kit assembly and venture into modification of kits and even making kitless pens from scratch. The first step on this journey for many is making simple modifications to the basic slimline kits that have been around since I began pen making,

more years ago than I care to remember.


In this article I explain how to make an oak (*Quercus robur*) one-piece pen that is operated by twisting the nib unit and a two-tone sycamore (*Acer pseudoplatanus*) and African blackwood (*Dalbergia melanoxylon*) pen that does away with the centre band, which constrains the designer when modifying the shape of the basic kit and results in so many people making 'bow-tie' shaped pens, which I find extremely unattractive.

It is assumed that the reader has a basic knowledge of turning and assembling pens from kits so only those processes that are additional are explained in detail.

Making a one-piece pen

1 The one piece pen requires a blank that is just slightly longer than the combined length of the brass tubes supplied with the kit; this allows for trimming and squaring the ends

2 The blank is best drilled on the lathe as a pillar drill will most likely not have sufficient quill travel and will require repositioning of the table during drilling. A long drill bit, such as a Colt pen drill, is required and great attention must be paid to centring the bit on the blank at the start of drilling, as such long bits are prone to flexing and vibration if not properly centred. Taking your time to set up properly and regularly withdrawing the bit to remove swarf will result in an accurate hole





3



4



5



6



7



8



9

3 Only one of the brass tubes is glued into position for this project. Epoxy is the best adhesive for this and you must make sure that none gets into the other half of the bore or into the tube itself, otherwise you could encounter problems. The tube should be pushed just far enough into the tube to allow for squaring off

4 Once the glue is fully hardened, the remaining tube can be slid into the other half of the bore and both ends trimmed true and square with a barrel trimmer or a disc sander and jig

5 The whole pen assembly, complete with both fixed and loose tubes, can then be mounted on a standard mandrel or turned to shape between centres, depending upon your preferred method of working. In this case, with the loose tube, I find that using a mandrel gives better support

6 Once you are happy with the shape of your pen, sand the barrel through the grits of abrasive to about 400 and then finish with the finish of your choice. I chose to use melamine lacquer here

7 The nib unit and mechanism of the pen are pressed onto the loose barrel using a pen press or vice and the refill screwed into place. I find it best to press the mechanism in just short of the marked line on the body and check the protrusion of the tip and then adjust the fit by pressing the mechanism further in, if necessary. It is much easier to press it further in than it is to retract it from the tube. The clip and clip finial are pressed into place in the top of the barrel, just as they would be on the cap of a standard kit

8 Because there is only the nib unit to grip when removing the mechanism to change the barrel, this may be difficult. In order to make this easier, it may help to remove one or two of the three ridges around the top of the mechanism that are meant to grip the tube. This will facilitate removal without adversely affecting the working of the mechanism

9 Once the components are pressed together, all that remains is to push the assembled mechanism into the tube until it engages fully in the fixed tube

10 The completed one-piece pen should look something like this



10

❏ Making a two-tone pen

1 The two-tone pen requires two contrasting blanks. Their combined length should be the same as the total length of the brass tubes, plus allowance for trimming. A couple of millimetres longer is OK. I have used a piece of spalted sycamore and a short offcut of African blackwood left over from another project. The blanks should first be drilled in the normal way

2 It is very important to ensure that the mating faces of the two blanks, where they meet in the centre of the pen, are true and square to the tube. This can be done using a barrel trimmer with a spare brass tube slipped over the shaft or, as in the photo, using a similar technique with a disc sander and jig

3 Slip the ends of the blanks over a spare tube and make sure the fit is perfect before gluing the tubes into place. When held up to a light source it should not be possible to see any chink of light between the components

4 Glue the tubes into the barrels. The inner end of the shorter barrel should protrude from the mating face as shown. Ensure any excess glue is removed from the mating face. Glue the other tube into the top – non-mating – end of the longer barrel



5 Once the outboard ends have been trimmed square the whole assembly can be mounted on a mandrel and turned to shape. The possibilities for shaping are endless and only constrained by your imagination. There is no narrow centre band to worry about

6 Once shaped, it is best to sand and finish the two parts separately; this will avoid cross contamination of dark and light sanding dust from staining the blanks. This is especially important with open-grained woods. Finish with your finish of choice. Assembly is straightforward and is just as for a normal kit pen

7 The completed two-tone pen should look something like this

Conclusion

I hope you enjoy making these designs and that I have given you some ideas to develop more designs of your own and maybe look at modifying some other kits too ●



WOODWORKING INNOVATIONS FOR OVER 80 YEARS

MICRO-ADJUSTABLE

Guide Upgrade Systems

NEW



MAGFENCE® II
Universal Magnetic Fence

PERFECT SPHERE™

Sphere Turning System

Patent Pending

NEW



MULTIREST®
Vessel Support System

Patents Pending



HOLLOW ROLLER®
Vessel Turning System

Patent Pending



ACCURIGHT®
CENTER MASTER
Blank Creation System



NEW

FACE-OFF™
Modular Faceplate System



NEW

STRONGBORE™
Modular Boring System



ACCURIGHT®
Circle Cutting Jig



ACCURIGHT® BAND
SAW LOG MILL™

International
Dealers

Austria/Europe

Neureiter
MASCHINEN UND WERKZEUGE
www.neureiter-shop.at/

Germany/Europe

steinert®
www.drechslershop.de/

Australia

GREGORY
Machinery
www.gregmach.com

Russia

ITA
www.jettools.ru/

Norway/Sweden

GUSTAVSEN
www.gustavsenas.no/

Japan

OFF
www.off.co.jp

Band Saw Accessories
Lathe Accessories
Band Saw Guides



Band Saw Blades
Band Saw Tires
and More!

Innovative Solutions for all your Woodworking Needs

WWW.CARTERPRODUCTS.COM • USA • 616-647-3380 • US TOLL FREE 888-622-7837

PLANET

COLT

For the 'Serious Wood Worker'

Available from Planet

www.planetplusltd.com

rotur
specialist woodturning products



COLT MAXI CUT FORSTNER CUTTER

M2-HSS STEEL – QUALITY PRODUCT • 69 SIZES AVAILABLE METRIC & IMPERIAL

UNIQUE ROTA-STOP SHANK-PATENTED PRODUCT.

3 EXTENSIONS AND MORSE TAPER ADAPTERS AVAILABLE.

UK DISTRIBUTER FOR COLT DRILLS • **SOLD THROUGH STOCKIST NETWORK**

**UK
Distributor**

PLANET PLUS LTD - UNIT 3 SPEEDWELL CLOSE, CHANDLER'S FORD, EASTLEIGH, HAMPSHIRE SO53 4BT
TEL: +44(0)23 8026 6444 FAX: +44(0)23 8026 6446 EMAIL: sales@planetplusltd.com

John Davis Woodturning Centre

... a working woodturning centre run by Woodturners for Woodturners

not just a shop

RECORD POWER
ESTABLISHED 1909

Woodworking Machinery & Accessories

Record Power Day

15th May 2015

10.00 am - 4.00 pm

Record Power will be on hand to answer your questions and demonstrate products from our extensive range



Special show
deals will be
available in store
on the day and
Sat 16th & 17th
during normal opening hours



The Old Stables, Chilbolton Down Farm, Stockbridge, Hampshire SO20 6BU

email: admin@johndaviswoodturning.com

Shop Open: Mon - Sat 10am - 5pm, Sun 10am - 2pm

www.johndaviswoodturning.com

Tel: 01264 811070

Woodturning

THE WORLD'S LEADING MAGAZINE FOR WOODTURNERS

on sale 21 May

Using interesting timber to best effect – the work of Rod Page



PHOTOGRAPH BY ROD PAGE

Jan Hovens turns one of his signature pieces – a 'natural' acorn box

Spindle gouge problems: Richard Findley shows you how to be a better turner

Walter Hall looks at the tools and equipment needed for pen-making

To subscribe call 01273 488 005 or visit www.thegmcgroup.com

Editor Mark Baker
E: markb@thegmcgroup.com
Deputy Editor Tegan Foley
E: teganf@thegmcgroup.com
Editorial Assistant Karen Scott
T: 01273 477374
E: karens@thegmcgroup.com
Designer Oliver Prentice
Illustrator Mark Carr
Chief Photographer
Anthony Bailey
Advertising Sales Executive
Russell Higgins
Tel: 01273 402899

E: russellh@thegmcgroup.com
Advertisement Production
Production Controllers
Rebecca Howard & Amanda Allsopp
Tel: 01273 402807
E: repro@thegmcgroup.com
Publisher Jonathan Grogan
Production Manager Jim Bulley
Circulation Tony Loveridge
Tel: 01273 477374
E: tonyl@thegmcgroup.com
Subscriptions Manager
Helen Christy
T: 01273 402 873

E: helenc@thegmcgroup.com
Marketing Anne Guillot
T: 01273 402871
Origination:
GMC Reprographics
Printer:
Precision Colour Printing
T: 01952 585585
Distribution:
Seymour Distribution Ltd
T: +44 (0) 20 7429 4000

Woodturning
(ISSN 0958-9457)
is published 13 times a year by
the Guild of Master Craftsmen
Publications Ltd.

Subscription rates
(including postage & packing)
12 issues: UK £47.40 Europe £59.25
Rest of World £66.36
24 issues: UK £94.80 Europe £118.50
Rest of World £132.72
US subscribers should visit www.lightningpublications.com

for subscription rates in USD \$.
Post your order to:
The Subscription Department,
GMC Publications, 166 High Street,
Lewes, East Sussex
BN7 1XU, England.
Telephone: 01273 488005
Fax: 01273 478606
Cheques should be made
payable to GMC Publications Ltd.
Current subscribers will automatically
receive a renewal notice (excludes
direct debit) subscribers

Ted's Tools, Instructional DVDs & Metal Inlay Supplies



www.TedSokolowski.com

WEST PENN HARDWOODS, INC.

Olean, New York, USA 1-716-373-6434
+001 (716) 373-6434 International

WE SHIP ALL OVER THE WORLD!!


Exotic Turning Blanks • Pen Blanks
Burls • Figured Lumber
Unique Boards

75+ Exotic Species including:
African Blackwood, Bocote, Bubinga (Waterfall),
Cocobolo, East Indian Rosewood, Ebony,
Olivewood, Pink Ivory.

VISIT OUR WEBSITE:

www.westpennhardwoods.com

Use Coupon Code: GMC10 on your next order to receive 10% OFF
Coupon cannot be combined with any other offers and excludes the following species:
Tulipwood, Kingwood, Cocobolo, Amboyna, Waterfall Bubinga and Ebony



Little Sister Big Performance

Little Sister is a mini hollowing tool based upon the highly successful Brother System 2 range. Designed with the small/mini lathe turner in mind.

Compact fixing screw
Hollow through 13mm
openings with ease!



Tapered Stem
for maximum rigidity

Proudly
Made in the UK

DVD
VIDEO
Free DVD
included

Talk with your
stockist today

hamlet
CRAFT TOOLS

sales@hamletcrafttools.com
www.hamletcrafttools.com
+44(0)1142321338

3 configurations available



An interchangeable scraper (ref H5187B) also available

Turn It Up A Notch... With Flexcut®

Woodcarving tools that will take your woodturning to the next level.



Wood sculptor Dave Johnson, from Gloucester, uses Flexcut tools to embellish turned platters and bowls with patterns, calligraphy and figurative relief carvings.

Flexcut's flexible blades let you make cuts with greater control than traditional carving tools, so they are perfect for precision work. The blades are made from high-carbon steel and hold their

edge extremely well. They are hand-sharpened to a razor finish and easily glide through wood with outstanding results.

See more of Dave Johnson's work online at www.djsculptor.co.uk.

BriMarc
TOOLS & MACHINERY

Flexcut
CARVING TOOLS

Find out about Flexcut carving tools
www.brimarc.com/flexcut


Find prices or your nearest stockist
www.brimarc.com/stockists
or call 0333 240 69 67

Seriously Big Collet Chucks



Sized to fit the most popular lathes, with collets that hold 7/8", 1", 1-1/8" & 1-1/4" stock diameters.

Equipped with thrust bearings that make them practically effortless to tighten & release. . .



THE BEALL TOOL CO. Dept AWT
Newark Ohio • 1-800-331-4718 • www.bealltool.com

Protect and enhance the natural beauty of wood with Treatex Hardwax Oil



Vase by Mark Raby Wood Finishing



Treatex Hardwax Oil

protects and enhances the appearance of all types of internal wood surfaces. Treatex Hardwax Oil is manufactured on a base of natural sustainable raw materials: jojoba oil, linseed oil, sunflower oil, beeswax, candelilla wax and carnauba wax.

- Brings out the timber grain
- Adds warmth to wood
- Easy to apply
- Quick drying
- No sanding required between coats
- Low odour
- Resistant to water, wine, beer, coffee, tea and fizzy drinks
- Withstands high temperatures
- Very durable
- Easy to clean and maintain
- Spot repairable
- Suitable for flower vases
- Safe for use on children's toys

treatex
Naturally superior wood finishes

tel: 01844 260416
www.treatex.co.uk



Ted Sokolowski in profile

From artist to woodturner – we look at the work of **Ted Sokolowski**



PHOTOGRAPHS BY TED SOKOLOWSKI

Ted Sokolowski's start in turning didn't come quickly, but once he started, he didn't stop. Ted began his career in illustration after attending the School of Visual Arts in New York, but his path would lead him in the direction of woodturning.

Starting turning

Ted Sokolowski has always led an artistic life. His first attempts at trying to make a living using his skills began in the third grade when, after taking a taxidermy correspondence course, Ted proceeded to mount local wild animals of various sorts. It wasn't long after producing several mounts, with 'peculiar' expressions, that Ted learnt the market wasn't interested in mounts exhibiting terror, fear, fright, alarm or even panic.

Next, Ted took his artistic skills over to drawing, something he'd always loved to do. By the eighth grade, he took a course in 'cartooning'. He sent off a number of spot cartoons to magazines, in the hope of being published. Unfortunately, he received only rejection letters. After his second attempt at making a living through his artistic skills, Ted still didn't give up, believing art was in his veins and his heart.

Upon attending the School of Visual Arts in New York, he tells us how he finally felt he had learned how to draw. The school had a major impact on Ted's understanding of art. One of his most vivid 'aha!' moments was when he felt the sensation he could immerse his mind into the paper. He tells us: "It was like an out-of-body experience, where my mind and body felt as if I could float into the

paper. It was like a switch that flashed on and off for a split second. What a natural high I had experienced. Needless to say I wanted more of that!"

Ted spent four years in college, cultivating that feeling and sensation of depth. Life drawing class became his escape and college was his foundation into art. Ted also studied photography extensively, which became an important tool to his illustration, and ultimately he chose illustration as his major.

Ted's career in illustration lasted roughly 16 years and included illustrating for magazines, advertising agencies and graphic design firms. He also continued to study art, new techniques, visited museums and he made sure to network with other artists, which led to him finding architectural illustration: "That was my bread and butter



This trio of candlesticks was featured on the cover of *Woodturning Design*, yellow heart (*Euxylophora paraensis*), cocobolo (*Dalbergia retusa*) and bocote (*Cordia spp.*), each with brushed pewter spun cups and bases, 115 × 100 × 150mm high. A one of a kind set

for many years,” he explains, until the housing market tumbled due to a recession.

Ted once again began taking life drawing lessons, to continue honing his drawing skills, eventually taking over running the lessons for two additional years. During that time, he met Debra, who was taking the class. She was also an established and talented artist and the creative director of an advertising agency. Debra’s expertise in graphic design and her understanding of the editing process of video has recently helped Ted produce woodturning DVDs: *Making Peppermills*, *Making Candlesticks* and *Metal Inlay Techniques*. Ted and Debra soon married and a year after their marriage, the couple travelled to Russia and adopted their son, Timothy.

At this point in time, Ted was freelancing in illustration and rendering and getting higher profile jobs in commercial illustration. He tells us: “I thought I had finally made it. A nice portfolio, working for Fortune 500 companies, working out of my home... but all good things must come to an end. As it turns out, the internet wasn’t a fad; the internet completely destroyed freelancing by driving prices down to nothing.” According to Ted, searching and finding commercial art was instantaneous. The style of illustration had changed. It seemed you didn’t need to know how to draw to get published: “Colleagues I went to school with scrapped their portfolios and began producing ‘computer-generated-production-line-illustration’ – finished art in a day or less.

My average colour illustration took about 100 hours to complete. I didn’t like the idea of art in a day so I couldn’t compete. Computers and CAD programs were rendering homes at the push of a button. The industry and my career were now seriously fractured,” he explains.

An outlet

While all of this was going on, Ted needed an outlet, so he rekindled an old interest of woodworking. Ted only has a small assortment of portable power tools, but a good supply of wood, which he had procured from his neighbour.

Ted had a large elm (*Ulmus procera*) tree given to him by the same neighbour, which was sawn into 25mm and 50mm boards, stacked properly and left to dry. Slowly, he started to build his workshop by adding a tablesaw, radial arm saw, jointer, shaper and planer. With his elm wood, Ted soon decided to build some kitchen cabinets. Things were going well with the kitchen cabinets, until he ran out of 25mm boards.

“I had been looking at a lathe, but what I needed was a bandsaw to re-saw the 50mm stock of elm in order to finish the cabinets,” he explains. Debra suggested he should get the bandsaw first, finish the cabinets and then get a lathe. Ted tells us he’s glad he purchased the bandsaw first, otherwise all the cabinets would have ended up being round! Woodturning was about to absorb him.

The purchase

Ted purchased a mini-lathe in 1998 and borrowed some videos out of the local library by Richard Raffan. Ted studied them closely, but had problems with the skew chisels and catches in general. He begged the local shop teacher for instruction in woodturning, but he refused. Ted then turned to woodturning forums on the internet. Still struggling for six months, he fought the skew until he learnt it. After some more research, Ted found out about the American Association of Woodturners (AAW) and joined a local group. His knowledge of woodturning grew exponentially.

At one meeting, Ted met Dave Souza, who invited Ted to his workshop for a day to test drive two brands of full-size lathes. “I learnt much more that day than which lathe to buy,” Ted tells us. He also learnt that day he could make a career out of woodturning.

Ted did his first arts and crafts show on a local level, charging what he thought was acceptable. After that went well, he soon began doing shows of a higher calibre and quickly realised he was no longer an illustrator, but a woodturner.

Style and inspiration

‘Traditional’, ‘minimalistic at times’, ‘sensuous’, ‘voluminous’, ‘fluid’ are a few of the words Ted uses to describe his work, but

most importantly, he strives for the fullness of life. Ted learnt and developed his style by turning wine stoppers – 1,000s of them. He tells us: “I learnt to turn – or developed my style – within production work. It’s very similar to how I learned to draw, from sketching 1,000s of gesture drawings. Whenever I turn a stopper I still approach it the same way: with speed, feeling, capturing a mood and a sense of balance among the relationships of beads and coves. I don’t want to get caught up in the details of the piece, just the overall feeling I get from the curves.”

Ted feels as if he can afford to explore freely the subtle changes he makes on each one, as ‘they’re disposable without too much invested’. It’s also amazing how much one can learn from happy accidents!

Ted would have to say his style is classical/figurative and the work he currently produces is functional. He mostly produces pepper mills, but also makes wine stoppers, pastry pins, mortars and pestles, candlesticks – using his own metal spun hardware – and some custom commissions.

Ted used to turn some hollow forms, but making and selling them on a consistent basis was too exhaustive. The process was certainly fun for Ted, enjoyable and very creative, but when you can’t pay the bills with your art, it’s time to move on. “I realised early on in my woodturning career that you can’t invest countless hours to create a beautiful piece of art and expect to be fairly compensated for your time. I didn’t want to repeat what I tried to accomplish in illustration. I now feel as though I have found my niche and I’m enjoying it,” he tells us.

Inspiration for this turner is being able to watch the growth of his work and being in awe of what truly happens while he’s behind the lathe. He tells us: “I start with a blank and in a matter of seconds or minutes an image, or more appropriately a form appears right in front of my eyes. That’s exhilarating. What’s even more fantastic about the process is that I’m in total control of it!”

Ted’s greatest influence was his drawing instructor at the School of Visual Arts, Jane Rosen. This was who instilled in him a love of drawing. He also mentions the ‘great masters’, such as Michelangelo, illustrators such as N.C. Wyeth and even music had an impact on Ted’s work. He explains: “Music has had an impact on me and continues to flow into my work: curves can be compared and contrasted to timing in a musical score.”

Development

Ted has watched his work grow in subtle ways over the last 17 years. Early on he struggled with good form, having been trained in two-dimensional drawings. This three-dimensional ‘woodturning-thing called form’ threw him for a loop. He remembers meeting with a good friend who was also a potter and



Classic wine stoppers in a variety of timbers: jobillo (*Astronium fraxinifolium*), satine (*Brosimum rubescens*), sumac (*Rhus spp.*), English yew (*Taxus baccata*), purpleheart (*Peltogyne porphyrocardia*), cherry (*Prunus serotina*) burl, ebonised curly maple (*Acer saccharum*), curly maple with black walnut laminate, black walnut (*Juglans nigra*) with maple laminate, curly maple, bocote (*Cordia spp.*), Brazilian tulipwood (*Dalbergia frutescens*) and cocobolo (*Dalbergia retusa*)



A selection of Ted’s turned pestle and mortars

Ted specifically questioned him on how to create good forms. He couldn’t give Ted a concrete answer. “I was desperately grasping for some direction. I turned to wood related magazines, books and turning magazines for answers to design, but I couldn’t find any,” he explains. He found lots of projects, but that was all about someone else’s work and style. The few projects Ted completed did help with technical aspects, safety and a thought process of how to solve a project in a logical series of steps. “I did see a lot of beautiful work created by skilled turners, but my question was: ‘how does one go about learning design on their own?’ I didn’t want to sell someone else’s design.”

Understanding the fact that he did everything behind the lathe was a revelation to Ted. He realised his chances of cutting a successful design by incorporating an arbitrary shape were quite poor. Over time,

it finally dawned on him: he needed to draw the shape with a gouge and sculpt it according to a plan. So, he decided to go back to his roots and draw. As he explains: “Now every sketch I have drawn over the years as a first draft to a prototype design has evolved tremendously behind the lathe.”

Workshop

Ted doesn’t call his work space a ‘workshop’, but a ‘studio’. It started out as an overly crowded basement woodshop, with a dedicated area for his General 260VS lathe. His wife suggested expanding the workshop area by putting on an addition to their home. The pair spent hours designing floor plans and scheduling the various stages of construction. Once construction was completed, Ted’s work area had doubled.

He now has two General 260 lathes, three Jet mini lathes, two bandsaws and



Spalted maple (*Acer saccharum*) pepper mill, 305mm

a carving station for all of his metal inlay work and even a lost-wax casting area for making his own bronze embellishments to his high-end pepper mills. Ted also metal spins his own candlestick hardware from pewter or copper by easily adapting any one of his woodturning lathes into a metal spinning lathe.

Special tools

It used to be Ted's 6mm bowl gouge that he couldn't do without, but it limited the freedom of movement in his body, behind the lathe on all of his curves. So, Ted designed his own scrapers: "I used to say that with a bit of hesitation, because of the taboo associated with the word scraper. But I have done it so much I can't imagine producing the same feeling in my work without these scrapers."

TOP TECHNIQUES

1. Using a finesse scraper on almost all of my spindle turnings prior to sanding
2. Inlaying copper into contours exhibiting a certain quality of line that appears to have movement that helps to establish a signature style
3. Flowing metal-like copper or pewter over a wooden form that I designed using traditional metal spinning techniques

HANDY HINTS

1. Learn to draw. Even if it's only the basics, you will see improvement in your woodturning. There are many great techniques that can be applied in order to learn how to draw and you can see progress in as little as 30 days. Essentially, what you really learn is how to 'see'
2. Woodturning is a form of sculpture. Michelangelo was a sculptor. He considered himself as first a sculptor then a painter. He is most known for his paintings because those were the bulk of his commissions. His pencil drawings were spectacular and he considered all the drawings he produced as studies to his sculptures. So learn to draw. It leads to improved 'sculptures'
3. Don't throw away your mistakes. If you get a catch and ruin your work, try to salvage what's left, even if it means changing the relationship of the elements in your form. Learn from your mistakes.
4. Sanding is boring – right? Well, it doesn't have to be. It's in your approach. Sanding is your first intimate connection between you and your creation through the sense of touch. Become one with the piece. Once the foundation is sound and strong, then, and only then, apply your favourite finish

Ted can control the amount of volume, quality of line and add a sense of sensuality to his curves because all of the energy of the cut flows from his whole body. The unique design of the tool provides for free flowing movement of his body, which allows emotion and feeling to stream through the scraper. This is the precursor to sanding all forms. Abrasives or gouges cannot compare to the control of a finesse scraper. Without this tool, he feels his forms would appear life-less. This tool builds a solid foundation to good form.

Ethos

Ted tells us that he has always enjoyed creating something from raw materials. Being able to create a piece that reflects an emotion and exudes life, not only moves

him, but he can also see how it moves those who visit his booth. Their response to his work inspires Ted to want to create more. "I look forward to working in the studio in anticipation of learning something new every day. If you pay attention to the details, it's amazing what you can learn in solving problems or achieving that new subtle curve you've never seen before," he explains.

When asked how long it takes for Ted to complete an item, he tells us that it'll depend on the piece and how creative he wants to get. Lately, he's been spending more time on his pepper mills with various inlays. That's the creative part. He loves to hand carve motifs into his work and incorporate copper, brass or bronze and even peppercorns into the channels and crevices he carves. This has become sort of a signature for Ted. He used to only carve defective wood with blemishes or subtle cracks, but now his customers seek out those pieces, so he now carves and inlays on a regular basis, whether the wood is cracked or not. Ted's traditional mills take anywhere from two hours to 10 hours to complete, or more depending upon size and level of detail.

Typical day

"When you're self employed there isn't anything typical about a day," Ted tells us. Ted wears many 'hats' and enjoys the variety of tasks he needs to accomplish. When turning, he does break down the processes into an 'assembly-line' to save time on repetitive tasks. "I may spend a week turning blanks round for the upcoming craft show season. Then, I may spend several weeks laying out the orientation of the mills and drilling the cavities. I then dry these blanks. With stock like this on hand, I can turn, sand and finish rather quickly, even days before a show!" Ted explains.

The turner also has his own photo studio, so he can shoot his work as he produces it, which keeps the images fresh for jurying purposes. Writing has also taken up days for months at a time. Writing DVDs or magazine articles for woodturners isn't in a typical day for Ted, but can be for long stretches of time. "I'm currently working on my fifth DVD, which should be out this year sometime. I'll be focusing on my finishing techniques and how to notice the details for a successful finish," he tells us.

Highs and lows

Finding retailers to carry his DVDs has been a high in Ted's career, saying: "It's nice to be accepted and respected as a teacher on a particular subject." He feels fortunate that companies such as Rockler Woodworking and Hardware, Craft Supplies, Woodcraft, Packard Woodworking, Lee Valley Tools, Grizzly Industrial and Turners Retreat are stocking some or all of his DVDs.

One of the lows that come to mind, for

Ted, is the debate on whether he is making 'art' or 'craft'. Getting his work accepted into prestigious art shows is still a challenge for him, as he goes on to tell us: "I suppose pepper mills aren't regarded as art by the judges of these shows, but it doesn't matter; I still feel as though I am producing functional art and I still get a thrill turning them knowing my customers appreciate my work."

We asked Ted what the best thing about turning is, to which he answered: "I feel free. I don't punch a clock from 9-5. I don't have to take orders from a boss. I can still apply everything I have learned in my lifetime and express myself through a creative process." Ted has always liked challenges and turning wood is certainly a great one for him. The gouge is his challenge. He draws with it. Just by manipulating a gouge over the surface of the wood, he can create something of beauty and that makes him feel free.

Promotion

Craft shows have been a great method of promotion for Ted's work, because he feels his pepper mills need to be seen and handled to be truly appreciated. His mills are generally

in a higher price range and he feels the competition online is great. He tells us: "I am getting more serious about an online presence. I have used email marketing with some success from lists I've built from the craft shows I attend. Debra has revamped my website, started an Etsy store for online sales and we are currently looking at other avenues for online promotion. Having an in-house creative director has its benefits." Debra also designs advertisements for Ted's woodturning DVDs that he has authored as well as placing ads in most of the woodturning magazines on a regular basis. The duo have even recorded and aired a local radio commercial during the Christmas holiday, with some success!

Future aims

Ted enjoys teaching as much as he enjoys the process of turning. Right now, turning is where his heart is, but in the future when setup and packing at craft shows becomes a chore, he may want to teach more. Whether it will be doing demos or additional DVDs, he's not sure, but the future will certainly entail sharing what he's learned over the years. ●

LIKES

- Woodturned art – I love to see the art being created in the woodturning industry today. Much of it is becoming woodcarving and some woods are pushed to their extreme limits, but whether you call it carving or turning, they're just titles that don't matter. The art speaks for itself
- The camaraderie of woodturners – from early on in my career, the sharing of ideas and techniques from total strangers in the woodturning field has been a wonderful experience. I feel as though I could travel the world and wherever I met a woodturner, I would be welcomed as a guest

DISLIKES

- The myth that scraping spindle orientated work is taboo. When approached the right way, finesse scraping can add a tremendous amount of volume and feeling to a form that no traditional cutting tool can match
- The golden mean – there's too much talk about the golden mean

Email: tedit@sokolowskistudios.com
Web: www.sokolowskistudios.com



Antique style inlaid pepper mill and salt mill, cherry (*Prunus serotina*) burl inlaid with peppercorns and copper



Oriental-style pepper or salt mill. Spalted crotch maple (*Acer saccharum*), ebony (*Diospyros spp.*) and cast bronze handle. A CrushGrind mechanism allows total freedom in designing a mill of art

Easy is ordering from:

BearToothWoods.com

Featuring:

- Quality Berea Pen Kits
- 200+ types of kits
- Original Plating Styles
- Over 900 different pen blanks
- Quick Shipping
- Mix & Match Pricing
- Excellent Customer Service



Triton Gold/Chrome
Rollerball Pen Kit w/
Amalgam-Mutt Wood/
Acrylic Pen Blank

From Left:
7mm Euro Chrome Pen Blank w/ Glacial Pearl Acrylic Pen Blank
New Series Chrome Fountain Pen Kit w/ Royal Rouge Lava Acrylic Pen Blank
Sierra Elegant Beauty Black Titanium/Platinum Pen Kit w/ Polymer Clay Blank



Bowls & platters for you to make


Mark Baker shares three different designs for you to make, this time featuring bowls and platters

Chilean laurel burr bowl

All of the bowls and platters shown here are inspired by ancient forms. This one in Chilean laurel (*Laurelia sempervirens*) burr is one that reminds me of ceremonial type-vessels. I find it quite a mysterious shape, but one that is very adaptable in function. By scaling it down and altering the internal

hollow, it makes a delightful tea-light holder, but scaling it up, it would also work as a wonderful sink design. Of course, the finish and wood would have to change, but with the addition of a hole in the centre and appropriate fitting and pedestal taps, it has possibilities.


Good designs can be scaled up or down proportionally and still work. I love the size of this form and use this shape a lot. The internal hollow is undercut so is ideal to hold things and the large rim area shows off the wood to its fullest, without the piece looking too heavy.



Figured silver birch platter

This is a classic ogee form with a small V-cut incision on the outer S-shaped curve, which delineates the upward curve of the main body and the outward sweep of the rim. The internal curve is a small raised partial bead form, which is almost inline with the outside V-cut and again provides a visual and tactile break, but also lets you – if you choose to do so – adjust the internal


hollow area to be more defined by allowing you to alter/create a deep internal curve rather than just directly mimicking the outer body line. If you opt to do this, you need to thicken the rim area near the raised partial bead to give you enough thickness.



Figured horse chestnut bowl

This bowl form is seen in many variants in ancient pottery, some of which are lidded and others as a standard open bowl form. It is a shape that is a nice departure from just having a standard upsweeping curve or even one that may start as an upsweep and then curve back on itself. I love exploring forms and by having a cove-like inward curve

at the top, you do not compromise the bowl's ability to hold things. The nice sweeping internal curved surface is perfect for holding things, but creates a visual element that I find to be delightful. It also creates a perfect boundary that allows you to decorate the lower external bowl section. ●



Made from CPM 10V which has 10% Vanadium.

Hardened, triple tempered and cryogenically treated for one of the longest lasting edges on the market today.

Shipping to Europe \$16.95 USD for up to (5) tools (no handles)



Welcome to the new level of professional woodturning tools, at a price you can afford.

CONTACT

doug@thompsonlathetools.com
www.thompsonlathetools.com
001 440 241 6360

US Stockist
Enquiries Welcome.
Tel/Fax 888-631-8311

Lacquers
•
Polishes
•
Waxes
•
Polish Enhancers
•
Wood Treatments
•
Polishing Brushes

Abrasives
•
Stains
•
Thinners
•
Applicators
•
Superglues
•
Buffing Systems
•
Acrylic Blanks
•
...and much more



CHESTNUT

P A O D U C T S

first for finishes



Used by woodturners of all abilities throughout the UK and the world, the Chestnut Products range of top quality finishes gives outstanding results every time; whatever you are making and whatever your preferred finishing system there is bound to be something in our range to meet your needs.

See your local stockist for more information or for a catalogue/price list contact us at:

Chestnut Products
PO Box 536,
Ipswich IP4 5WN
Tel: 01473 425 878 Fax: 01473 206 522

www.chestnutproducts.co.uk
mailroom@chestnutproducts.co.uk

Stockist enquiries welcome

Paul Howard Woodturning www.paulhowardwoodturner.co.uk

Tel 01621 815654 Mob 07966 188559

Fluting Jig

Routers from 42mm to 65mm can be fitted as standard or other tools with a parallel collar from 65mm down can be fitted with a simple ring adaptor

£159.00 plus P & P

Index System

Index plate 60 48 36 14 hole pattern spindle sizes to suit most lathes. Unique position clamping system.

£50.00 plus P & P



Sphere Jig

Standard Jig

£187.00 Plus P & P
(UK £15.00)

With Dual Round Bed Bar Adaptor

£197.00 Plus P & P



Spheres up to 300mm Diameter depending on capacity of lathe.

Suitable for flat bed and dual round bed bar lathes.

Riser Blocks for Lathes from 125mm to 250mm spindle height included. Additional risers can be fitted

Carbide Cutter for consistent results.

Self centring with disc or centring plate fitted

Unique Back Stop so that Sphere sizes can be repeated

the CARPENTRY STORE

For Quality Woodturning Tools, Timber & Advice



Now Stocking Axminster Chucks, Lathes & Machinery

TORMEK
Sharpening Innovation

Robert Parry
WOODFIELD ENGLAND
Woodworking Woodturning Woodcarving

JET
LATHES

Call us: 00353 (0)45 883088
Email us: sales@thecarpentystore.com
Search for us: www.thecarpentystore.com
Drop into us: M7 Business Park, Naas, Co. Kildare, Ireland.
Like us: www.facebook.com/thecarpentystore

GPS

More than just resin!



The GPS Range of Products

For all types of turning by woodturners

All materials are enjoyable to use and turn – creating a breathtaking finish

Used either on their own or incorporated as part of another project

A quality finish which cannot be found in other alternative material

You can see our extensive product range

www.gpsagencies.co.uk

Please contact us for your nearest stockist

email: gpsagencies@btconnect.com

GPS

Unit 5, Parkers Trade Park, Bedford Road
Petersfield, Hampshire GU32 3QN

Tel: 01730 233366

Fax: 01730 260917

Double Ended Bowl Gouges

Perfect with our Multi Handles

*For the woodturner who wants more for less
-and who doesn't-
these superb bowl gouges from premium
toolmaker Henry Taylor are the perfect answer.
Offering two alternative grinding styles -one
on each end. These Sheffield-made gouges
offer maximum versatility when paired with a
system handle such as our new **Multi-Handles**.
Available in 1/4", 3/8" and 1/2" flutes from only
£41.94 - talk with your favourite stockist.*

**Proudly
Made in the UK**



**Fingernail
Profile**



**Standard
Profile**

*For the advanced turner we also offer these tools
featuring the special grinds developed by renowned
Irish woodturner **Glenn Lucas**, and which also feature in
our signature bowl gouge range.*



hamlet
CRAFT TOOLS

Hamlet Craft Tools
www.hamletcrafttools.com
sales@hamletcrafttools.com
+44(0)114 232 1338

**Available through
Henry Taylor
and
Hamlet Craft Tools
stockists worldwide**



Henry Taylor (Tools) Limited
www.henrytaylortools.co.uk
sales@henrytaylortools.co.uk
+44(0)114 234 0282

What you need to know about creating irregular shaped holes

Kurt Hertzog shares his top tips for piercing and creating irregular shapes

PHOTOGRAPHS BY KURT HERTZOG

KURT HERTZOG



Kurt is a professional woodturner, demonstrator and teacher and writes for various woodturning and woodworking publications in the United States as well as writing for *Woodturning* magazine. He is on the Pen Makers' Guild Council and is currently president of the American Association of Woodturners (AAW).

kurt@kurthertzog.com www.kurthertzog.com


There are many reasons to create irregular shaped holes in your turning or other project pieces. Probably the most common reason is artistic expression. The carving, piercing, sculpting or distressing of the wood or other material can be used to attract the eye, make a statement or prep that area for additional processing. One reason can be to create assembly pockets for fitting and gluing that aren't the regular round shape that can be created with a twist drill or Forstner bit. Created holes or pockets can receive inlays, accent materials or just be visual. In this issue, we'll cover the piercing and creation of irregular shapes, whether through or partially through, in your turning or other parts of your project.

Safety

Use of all the standard safety items is assumed. You will use safety glasses with appropriate side shields or a face shield whenever you are doing any work in the 'shop. It is a good practice to put them on the moment you walk in. In addition, for the processes we'll be covering you will certainly need breathing protection. Use a facemask at minimum or better yet one of the filtering systems available, such as the powered filter helmets. It can provide you with filtered air having removed the dust and debris you are creating prior to breathing it. Using overhead or all 'shop filtering systems will clean the air but it does so after you've been breathing the dirty air. It may help with 'shop cleanliness but it isn't the most effective for protecting

your lungs. Breathing protection is always important but particularly so when you are using other materials, such as shell. The proximity of your face to the source of the particles along with the particle sizes created by piercing requires attention to breathing protection at all times. Remember, ignoring the health and safety concerns doesn't always have immediate consequences. It may take years for the negative effects to show in your health. Some of the processes we'll be discussing may involve you hand-holding the material while you bring a rotary tool to bear. Use hand protection should you ever have a slip. I use a Kevlar carver's glove when my workholding hand is in a place of concern. I have found it to work nicely. Make your own selection but use something protective since slips can happen. Always be thinking safety.

Keys to good, safe piercing are: plenty of light, eye protection, magnification, breathing protection, plenty of ventilation and good support for work, arms and elbows





A Kevlar carver's glove can provide protection to your workholding hand when needed. When slips occur, cutters and burs are oblivious to what material they cut



The fingers of my right hand provide 'anchoring' for the hand doing the piercing. Safe control is impossible without good support and anchoring

TIPS ON SAFETY

1. Breathing protection is imperative in addition to eye protection because of the proximity of your face to the dust creation and the size of the particles
2. Small burs rotating in hand tools, particularly at higher speeds, require time to coast to a stop. Be careful to allow time for the rotation to stop before setting the tool down
3. Small burs are deceiving in their ability to cut. Do not underestimate them. They deserve respect and careful handling
4. Use quality burs rated for the RPM, or higher, you will be using with your tool
5. Anchoring your hand to your work will help you maintain good tool control while cutting. It will provide better results as well as ensuring safety

Piercing

Piercing is usually an artistic alteration. Creating through holes and shapes in the turning, stands or other parts of your turning project is usually done for the visual appeal controlling the viewer's eye. Thin stock works best for through hole piercing. Working with thick stock is not only more difficult but also has a tendency to cramp the freeflow of artistic freedom. If you can make a single pass when piercing a piece, it lends itself to 'drawing' in the wood and creating smooth, freeform shapes and patterns. Nearly any rotary tool will work for piercing but I find that the super high-speed tools work best. Also, tools that are lightweight in the hand make piercing easier and less fatiguing. Powered base systems with a flex drive shaft to the handpiece work but are speed limited because of the flex shaft. The flex cable can also be restrictive to free motion and resolution. Your desired piercing can be an irregular paisley shaped cutout or some specific design. Planning your layout

is valuable since there really isn't an eraser available to correct mistakes once you've cut the wood. From my experience, the most common mistake made is a pattern being cut without markings that approaches the end point having too much or too little space to finish properly. It can't be completed with the same sized cutout having the same spacing as the rest of the pattern. Like painting yourself into the corner. Now what? Nothing can be done that won't attract attention whether a different sized pattern, smaller or larger, or a varying amount of space separation compared to the rest of the piece. Use the lathe and the indexing head to divide your turning into the proper number of positions and mark as needed. Even a simple cloth tape measure, protractor or compass can aid in equidistant space markings. Patterns printed from the computer or other artwork that you can photocopy is very helpful. Artist's spray adhesive will hold your pattern to your material allowing you to pierce right

through it. Both the computer and the photocopier allow the patterns to be enlarged or reduced to fit the work being done. Layouts and designs researched and created on the computer can open the entire world to you via the web. Scaled as needed then printed at the appropriate size, they can be attached to the work surface providing a pattern to pierce right through. For simple designs, I will often draw my pattern on the top of painter's tape that I have applied to the turning. It can be planned and marked on the flat and then applied to your piece. The low tack painter's tape is pierced through and then easily removed upon completion, leaving no residue behind. Of course, you can freehand draw your design, pattern or picture directly on the wood with a pencil. Many appreciate the hand-drawn shapes created this way. It avoids the cookie cutter perfection that makes things appear to have been created by a machine. You'll need to set your own standard of marking so you cut away any



Piercing can be done with one of any of these tools ranging from about £20-265. Your material, thickness and budget will drive your selection



Cutters and burs are available in a wide variety of designs. With the proper collet, they will fit in most of the rotary tools available to the woodturner



A machine tool grade die grinder and my two favourite high-speed tools. The die grinder is used with thicker materials and the high-speed tools with shell and thin stock

patterns marked directly on the wood. You don't want to need to remove those marks afterwards. You can use an eraser or sand the pencil marks away but that is an extra step and additional time. It might be best to have them disappear as you perform the process by cutting to the outside edge of the line.

There is a huge array of cutters, often called burs, available. Not only from the machining, tool and craft industries but also from the dental trade. From among all the burs that are available, I find that the router-style bits work best for my type of piercing work. These straight or slightly tapered sidewall cutters allow for piercing straight into and through the stock, then tracing around the desired shape until I reach the entry point again. The burs I use act exactly like a straight walled router bit as I 'draw' with them. If you are using any of the super high-speed rotary tools, be certain that your burs are marked by the manufacturer as safe for those speeds. Though the bur is small, any mishap with one running at very high speeds presents a real hazard. Being safe, you can always run the high-speed rated burs slower than indicated but not the slow speed ones faster. I am in the habit of a clockwise rotation as my standard cutting direction. By reversing your direction of travel within your pierced pattern, you can clean up the interior wall surface and any burning that might occur because of the bur rotational speed. What is the correct speed? For piercing through thin or fragile material, I recommend as fast as possible. It is a function of the thickness more than anything. With thin stock, 2mm or less, I use my NSK Presto, which runs at 400,000rpm.

It has super high speed but not much torque. The entire mechanism is in the lightweight handpiece. It is an oil-less turbine that runs on compressed air. The RPM is a function of the air pressure. Any speed greater than 400,000rpm puts unnecessary wear on the turbine. It is a replaceable part but at £115 it is quite expensive. There are other brands and styles of super high RPM rotary tools available. I own or have tried nearly all of them and I favour the NSK or Turbo Carver because of their super high speed, light weight and compressed air, oil-less operation. There are other manufacturers to choose from in the super high speed category whether oiled or oil-less.

My favourite wood to work with is cherry (*Prunus serotina*). The high-speed piercing and cutting creates a burnt surface on the inside of the hole. It has the appearance of being painted black on the inside wall. I like the look so I leave it as cut for appearance's sake. The super high-speed handpieces are quite pricey but there are many lower cost alternatives. With a sufficient capacity source of compressed air, you can use small machinist's die grinders. Using the proper collet, they accept the same as well as Foredom and Dremel-type cutters. They do not run as fast as the very high-speed turbine designs but they are far faster than most electric motor types. Most operate in the 50,000 to 70,000rpm range. Depending on the manufacturer, the die grinders range in price from very inexpensive to quite pricey. I have found die grinders at both extremes of price spectrum to work for the purpose. The difference is their service lifetime and

repairability. For convenience, whenever I use one of the air-driven die grinders, I use a foot-operated air valve rather than the twist valve built into the shaft. There are many styles, sizes and price ranges available. In the lower speed ranges, you can work with any of the rotary handpieces from the Dremel attachments to any of the Foredom or lookalikes. Micromotor products work well in these speed ranges too. They all are great for thicker work because of their higher torque but they can be used for thinner work with care. The slower speed is less workable in thin and fragile materials from my perspective but certainly doable if that is what you have.

TIPS FOR PIERCING


1. Workholding hand protection as needed provides protection in case of slips
2. High-speed capability with lightweight handpieces helps enable artistic expression
3. Thin materials are far more conducive to piercing
4. Systems requiring oiling run the risk of contaminating your material with oil
5. Pick a standard for piercing and cutting direction to help make it rote
6. Magnifying headpieces and plenty of light can improve your results and reduce fatigue
7. Be certain your burs and other cutters are rated by the manufacturer for the RPM you'll be using
8. Slow your rate of movement as you feather your endpoint to your entry point



My most used tool and piercing bur design. Notice the manufacturer's speed limit maximum at 450,000rpm. Always heed the cutter and bur speed limitations



The super high-speed tools lend themselves to shell and thin woods. For best results in wood, a 1-2mm wall thickness works best



A simple birdhouse of oak (*Quercus robur*) makes a home for this paper bird sitting on his blackwood (*Dalbergia melanoxylon*) perch. The piercing allows for decoration and the view in both directions



Some of my early piercing work. The blackwood (*Dalbergia melanoxylon*) base was turned to follow the curve of this goose egg surrounding a chicken egg housing a faux diamond stick pin



A paper bird in his house of cherry (*Prunus serotina*) roof and a pierced chicken egg. The irregular holes reinforce that this is a handmade creation




The naked eye can be aided considerably with good light and magnification. Whether head mounted or magnifiers sitting on the table, any of these help

Piercing thicker materials

When piercing thicker materials, the higher speed, lower torque tools need to work too hard. The wood burns excessively, the turbine struggles and the bearings are stressed far too much. Use the lower speed rotary tools for these applications. These have far more torque, which allows them to muscle through denser and thicker materials. They are less expensive to buy and usually are tougher. Their cutters and burs can be the same concept and design but are thicker and tougher for the heavier work. Using your super high-speed burs in these applications will usually cause a much higher breakage rate. Unless you need the very thin diameter to get into corners, save the very small diameter burs for the more delicate work. The technique of marking and piercing is exactly the same, just slower. Pierce straight through and draw with your cutter only as fast as it can deal with the wood. Trying to go too fast will leave a more ragged edge and unnecessarily stress the bearings in your tool. Great tools for these applications are the micromotor tools with their variable speed and great manoeuvrability. With their higher torque, yet handy size and weight, they can cut the material well. Depending on the



The slower micromotor tools with their beefier cutters work well in thicker materials. The slow speed minimises any burning



A cherry (*Prunus serotina*) goblet with piercing. It has a 2mm wall thickness. Notice the effort to maintain uniform spacing between the holes and the distance from the rim for strength

brand, even the higher quality units can be lower in cost than the NSK-type super high-speed dental tools. With the cutter rotating at a far slower speed, there is less burning on most materials. Woods that are prone to burning, such as cherry, may still burn. That can be left as cut for the appearance of having black painting on the inside. It can also be removed somewhat by tracing your cutter in the reverse direction. Tracing the pattern in reverse will clean up the inside face rather than cutting provided you use a light touch when tracing backwards. Other tools that work well in these applications are the Foredom and similar tools, Dremel with the available handpieces and all of the other similar powered handpieces. The Foredom, Dremel and various micromotor type tools will accept a wide range of cutters and burs with their available collets. Running at far slower speeds, let the cutting edges do the work. Most users have a tendency to try to cut too fast. The tool is usually capable of the additional stresses put on it but the resulting cut edges are less than optimal. Slow, smooth movements let the cutter cut cleanly. Less stress and wear on the tool, the cutter and the user.



With the correct adaptors, carving vices and other adjustable workholding equipment can receive your standard lathe workholding devices



Repeating or flowing pierced through patterns really enhance even pretty woods. This pierced koa (*Acacia koa*) lidded box by Pat and Peggy Booke is a great example

TIPS FOR PIERCING THICKER MATERIALS

1. Use tools with lower speeds and higher torque built for higher stresses on the bearings of the tool
2. Be certain the tool and cutter or bur selected is sturdy enough for the heavier work being performed
3. Pierce through the entire thickness if possible and draw your desired shape at a rate that the cutter and tool can effectively manage
4. If too thick, a shallow pass can be made followed by the cut through pass and then a cleanup pass. This is time-consuming and more difficult
5. Hand protection is strongly recommended in addition to the customary eye and lung PPE
6. Most burs are disposable rather than sharpenable. Change burs before they begin to cut poorly
7. Plan ahead and mark as needed to avoid problems as you go around and finish at the starting point
8. Magnification and task lighting will improve results and reduce fatigue

Controlling depth

In the cases where you want an irregular shaped pocket with a flat bottom, there are ways to control the cut depth. Usually used for fixed inlays, there are depth tools used by luthiers that work nicely. The inlay piece to be used is traced on the surface and the area inside the lines is trenched with a flat-bottomed, router-style cutter. The luthier's depth tool allows for great visibility while routing with fine resolution on depth. Depending on depth, multiple passes might be necessary. Though these depth control mechanisms are designed for flat surfaces, they can be used for curved surfaces with some care. They are far more workable on larger diameter pieces than smaller but can be used with care. They are available for both die grinders as well as Dremel and Foreman tools. Once the majority of the needed area is routed, a smaller diameter router bit is used

to get close to the line and clean up smaller radius areas. Once completed, the inlay can be positioned and secured or the pocket filled with cast or embedded materials. With smaller work, handholding is a possibility as well. The same safety cautions prevail. Eye, nose and hand protection should be in place for your personal protection. Depending on size, using the lathe as a workholding device works very well since you will have an array of clamping devices, headstock indexing and locking and stabilising mass. You can also use most of your woodturning chucks, clamps and faceplates in the highly manoeuvrable carving vices with adaptors that are available. There is more information on this in *Woodturning* issue 248 'workholding aids and chucking', part 11. The beauty of using the lathe or a woodcarver's clamp is that you'll have both hands free to work with. The amount of control available

provides much more resolution, making this option the most desirable.

TIPS FOR DEPTH CONTROL

1. For casting pockets or other non-critical excavations, depth control can be controlled by hand with simple depth markings on the bur shaft
2. For precise control of depth, buy or make support tools with the adjustment and control resolution you need. A luthier's purfling fixture works well
3. Do the coarse excavations well inside the lines. Creep up on the final outside edge markings with light cuts and a sharp bur
4. For handholding of work, be certain to use protection for your hand in case of slips



For thicker pieces requiring multiple passes or non-critical depth pockets, the slower speed micromotor tools work well. Depth can be marked on the cutter with tape



Where depth of pocket is critical such as inlay, a luthier's purfling attachment can be used. They are available with many different rotary tool mounts



My practice pieces in mother-of-pearl, cut and inlaid. Inlay can enhance flat surfaces regardless of the inlay material and smaller pieces can be done in the round

Conclusion

Are you ever going to pierce your work? Will you branch out into using material removal as an artistic alteration of your bowls, platters, ornaments, hangers or other turning projects? Will you explore creating pockets in your turnings so you can cast in resins or embed coins, medals or other designs of a different species? I can only encourage you to do so. There is certainly pride in using a beautiful piece of wood and exhibiting your craftsmanship by altering it into something useful that demonstrates both. That said, there is so much more out there just beyond the lathe. You can not only enhance what you've done but also create beauty with far more bland woods and other materials. There is no need to spend a fortune to get a high-speed dental tool. You can begin with your Dremel tool or equivalent. Experiment and explore. As you begin to find your wings, you can expand your horizons and tools if need be. I'd suggest you begin on scraps or turnings that are destined for the woodburning stove; they will work quite nicely for practice pieces. I think you'll find there is a whole new world of enhancement beyond your talents at the lathe. Give it a try. ●



Whether you pierce wood, plastic, shell or other material, you can add the alterations to your creative arsenal. Here is my blackwood (*Dalbergia melanoxylon*) lidded box with pierced shell lid



Woods with a story...

WoodTurningz offers a unique selection of unusual woods that will pique your curiosity! These varieties are intriguing due to their species, origins, and/or ages. Each pen blank comes with a certificate identifying the points of interest and authenticity.

Each blank is 3/4" x 3/4" x 5" and comes with a certificate. Extra certificates are available for each of the woods and are \$2.95/10-pk.

Certificate of Authenticity
Included with Every Purchase!

Jack Daniel's



PBJACK

Jim Beam



PBJIMBEAM

Maker's Mark



PBMAKERS

Wild Turkey



PBWILDTKY

Turn a pen with wood that is literally cut from authentic Jack Daniel's®, Jim Beam®, Wild Turkey®, and Maker's Mark® oak barrels! The vendors send us the used barrels and we cut the wood blanks just for you. You'll appreciate the uniqueness of the wood grain and color ... and it's familiar smell!

ALL Whiskey Pen Blanks

Quantity	1-9	10-24	25-49	50+
Price	\$4.25	\$3.75	\$3.50	\$3.25

Bethlehem Olivewood



We import these beautiful pen blanks direct from Israel. They are one of our top sellers! **PBBOLIVE**

Quantity	1-9	10-49	50+
Price	\$3.50	\$3.25	\$3.00

Bethlehem Carob Wood



This is a beautiful wood from the Holy Land has a wide range of colors from a creamy white to a beautiful pink. It is a very solid wood that turns and finishes nicely. **PBCAROB ...\$5.00**

Lebanese Cedar



new

During Biblical times, this wood was highly sought after because it was considered to be high-quality, suitable for detailed carving, and resistant to insects and decay. Historically it has been very popular for woodworking, ship construction, and its aromatic scent. **PBLEBCEDAR**

Quantity	1-9	10-49	50+
Price	\$2.75	\$2.50	\$2.25

Ancient Kauri

Ancient Kauri pen blanks come to us from New Zealand. It dates back to prehistoric times - a minimum of 30,000 to 50,000 years ago. **PBKAURI**

Quantity	1-4	5-9	10-24	25+
Price	\$6.25	\$5.75	\$5.25	\$4.75

Ancient Bog Oak

Ancient Bog Oak blanks are from the Fens in England and are between 4-6,000 years old. The wood was buried in peat bogs which preserved it from decay and left it in its earliest stages of fossilization. The very dark brown color is an effect of the tannins in acidic water which stained the wood. **PBBOGOAK**

Quantity	1-4	5-24	25-49	50+
Price	\$6.50	\$5.95	\$5.50	\$4.95

WOOD
Turningz

www.WOODTURNINGZ.COM

CALL TODAY at 888-736-5487 or VIEW OUR ONLINE CATALOG at <http://wt.gs/WT9>

15248 STONY CREEK WAY

NOBLESVILLE, IN 46060 USA

ORDER NOW!

We Ship World-wide!



When Walter Hall tested the ToolPost's Compac tools, he observed:

'... when these new Compac tools arrived for testing, I was not expecting to be impressed. I was wrong.'

He continued:

'These are not the usual miniature tools but seriously reduced length versions of full-size tools. They are specifically designed to make turning easier on smaller lathes where the reduced swing and length between centres can make access with long-handled tools difficult. They allow the turner to more easily attain the correct positioning of the cutting edge and handle movement when working withint the constraints of a small machine, thus making it easier to exercise good practice and better tool control.'

And concluded:

'These are well-designed and robust tools made from exellent quality materials. They will make an excellent partnership with any of the smaller lathes and fill an imporant niche gap in the market'

In fact, all of these things were said by Walter Hall when he reviewed the Compactool set for 'Woodturning' in Issue 276 (Feb. 2015).

We find ourselves agreeing wholeheartedly with Walter, but then we did design these tools and they are unique to The ToolPost. So, naturally, we're proud of them - and of the great success they have been, helping many turners become better turners. But it's certainly nice to have truly independent corroboration of our views from such a well-respected, experienced and knowledgeable turner as Walter Hall. We take our hats off to this very insightful gentleman.

A typical small lathe has just 6 inches of space between spindle axis and bed. A typical bowl gouge is 23 inches long. You can't fit that into a six-inch space and present it to the workpiece correctly. The new CompacTool bowl gouge measures just 10½ inches overall so it isn't hard to understand why that fits so much better into the available space is it?

Between headstock and tailstock you've maybe got 20 inches at most - and 4 inches less when your workpiece is mounted in a chuck. A standard bowl scraper is 17 inches long. The new CompacTool bowl finishing scraper has the same cross-section as a standard heavy scraper but is only 10 inches long. That fits. Comfortably.

So you see, now at last someone is thinking about your needs when you work on your mini lathe. That's why the new CompacTool set is unique to The ToolPost: we're the folk who think about your needs first. CompacTool: designed for you. By us. Manufactured exclusively for The ToolPost by Hamlet Craft Tools in Sheffield, UK.

Invest £120.00* in a set of new CompacTools, today, or buy them individually and you'll have six of the best reasons ever for owning a compact lathe. And six new ways of creating great work. Available from their creators, The ToolPost, right now.

The ToolPost

Unit 7 Hawsworth, Southmead Industrial Park, Didcot, Oxon. OX11 7HR
01235 511101 • www.toolpost.co.uk

sharing expertise

*inc VAT. Price correct at time of going to press. Also available singly.



In the workshop with... Manfred Diekenbrock

German woodturner Manfred Diekenbrock tells us about his workshop and turning experiences

Manfred is a German engineer who worked for the computer company IBM for more than 25 years. After a life-long interest in wood, he has moved from refitting an old farmhouse – including building much of the furniture – to the more relaxing hobby of woodturning. However, this is a relative term as he usually spends 4-6 hours a day in his well-equipped workshop. And if he isn't there, he and his wife travel all over Europe in their Ford Transit, which he fitted out himself, turning it into a mobile home, using mainly wood.

How, when and why did you start turning?

I didn't start turning until after my 70th birthday when my wife gave me a lathe as a birthday present. I had enjoyed working with wood for many years but turning it presented a new challenge. We bought a lathe at Stiles & Bates in southern England and at the same time, I enrolled on a course.

I really enjoyed my first course and my wife claims that I had it in my fingertips right from the very beginning.

What and who have been the greatest influences in your work?

In a way, first of all my wife. After my first course with Dave Bates who really introduced me to the art of turning, we started to investigate the German woodturning scene. I attended a few more courses and got to know some well-known German woodturners, such as Helga Becker, Michael Werner, Johannes Volmer and others. I also had the pleasure to be taught by Phil Irons, Nick Agar and Peter Hromek.

One great advantage is that I enjoy watching people, get inspired by them and in this process, learn a lot by just using my eyes. And when I am back home, my lathe and I try to use these new and other techniques I have seen for my own projects.

If you were to offer one sage piece of advice to someone what would that be?

Start off with good equipment – not just with a good lathe but also with all the other tools in excellent condition and don't forget to sharpen them.

What music and which book are you currently into?

I enjoy a wide range of music and the radio is always on in the background – in a way, it influences my mood when I am working. Sometimes I have the feeling that classical music slows me down and when I listen to jazz, it makes my fingers dance. I am reading several books and magazines at the moment. There is so much happening in the world and it's difficult to keep up with all the information. I just want to mention two books: Henning Beck's *Hirn-Rissig – myths of how our brain ticks* and *Terrorism in the Western World* by Noam Chomsky and Andre Vltchek.



What is your silliest mistake?

Actually, I think I made more than one – but some mistakes make you more aware of how you should pay attention to safety regulations.

What has been your greatest challenge?

This is a bit difficult to decide as there have been quite a few. One of them has been that three years ago, I started to forge some special tools and was very pleased with the end result.

Name one thing on your turning 'to do' list

I have an enormous walnut (*Juglans regia*) root in my barn. It has been there for at least four years and I just cannot decide what to do with it. I would also like to learn threading.

Tell us about the piece you are currently working on

I don't have only one piece I am working on as most of the time, I have several projects on the go. The main one at the moment is a big natural-edge bowl made out of a birch (*Betula pendula*) tree that had guarded an old monument in a neighbouring village. I am also into some oval turning but of course without a special device. And as always, I have some little projects I am working on: a little gallery of spheres made out of discarded grape vine wood (*Vitis vinifera*) and some figured turned wood glass bottle stoppers. In the photos opposite you can also see the giant egg I turned.

What is the one piece of equipment or tool you would not be without and why?

Without my lathe I would not be able to turn, so therefore, I think I need more than only one piece of equipment because I just love the diversity!

HANDY HINTS

1. Use good quality tools and above all, keep them sharp
2. Always watch out for safety regulations, such as wearing a face shield and don't forget to switch on the air cleaner
3. When you have the opportunity, watch how your fellow woodturners work
4. Spend time when you come to the end of turning a project and put thoughts and work into the finishing process
5. Take your time when you first start a project and don't give up too easily – just call it experimental time

“Turning is so much fun and I always like to try out new things...”

If you could change one thing what would it be and why?

On the whole I am quite happy with how things are at the moment, but looking at my workshop, I sometimes think I built it too small – considering I had more than enough space when I first started out. But then I didn't think of the future and how many machines and tools I would need and collect over the years.

What is your favourite type of turning?

I am not quite sure as I really don't have a specific type I favour more than another. Turning is so much fun and I always like to try out new things, but of course, some techniques I like better than others.

If you had one wish what would you wish for?

Looking at all the wood in our barn, which we have collected for many years – even before I started to turn – it would be great if I could turn and work with wood until I am 120 years old!

If you could have one piece of equipment what would it be and why?

Again, this is a difficult decision! Right now, I think I have every tool I need but how do I know what I might need tomorrow? Quite often, I think I will never need another one, but right round the corner, a new piece of equipment is already waiting for me! ●

Email: manfred.diekenbrock@web.de



A variety of turned bottle stoppers



A selection of turned spheres made from grape vine wood (*Vitis vinifera*)



The large egg in yellow plum (*Prunus*) once turned

Manfred's lathe-turned egg mounted on the lathe



The large burr which the egg was turned from, being hoisted onto the lathe

LIKES

- Turning wet wood and looking forward to the finished result after a few weeks or months – the outcome is often amazing!
- When turning I let my fantasy gallop away. I also like the concentration that keeps me glued to the lathe
- Enjoying the company of other woodturners and visiting woodturning events, such as the forthcoming German Woodturning Meeting at Bad Fallingbommel on 16 and 17 May, 2015
- I love spending a lot of time in my workshop just turning and making other things out of wood, such as furniture and pieces of art
- One of my favourite pastimes is turning natural-edge bowls
- I really like to pass on my knowledge to others. My youngest pupil was one of my grandsons and at the moment, a very interested clergyman likes to join me in my workshop for extra tuition

DISLIKES

- That a lot of turners sell their produce too cheap – I'd rather give it away!
- Getting rid of all the shavings and cleaning my workshop, but you can't make an omelette without breaking eggs!
- Sometimes I disappear too often into my workshop, which my wife doesn't appreciate all the time
- To be taught by a chunk of wood that it has a life of its own
- That I don't have enough time left for all the projects I would like to tackle because, as I have experienced all too often, time is just slipping away

LATEST HOMEMADE JIG



This is my homemade jig – it is a toolrest for turning and I forged it myself

COMING NEXT MONTH

A new magazine for woodworkers

More step-by-step guides, more features, more tech,
more pages – in fact, more of everything you like!



Cover subject to change

ISSUE 1 ON SALE
14 MAY



Routing on curved surfaces

Anthony Bailey and Mark Baker look at making even depth router cuts on curved surfaces

Cutting even depth router cuts on curved surfaces is not as difficult as one might assume. Once again, we will look at using the homemade version and also a ready-made manufactured vertical router holder and fluting jig seen in the previous parts of this series.

SAFETY

- PPE to be worn at all times and it is advisable to use ear defenders too
- Be aware of the cutter at all times. Shield the cutter in some way if possible and always keep your hands behind the cutter position
- The lathe is always unplugged as there is no need to switch it on when routing. Also, when using a router, remove the plug from the wall socket when changing cutters, moving jigs and suchlike
- Ensure your work is held securely and the router table on the lathe is secure

Holding the work

Fluting of any sort requires that the work be held in such a way that it is stable while you cut it. This can be on a faceplate, screw chuck, in a chuck or, as with previous articles, between centres.

Some fluting requires that the work can be indexed off so you can work at a set or given number of positions to enable a cut to be made in a specific place. Indexing helps with this issue no end.

If you are working on a project that can be done in one go and not worry about any movement in the wood later, you can initially mount the work on a faceplate, screw chuck or similar to start with. After which, you turn the outside, then rout that outside surface after that, so you can then reverse the piece, hold it in a chuck and then turn the inside.

If, however, you are working rough turns where you have rough-shaped the inside and outside already and want to shape the outside, you will likely have to use a between centre holding method to refine the outside



1 Fluting of any sort requires that the work be held in such a way that it is stable while you cut it

shape and top edge first. Then you can, depending on the routing required, either leave it between centres while you rout it, or mount it in something like this Longworth chuck – or similar holding device – so you can work unrestricted on the outside face, before remounting in the chuck to refine the outside. Later on, you will see a completely turned bowl held in the Longworth chuck so only the decoration is left to sort out prior to sanding the outside.

Using the homemade fluting jig

When using a homemade jig or, in some cases with ready-made ones too, you are going to have to work out a way of mimicking the curvature of the bowl. In other words, make a follow template or guide to suit the shape being routed; this will allow you to follow the exact form of the item you are working on. One way of doing this is to have a light source directly above the held work – in this case, the work held on a screw chuck – and have a piece of paper underneath it sitting on the baseboard used for the router. The light source needs to be exactly central and perpendicular above the work and you should end up with a shadow, which echoes the shape of the work, on the paper.

You can then draw around this shadow, cut out the shape drawn and then lay this on top of a suitable piece of thick ply or MDF before cutting the shape to match the paper template. Next, you need to clamp it in

place so that the front end of the fluting jig base touches the follow template all the way round. Yes, you will have to adjust the position by putting the fluting jig with router and cutter in place up against the template and adjust the position of the template until the router cutter just touches the surface of the work, all the way round. When you are happy that you have the right position to create an even depth of cut all the way round the work, then clamp the follow template in place.

The next step is to adjust the cutter to give you the required depth. Make sure you have indexed off the work, or held in the right position, then start at the point on the work you need to and then run the router round, maintaining contact with the follow template and pressure downwards on the fluting jig to keep it stable until you reach the other end of the flute being cut. You can clamp or glue

blocks at either end of the required travel range to give you a definitive start and stop position. Likewise, you can freehand or ‘wing it’, but freehanding can lead to cutting too short or overshooting the cut position required.

It doesn't really matter what cutter shape you use as long as it is the shape you need and of a size that is correct for the router. You might find that you need to make multiple passes if you need to go deep. Also, keep the router moving or you might burn the surface during the cut.

You can see two types of flutes cut on this bowl: the one being cut now requires three passes to get it to depth. Note the stopping short of the outer foot area. Any minor adjustments and cleaning up can be done later. It should be noted that the cutter does not have any safety shielding or guidance at the tip, unlike the ready-made example.



2 Draw around the shadow, cut out the shape and then lay this on top of a suitable piece of thick ply or MDF and cut the shape to match the paper template



3 Make a follow template or guide to suit the shape being routed



4 Adjust the cutter to give you the required depth. Note the indexing keeps everything in place



5 You can see two types of flutes cut on this bowl. Various cutters can be used to good effect



6 Keep the router moving or you might burn the surface during the cut

Using the shop-bought manufactured jig

This unit has a protective device or overshield on the cutter – not all shop-bought units have this, so you might need to use the follow template method described earlier. Here, it has a metal retaining ring, into which can be screwed in place home-made wooden or plastic collars of a diameter that slides over the cutter being used, as long as the cutter is not too large. You can turn the outside of the collar of a size to fit the ring and then drill the inner hole to suit the cutter head size. You can see that head in place here and the cutter just poking out of the end of the shield. This shield can also act as a depth cut limiter, as

long as it is always in contact with a solid part of the bowl mimicking the curve of the bowl or surface.


In step 9, you can see that it is now in contact with the wood and we can maintain contact with that all the way round without the need for a follow template. By all means, use that too or when you cannot, use the shield in the way just mentioned.

Note the hand position in step 10. Using the router, we are maintaining pressure into the wood and the other hand is on the jig itself providing downward pressure to maintain contact at all times with the wooden router


platform on the lathe.

We previously mentioned the depth stops on the board. In this case, in step 11, the router was used freehand and the shield is marked with a blue line, which, when lined up with the lower marked button edge, is the stop position.

In step 12, you can see that one pass with a heavy cut resulted in a not very cleanly cut groove. Also, the third groove up from the left shows where the router was not kept stable on the router bed and climbed in the cut. Ensure to maintain pressure in all the right places and take multiple light cuts. ●




7 Shop-bought unit in use on a stable platform



8 The head in place and the cutter just poking out of the end of the overshield



9 Here you can see the shield in contact with the wood



10 Note the hand positions used here: pressure down and pressure in



11 Using the router freehand with the shield marked with a blue line so you have a visual reference at which positions to stop the cut



12 One pass with a heavy cut results in the router climbing during the cut, ruining the overall effect. Multiple light cuts are the way to go

The relevance of woodturning

Rowland Penfold argues the relevance of woodturning, from the past, into the future and why the skill should be passed on to the future generations



PHOTOGRAPHS BY ROWLAND PENFOLD

A split bowl exploring shape and proportion

In the June 2014 edition of *Woodturning*, the Editor, in his leader lobbied the proverbial hot potato with the question: "Is there any future in woodturning and is it relevant to what people are doing today?" He was asking for responses, so I thought I would oblige!

To understand the relevance of woodturning today, a little understanding of its past is probably needed. Most crafts have derived from functionality and necessity and woodturning is no exception. It would be an interesting exercise to list all the 'historical' items made by woodturners – from the work of the woodland bodger, to the fact that it was said that it was woodturners who won

the battle of Trafalgar! An interesting point, but British ships were able to manoeuvre far quicker than any others due to the efficiency of their rigging and in particular the quality of design and manufacture of their pulley blocks – made in part by woodturners! This led to what was perhaps the very first production line. The tools and machinery used have also greatly influenced our work: the pole lathe, treadle lathe, power lathe – water and electricity – variable speed, the use of chucks rather than just faceplates, high speed steel and other recent developments. All of these have seen woodturning develop not only in production gains, but also in access to technical ability. Wallace Chan, a jewellery designer, once said: "I feel grateful every day because the history accumulated from the past is helping us make things today. The technology, the craftsmanship, the knowledge left to us from our ancestors have become our foundation today." The relevance of woodturning? Look around, history dictates that.

Woodturning in the future

Will woodturning have a future when the world is developing smart materials, 3D printing and all things micro-electronic? I would like to think a resounding 'yes'

for many of the reasons that follow. The relevance of woodturning? If we don't understand materials and how to manipulate them, our ability to design becomes impaired.

Woodturning as an art form

Is woodturning considered to be an art form by those who 'run' the art world? Occasionally, the answer may be 'yes', but frequently it is not. A quick glance at some of the many antique programmes that are aired, shows that they highly prize paintings, pottery, textiles, metalwork and stonework, whereas wood, with perhaps the exception of furniture, is relegated to the category of 'novelty items'. On the flipside, the battle is there to be won. There are a few galleries purely devoted to wood; there are a number of private collectors of artistic woodturning



The pulley block, which was used in Ancient Egypt and still to the modern day

and there are shows and competitions that highlight the importance of shape, form, texture, proportion and aesthetics as well as functionality. I recently saw on display a most stunning piece of work: high craftsmanship, sympathetic finish quality, the most beautiful burr you could wish to see and a bystander who said that it was 'very good' but asked 'what could they use it for?' A case of being able to look but not being able to see or understand! The relevance of woodturning? A huge void that needs filling.

Woodturning as a profession

I am not a professional woodturner, but as I see it, a professional's work would fall into four categories: production, restoration, decorative and tuition. I am sure that

ROWLAND PENFOLD



Rowland rekindled his love of woodturning after retiring from the teaching profession. His preference is to create bowls from what can only be described as 'botanical roadkill' using

native timbers, such as those shown here. He is an active member of Cambridge Woodturners – www.cambridge-woodturners.co.uk

rpenfold@pdandt.demon.co.uk

professionals will be very quick to put me right on this one if I am way off the mark. Certainly with my first two categories, there will always be a niche market for the professional's skills. The short run of items or the single copying of an historic item can best be done by a craftsperson, whereas a run



A natural-edge burr bowl from a piece of holm oak (*Quercus ilex*)

of 10,000 hammer handles is best produced by an automatic machine, which can produce these at a rate in excess of 10 a minute. Tragic events like the burning of York Minster, Windsor Castle and the *Cutty Sark* have all thrown up the demand for high quality craftspeople and thankfully, we are still in a position to rise to that challenge – if it were not for the professionals this may not be the case. Woodturning is very much an art and a skill that is still in demand.

Woodturning as a paying hobby

There are many woodturners who use woodturning, for whatever reason, as a source of earning that extra penny, and as we all know, wood is getting more and more expensive. Places to sell work are various but these include professionally organised craft fairs, small events at schools, churches, charities, galleries and selling from home. Having attended a few of these craft events myself, the range of what the organisers consider to be crafts is extremely wide. On more than one occasion, I have attended events where much of the 'craft' originated in a far flung foreign factory and buyers have been heard to say that at least there was one craft stall present! And then you hear the questions: 'What? You make it all yourself? Don't you buy it in?' The relevance of woodturning? Fundraiser – self and charity.

Woodturning as a hobby

Or should that be woodturning as a therapy? The two are almost indistinguishable. Whether you have had a bad day in the office, been upset by the neighbours or lost your winning lottery ticket, nothing beats the challenge of turning a piece of wood even if the end product is only shavings. Being able to say 'I made that' and to be able to say it with some pride is great for the soul and so very important. It keeps the brain ticking –

until it hurts on occasions. As long as you can still count up to 10 with all digits intact, then you have had a good day. The relevance of woodturning? At any stage of life, it provides a creative distraction.

Woodturning in education

The formulation in the early 1990s of the National Curriculum was no doubt a necessary evil, but it did do some considerable damage to some areas of the curriculum. By the very nature of the beast, it provided a very formulaic approach to teaching and learning and, as a result, within design and technology a number of individual crafts that were in existence in some schools quickly faded. Space in schools became precious and as such, many schools parted with their machinery and woodturning lathes. This is why we see so many Harrison Graduate lathes for sale now. The outline above is not universal. Thankfully, there are pockets of excellence where some of these crafts, including woodturning, are still being taught. Long may this last but these pockets are in an extreme minority. How many of us first turned at school, appetite whetted and then took up turning many years later. Where are the appetites being whetted now?

One answer to the last question must include the excellent work being undertaken by a number of woodturners in our various clubs with the Scouts. At a variety of jamborees and other gatherings, youngsters have been flocking to the woodturning events. The tutors need no other thanks than to see the grin on a face of that embryonic woodturner. Another answer to that question is 'dads'. I have seen a number of father-and-son combinations attending club meetings, and a final answer must be 'us'. There ought to be an unwritten rule that every woodturner is duty bound to pass on both skills and enthusiasm to at least three other people: one of them will give up; one of them will do just a little bit of turning, but one of them will go on and inspire three more to take up woodturning. The relevance of woodturning? The challenge of taking on a skill that you never thought you could do.



A liberated ex-education Harrison Graduate in all its working glory



Botanical roadkill – a huge oak (*Quercus robur*) rootball from Westonbirt Arboretum

Woodturning and the environment

What proportion of our raw material is ethically sourced? I don't know the answer to this but I do have some concerns. For my part, I very rarely buy imported timbers. I will use imported timbers if given to me or if they have had a previous life, such as my collection of ebony (*Diospyros spp.*) piano keys. Where possible I use native timbers and, again where possible, use locally sourced. I fully realise this is not always possible, nor even desirable in some instances. I like the phrase 'botanic roadkill', it sums up well how I obtain a proportion of my timber. In fact, I would go one stage further and say that this is my preference as I can often obtain a piece of timber with more character. Some will see this character as a defect or flaw be it split, hole or rot, but I see it as an opportunity and a challenge. The relevance of woodturning? Using what nature naturally provides rather than just feeding the logburner.

Woodturning and tuition

There is of course a huge distinction between the professional woodturner who teaches as an income generator and a professional tutor who teaches woodturning. The two are not mutually exclusive, but good woodturners do not automatically make good tutors. I guess I will be in trouble for that one! The aim of every teacher/tutor is to end with a position whereby the student, of any age, is able to become a better woodturner than the tutor. As the student progresses and nears the attainment of the tutor, their tutor still has a role to play, be it sounding board or critic. The good tutor will know the huge difference between a critique and a criticism. The relevance of woodturning? A vehicle for learning how to pass on skills and enthusiasm.

So, the final question must be 'is there a relevance for woodturning?' and the answer must be 'you bet your life there is!' I rest my case. ●

Superior Design, Legendary Quality



- 24" swing over bedway
- 36" between centers
- Inboard & outboard extensions available
- 1.5, 2 & 3 HP available
- 42" max. outboard swing
- Tailstock swinger available

Designed and Made in Canada

ONEWAY 2436 LATHE

Powerful, Precise, Smooth.

ONEWAY
EUROPA
Superior Design, Legendary Quality

www.onewayeuropa.com
tel +49 2566 905 106
mark@onewayeuropa.com

The Innovation Continues...



Rip-Cut™
KMA2675

- Simplifies process of ripping down large plywood & MDF panels
- Attaches to almost any circular saw
- Cuts accurately from 1/8" to 24" wide

Kreg Jig® HD
KJHD

- For use with minimum 1-1/2" materials
- Optimised for larger, outdoor projects

Shelf Pin Jig
KMA3200

- Hardened steel drill guides
- Removable, dual-position fence
- Standard 32mm hole spacing



Kreg

Find your nearest stockist
kregtool.eu



6th YEAR

Woodworking in Action

Cressing Temple Barns, Near Braintree, Essex

Saturday and Sunday 12th and 13th September 2015

TICKETS NOW AVAILABLE

Call 01473 785 946

or visit

www.ews2015.com

Irish Woodturners' Guild

32nd Annual National Seminar

25 - 27 September 2015, Radisson Blu Hotel, Dublin Airport, Ireland



Demonstrators:

Mark Baker (UK)
Curt Theobald (USA)
Steve Heeley (UK)
Alain Mailland (France)
Seamus Cassidy (Ireland)
Tony Rea (Northern Ireland)
Donal Ryan (Ireland)
Tom Dunlop (Ireland)
plus local woodturners.



Come and join us for a friendly weekend of the best in woodturning.

- All seminar activities under one roof at one of the best served destinations in Europe.
- More than 45 demonstrations to choose from over three days.
- Three day seminar prices from only £150 (€195) - including meals.
- Competitions, trade stands and much more.
- Dublin Airport is just 20 minutes from Dublin City Centre.
- Special B&B rates for delegates at the Radisson Blu.
- Bus tour of Dublin for delegates' family.




To book your place, contact Tom Dunlop on +353 514 21032 or see our website, www.irishwoodturnersguild.com for more details and a booking form.

**DOWNLOAD
WOODTURNING TODAY
FOR JUST £1.99
AND GET 1 FREE ISSUE**

Subscribe and get individual
issues wherever you are
+ save money!

6 Month subscription £14.99
12 month subscription £26.99
Single issues £2.99

 **pocketmags.com**



NEW
Shopsmith mandrel
 for many projects
\$25

**The only stopper with a
 Lifetime Guarantee**



Off-Center Jig
 Create stoppers like
 this duck with the
 Joyner Off-Set Jig
\$85

Special Package
 * 10 stoppers
 * Mandrel
 * Drill bit
 Reg. \$88.50
\$80

SS Niles
Bottle Stoppers
*Marketing Tip: Contact home builders, make
 stoppers to match cabinets or counter tops.*
 See more marketing tips at:
nilesbottlestoppers.com

FREE ADMISSION / CAR PARKING CHARGES APPLY

ISCA
WOODCRAFTS

Woodworking Show
Sat 16th MAY 2015
10am - 4pm
 Situated in the 17th century stable block,
 Tredegar House, Newport
 Now a National Trust property

Demonstrations of:

- Wood Turning • Carving • Pyrography
- Stick Making & Supplies
- Furniture Making • Isca Wood Sales
- Chainsaw Demonstration
- Fretsaw / Antarsia • General Tool Store
- Newport Model Engineers

The Craft Units, Tredegar House,
 Newport, NP10 8TW
 Tel: 01633 810148
 Mob: 07854 349045
 Web: www.iscawoodcrafts.co.uk
iscawoodcrafts@yahoo.co.uk
 Junction 28, M4

SAXTON BLADES

Universal Blades for Fein, Bosch, Makita and many other Multi Tools



Blades for Jigsaws, Reciprocating and Circular saws
Quality blades at affordable prices

Huge range available. ORDERLINE: 01243-823879
See our full range at: www.saxtonblades.co.uk

PRICES FROM £3.25 EACH INC VAT
VAT and POSTAGE included in all prices!

Garden trees & shrubs

In the final part of this series, **Dave Bates** looks at the common trees and shrubs found in your garden, which can be turned



A holly (*Ilex spp.*) vase

spalted/rotten wood, nuts, seed pods, plastics, acrylics, resins and other man-made compounds, horn, bone, soft metals, stone, etc. Furthermore, some of these materials can be used together or embellished with a range of coatings, coverings or tool work to change the look of the materials utterly. One lifetime is hardly enough to explore all the materials and possible projects.

Trees from your garden

We work in sizes from as large as can be lifted with a block and tackle into the mega lathes down to lace bobbins and parts for miniature furniture items and best of all, we can harvest some of our own materials from forest, hedgerows and gardens.



A block of pear (*Pyrus communis*), ready for turning

PHOTOGRAPHS BY DAVE BATES, UNLESS OTHERWISE STATED

DAVE BATES



Dave started turning when he was about nine years old but didn't start taking it seriously until he saw three bark edge bowls by Bert Marsh in the early '80s. From a background in horticulture and then tree felling, he took up arable farming in 1979, and in 1987 following the Great Storm, set out to acquire a few trees for his hobby. Dave, along with his wife and son, runs Stiles & Bates and is also on the Register of Professional turners (RPT).

sales@stilesandbates.co.uk
www.stilesandbates.co.uk

One of the great things about being a woodturner is that if a tree falls from your garden into your neighbours', you may be able to turn up something from the tree, either useful or decorative and present it as a peace offering. And if one falls from your neighbours' into yours, you can turn up a club to help with the insurance settlement. Seriously now, of all the woodworking crafts, for woodturning, we have available the very widest range of materials to work with from dry wood to wet wood, sound wood to

PHOTOGRAPH BY GAC/ANTHONY BAILEY

hardwood shrubs and tree branches.

We are fortunate to have a large garden with a number of mature trees and shrubs we are passionate about. Discounting the regular timber trees, just in our garden I counted 14 different trees or shrubs I have put on the lathe at one time or another:

- Apple (*Malus sylvestris*)
- Bay (*Laurus nobilis*)
- Berberis (*Berberis vulgaris*)
- Boxwood (*Buxus sempervirens*)
- Elder (*Sambucus nigra*)
- Holly (*Ilex spp.*)
- Laburnum (*Laburnum anagyroides*)
- Lilac (*Syringa spp.*)
- Magnolia (*Magnolia virginiana*)
- Mulberry (*Morus alba*)
- Plum (*Prunus spp.*)
- Pear (*Pyrus communis*)
- Privet (*Ligustrum vulgare*)
- Yew (*Taxus baccata*)

Most of the shrubs have taken years of nurturing and pruning to establish and shape, so it would be a shame to cut them down just for the wood and maybe lead to a divorce, but pruning is necessary from time to time, of course.

I also spotted four more that look possible: mahonia (*Mahonia aquifolium*), laurel (*Laurus nobilis*), pieris (*Pieris japonica*) and even a hardy fuchsia (*Fuchsia excorticata*) in need of a good prune. At other times, I have used rhododendron (*Rhododendron ferrugineum*) and rhus (*Anacardiaceae*) but the former will not grow in our lime soil and the latter would involve a midnight raid into our neighbours' garden. There must be dozens more.

Turning branchwood

As a kid playing on a cast-iron Victorian lathe converted from a treadle to run from a washing machine motor – as we did then – turning was just spindle work with the occasional lamp base. Bowls were cumbersome things with thick bottoms to hold the faceplate screws, which were later covered with green baize to cover the screw holes. The timber was not too interesting either looking back – mahogany (*Khaya ivorensis*), oak (*Quercus robur*) or beech (*Fagus sylvatica*) held in a 180mm three-jaw chuck one end and a greased dead centre in the tailstock.

My first departure from the norm was a branch from a tree of heaven (*Ailanthus altissima*), which I haven't seen since but have now learned is classed as an unwelcome invasive species and skin irritant, but I digress. Between centres I cut some crude shapes to expose a boldly striped grain and the next day it had cracked from one end to the other. There ended my interest in branchwood for a number of years and that

can be the problem with branch or shrub wood. It is all about tension. As timber grows, the bark cracks and tree expands and grows a new cambium layer – or growth ring – and the heartwood shrinks and hardens.

This shrinking or compression creates tension in the timber and once the branch or trunk is cut or milled or turned, combined with the shrinkage caused as the timber dries, this tension causes planks to cup and branches to split. Try cutting a thin biscuit off a branch and leave it somewhere hot to accelerate the process. It will likely open up right to the pith.

With the more porous timbers like that old tree of heaven, which is similar to sumac or rhus, lime (*Tilia vulgaris*), birch (*Betula pendula*), fig (*Ficus carica*), magnolia and to some extent yew, the chances are that left to dry gently, the timber might dry and de-tension without splitting but even then, a log that has been left for ages can split a day or two after the outer layer, which has been holding it together, has been turned away and out comes the tension with a pop and a

split. So, why bother? Well, the wood can be spectacular, is rarely available commercially and is usually free. And there are ways we can make good use of it with some forethought.

Whether leaving branchwood in the round or cleaving or sawing them into halves or quarters, it is important to coat the fresh cut ends with a good sealer to reduce the checks that open down the medullary rays, which radiate out from the pith, but, as I have found, no amount of sealer will hold or prevent the tension from splitting round logs in most timbers.

If the wood has been cut for some time, cut back to green wood so the sealer bonds into the wood. There is a proprietary emulsion end seal out there but I could not get good results working through 10 gallons of the stuff years ago, but have found since then that the best sealer is any thick PVA, such as that which builder's merchants sell. It is messy and slow drying and you can even add different paints to create colours for different years. Old oil paints can be effective but simplest of all is to dip the ends in hot paraffin wax.

Working through the garden list

Apple & fruitwoods



PHOTOGRAPH BY GMC/ANTHONY BAILEY

An apple (*Malus sylvestris*) blank

Working through that garden list, apple and all fruitwoods are notoriously prone to buckle and split as they dry. Halving or quartering the branches through the pith will allow the tension out and yield some useful spindles but left round, splitting is almost inevitable. Ash (*Fraxinus excelsior*) is a timber used in this way for chair spindles, cleaved green and part turned by the old bodgers.

Bay

Bay turns OK, slightly coarse and plain throughout but dries quite well in the round.

Berberis

Berberis is quite the opposite as it is tight and hard and is a fantastic bright yellow throughout. The wood is prized by furniture restorers for marquetry but, in my experience, branches split without fail. Cleaving down the pith seems to be the only option.

Boxwood

Box has been written about many times. It is slow



PHOTOGRAPH BY GMC/ANTHONY BAILEY

Boxwood (*Buxus sempervirens*) vessel by Mark Baker

to grow, pale yellow to cream, possibly the best timber for fine thread cutting, peels off the tool to a high shine and is a real delight. The old boys said the large logs needed 10 years to dry and one way to slow the drying down was to store the logs in boxes of dry sawdust, which were changed as the moisture from the boxwood seeped into it. I did this once but only changed the sawdust a couple of times and after six years, had some grey timber with pretty spalting lines. Not the intended result but it did not split.



Elder

Mature elder wood looks similar to box and was stained black in Victorian times to imitate ebony (*Diosyros spp.*). Elder also roots very easily from cuttings. Some years ago, I hollowed the centre out of a fresh log to a kind of vase shape, left the bark intact for about half of it and potted it up. It rooted and was sprouting shoots from the outer bark but when we went on holiday, I forgot to ask our neighbour to water my vase! I haven't acquired a piece since and the birds own the one in our garden.

Holly



A holly (*Ilex spp.*) vase

Holly is a fantastic timber to turn green. It is a tight white timber with rich reds, browns and greens in the pith of old trees. Turned fresh and sappy, it can be hollowed to a very thin wall thickness. If the wall thickness is even, it usually dries without splitting, albeit with some warping. Preserving the whiteness of holly timber is something I have never personally succeeded with. Not many trees are viable for milling anyway but the best one we ever milled ended up with grain stain despite us end racking it and turning it as we were told.

A restorer bought the whole tree despite the grey, saying that he had never found truly white holly anyway so always bleached it. He did the same with walnut (*Juglans regia*) and other timbers when looking to match a broken part, then stained it back up to match the original. Clever.

Laburnum

Laburnum is a popular timber with turners, thanks to its rich dark colour and contrasting pale sapwood. The problem with it is its tendency to split during drying, which is especially true of the larger branches. I am not sure if laburnum is classed as a shrub or a tree but have seen a multi-stemmed stock in Wales with trunks up to 0.6m diameter and I estimated the total stock had about 10 tons of timber in it!



A halved lilac (*Syringa spp.*) log, berberis (*Berberis vulgaris*) lace bobbins and boxwood (*Buxus sempervirens*) spindles

Lilac

Lilac is a superb timber with pale sapwood, prominent fine grain and pale purples and browns in the centre. It makes great pen blanks but is one to cleave or saw into halves for drying reliably.



Magnolia (*Magnolia virginiana*) enclosed form

Magnolia

No specimen magnolia is worth felling for timber surely, but if one happens to fall your way, grab it! The timber is pale and light weight, dries reliably in planks, turns and hollows very easily but can be sanded away like chalk if you go too hard at it. The grain is very prominent and the wood does not darken as much as most timbers do.

Mulberry

Mulberry is probably one of the slowest growing trees in the UK. After many experiments, we managed to get some seeds scraped from a local pavement to germinate. 35 years later and the three stems are about 75mm in diameter. So big trees are rare and usually preserved by surgery and props, but the timber is superb to work with. It dries reliably in planks and even the branches dry well in the round. It can also be turned and hollowed fresh off the tree with minimal distortion. It is similar in appearance to laburnum but the timber is softer and a real delight to work with.



Flowers turned using pieces of privet (*Ligustrum vulgare*)








Privet

Privet is a pale, tight wood, slightly darker than holly but similar to turn. It also makes great wooden flowers if turned fresh.

Using fresh cut small branches, turned wooden flowers are great fun to make. They can be turned in minutes and if they go wrong, it is all good practice. Short pieces can simply be grabbed in a chuck and turned in one go but for longer stems, I prefer to turn the branch down to a small diameter spindle and slide it through the chuck onto the Morse taper hollow, then slide it out in stages to reduce the stem further. ●



A natural-edge vase in mulberry (*Morus alba*)



YOU CAN STILL OBTAIN BACK ISSUES DIRECTLY FROM US!

A back issue of Woodturning magazine costs £4.95 in the UK and £5.45 overseas.

To check availability and to order:

CALL OUR SALES TEAM ON
+44 (0) 1273 488 005 OR

VISIT OUR WEBSITE:
WWW.THEGMCGROUP.COM

Two-part mirror variations

Philip Greenwood takes you through the steps for creating a multi-functional mirror on a stand

PHILIP GREENWOOD



Philip has been turning wood since 1980 and started turning professionally in 1986. He was accepted onto the Register of Professional Turners (RPT) in 2006. He is also a member of the AWGB.

He can be seen working in his workshop in North Yorkshire and has demonstrated at the woodworking show at Harrogate since 2008. He runs courses at his workshop.

philip@woodturningintoart.co.uk
www.woodturningintoart.co.uk

This hand mirror has a separate stand so you could just make the hand mirror if you wished. This style enables the mirror to be used separately and placed back in the cradle for hands-free use. The mirror frame part is straightforward to turn, as you will see in the steps, with the mirror fitting in the frame from the front. The downside of this design is a small gap around the mirror edge. The half circle cradle frame is just made from a single disc of timber, which



The mirror can easily be detached from the stand

is turned and shaped, then cut in half across the circle diameter and glued back together on the outer face. This is then attached to a stem to fit in the base. The stem has a ball joint on the end to allow the mirror to be tilted to a suitable angle. The downside to this design is that you need a larger base to allow the mechanism to be fitted and also to give stability, or the mirror may overbalance if tilted too far backwards. The base will require you to measure carefully so the components fit and operate correctly. Besides the timber, you will need a small spring that works in compression mode, a couple of screws and a mirror. Mine has a bevelled edge and some silicon sealant to stick the mirror to the frame or some double-sided sticky foam pads. This type of stand could be used for other items besides a mirror stand where you need to adjust the angle. I have used sycamore (*Acer pseudoplatanus*) for the whole project, but contrasting timbers could be used for the mirror frame or stem. The finish is carnauba wax over a sanding sealant, although an oil finish is another choice for this project.



EQUIPMENT USED

10mm bowl gouge
 25mm French-curve scraper
 3mm parting tool
 20mm skew chisel
 20mm spindle roughing gouge
 10mm spindle gouge with a fingernail profile
 Double-sided tape
 Piece of mirror – 100mm dia.
 Bandsaw
 Variety of abrasives
 Bradawl
 Three-part buffing system
 Silicon adhesive
 PPE: latex gloves, facemask, respirator/
 dust mask and extraction

TIMBER REQUIREMENTS

Sycamore (*Acer pseudoplatanus*)

Mirror frame: 135 × 25mm


Cradle: 150 × 20mm

Stand: 140 × 55mm

Stem: 155 × 25mm

Ball support disc:
 20 × 10mm

PLANS



SKREW CHISEL USE



A planing cut using the skew chisel

I know a lot of people have had bad experiences when using the skew chisel and this is mostly down to not knowing how to use the tool correctly. I use mine with the longest point or toe upmost; this is the way I was taught. To use this for a planing cut as in the photo, use the lower third of the tool to half way up. If you use the upper part of the tool, you will have a dig in. To present the tool, rub the heel at the bottom of the bevel, find the bevel, then slowly present the cutting edge to the timber and slide the tool on the bevel down the timber with light pressure only. Let the tool do the work. My tool is ground with 23° sides and a skew angle of 30°. Seek advice on how to use the tool if you have problems.

BALL JOINT COMPONENTS



Components for the ball joint

Here are the components for the ball and socket joint for the stand, from left to right: the fixing plate to hold all the components in place and adjust the spring compression; the compression spring and the ball socket with the spigot to centralise and hold the spring in place, which is dished on the top face as in step 17 and finally the ball on the stem.

“I know a lot of people have had bad experiences when using the skew chisel...”

PERFECT SANDING



Sanding on the lathe

I start with 120 grit, which removes any tool marks on the surface and then move on to 180, which removes the scratch marks left by the 120 grit. Next, I use 240 and 320 and the last grit for most projects is 400, which removes the marks left by the 320 grit. If I find any marks on the surface, I will go back through all the grits in order and not miss any out; this is faster and produces less heat than staying with 400. When the abrasive stops working, throw it away. Don't think worn out 240 will now be OK for the 320 grit; the particle sizes will still be the same as unworn 240 grit. Only press lightly when sanding – pressing hard will wear out your abrasives and will damage the timber due to the heat.

1 You need to start with the disc that will hold the mirror, which you can see here. Find the centre, drill an 8mm hole and drill all the way through. Next, screw this onto the screw in the chuck and true up the outside

2 You need to turn a spigot so you can hold it when you turn the front face. Mark the spigot diameter and then, using a parting tool, cut a groove to the left and the mark for the spigot diameter to a depth of 4mm. You can then remove the waste from the top section to expose the spigot, then use the skew chisel to cut the dovetail

3 The disc can now be held on the spigot. Clean the face and then mark the recess for the chuck jaws so they expand into a recess. Now cut in with the parting tool to a depth of 3mm and remove the waste towards the centre; this will allow you to accommodate the mirror, then try the mirror for fit. Round over the corner of the disc. Try for an even curve as this needs to be matched on the other side, then you can sand and seal

4 Hold in the recess on the front face and remove the spigot with the bowl gouge. Replicate the curve on the front face and use a template to make sure the curve is the same for the front and back. Any discrepancies will show when the mirror frame is placed in the cradle. You can then sand and seal all the surfaces





5 This piece is for the cradle. Repeat the steps in step 1 and also clean the face of the disc. When using the bowl gouge on a face like this, try to rub the bevel; this will give you an even surface and a more controlled cut



6 This recess is the same diameter as the mirror surround and half the depth of the mirror frame thickness. The radius needs to match the radius on the mirror frame. Use a bowl gouge to remove most of the waste before moving on to the scraper. Ensure the face is flat as this will be glued together. Use a template to check the curve; this is the convex one compared to the concave template used to check the radius on the mirror frame. Only sand and seal the middle part at this stage



7 Rough cut a disc the same size as the cradle – in my case it was hardboard – and stick this with double-sided tape to the cradle. Next, drill a hole in the cradle frame through to the disc; this disc stops the cradle from coming loose when you part through later



8 Here you can see the hardboard disc attached. Shape the outside of the cradle with a nice curve. Remember that you have a concave surface on the inside so you don't want to go through the wall. The centre part is waste so you don't need to sand and seal that part

“Glue up the two pieces back to back and clamp together”



9 Measure the mirror, which is 100mm diameter, then add on 10mm so part of the mirror frame will show when inserted into the cradle; this means you need to part through at 110mm. Part though to the right-hand side of this, very slowly, and you will hear the sound change when you are almost through



10 Unscrew from the chuck and remove the centre. You need to cut this cradle in half. Here I have set the bandsaw fence to half of the cradle width. Keep the blade guard as low as possible and slowly push through, keeping your finger well clear of the blade. Remove the hardboard from the cradle frame



11 Glue up the two pieces back to back and clamp together. Sand the ends with a curve to remove the flat edges. I used a belt sander, but this could be completed with a bit of hand-sanding



12 Place a piece of timber between centres to a round. In the photo, you can see where I have marked the ball position. Turn a spigot on the right-hand end; this is to fit into the bottom of the cradle. Use a skew chisel to clean the main part of the spindle

13 Use a spindle gouge to shape the ball end and try to achieve an even shaped ball so it will rotate freely in the socket. Sand and seal the entire spindle. Once removed from between centres, you will just need to finish the ball end by hand. Mount the base piece on a screw held in the chuck jaws and true up and turn a spigot on what will become the top of the base. Hold on the spigot and clean the base, then mark and turn a recess for later



14 Cut a second recess for the holding plate, which is just smaller than the recess for the chuck jaws. Next, use a parting tool to cut a hole for the ball end of the spindle to fit in; this needs to be around half the depth of the base thickness. Next, using a round-nose scraper, dish the bottom of the hole, which is the socket for the ball end. Sand and seal the underside



15 Hold in the recess on the bottom and turn a small recess in the top to allow the stem to tilt backwards. Start to shape the base to make the design look lighter without compromising the stability of the piece



16 Use a push cut to clean the surface; this will reduce sanding. Try to keep the bevel in contact with the surface at all times. Use a scraper to refine the surface if needed – make sure it is sharp or it may tear the timber fibres and require a lot of sanding. Finally, sand and seal the whole surface




“Sand and seal the underside...”

17 This piece is to fit on the underside of the ball on the stem. Use a scrap piece of timber as this will not be visible. This must fit the hole in the base so turn to a suitable diameter. You can then dish the end so it fits the ball end



18 You can see a small spigot on this piece, which is to locate the spring when you assemble the base. Cut this off and place aside for later



19 The cradle needs to be drilled to take the spigot on the stem. You can create a cradle to support the work but the gentle pressure used to drill this small hole is minimal. Mark the centre with a bradawl and then drill an 8mm hole in this. All the parts are now polished on the buffing system. Once you are happy with the finish, assemble all the parts. See the ball joint components section for more information. Assemble the base components first before you attach the cradle to the stem top. Finally, glue the mirror in with some silicon adhesive



20 The final mirror on a stand should look something like this ●



IT'S ALL ABOUT FUN!
TURNING IS NOT WORK ANYMORE

MADE
IN USA

40
YOUTUBE
CLIPS



TO GO TO WEBSITE
SCAN HERE

LYLE JAMIESON

SIMPLY THE
BEST HOLLOW FORM
SYSTEM

INTRODUCING A NEW &
BETTER BOWL GOUGE

www.lylejamieson.com 231-947-2348



Beaufort
INK


HIGH QUALITY AFFORDABLE
REFILLS FOR DISCERNING
PEN MAKERS

We also stock gorilla adhesives,
yunstone crushed stone blanks,
pen tubes, spares & much more.
♦ WE ARE AGENTS FOR BOCK NIBS

Spean Bridge, Inverness-shire, Scotland
Email: info@beaufortink.co.uk Tel: 01397 712520



www.beaufortink.co.uk



woodworkersinstitute.com


The UK's No. 1 source of information from the world of woodworking

Furniture
& cabinetmaking

Woodturning

WOOD CARVING

WOODWORKING
Plans & Projects



- Latest news • Projects • Reviews • Techniques
- Competitions • Blogs • Forums • Giveaways

Europe's largest woodworking website offering expertise and a vibrant community

SPECIAL SUBSCRIPTION OFFER FOR USA READERS

SUBSCRIBE FOR 12 ISSUES

For less than \$75*



SAVE UP TO 38%!

CALL 866-699-6779 (toll-free) OR visit: lightningpublications.com



ENDURING QUALITY®

READY2LIFT

- Easy to use
- Precision movement
- Repeatability
- Instant joinery
- Expandable
- Built to last



READY2ROUT

Call 01494 523991 sales@tooltec.co.uk

Fax 01494 524293 www.tooltec.co.uk

Kit & Tools

A mixture of tests and press releases showing the latest tools and products on the market

All prices are correct at time of going to press. Products from USA & overseas to UK are subject to shipping & taxes

AXMINSTER HOBBY SERIES OSCILLATING SPINDLE SANDER

This simple yet versatile oscillating bobbin sander is suitable for use at home but can also be used for all manner of finishing tasks in the workshop. The bobbin oscillates by 24mm, spreading the wear over more of the sanding sleeve. The cast-iron table tilts up to 45° and has several nylon table inserts to give a close fit around the bobbin. The 370W induction motor is quiet in use and slow running so as not to burn your work. The base is

fabricated in sheet steel and has storage for spare bobbins and table inserts. Dust extraction is via a 50mm port on the rear and should be connected to a suitable vacuum extractor. Supplied with 19mm, 38mm, 50mm and 76mm bobbins. Please note that this price is valid until 31 December, 2015.

Contact: Axminster Tools & Machinery
Tel: 03332 406 406
Web: www.axminster.co.uk



£299.96

Getting Started in Woodturning DVD



Rockler Woodworking and Hardware has introduced the latest informational DVD release from *Woodworker's Journal*, which demonstrates the fundamental techniques involved in woodturning, including the functionality of turning tools, sharpening, spindle turning, bowl turning, as well as sanding and finishing on the lathe. The content is designed for guiding beginners as they learn about the craft and attempt their own projects. From understanding how a lathe functions to completing their first project, new woodturners will find guidance and easy-to-follow instruction in this DVD.

The DVD is presented by Ernie Conover, who has more than 40 years of experience teaching woodturning and Kimberly McNeelan, who is a professional woodworker and author.

£19.61

Contact: Rockler Woodworking and Hardware
Tel: (001) 800 279 4441
Web: www.rockler.com

LITTLE BROTHER HOLLOWING SYSTEM – NOW WITH TAPERED SHAFT

Hamlet's Little Brother tool has been 'beefed up' to include a new tapered shaft, which adds more rigidity and stability while hollowing.

It is one of the three Brother System 2 range, which uses a shielded cutter for safer and efficient hollowing. All come with a DVD to assist you in sharpening, setting and initiating the cut. As with all Hamlet tools, you can expect good value for money and all items are made in the UK. Talk with your stockist today.

£103.75



Contact: Hamlet Craft Tools
Tel: 01142 321 338
Web: www.hamletcrafttools.co.uk



RECORD POWER ACQUIRES CAMVAC EXTRACTION MACHINES AND ACCESSORIES

Many of you will be familiar with CamVac dust extraction machines. In October 2014, the CamVac brand and full range of machines was acquired by Record Power and the company are delighted to be continuing to manufacture in the UK.

Record Power is committed to continuing to provide all existing CamVac users with the same high-quality products and all current CamVac machines and accessories will remain in production using the same tooling and manufacturing techniques.

Contact: Record Power
Tel: 01246 571 020
Web: www.recordpower.co.uk

ERRATUM

In issue 277, we featured Beaufort Ink's pen refills, which gave slightly incorrect information. Beaufort Ink produces refills specially for pen turners using Swiss-made components and ink.

Manufactured to exacting standards and tolerances, they are available loose, either individually or in bulk, and also in retail packs that allow turners to sell refills to their own customers at a profit. All refills feature

stainless steel tips and tungsten carbide balls. They don't skip or scratch and are designed to only dry up where they are supposed to – on the paper, not in the refill. See below for further details.

Prices: From 65p **Contact:** Beaufort Ink
Tel: 01397 712 520 **Web:** www.beaufortink.co.uk



Steve Giles 

one to one tuition - beginners to advanced
2 students by arrangement
Gift vouchers available

Woodturning Courses
in West Berkshire

01635 45930
info@stevegileswoodturning.co.uk
www.stevegileswoodturning.co.uk

Woodturning
Commissions • Tuition
Architectural & Bespoke projects



Near Sherwood Forest at the heart of English Woodcraft

COLIN FISHWICK B.Ed., R.P.T.
On the Register of Professional Turners

Specialist school and college teacher with over 35 years experience offers courses from one to five days in all aspects of Woodturning from beginner to advanced.

Spacious, modern, well equipped workshop with space for up to three students on variable speed lathes.

 Have 1:1 tuition or share the cost 

Oak Tree Cottage, Main Street, Ragnall, Nottinghamshire. NG22 0UR
01777 228146 colin.fishwick@btinternet.com
Near East Coast Mainline Station


Woodturning courses in the beautiful North York Moors National Park

1 - 3 days one to one tuition to meet your needs, 2 by arrangement
With
Philip Greenwood
On the Register of Professional Turners
Gift vouchers available.

For further details contact Philip on 01751 417089
email: philip@woodturningintoart.co.uk
www.woodturningintoart.co.uk

Woodturning
magazine is the
best platform for
reaching your target market

To advertise contact Russell on **01273 402841**
or **russellh@thegmcgroup.com**



Turn in the Sun with
Nikos Siragas
on the beautiful island of Crete



- 2 or 3 day courses are available
- Interesting activities for partners
- Check our website for details



Contact me at: **nsiragas@yahoo.com**
Varda Kalergi 38, Rethymno 74100, Crete, Greece
Tel: +30 6979613588/ +30 6976434401
www.siragas.gr

Steve Heeley
Registered Woodturner

One to one tuition with a choice of lathes
All aspects of turning covered
All safety aspects covered
Demonstrations and Commission work

For more information please contact me
Tel: 01922 415873
West Midlands/Staffordshire
E-mail: **steve_heelley@yahoo.co.uk**
www.steveheelley.co.uk



Learn to turn in Somerset
with George Foweraker RPT

One to one tuition with
a Registered Professional Turner
Maximum of two students

Telephone 01278 782074
www.artistry-in-wood.co.uk





Ockenden Timber

SPECIALIST WOODTURNING & CARVING SUPPLIERS



Woodturning and woodcarving blanks processed to the highest quality on site at our Woodyard & Shop.
 1st grade timber supplied free from defects such as large knots, splits, insect holes etc.
 Thousands of blanks in stock for self selection or nationwide delivery.
 Visit our website for more information and to view our full range of products.

 Amazaque	 Ash	 Beech	 Black Walnut	 Blackwood	 Bubinga
 Cherry	 Ebony	 Lignum Vitae	 Lime	 Oak	 Olivewood
 Pink Ivory	 Rosewood	 Sycamore	 Yellow Heart	 Yew	 Zebrano

Shop opening times: Tuesdays, Thursdays & Sundays 10am - 3pm
 E-mail: info@ockenden-timber.co.uk
 Ockenden Timber, Broadway Hall, Church Stoke, Powys, SY15 6EB
 Tel: 01588 620884

www.ockenden-timber.co.uk



SURREY TIMBERS Ltd

Your One-Stop Wood Shop

Hardwood Timber Merchant
stocking local & Imported Timber




Buy one piece or one pack!

Please come & select from our range:

**OAK, YEW, WALNUT, SAPELE, APPLE, MAPLE
SYCAMORE & More!**

All welcome

Call in and see

- Woodturners
- Joiners
- Cabinetmakers

our huge range at
Loseley Park, Guildford, Surrey

01483 457826 or 07795 663792

www.surreytimbers.co.uk

TIMBERLINE

Suppliers of fine and rare timbers
 Veneers and inlays
 Tools and sundries
 For the craftsman in wood

Unit 7, Munday Industrial Estate,
 58-66 Morley Road, Tonbridge, Kent TN9 1RP
 Tel: 01732 355626 Fax: 01732 358214
 email exotic.hardwoods@virgin.net
www.exotichardwoods.co.uk

INTERESTING TIMBERS

since 1986

**EXTENSIVE RANGE OF ENGLISH
GROWN HARDWOOD TIMBERS**

Air or kiln dried.
Quarter Sawn Oak usually available.
 Turning and carving blanks, full machining service.
Mail Order available - No order too large or small.
 Contact us for details or come and see us (please ring first)
 We'll ensure a helpful personal service.

DAVID and CATHERINE SIMMONDS,
 Wells Road, Emborough, Near Bath BA3 4SP
 Tel: 01761 241333 www.interestingtimbers.co.uk

LINCOLNSHIRE WOODCRAFT SUPPLIES

Easy to find - Only 2 mins from A1 - Easy to Park
Specialist in High Quality Turning Blanks in Both Homegrown and Exotic Timbers. Over 60 timbers in stock.

OPEN 9.00AM - 4.30PM MON - FRI
9.00AM - 4.00PM SAT

Send six First Class stamps for our
NEW MAIL ORDER CATALOGUE

FOR EXPERT ADVICE CONTACT: ROBIN STOREY

THE OLD SAW MILL, BURGHLEY PARK,
LONDON ROAD, STAMFORD, Lincs PE9 3JS

TEL: 01780 757825

NEW WEBSITE: WWW.LINCOLNSHIREWOODCRAFT.CO.UK



Uk Suppliers of Olive Wood Blanks for Turners

At Olive Wood Turning my intention is to supply part seasoned olive wood turning blanks in useable sizes at reasonable prices. We supply to both professional and hobby turners as well as turning supply shops

All blanks have been dressed and wax sealed to help prevent splitting.

Multi-buys available to save on postage costs

If you have a project but aren't sure if Olive is for you, call to chat it over, I'm not a salesman, I'm a wood turner that sells some nice wood.

Courier service to mainland UK, Highlands & Islands, Northern and Southern Ireland and Europe

If you have no internet please phone or write to the address below to receive a product list and order form in the post

WWW.OLIVEWOODTURNING.CO.UK

TEL: 07714 204060

EMAIL: JAMES@OLIVEWOODTURNING.CO.UK

Unit 10 Lidun Park, Boundary Road, Lytham, Lancs FY8 5HU

SPINDLE BLANKS

BOWL BLANKS

PEN BLANKS

OLIVE WOOD PLANKS

OLIVE WOOD BURR

MULTI BUYS



Sharpening Techniques

Mastering Woodturning with Glenn Lucas
3rd in the series

**glenn
lucas**

est. 1995

Clear footage with expert guidance, shows in simple steps, how to sharpen bowl and spindle gouges on a range of sharpening systems: Tormek, Oneway Wolverine, Sorby Pro-Edge, Woodcut Tru-Grind.

'Jig sharpening helps you to achieve the perfect edge immediately. Sharp tools are where woodturning begins'.

**Mastering Woodturning
Sharpening Techniques**

www.glennlucaswoodturning.com



Vouchers

For woodturning classes or tools
available online

FREE POSTAGE WORLD WIDE when
you order all three DVDs (Tools and
Techniques, Bowl Turning Techniques
and Sharpening Techniques) at
www.glennlucaswoodturning.com
Telephone 00353 59 972 7070

www.hopewoodturning.co.uk

New easy arm hollowing jig from Hopewoodturning

Call Simon on 01206 230694



Takes all the stress away from hollowing!

- All joints have twin bearings - Main stem has Phrosthus bronze bearing.
 - Fits lathe from 5" centre height to 24" - Main handle takes 19mm with a 16mm reducer included.
- Full details and video clip available from my website.

Limited Offer: £185 with free UK delivery

MAIL ORDER

NARROW BANDSAW BLADES
MANUFACTURED TO **ANY** LENGTH
PHONE **NOW** FOR IMMEDIATE QUOTATION
OR WRITE TO US FOR A PRICE LIST

TRUCUT

Spurside Saw Works, The Downs, Ross-on-Wye,
Herefordshire HR9 7TJ

Tel: 01989 769371 Fax: 01989 567360

www.trucutbandsaws.co.uk

Woodworking Materials

Large selection of products

Clocks & Accessories (Quartz & Mechanical), Barometers,
Thermometers, Cabinet furniture, Screw, Plans, Kits,
Polishes, Adhesives, Abrasives etc.
For **free** catalogue please contact,

Chris Milner, Woodworking Supplies

(Dept WT), Beresford Lane, Woolley Moor,

Nr Alfreton, Derbyshire DE55 6FH

Tel/Fax: 01246 590 062

Email: milnerwoodwork@aol.com

Speed Genie

"Variable Speed Kits for Woodturning"

Features:

- Mains illuminated On/Off switch
- Start/Stop switch
- Speed control dial
- Kit suitable for the Record CL2 and CL3 lathes
- 1 HP kit £425 delivered (Inclusive delivery applies to main routes except Highlands and Islands)
- Other kits available

£425.00 Delivered!

S. Haydock
Tel/Fax: (01254) 201888
www.haydockconverters.co.uk
Email: converters@shaydock.fsnet.co.uk

Allan Calder's Ltd Sandpaper Supplies

Unit 2B Churnet Works, James Brindley Road, Leek, Staffordshire ST13 8YH



We are supplying top quality brands of sanding abrasives for all types of wood turners.

Web: www.sandpapersupplies.co.uk

Email: sandpapersupplies@yahoo.co.uk

Tel: 01538 387738

PAD-O-VAC®

Dustless Power Sanding for Bowl Turners

See the Pad-o-Vac in action -

visit www.pad-o-vac.co.uk Or call Cobbs on +44 (0)1566 777599

hamilton beverstock

CNC sharpening & material cutting specialists

BAND SAW BLADES

WELDED TO ANY LENGTH



- TCT CIRCS • SERVICING
- ROUTER CUTTERS
- POWER TOOLS • ABRASIVES
- TURNING TOOLS
- PLANER BLADES

With over 33 years experience in the saw industry, and as a supplier to major machine manufacturers, we know, like thousands of other satisfied customers, you'll be happy with our high quality band saw blades for cutting wood, metal, plastics, food...If you're a hobbyist or a professional, call us today for a friendly service, free advice and competitive prices.

Hamilton Beverstock Ltd
Grange Industrial Estate, Llanfrechfa Way,
Cwmbran, Torfaen, NP44 8HQ
Tel: (01633) 838900 Fax: (01633) 873803
Email: sales@hamiltonbeverstock.com

Founder Member of
The Saw Doctor
Association



When you need a reliable tradesman, go to findacraftsman.com.
For a tradesman you can trust – and a job done well.

findacraftsman.com

The only place to list members of The Guild of Master Craftsmen exclusively



«klikcraft»

Websites for craftspeople. Made easy.

Your own professional website for only £50 pa (including an online shop)

Klikcraft is a new easy-to-use service for craftspeople who want a website without the cost and hassle of setting one up. Using our online admin system and a wide choice of stylish templates designed especially for craftspeople, you can create and edit your own web site quickly, easily and very cost-effectively.

Visit www.klikcraft.com for a FREE 14 day trial

When you need a reliable tradesman, go to findacraftsman.com.
For a tradesman you can trust – and a job done well.

findacraftsman.com

The only place to list members of The Guild of Master Craftsmen exclusively

MID CORNWALL SAW SERVICE

Trelavour Road, St DENNIS
Cornwall PL26 8AH

Tel: 01726 822289

www.midcornwallsawservice.com

Open: Mon-Fri 8am - 5pm Lunch 1 - 1.45pm

Saturday 8am - 12 noon

THE GUILD OF MASTER CRAFTSMEN
Saw Service
Tel: 01726 822289 • Fax: 01726 822289
Bosch, DeWalt, Trend, Scheppach,
Record, Mini Max, Robert Sorby,
Tormek, Brimarc, Chestnut
Products, Planet

A, B, C, F, H, P, S, T, W



**The World's Finest
Diamond Sharpeners**

For Better Prices, Better Deals & Best Advice visit

www.StarkieSharp.com

For FREE P&P Quote: WTD at checkout or when you Call 0800 0588 911

Timberman

Gwili Garage, Bronwdd,
Carmarthen SA33 6BE
Email: mike.jones@freeuk.com
Tel: 01267 232621
Fax: 01267 222616
Open: Mon-Fri 9am - 5pm
Saturday 9am - 12 noon

Robert Sorby, Crown Tools,
Liberon, Fiddes Finishes,
Jet Lathes, SIP

**Hardwoods, Turning Blanks,
Woodworking Machinery
& Power Tools**



A B C C V D F H M P S T W

LEEDS

D.B. Keighley Machinery Ltd

Vickers Place, Stanningley,
Tel: 0113 2574736
Fax: 0113 2574293
Open: Mon - Fri 9am - 5pm

Website: www.dbkeighley.co.uk

- Jet
- Sheppach
- Rojek
- Triton
- Charnwood
- SIP
- Fox
- Startrite
- Ryobi

A B C D M P W

THE WOOD SHED

11 Lowtown Road
Temple Patrick
Co. Antrim BT39 0HD
02894 433833

www.wood-shed.com

The Wood Shed
native and exotic woods
woodturning tools
accessories • finishes
woodturning courses for all abilities

SNAINTON

WOODWORKING SUPPLIES

www.snaintonwoodworking.com

Barkers Lane, Snainton, Nr. Scarborough,
North Yorkshire YO13 9BG

TEL: 01723 859545

Open Mon-Sat 9.00 - 5.00.
Sun + bank hols CLOSED.

SPECIAL OFFERS
ON THE DAY

DEMONSTRATION DAY 9TH MAY

DAVE LOWE (RPT) WOODTURNING DEMONSTRATION

LIDDED BOWL WITH PEDESTAL & FINIAL

USING DECORATIVE TECHNIQUES

10.00 A.M - 4.00 P.M FREE ADMISSION

CAMVAC

Now stockists of machines and accessories

CHARWOOD

W680 Extractor

£115

W815 Mini Lathe

£189

W821 Vari Speed Lathe

£295

W813 Lathe

£380

W813 Lathe and Chuck Package

£460

CHUCKS AND ACCESSORIES

Charnwood W810 3 Jaw Chuck

£49

Charnwood Viper 2 Chuck

£89

Charnwood Viper 3 Chuck

£99

Charnwood Nexus Chuck

£99

Nexus Jaws compatible with Record & Sorby chucks

£159.99

Record RP2000 Compact Scroll Chuck From

£69.95

NEW Record SC3 Geared Scroll Chuck Pk

£119.99

NEW Record SC4 Geared Scroll Chuck Pk

£149.99

Nova jaws 10% off. Fit SC3, SC4 and Sorby chucks

Special offer £109.99

Nova G3 Scroll Chuck

Special Offer £149.99

Supernova 2 Chuck

£159

Sorby Patriot Chuck

Inc free Steb Chuck

Full range of jaws for above chucks in stock

£159

JET

JWBS-20Q Bandsaw

£1699

JWL-1015VS Lathe

£449

JWL-1221VS Midi Lathe

From £724

JWL-1642 Lathe

£1499

JTS-600 Table Saw

£1059

JDP-17F Floor Standing Drill

£449

SJOBERGS

Nordic Plus 1450 Bench

£369

Complete with cupboards and drawers

TORMEK

T4 Including SVM-45 Knife Jig

£299.95

T7

£489

Package deals available

RECORD

DML36SH-Cam Lathe

£269

DML305 Midi Lathe

£299

CL3 Cam Lathe

£439

CL4 Cam Lathe

£899

Startrite 401EBandsaw.

One only at this price £2098

Large range of machines, tools and accessories in stock and on display.

ROBERT SORBY

6 Piece Chisel Set 67HS

£121

Proedge

£265

Proedge Deluxe

Ltd stock at this price £320

Free Delivery UK Mainland on above Sorby products

SCHEPPACH

bts 800 Belt/disc Sander

£139

BG200al Bench Grinder

£99

Tiger 5 Sharpening System

£219

TREND

Airshield Pro

£199

EXOTIC WOODS

Banskia Nuts


From £5.00

Range of Exotic woods & pen blanks in stock

VISIT OUR WOOD STORE TO SEE OUR LARGE STOCK OF TIMBER

JOIN OUR WOOD DISCOUNT CLUB 25% OFF ALL BRITISH
TURNING/CARVING TIMBERS WHEN SPENDING £20 FOR ONLY £15 PER YEAR.

IN-APP BOOK FOR JUST £16.99



**Have you got the
Woodturning APP?**

Visit your app store today or
go to www.pocketmags.com

Don't miss out on the all
new In-APP book

WWW.POCKETMAGS.COM

Nick Agar – ‘Key to the City’

Nick Agar shares this sculptural turned piece with us, whose design reflects the industrious heart of the city of London



PHOTOGRAPH BY NICK AGAR

‘Key to the City’, sycamore (*Acer pseudoplatanus*) and birch ply, bowl and key are both 300mm dia.

This piece, which depicts a turned plate with a wooden key going through its centre, is made from sycamore (*Acer pseudoplatanus*) and birch ply, with the gears being cut from the plywood.

This is a functional as well as an aesthetic piece and it has actual working gears on the surface, which can be turned by hand. I like making pieces with gears and enjoyed the

challenge of evolving a simple turned platter as a base for this design.

The design is meant to reflect the industrious heart of the city of London and the Key to the City is an honour bestowed by a city upon esteemed residents and visitors. This piece was recently on show at an exhibition put on by the Worshipful Company of Turners in the City of London,

which is where the connection stems from.

The piece was airbrushed using the colours of the Union Jack flag, which helps to give the piece a really three-dimensional feel and black patinting wax was used to add a further deeper colouring to the gears on the platter’s surface.

Email: turningintoart@gmail.com

Web: www.turningintoart.com



Take your turning to the next level

with super precision
Axminster Evolution and
Clubman Chucks



5 star reviews

Back in 1981, Axminster was the originator of the super precision chuck. This has now evolved into the unsurpassed ranges of Evolution and Clubman chucks, all uniquely designed and manufactured by those who truly understand woodturning.

Manufactured from a single billet of stainless steel, these chucks are made by us in Axminster using the latest CNC production techniques. This material allows closer tolerances during the manufacturing process as the chuck body no longer needs electro-plating which can vary in thickness. This newly designed body is machined in one pass creating a level of concentricity as yet unequalled, resulting in superb precision with near zero vibration.



SK114 Evolution Chuck
with **FREE C Jaws** worth **£31.45**

£179.95 Inc.vat

502666 T01 3/4" x 16tpi
502667 T04M 1" x 8tpi
502668 T38 M33 x 3.5mm
502669 T23 1.1/4" x 8tpi



SK100 Clubman Chuck
with **FREE C Jaws** worth **£24.96**

£124.96 Inc.vat

504537 T01 3/4" x 16tpi
504538 T04M 1" x 8tpi
504539 T38 M33 x 3.5mm
504541 T23 1.1/4" x 8tpi



SK80 Clubman Chuck
with **FREE C Jaws** worth **£22.96**

£109.96 Inc.vat

504545 T01 3/4" x 16tpi
504546 T04M 1" x 8tpi

To find out more visit axminster.co.uk
Call **FREE** on **0800 371822** or mobile friendly **03332 406406**


Offers valid until 31st May 2015 or while stocks last

AXMINSTER
Tools & Machinery

Axminster • Basingstoke • High Wycombe • North Shields • Nuneaton • Sittingbourne • Warrington
Our North Shields store is now open – if you are in the area, come along and see us

Robert Sorby **Patriot Chuck**

Proudly Made in Sheffield, England



There's only one lathe chuck that ticks all the boxes

- ✓ Compliments the majority of lathes
- ✓ Includes 50mm jaws and screw chuck as standard
- ✓ Smooth jaw movement
- ✓ Peace of mind with the Robert Sorby lifetime guarantee
- ✓ Huge range of jaws and accessories



**Proudly Made in
Sheffield, England**

Robert Sorby

Athol Road, Sheffield, England, S8 0PA England.

T: +44 (0)114 225 0700 F: +44 (0)114 225 0710 E: sales@robert-sorby.co.uk W: www.robert-sorby.co.uk



**Proudly Made in
Sheffield, England**