


SIMPLE WYYDWYRKING: **FLORIDA CHAIR POOTREST**



WHAT YPU'LL NEED



LUMBER

2 - 1 x 4 x 8 2 - 2 x 4 x 8

(availability will vary)

HARDWARE/SUPPLIES

2 1/2" pocket hole screws 1 1/4" pocket hole screws 1 1/4" deck screws wood filler wood glue paint/stain

miter saw sander/belt sander drill/driver Kreg Pocket Hole Jig clamps square

ABOUT THESE PLANS

On this first page you will see above the project complete. On the <u>last page</u> you'll find the finished outer dimensions. Be sure to read ALL of the project steps before you start.

To the right is a list of the Lumber, Hardware/Supplies, and Tools you will need to complete this project. A measuring tape and pencil are not included because that should be pretty standard and self explanatory.

Below What You'll Need is the Parts list. This also is included on the <u>Cutting Diagram</u> page, which is the next to last page of this plan document. Also on the Cutting Diagram page is an estimate of the cost of the lumber. This estimate doesn't include any other supplies and does not factor in sales tax.

Throughout these plans you'll find the icons below:



This indicates a diagram detailing the dimensions of a project part and/or the placement for pocket holes, screws, nails, etc.



Notes are the instructions for a particular step/section of the project.



take precautions for safety, etc.



Want more Chief's Shop plans? Visit chiefs-shop.com and look through the Plans section.

Be sure to "Like" Chief's Shop on facebook by heading over to facebook.com/ChiefsShop.



Check out Chief's Shop Videos on YouTube. (click here)




Back Legs (2) - 1 1/2 x 3 1/2 x 11 1/8 Front Legs (2) - 1 1/2 x 3 1/2 x 16 **End Rails (2)** - 1 1/2 x 3 1/2 x20 5/16 Side Rails (2) - 1 1/2 x 3 1/2 x 19 Slats (6) - 3/4 x 3 1/2 x 23 1/2

All parts are listed in actual dimensions. Refer to the Cutting Diagram on the last page of this plan as a guide for determining the specific board from which to cut the parts.




SIMPLE WYYDWYRKING: **FLORIDA CHAIR POOTREST**




Set your pocket hole jig for 1 1/2" stock for the ends, and 3/4" stock for the vertical holes.



SIMPLE WYYDWYRKING: FLYRIDA CHAIR










Use the layouts as guides for measuring, marking, cutting, and drilling pocket holes in the Side Rails. Set your pocket hole jig for 1 1/2" stock for the ends, and 3/4" stock for the vertical holes.





SIMPLE WOODWORKING: FLORIDA CHAIR




Position the parts as shown and attach using glue and 2 1/2" pocket hole screws. Make sure the top edge of the **Side Rails** are flush with the top end of the **Back Leg** and **Front Leg**.













SIMPLE WYYDWYRKING: FLYRIDA CHAIR






Position the parts as shown and attach using glue and 1 1/4" pocket hole screws. Start by attaching the first slat flush with the **Back Legs** and space the parts as shown from there. You can use additional 1 1/4" deck screws driven through the **Slats** and into the **End Rails** if you find the pocket hole screws to not be enough.





SIMPLE WYYDWYRKING: FLYRIDA CHAIR


CUTTING DIAGRAM



PARTS

Back Legs (2) - 1 1/2 x 3 1/2 x 11 1/8 Front Legs (2) - 1 1/2 x 3 1/2 x 16 End Rails (2) - 1 1/2 x 3 1/2 x20 5/16 Side Rails (2) - 1 1/2 x 3 1/2 x 19 Slats (6) - 3/4 x 3 1/2 x 23 1/2

All parts are listed in actual dimensions. Refer to the Cutting Diagram on the last page of this plan as a guide for determining the specific board from which to cut the parts.



TAKE CARE!

Follow ALL SAFETY GUIDELINES AND RECOMMENDATIONS provided by the manufacturers of your tools, and any chemicals such as glue and finishes you use in this project. YOU are responsible for your safety, so use common sense when working in the shop!