






# SAW





Scrollsaw lovers are always looking for new patterns on which to practice and use their skills. With this diverse WOOD® magazine collection, you can make more than 50 pleasing designs, from simple to complex. Beginners can work on the projects sequentially, acquiring proficiency with each completed design. More advanced scrollsawyers can craft the projects as shown or incorporate a pattern, or an appealing part of a pattern, from one project into an entirely different one.

Review the expert advice on getting started; it's as if you had a pro offering guidance right in your shop. Learn which types of scrollsaws cut wood best, and which types of blades to use for a variety of scrollsaw cutting tasks.

Practice creating gentle curves and sharply formed edges by working on the first series of projects, from Cedar Closet Hangers to Tree Trimmers. Designed for thin stock, these simple patterns also lend themselves

(continued on back flap)

#### Wood Magazine Scrollsaw Patterns

#### **ACKNOWLEDGMENTS**

A great deal of appreciation is due to the past and present design and editorial staff of Meredith Corporation's *Better Homes & Gardens® WOOD®* magazine for many of the patterns, projects, and technical advice presented in this book. Individual scrollsawyers also contributed their designs, and they're noted on page 192. A special thanks is due to Rick Hutcheson, a prolific professional scroller whose savvy of the craft appears endless. Thanks, also, to the tips and tricks provided by fretwork hobbyist Carl Weckhorst, and skilled scrollsaw craftsmen Roy King and Scott Kochendorfer. And finally, much gratitude to Administrative Assistant Sheryl Munyon at *WOOD®* magazine, Jackie Keuck, Meredith's art library manager, and Cheryl Cibula for their efforts in helping me assemble all the material that appears within these pages.

Peter J. Stephano

#### Library of Congress Cataloging-in-Publication Data

Wood magazine scroll saw patterns.

p. cm.

Includes index.

ISBN 1-4027-0750-9

1. Jig saws, 2. Woodwork--Patterns, I. Title; Scrollsaw patterns, II.

Better homes and gardens wood.

TT186.W63 2004

745.51'3--dc22

2004006725

Published by Sterling Publishing Co., Inc.

387 Park Avenue South, New York, NY 10016

© 2005 by Wood® magazine

This edition is based on material that has been featured in Wood® Magazine
Distributed in Canada by Sterling Publishing

% Canadian Manda Group, 165 Dufferin Street

Toronto, Ontario, Canada M6K 3H6

Distributed in Great Britain by Chrysalis Books Group PLC

The Chrysalis Building, Bramley Road, London W10 6SP, England

Distributed in Australia by Capricom Link (Australia) Pty. Ltd.

P.O. Box 704, Windsor, NSW 2756, Australia

Printed in China All rights reserved

Sterling ISBN 1-4027-0750-9

## CONTENTS



Introduction	7
Chapter 1: Getting Started Scrolling	9
Making Patterns Stick	9
Using Permanent Patterns	10
Scrollsawing Materials	10
Choosing Scrollsaw Blades	13
Ten Tips for Scrollsawing Pleasure	15
Keeping Your Scrollsaw Accident-Free	20

#### **FUN-FILLED PATTERNS FOR THE BEGINNER 21**

Chapter 2: Quick-and-Easy Cuts	22	
Tabletop Reindeer	23	
Romping Reptiles	28	
Dangling Dinosaurs	32	
Cedar Closet Hangers	36	
Tree Trimmers	38	

Maтеріал, з SE52÷0S1-YDL82СЬКИМ правом

CHAPTER 3: Working with Thicker Stock	42			
Kid's First Car	43			
Land and Sea Combo	45			
Little Buddy Bulldozer	48			
Over-the-Rug Hauler	50			
Big Top Circus	52			
Desktop Dolphin	56			
CHAPTER 4: Patterns with Sharp Curves and Inside Cuts	58			
Tricky Clown Clock	59			
Picture-Perfect Jungle Hut				
Key-Clutter Cutter	64			
Breakfast Blooms Napkin Holder				
Looking for Moby	69			
Reindeer in Flight	72			
Happy Holidays Tabletop Decoration	78			
Bears Puzzle	81			
INTERMEDIATE PATTERNS 8	3			
CHAPTER 5: Patterns with Variety	84			
Picture-Window Frame	85			
Tulip-Time Desk Box	88			
Top-of-the-Morning Toast Rack	91			
Top-Notch Tray	93			
Prehistoric Puzzlers	95			

The Great Puzzle Fish	97
Dandy Desk Trays	99
CHAPTER 6: Patterns with Depth	101
Lace-Edged Memento Box	102
Hair-Care Appliance Holder	105
Salad Servers with Drip Catcher	108
Cowboy Curio Shelf	110
One Fishy Puzzle	114
Safari Puzzle	116
Snowman	118
CHAPTER 7: Time is of the Essence	120
Time-of-the-Dinosaurs Clock	121
Old Oaken Clock	126
Towering Timepiece	129
Wetland Silhouette Clock	132
CHAPTER 8: More Challenging Patterns	134
Picture-Perfect Panda	135
Playful Garden Markers	138
Snowflakes for Fun	147
Swans Silhouette	148
Great American Skylines	150
Angels Silhouette	154
Quail Country	156

#### **ADVANCED PATTERNS 159**

Chapter 9: Picture-Perfect Patterns	160
Castle on a Cliff	161
Sitting Pretty Songbird	166
Midnight Visit and Campfire Cooking Plaques	168
Brilliant Birds	171
Chapter 10: Fretwork Fantasies	175
Cottage Clock	176
Victorian Bathroom Accessories	180
Coastal Curio Shelf	186
Index	190
Credits	191

#### All submissions for reference only!



#### INTRODUCTION

be majority of scrollsawyers are like most woodworkers and other people who enjoy making things with their bands: They have the production skills, but not the ability to come up with totally original designs. That's why in the crafts field you find plans available for furniture of all types, and patterns for everything from needlework to rosemaling. There's nothing wrong with working from a plan or pattern. Nearly everyone requires a starting place—so consider this book of scrollsaw patterns to be yours.



On the following pages you'll discover patterns for animals and autos, birds and buildings, people and placesjust about anything imaginable. Using them, you can make the projects shown, usually quite easily. Remember, though, the provided patterns are yours to use as you may. You can incorporate the pattern associated with one project into an entirely different one. Or, as many scrollsawyers do, you may use a particularly appealing part of a pattern

and apply it to a box or other project. This is where your own creativity comes into play.

With few exceptions, the patterns you'll find on the following pages are presented in full size. However, there's no rule that says you must utilize them that way. Today, most photocopy machines have the ability to enlarge as well as reduce. It's only a matter of selecting the desired enlarging or reducing percentage (within the limits), placing the pattern on the glass, and pushing

a button. And due to demand as well as lower prices, photocopiers aren't limited to the office anymore. You'll find them selling for well under \$200—an affordable price for the home if you plan to do a lot of pattern copying. For limited use at a reasonable per copy cost, there are also machines located in such places as supermarkets, libraries, and printing/copying centers.

Pelican puzzle that appears in Chapter 9. The pattern can be found on page 174.





# Getting Started Scrolling

#### MAKING PATTERNS STICK

Most professional scrollsawyers and serious hobbyists prefer to adhere a paper pattern to the workpiece (the wood or other material) with spray adhesive or rubber cement—both available at office and art supply stores—rather than draw or trace it on. This results in better visibility of the pattern lines. Some scrollers always turn to spray adhesive because they find that the rubber cement on very large patterns dries too quickly and the pattern lifts up before they've finished cutting. This isn't a problem with spray adhesive, and the pattern comes off easily with lacquer thinner or lighter fluid.

On the other hand, other scrollsawyers believe that nothing tops rubber cement for sticking on paper patterns because it's cheap, fast, holds the pattern firmly, goes on without the hassle of tape or aerosol overspray, and cleans up in a jiffy (1–1). As an economic measure, you can buy the cement in gallon containers, and then transfer it to smaller jars. And rather than peel off the pattern, you can remove it at your stationary belt sander, a technique that clearly flattens the workpiece's top surface.

There are times, however, when tracing a photocopied pattern directly onto the wood seems appropriate. When you do, be sure to use transfer paper (available at art-supply, craft-supply, and fabric stores), not carbon paper, because transfer paper won't stain the wood. Use white or yellow transfer paper for dark woods, and blue, red, or graphite for light ones.



1-1. Many scrollsawyers use rubber cement for sticking on paper patterns because it's quick, holds the pattern firmly, and cleans up in a jiffy.

#### USING PERMANENT PATTERNS

Paper patterns, of course, get cut up during the scrollsawing. Although it's easy enough to create another one at a copy machine, it's a better idea to make permanent templates for those patterns you'll frequently return to (1–2). You can use a variety of materials for templates, as long as the material is relatively tough and rigid—cardboard, file-folder stock, \%" hardboard, stencil board, and even plastic.

Another material that is good to use is plastic laminate,

such as that used on countertops, because it's thin and durable. The advantages of using plastic templates are that you can fit many into a small box, they are inexpensive, and they don't wear out. It is recommended that you number the templates on the back and keep them referenced in a notebook, along with comments regarding each one's use. The easiest way to make plastic templates is to cut them out when you saw the project's basic shape, adhering the template material to the bottom of the workpiece with double-faced tape.

#### SCROLLSAWING MATERIALS

Wood has been the material of choice for scrollsawyers since the craft's birth. But all wood isn't equal, and that's due to density. Uniform density should be the first characteristic a scrollsawyer looks for when selecting stock, either hardwood or softwood. Why? Sawing across constantly changing densities makes for labored sawing. Softness allows the blade to spurt ahead. Encountering harder spots brings the blade almost to a halt. Steering wood that is of varying densities becomes a fight between soft areas grabbing the blade and harder ones deflecting it. Staying on the pattern line is difficult at best.

With both hardwood and softwood, you'll have better scrollsawing success with flat-sawn stock (stock with the end grain running parallel to the cutting surface). The vertical end grain of quartersawn stock tends to trap the blade in the soft part of a growth ring. This makes cutting along the stock's length difficult.



1–2. Make permanent templates for those patterns that will be frequently used. A variety of materials, including cardboard, 1/8" hardboard, and even plastic, can be used for templates.

#### Hardwoods and Softwoods

Among the hardwoods, you'll discover that basswood, butternut, cherry, oak, soft maple, walnut, and yellow poplar are agreeable stock for scrollsawing. In the softwoods, pine (1–3), cedar, and fir—especially dimensional construction stock—prove popular. All softwoods, though, don't always meet the uniform-density criteria, due to the usual difference between the hard, dark part of a growth ring and the soft, lighter-colored segment.

Looking for softwood stock that has less distinct rings is time well spent. You can also find economy in the lesser grades of hardwood and softwood, if you're willing to move your patterns around to diminish the effects of knots and other flaws. Lower grades may also adapt well to scroll-sawn projects that you're going to paint anyway.

Remember, though, that solid stock—particularly thin material—tends to break where the grain runs across a narrow part of a pattern. If you can't adjust a pattern on the stock to avoid these potential breaks, you'll be better off using plywood.

#### Plywoods

Plywoods are the frequent choice for scrollsawing. Traditional softwood plywood is available in 1/16", 3/16", 1/2", and 34" thicknesses, Baltic-birch plywood and similar craft plywoods provide better stability, strength, and uniform density because of a greater number of plies. However, many of this type are sold in metric thicknesses for which you have to account in planning. The greatest advantage of these multilayer plywoods is their lack of interior voids. Hardwood plywood with a solid core presents another voidless option, and it's sold in thicknesses down to 1/4".

#### Metals

You might want to try nonferrous metals, if they're soft. Aluminum and brass are the choices for scrollsawing never try to saw ferrous metals, such iron and steel. Even if your scrollsaw is a single-speed model, you'll be able to handle light-duty metal cutting. With a two-speed or



**1–3.** Pine is a good softwood to use for scrollsawing. On the left is No. 3 pine. On the right is No. 2 pine. No. 3 pine is less expensive, but has more knots. However, you can work around these defects to utilize most of the board.

variable-speed machine, move down to a lower speed.

You won't even be able to cut soft metals, however, with blades designed for wood. Blades designed for soft-metal cutting are often called jeweler's metal-piercing blades. They're harder than traditional wood blades and have finer teeth. Although both woodcutting blades and metal-piercing blades carry number designations, remember that a No. 6 scrollsaw blade and a No. 6 metal-piercing blade aren't the same! Mail-order woodworking suppliers and similar stores, as well as many tool dealers, sell metal-piercing blades that fit ordinary scrollsaws (plain-end type blades). Remember, when you buy blades, buy plenty, because you'll break a lot of them as you get the hang of sawing metal.

A scrollsaw isn't as forgiving with metal as it is with wood. Some side pressure on the blade is possible when you saw wood, but in metal, it makes the blade heat up quickly, and then break. When cutting metal, always feed it directly into the blade at a moderate rate, and keep the force on the front of the blade when you go into curves and turns. Lubricating the blade helps, too. Beeswax is your best bet, but silicone spray, sewingmachine oil, petroleum jelly, and even kitchen shortening will work. Frequently reapply whatever you use to extend blade life.

To more easily scrollsaw thin sheet metal, put it between two pieces of 3%" or ½" thick scrap wood. Secure it with tape, and then affix the pattern to the top of the wood.

For thicker metal, adhere the pattern to the top of the material with rubber cement and cover the bottom of it with masking or other tape to avoid scratches. Be sure that you leave plenty of metal around the pattern to hang on to.

Know what to buy when you shop for metal. Aluminum up to 18" thick will scrollsaw well; any thicker takes patience and practice. You'll find suitable aluminum at home centers and some lumberyards, as well as at hobby shops and retail metal dealers. Avoid aluminum alloys unless you're familiar with them—some are much harder than normal aluminum.

Sheet brass is more difficult to come by. Hobby shops catering to model airplane and railroad enthusiasts are a good source. They often sell precut sheet brass of 1/16" or less thickness. For thicker material, you'll have to shop brass and copper dealers (try the Yellow Pages). But just like aluminum, 1/8" cuts best and 1/4" is about the limit for scrollsawing. When you shop, ask for "half-hard" brass. Marine brass and bronze are too hard for scrollsaw cutting.

Aluminum and brass projects offer a variety of finishing techniques. First, though, you'll have to sand off any burrs around the edges. And if your pattern calls for drilled holes, do them before finishing.

For a simple polishing, turn to polishing compound (tripoli works great) and a muslin buffing wheel mounted in your drill press or bench grinder. Wear gloves and eye protection when polishing because the wheel can catch the metal and send it flying. Note that polishing only requires minimal pressure against the wheel—the compound does the work.

If you want a brushed look, sand the metal with 400-, 600-, or 1200-grit abrasive. The coarser the grit, the rougher the finish. For a satin finish, apply automotive rubbing compound with a soft cloth. When you've achieved the desired look, protect the metal with several light coats of spray lacquer, letting each coat dry before adding another.

Many plastics adapt to scrollsawing, too. There's a catch, however. Some plastics (called thermoplastics) readily melt or deform when heated. This means that the scrollsaw blade generates enough heat to make the kerf close behind it and fuse. Using a low speed helps this problem. So does installing a wider, thicker blade with coarser teeth. With plastics, it's always smart to test cut a small sample before purchasing enough for a whole project.

#### CHOOSING SCROLLSAW BLADES

#### Know Your Blade Options

There's no lack of choices when you shop for scrollsaw blades. Here are some points to keep in mind when you buy:

• Choose plain-end blades instead of pin-end. Most scrollsaws nowadays accept plain-end blades, utilizing built-in blade clamps or separate blade-end fixtures. Attaching separate clamps (required by some saws) takes extra time, but the plain-end blade's advantages outweigh the inconvenience.

Plain-end blades can cut inside a tiny pattern area because they'll slip through a ½6" hole, or even smaller. Pinends require a ¾6" start hole. You'll also spend less for plain-end blades, and have a greater selection in size and tooth style. Pin-end blades are easier to install, but they're thicker and wider than the

largest plain-end blades. They are good candidates for simple patterns in thick stock, if your saw will take them. If so, you should choose 5" plain-end blades.

• Remember, blade teeth do the cutting. Scrollsaw blades come in five traditional tooth patterns. You need to be familiar with them and what each can do best.

#### Standard pattern blades.

These blades, sometimes called skip-tooth or fretsaw blades, feature wide gullets between teeth that quickly clear chips and aid cooling. These fast, smooth-cutting blades can handle nearly all your scrollsawing needs. That's why they're best sellers.

#### Double-tooth blades.

These blades also have wide gullets to clear chips, but will put more teeth into thin stock for smoother cuts. They're only available with plain ends.

• Scrollsaw blades. These blades were pretty much standard equipment on the old rigid-arm jigsaws. Thicker, wider, and coarser than the skip-tooth blades, they lend themselves best to straight cutting or cutting simple curves in heavy stock.

#### · Reverse-tooth blades.

These blades look like standard blades except for the half dozen or so teeth at the bottom pointing the other way. They do what they were designed to do: reduce tearout and chipping on the bottom of the workpiece. But, they also reduce cutting speed. However, for thin stock and plywood prone to tearout, they work well.

• Spiral blades. These blades have a twist to them which permits cutting from all directions. Theoretically, you wouldn't have to turn the workpiece with one of these in your scrollsaw. Although they cut a wide, not-so-smooth kerf, they're the only blade that can cut bevels in the same direction on opposite edges of a workpiece.


### How to Select the Right Blade

Few professional scrollsawyers maintain a complete selection of all the blades available. Most settle on just the few that they've found work well for them. With a bit of experimentation, you'll find which blades work the best for you. But if you remember only one thing when selecting a blade, let it be this rule: Get the coarsest (fewest teeth per inch), widest blade that will give you a satisfactorily smooth cut for the job at hand (1–4). Here's why:

Blade width, measured from the front of the teeth to the back edge, determines a blade's maneuverability.

Narrow blades (with lower number designations) can make sharper turns than wide blades. On the other hand, narrow blades won't track as well on straight cuts because they tend to wander. So, choosing which blade to use depends a lot on the type(s) of patterns you like or plan to do.

Use this approach in your experimentation: Try coarser blades first. Coarser blades cut faster and may last a bit longer than finer-toothed ones, but the cut may not be as smooth as you like. On the other hand, fine-toothed blades produce smoother cuts, but cut more slowly, thus creating excessive heat that may result in burnt edges. What you want to work toward is a livable compromise between speed and smoothness of cut.



1-4. Three commonly used scrollsaw blades.

#### Blades the Pros Choose

Iowa scroller Rick Hutcheson relies on only three sizes of skip-tooth blades for nearly all of his work. He uses a No. 5 blade for 34" pine, oak, walnut, and most other woods, and a No. 2 blade for thin Balticbirch plywoods (1/8", 5/16", or ½"). He cuts a stack of these about 34" thick and gets good detail with a minimum of feathering on the bottom. For the extra strength needed in sawing woods more than 1" thick, he uses a relatively thick and wide No. 9 blade. It's possible to run this blade at 2,000 rpm in 1½" thick pine and fir without it heating up.

The Chicago-area scrollsawing team of Roy King and Scott Kochendorfer cut their intricate designs with a No. 2 blade because with that blade, you can spin the workpiece, make 90- and 45-degree cuts, and do other techniques easily.

Minnesota fretwork scrollsawyer Carl Weckhorst likes to use reverse-tooth blades for smooth, splinter-free cuts on both sides of his workpieces. He uses a No. 2 blade for 1/8" stock. For 1/4" to 1/2" stock, he uses a No. 5. For heavy 3/4" stock, he uses a No. 20 blade with only about 9 teeth per inch.

# TEN TIPS FOR SCROLLSAWING PLEASURE

Square up your saw table easily. To make tight turns and keep square edges on your workpieces, the saw table must be at a 90-degree angle to the blade.

Ensure square cuts by making a 1/8" deep cut into the face of a 11/2" thick piece of scrapwood. Then, swing the wood around so that the cut faces you, and place the cut behind the blade (1–5). If the back of the blade doesn't fit into this kerf, adjust the table until it does.

2 Keep plenty of blades at hand. A blade may only last through 20 minutes of hard cutting before you have to change it. So trim the length of these interruptions by keeping blades within reach on magnetic strips. Fasten two 4"-long magnets (found at hobby and hardware stores) to scraps of ½" thick scrap wood. Fasten



1-5. Test the fit of the blade in the kerf to see if your scroll-saw's table is square.



1–6. Make this handy scrollsaw blade holder from magnetic strips and scrapwood.

the assemblies to your workbench near the scrollsaw base, about 3" apart (1–6). The holders keep the blades going in the same direction and sawdust-free.

3 Relax for concentration.
Keep your body relaxed by sitting on a high stool when you scrollsaw. With your hands and forearms at saw-table height, you'll be better able to concentrate on the workpiece and you will not tire as easily.

4 Get back to the pattern line. Staying right on the pattern line isn't critical for

most patterns. If you wander, just try to get smoothly back (as shown in 1–7), rather than backing up and recutting. How far you can safely wander depends on the size of what you're cutting. No one would notice a ¼" error on a 12" flower, but the same size error on a 2" flower would be much more visible.


Flemove fuzz in a jiffy.
You can quickly remove the inevitable fuzz and feathering on the back side of a scrollsawn workpiece by placing it facedown on a piece of carpet pad, and then sanding the back with 120-grit abra-

sive in a finishing sander (1–8). The pad securely grips the wood.


6 Save your wood to the right. Because scrollsaw blades are stamped from thin sheet steel, there's always a burr to the right of their teeth. That is, as you look at the blade secured in the saw with the teeth pointing down, the burr is to your right. If you remember to always keep your "save" piece (the project) to the right of the blade when cutting, you'll have more control and you will be able to make tighter turns (1–9).

Turn to a cutting platform for thin stock. A cutting platform gives you near-blade support for cutting thin silhouettes (1–10). Make

1-7. If you stray from the pattern line, make a smooth recovery and no one will notice.









one the same size as your saw table from smooth wood and drill a "zero-clearance" 1/8" hole (for a No. 2 blade) in its center. Clamp down the auxiliary table or fasten it with double-faced tape. Such a table can also extend the useful life of your blades if you install it when a blade starts

1-10. To support a thin blade, make a cutting platform with a zero-clearance blade hole.



1-9. Keep your "save" piece (the project piece) on the right side of the blade. This allows more control over the cut and tighter turns. This photo shows the same cut made with the save piece to the right and left of the blade, as shown by the arrows. With the save piece to the left, the scrollsawyer had to take a wider turn, and removed more material at the turning point.





1-11. Unlike drill bits, brads won't break out the wood on the workpiece's backside when drilling blade start holes.

several pieces of wood together in a stack for multiple cut-

sometimes split the wood or stick through the stack to mar the saw table. Removing double-faced tape is time consuming, and pieces can break off. You can hold a stack of pieces together with dowels cut just shorter than the depth of the stack. Simply drill appropriately sized holes in waste areas of the stack and insert the dowels.

to dull, because it raises the workpiece to the upper teeth, which normally receive little wear.

8 You'll have no break out with brads. Use a brad of the appropriate size (to fit your blade) chucked into a drill to drill the inside blade start holes of a pattern (1–11). Brads leave clean exit holes compared to drill bits.

9 Keep your eyes slightly ahead of the blade when cutting a curve. You'll have

greater success if you focus your eyes on a point about ½6" in front of the blade when cutting a curve.

The less pressure you put on the workpiece, the more control you'll have. Try to relax your arm and chest muscles when cutting, and let your fingertips do the work.

Stick stacks together with dowels. Nails, screws, and double-faced tape are commonly used to fasten

TABLE 1 -1.			Blades a	it a Glance
(Standard, skip-tooth, and plain-end blades listed)				
UNIVERSAL NUMBER	WIDTH (INCH)	THICKNESS (INCH)	TEETH PER INCH	APPLICATIONS
2/0	.015022	.010	28-30	Externely intricate sawing in veneers, plastics, hard rubber, and pearl up to 1/20" thick
0	.024	.011	25	
1	.026	.011–.012	23-25	A CONTRACTOR OF THE PROPERTY O
2	.028029	.012–.013	20-23	Tight radius, work in hardwoods to ½" thick, softwoods to ¾", and plastics to ¼"
3	.032	.013–.014	18–20	A STATE OF THE STA
4	.035	.014–.015	15-18	Anna di mana mana matana di mana di ma
5	,038039	.015016	121/2-161/2	Tight radius, work in hardwoods up to 3/4" thick, soft- woods to 1", and plastics to 1/2"
6	.041043	.016017	121/2-15	
7	.045	.017–.018	111/2-14	Hardwoods to 1", softwoods to 11/2", plastics to 1/2"
8	.047049	.017–.018	111/2-14	A STATE OF THE STA
9	.053	.018–.019	111/2-14	
10	.056057	.019020	11–121⁄2	Hardwoods to 11/2", softwoods to 2", plastics to %"
11	.059063	.019020	91/2-121/2	Anna to an area of the last of
12	.062	.024	91/2	

#### KEEPING YOUR SCROLLSAWING ACCIDENT-FREE

Scrollsawing is a thoroughly enjoyable woodworking experience. But we all know that accidents can happen. Reduce their possibility by following this advice:

- Get to know your scrollsaw.
   Read the owner's manual and follow it to properly set up, adjust, and maintain your saw.
- Plug your scrollsaw into a properly grounded outlet. If you must use an extension cord, make sure it is heavy enough at least 14-gauge—and in safe condition.
- Always be sure that the blade is properly tensioned before you start the saw. Check also that its teeth are pointing down and that all table-tilt knobs are adjusted and tightened.

- Keep sawdust out of your way. Set the machine's sawdust blower to direct airflow away from you, preferably toward the back of the saw.
- Wear eye protection. Goggles or shielded safety glasses keep flying debris from the saw or the wood out of your eyes.
- Dress with common sense.
   Don't wear loose-fitting clothing or dangling jewelry. Tie back long hair or wear a cap.
- Control the workpiece. Adjust the hold-down as necessary.

Keep the workpiece flat on the table and never cut when it is unsupported. If the work catches on the blade, turn off the saw. A foot-operated on/off switch will prove helpful, because boths hands are free to control the workpiece (1–12).


 Keep your work area tidy.
 Never let sawdust and cut-off pieces accumulate around the saw. Allow for task lighting that lets you clearly see the blade.



1–12. A foot-operated on/off switch will prove to be a helpful accessory because it allows the operator to use both hands to control the workpiece.

# FUN-FILLED PATTERNS FOR THE BEGINNER








# 2

# Quick-and-Easy Cuts

Infamiliar with all its capabilities, the patterns in this chapter are just right for you. Although not complicated, and intended for thin stock (3/8"-thick or less), they offer you the opportunity to learn control by taking you through gentle curves and sharply formed edges. Their simple designs also lend themselves to multiple cutting (refer to Chapter 1, page 18) so that you can make several of each for family and friends.

# **Tabletop Reindeer**






#### MATERIALS LIST....

- 1/8"-thick birch plywood
- strip of 3/8 x 11/2 x 12" plywood
- paint

NOTE: The patterns for this project are shown at full size (100%).





1/4 x 24 x 24" Birch plywood


/1/0/4/1/1/0/4/1/

% x 11/2 x 12" Plywood


Cutting diagram for the tabletop reindeer. This diagram is for two rear-facing deer, and two front-facing deer.










# **Romping Reptiles**











Copyrighted material




# **Dangling Dinosaurs**


#### MATERIALS LIST...


- ½8"-thick birch plywood or posterboard
- acrylic paints, water colors, or a clear finish
- fishing line or heavy thread



#### FULL-SIZED DANGLING DINOSAURS PATTERNS








### **Cedar Closet Hangers**




#### MATERIALS LIST...

- %"-thick aromatic cedar
- paint
- fishing line
- heavy thread

**NOTE:** The patterns for this project are shown at full size (100%).





### **Tree Trimmers**



- ½" and ½" -thick hardwood stock (maple and cherry used here) or ½" -thick birch plywood
- Glue
- Paint
- 18-gauge copper wire to hang

**NOTE:** The patterns for this project are shown at full size (100%).

#### SAWING THE PARTS TO SHAPE

Make copies of the full-sized ornaments. The patterns for each ornament's body and onlay are combined, so you'll need two copies for each ornament you wish to make.

Prepare your stock. Each ornament consists of one 1/8"thick body and two 1/16"-thick onlays, as shown in the Exploded View drawing, Resaw and plane the 1/8" stock, and resaw and drum-sand the 1/16" stock. You'll need one 1/4 × 31/2 × 6" and two  $\frac{1}{6} \times 3\frac{1}{2} \times 6$ " pieces of stock for each ornament you wish to make. (Maple and cherry are good choices.) Adhere the patterns to the stock, arranging the patterns so that each part's longest dimension is parallel to the wood grain. To save copies and time, stack-cut the parts, taping together two pieces of 1/16" onlay stock for each piece of 1/8" body stock.

3 Scrollsaw the parts to the pattern lines. A No. 2 blade with 20 teeth per inch works nicely. To make a zero-clearance table insert for scrollsawing the tiny parts, cover the insert with a couple of layers of 2"-wide plastic packaging tape. The shaded areas on the angel and dove


patterns designate cutouts in the bodies. Drill blade start holes in these areas, and saw them out. Drill the '4" holes in the tree onlays with a bradpoint bit.

Remove the patterns. If they don't peel off easily, blot them with lacquer thinner. Remove adhesive residue from the wood by wiping it with a clean rag and more thinner. Smooth any rough edges with 220-grit sandpaper.

## ASSEMBLING AND FINISHING THE TREE TRIMMERS

Before gluing the tree onlays to the tree body, position one onlay on each side, tracing lightly around it with a pencil. Set the onlay aside, and paint the body with acrylic craft paint, staying inside the marked lines, as shown at top right.





Paint the portion of the tree body covered by the onlay. Stay about 1/16" back from the traced pencil lines. Erase the lines after the paint dries.


2 Glue the onlays to the bodies, positioning them as shown in the pattern.


3 Drill 1/16" holes through the ornaments for the decorative hooks, as shown on the patterns.


4 Sand the ornaments to 320 grit. Apply a clear finish. We used three coats of aerosol satin lacquer.

5 To make decorative ornament hangers, cut one 9"-long piece of 18-gauge copper wire for each ornament. Then make the ornament hangers, slip the completed hangers through the holes, and hang the ornaments. Twist the hooks for the best display angle.

#### FULL-SIZED TREE TRIMMERS PATTERNS









### Working with Thicker Stock

n the previous chapter, you fed thin stock through your scrollsaw, which was probably fitted with a lower-numbered blade (No. 4 or less). But many of the projects in this chapter are meant to be made from much thicker stock (3/4" to 11/2"). For those projects, you should switch to a higher-numbered blade, such as a No. 7, 8, or 9.





### Kid's First Car

#### MATERIALS LIST.




- 11/2" thick stock (for body)
- 3/4"-thick stock (for wheels)
- 1/4"-diameter dowels
- Glue
- Paint






### Land and Sea Combo




#### MATERIALS LIST... 🖋

- 11/2"-thick stock (for body)
- 3/4"-thick stock (for wheels)
- %" diameter dowels
- Glue
- Paint

NOTE: The patterns for this project are shown at full size (100%).






### Little Buddy Bulldozer



#### MATERIALS LIST ...


- 1½"-thick stock (for body).
- ¾ "-thick stock (for wheels)
- ½"-thick stock (for blade)
- ¾"- and ¼"-diameter dowels
- Glue
- Paint


NOTE: The patterns for this project are shown at full size (100%).






WHEEL PATTERN (four needed)








### Over-the-Rug Hauler


#### MATERIALS LIST...


- 1½"-thick stock (for body)
- ¾"-thick stock (for wheels)
- ¼"- and ¾"-diameter dowels
- Glue
- Clear finish

NOTE: The patterns for this project are shown at 75%. For full-size, they must be enlarged to 133%










Copyrighted material


### **Big Top Circus**





#### MATERIALS LIST...


- ½8"-thick birch plywood or posterboard
- ¾ "-thick hardwood (for base)
- 1/16 "-diameter dowels
- glue
- clear finish

NOTE: The patterns for this project are shown at full size (100%).












### **Desktop Dolphin**









### Patterns With Sharp Curves and Inside Cuts

or many of the projects in this chapter, you'll have to drill blade start holes that enable you to cut out areas within the pattern. It is suggested that you drill all the necessary blade start holes required in a pattern at the same time.





### **Tricky Clown Clock**


#### MATERIALS LIST.

- 1/4", 1/2"-, and 3/4"-thick stock
- Paint
- 1/8"- and 1/4"-diameter dowels
- 3/4"-diameter clock movement


NOTE: The patterns for this project are shown at 80%. They should be enlarged to 125% for full size.








### Picture-Perfect Jungle Hut




#### MATERIALS LIST...


- 1/4"- and 3/4"-thick stock
- Glass
- Small brads
- Flat-head wood screws
- Paint

NOTE: The patterns for this project are shown at 80%. They should be enlarged to 125% for full size.






Bahan dengan hak cipta



Bahan dengan hak cipta


### **Key-Clutter Cutter**



#### MATERIALS LIST...

- ¾"-thick hardwood (walnut shown) for key board and hanger
- ¼"-thick hardwood (maple shown) for key fobs
- Glue or flat-head wood screws
- Clear finish
- Sawtooth hanger
- Wire or split rings for fob hangers

NOTE: The patterns for this project are shown at 60%. To make full size patterns, they must be enlarged to 167%.






REDUCED KEY-CLUTTER CUTTER PATTERNS continued




**FOB PATTERNS** 



**FOB PATTERNS** 

FOB HOLDER PATTERN


# Breakfast Blooms Napkin Holder




#### MATERIALS LIST...

- 3/6"-, 1/2"-, and 3/4"-thick hardwood (walnut shown)
- 3/6"-thick lighter hardwood (cherry
- 3/4" thick contrasting hardwood (oak shown)
- Glue
- Clear finish


NOTE: The patterns for this project are shown at full size (100%).





#### FULL-SIZED BREAKFAST BLOOMS NAPKIN HOLDER PATTERNS continued




### Looking for Moby









Bahan dengan hak cipta







## Reindeer in Flight





#### MAKING THE REINDEER IN FLIGHT


Resaw and plane 34"-thick maple stock to 1/4" for the mountains (A, B, C). Make three copies of the mountain patterns. Note that all three mountains are on a combined pattern with different types of lines. Cut the mountain patterns close to the lines and adhere them to your stock with spray adhesive. Scrollsaw the mountains to shape. Drill blade start holes in the patterns' shaded areas, and saw them out.

2 Chuck a 1/8" brad-point drill bit in your drill press.

Drill 1/8" holes 5/8" deep, where indicated on the mountain patterns, as shown below.



Using a fence to align the work, drill the 1/8" tree-mounting holes in the mountains, centered on their thickness.





Glue the fillers in place, leaving ½2" gaps at each end between the mountain and fillers. Remove the mountains, and wipe off any glue that squeezed out from the groove.

Resaw and plane 34"-thick maple stock to ¼" thickness for the trees (D, E). Make four copies of each tree using the pattern, and adhere them to your 14"-thick stock with spray adhesive. Drill blade start holes in the patterns' shaded areas, and saw them out. Scrollsaw the trees. Clamp the trees to your drillpress fence, and drill the 1/8" holes in their bottoms, where indicated on the pattern. Cut eight 44"-long pieces of 16" dowel, and glue them into the holes.

4 Cut the base (F) to the size shown. Install a ¾" dado blade in your tablesaw, and cut a ¾"-deep groove where shown in the Exploded View. Stack the three mountains together and check their fit in the groove. They should slip in and out of the groove with little play.


**5** Drill the three ½6" holes in the base, where shown. Draw the 5" radii at the base's ends, and bandsaw and sand them to the lines.

6 Cut a % x ¾ x8" blank in the fillers (G). Then cut off two 2"-long pieces. Center the mountains side-to-side in the groove. Glue the fillers in the groove, as shown in the photo above. Trim the fillers flush with the base, and rout the ¾" round-over, as shown.

Make the three cherry reindeer (H). Drill 1/16" holes 3%" deep, centered on the thickness of the bodies, where shown on the pattern.


8 Cut three 2½"-long pieces of ½6" brass rod for the reindeer stands. Glue them into the reindeer's bodies.


Sand all the parts to 320 grit. Apply green aniline dye to the trees. Finish with three coats of aerosol satin lacquer. With the finish dry, position the mountains in the base's groove, and insert the tree's dowels in the mountains holes, where shown in the Exploded View on page 74. Insert the reindeer's rods in the base holes. Grasp the left-hand reindeer's brass rod just below its body with needle-nosed pliers, and bend the rod, angling the reindeer slightly downward. Repeat with a right-hand reindeer, but give it a slight upward angle.



## Happy Holidays Tabletop Decoration








#### **Bears Puzzle**



Scrollsaw down the center of the pattern lines to separate the bears and create their face, arm, and leg details.



## Intermediate Patterns










# Patterns with Variety

f you're progressing through this book chapter by chapter, you've now arrived at the section where the majority of patterns demand combinations of the various cuts you've already performed. You'll also find it necessary to switch blades occasionally as each project's stock thickness requires.




#### **Picture-Window Frame**





#### MATERIALS LIST. 🖋

- 1/8"-thick birch plywood
- Round-head wood screws
- Glue
- Paint


NOTE: The patterns for this project are shown at full size (100%).







#### **Tulip-Time Desk Box**








#### MATERIALS LIST...

- 1/4"-thick oak or walnut (for box parts)
- 1/8"-thick oak or walnut (for lid ornament)
- 1/a"thick oak, walnut, or birch plywood (for optional dividers)
- Glue
- Clear finish
- ¾" brass hinges


NOTE: The patterns for this project are shown at 60%. For full size, enlarge the patterns to 167%.








REDUCED TULIP-TIME DESK BOX PATTERNS continued







#### Top-of-the-Morning Toast Rack




- 1/4"- and 1/2"- thick walnut
- Clear finish


NOTE: The pattern for this project is shown at full size (100%).






## Top-Notch Tray









#### **Prehistoric Puzzlers**







**OCEAN PATTERN** 

**OPTIONAL PUZZLE PATTERN** 

#### The Great Puzzle Fish




#### MATERIALS LIST...

- ¼"-thick birch plywood
- · Pain
- Press-on letters (available at art-supply stores)

**NOTE:** The pattern for this project is shown at 55%. For full size, enlarge to 182%.

REDUCED GREAT PUZZLE FISH PATTERN




## **Dandy Desk Trays**



#### MATERIALS LIST...

¼"- and ½"-thick oak

NOTE: The patterns for this project are shown at 50%. For full size, enlarge patterns to 200%.







## Patterns with Depth

ssuming that you've made some, if not all, of the projects on the preceding pages, you're well-prepared for the patterns on the following pages. A few require the attention and cutting skill of intermediate fretwork, popular during the Victorian era.



102 PATTERNS WITH DEPTH


## Lace-Edged Memento Box



#### MATERIALS LIST...


- ¼"-thick walnut and ash
- Glue
- Clear finish

NOTE: The patterns for this project are shown at 85%. For full size, enlarge to 118%.





**Copyrighted Material** 




Bahan dengan hak cipta

#### **Hair-Care Appliance Holder**



- 1/2"-thick pine (or other stock)
- Clear finish


NOTE: The patterns for this project are shown at 75%. For full size patterns, enlarge to 133%.



Materiale protetto da copyright

# Salad Servers with Drip Catcher


This eye-catching trio includes salad servers and a drip catcher that provides a place to lay down a tasting or stirring spoon without making a puddle on the countertop. The salad servers are made using compound cutting.






- Food-safe finish


NOTE: The patterns for this project are shown at full size (100%).





Materiale protetto da copyright


# **Cowboy Curio Shelf**














# One Fishy Puzzle

### MATERIALS LIST...

- ¾"-thick poplar or pine
- Aniline dyes or paint


NOTE: The patterns for this project are shown at full size (100%).

This fish puzzle has a clever design and eye-popping colors. Look closely and you'll spot not one but three bright fish going for a swim.







Working from the fish's mouth to its tail, cut out each puzzle piece as you come to it, sawing right down the middle of the pattern lines.



Fish puzzle frame and cutout.



### Safari Puzzle



### MATERIALS LIST...

- Two 8½ x 10" pieces of ¼"-thick birch plywood
- Paint

**NOTE:** The pattern for this project is shown at full size (100%.)

#### **COLOR GUIDELINES**

Pickling gels, gel stains, and acrylic colors were used for the following colors, as indicated in the drawing:

BL-Navy blue

**BU—Burgundy** 

CG-Cactus green

CH-Cherry

DW-Driftwood

GO-Goldenrod

MG-Mahogany

ML-Maple

MW-Modern walnut


OR—Ceramcoat orange mixed 50/50 with neutral gel

RP-Rose pink

SO-Sunset orange

WH-Desert white.

The back and frame were stained with a 50/50 mix of Ceramcoat black green and neutral gel. Wipe on desert white and wipe it off again to glaze the frame and back.




**FULL-SIZED PATTERN** 

Urheberrechtlich geschütztes Material

### Snowman

Sand the contours and round over the edges of the Snowman to create a three-dimentional appearance.







SNOWMAN-SIDE VIEW SECTION

### MATERIALS LIST...

- ¾"-thick stock in light, medium, and dark hues
- Glue

NOTE: The patterns for this project are shown at full size (100%).





SNOWMAN-SIDE VIEW SECTION

# Time is of the Essence



locks bave always been popular scrollsaw projects. In this chapter, you'll find four unique and vastly different clock projects, each providing you with bours of scrollsawing pleasure.

# Time-of-the-Dinosaurs Clock

### MAKING THE DINOSAURS CLOCK

Photocopy the full-sized patterns. Adhere them to 1/8" Baltic birch plywood.

Cut out all parts in numeria cal order. A No. 2 blade handles the fine cutting.

Cut out each part, sawing into each interior detail line as you come to it. Take care not to cut beyond the end of any interior pattern line. When you reach the end of a stopped line, back the blade out with the saw running.

Begin cutting the large dinosaur (No. 6) where indicated on the pattern. Cut inward from there to the eye, back out, and saw clockwise around the outside pattern line. Cut five spacers from the 16" plywood: two of them 112" in diameter, two 1", and one 516".



### MATERIALS LIST...

- 1/8"-thick birch plywood
- %"-thick walnut
- Clear finish
- Glue

 Quartz clock movement Note: Clock movements are avilable through catalogues and online suppliers.

NOTE: The patterns for this project are shown at full size(100%).

Enlarge the clock body at 166 percent. Then enlarge the enlargement at 166 percent, and affix it to 34 x 9 x 13" walnut stock.

6 Fit your scrollsaw with a heavier blade and tilt the table to 30°. Saw around the outside red pattern line first, keeping the clock body on the high side of the saw table. Then cut out the center of the body, following the blue line. Notice the different starting points, depending on your

saw table's tilt direction.

Keep the cutout part on the low side of the table.

Glue the center piece to the back of the U-shaped part. Drill a 5/16" hole for the clock movement where shown.

Assemble the parts in numerical order. First, position the left side tree (part 1) where shown jon page 136. Then glue the large spaces to the back of part 2,

and place it where shown.


When it is properly positioned, glue the parts into place. Glue parts 3, 4, and 5 onto part 2, referring to the photograph for positioning.


Part 6 slightly overlaps part 3, and part 7 overlaps parts 4 and 5. Refer to the photograph as you assemble the remaining parts.

Attach the clock face numbers and markers. Then install the clock movement and hands.


#### **CLOCK BODY**


Cutting instructions for the Time-of-the-Dinosaurs clock.





#### FULL-SIZED TIME-OF-THE-DINOSAURS CLOCK PATTERNS continued





### Old Oaken Clock


### MATERIALS LIST...

- ¼ x 8 x 8"-thick oak (part A)
- ½ x 8 x 8"-thick oak (part B)
- ¾ x 8 x 8" piece of scrapwood (as a clamp pad)
- ¾"-diameter dowels
- ¾"-diameter oak buttons
- Glue
- Clear finish
- Quartz clock movement


**NOTE:** The pattern for this project is shown at 75%. For full size patterns, enlarge to 133%.



### REDUCED OLD OAKEN CLOCK PATTERN




**CLOCK FACE PATTERN** 



The pattern masks the fretwork for painting after scroll-sawing. The pattern is easier to remove after painting if you lacquer the wood surface first.

# **Towering Timepiece**


A desk clock featuring New York City's Chrysler Building, one of American architecture's greatest achievements.




- 1/8"-thick birch plywood
- 3/8"-thick stock
- Glue
- Clear finish
- Paint
- Quartz clock movement


NOTE: The patterns for this project are shown at full size (100%).

# **FULL-SIZED TOWERING TIMEPIECE PATTERNS** 1/6" stock Place part (B) here A CHRYSLER BUILDING 16" stock **CLOCK PATTERNS** Match patterns here ппп UUU



# Wetland Silhouette Clock







# More Challenging Patterns

mazed so far by what you can accomplish with a scrollsaw? You'll be even more impressed with the bevy of patterns in this chapter. They'll provide new challenges to your scrollsawing skills.



# Picture-Perfect Panda





### MATERIALS LIST....

- ½"-thick birch plywood
- ¾"-thick cedar (for back)
- Glue
- Clear finish
- ½"-thick birch plywood or posterboard
- acrylic paints, water colors, or a clear finish
- fishing line or heavy thread


**NOTE:** The patterns for this project are shown at full size (100%).









# **Playful Garden Markers**




NOTE: The patterns for this project are shown at tull size (100%).














#### **FULL-SIZED PLAYFUL GARDEN MARKERS continued**





#### FULL-SIZED PLAYFUL GARDEN MARKERS continued



# Snowflakes for Fun



This pattern is designed to be cut from 1/a\* stock. It can be enlarged and cut from thicker stock.

© fits here

(B)

MILL

(A) fits here

#### MATERIALS LIST.


- ½"-thick birch plywood
- Glue
- Paint
- Glitter
- Monofilament fishing line

NOTE: The patterns for this project are shown at full size (100%.)




148 MORE CHALLENGING PATTERNS

## **Swans Silhouette**




- ½"-thick birch plywood or posterboard
- acrylic paints, water colors, or a clear finish
- fishing line or heavy thread


NOTE: The patterns for this project are shown at full size (100%.)




## **Great American Skylines**











# **Angels Silhouette**




NOTE: The pattern for this project is shown at full size (100%).









# Advanced Patterns











## Picture-Perfect Patterns





selves on the number of inside cuts required on a pattern—the more the better! They also like to challenge their control with narrow cutouts between millimeters of wood. If you enjoy these things, too, you'll find the patterns in this chaper right up your alley.


#### Castle on a Cliff













Bahan dengan hak cipta


## **Sitting Pretty Songbird**








## Midnight Visit and Campfire Cooking Plaques




#### MATERIALS LIST...


- ½"-thick walnut (for midnight misit silhouette)
- 1/8"-thick birch plywood (for midnight visit optional script)
- 1/4"-thick walnut (for campfire cooking)
- Glue
- Paint

NOTE: The patterns for this project are shown at full size (100%).



Bahan dengan hak cipta






#### **Brilliant Birds**












## Fretwork Fantasies

revious chapters barely touched on the subject of fretwork, the parlor pastime of days gone by. Gathered in this chapter, though, are some traditional fretwork projects to keep you busy, along with a winsome shelf with a seaside twist.




# Cottage Clock





#### MATERIALS LIST


- thick charm or other
- %"-,¼"-, and ¼"-thick cherry or other hardwood
- Glue
- Clear finish
- Quartz clock movement

**NOTE:** The patterns for this project are shown at full size (100%).









Glue


NOTE:

118%.


#### Victorian Bathroom **Accessories**




These Victorian fretwork bathroom accessories include a towel bar, shelf, and a posh paper holder.












Victorian paper-towel bar (top), and shelf (bottom).









Bahan dengan hak cipta




## **Coastal Curio Shelf**









## Index

Aluminum, 11, 13	Curio shelves, 110-113, 186-189	Plywood, 11
Animal projects	Cutting platform, 16	Polishing compound, 13
bears, 81-82	Desk box, 88-90	Puzzies
cats, 36-37	Dinosaurs	bears, 81-82
panda, 135-137	clock, 121-125	fish, 97-98, 114-115
reindeer, 23-27, 38-41, 73-77	puzzles, 95-96	prehistoric, 95-96
whale, 36-37, 69-71	stand-alone, 28-35	safari, 116-117
Appliance holder, 105-107	Drip catcher, 108-109	Quail, 156-158
Baltic-birch plywood	Eye protection, 20	Reindeer, 23–27
blades for cutting, 15	File-folder stock, 10	Rubber cement, 9, 10
as scrollsawing material, 11	Fir, 11	Safari puzzie, 116–117
Basswood, 11		
- [ 이렇게 하다 사용하다 이렇게 하면 하다면 하다면 함께 보는 [ ] - [ 이렇게 하는 [ ] - [	Flat-sawn stock, 10	Safety guidelines, 20
Bathroom accessories, 180~185	Foot-operated on/off switch, 20	Salad server, 108–109
Beans marker, 139	Fretsaw blades, 14	Saw table, squaring up, 15
Big-top circus pattern, 52-55	Fretwork projects	Sheet brass, 13
Birds	bathroom accessories, 180–185	Silhouettes
heron, 132-133	cottage clock, 176-179	angels, 154-155
parrot and pelican, 171-174	curio shelf, 186-189	swans, 148–149
quail, 156–158	Gärden märker, 138–146	Skip-tooth blades, 19
songbird, 166–167	Goggles, 20	Skylines, 150-153
swans, 148-149	Great American skylines, 150-153	Snowflake, 147
Blades	Hair-care appliance holder, 105-107	Snowman, 118-119
double-tooth, 14	"Half-hard" brass, 13	Soft maple, 11
holder for, 16	Hardboard, 10	Softwoods
list of, 19	Hard rubber, blades for cutting, 10	blades for cutting, 10
plain-end versus pin-end, 13	Hardwoods	species for scrollsawing, 11
reverse, 14	blades for cutting, 19	Songbird pattern, 166–167
selecting the right, 14, 15	species for scrollsawing, 11	Spray adhesive, 9
for soft-metal cutting, 12	5일 및 10 · 10 : 10 : 10 : 10 : 10 : 10 : 10 :	
	Hauler, 50–51	Squash market, 146
spiral, 14	Heron, 132–133	Stack-sawing, 18
standard pattern, 14	Hutcheson, Rick, 15	Standard blades, 19
scrollsaw, 14	Jeweler's metal-piercing blades, 12	Standard pattern blades, 14
width of, 14	Jungle hut, 61–63	Stencil board, 10
Brads, using to drill inside holes, 18	Key-holder, 64–66	Swan, 148-149
Brass, 11	King, Roy, 15	Tabletop decoration, 78–80
Buffing wheel, 13	Kochendorfer, Scott 15	Tabletop reindeer, 23-27
Bulldozer, 48-49	Land and sea vehicle, 45-47	Thermoplastics, 13
Butternut, 11	Lettuce märker, 143	Timepiece, 129–131
Campfire cooking, 168–170	Looking for Moby, 69–71	Toast rack, 91-92
Car, 43-44	Memento box, 102-104	Tomatoes marker, 144
Cardboard, 10	Metals, 11, 12	Towel bar, 180-185
Carrots marker, 145	Midnight visit, 168-170	Trays, 93-94, 99-100
Castle on a cliff, 161-165	Napkin holder, 67-68	Tree trimmers, 39-41
Cedar, 11	Oak, 11	Tricky clown clock, 59-60
Cherry, 11	Panda, 135-136	Tripoli, 13
Christmas projects	Paper holder, 180-185	Vehicles
reindeer, 23–27, 73–77	Parrot, 171–174	bulldozer, 48-49
snowman, 118-119	Pearl, blades for cutting, 10	car, 43-44
tabletop decoration, 78–80	Peas marker, 140	hauler, 50-51
tree trimmers, 38–41	Pelican puzzle, 171–174	land and sea combo, 45-47
	Peppers marker, 142	Veneers, blade for cutting, 19
Circus, 52-55	에 하지 않는 [46] [1] : "이의 교육 는데 된 회에 하지만 하지만 하는데 하지 않는데 하는데 하지만 하지만 하지만 하다.	: # 1년
Clocks	Picture-window frame, 85–87	Victorian bathroom accessory patterns,
clown, 59-60	Pine	180-185
dinosaurs, 121-125	blades for cutting, 15	Walnut, 11
fretwork, 176–179	as scrollsawing material, 11, 12	Weckhorst, Carl, 15
oak, 126-128	Pin-end blades, 13	Wetland silhouette clock, 132-133
timepiece, 129-131	Plagues, 168–170	Yellow poplar, 11
wetland silhouette, 132-133	Plain-end blades, 13, 19	"Zero-clearance" blade, 17
Classet banasses 26 27		
Closet hangers, 36–37 Cucumber marker, 141	Plastic laminate, 10 Plastics, blades for cutting, 10	

## Credits

Special thanks to the following people or companies for their contributions:

Christine Anderson, for designing the Picture-Perfect Jungle Hut

David Ashe, for designing the Dandy Desk Trays, the Key-Clutter Cutter, and the Salad Servers with Drip Catcher

Marty Baldwin, for providing photography for the Music-Box Manger, One Fishy Puzzle, Reindeer in Flight and the Tabletop Reindeer

Sue Banker, for designing the Garden Markers

Alfred Bavart, for designing the Coastal Curio Shelf and the Cowboy Curio Shelf

The Berry Basket, for designing the Music-Box Manger

Dick Boelman, for designing the Cottage Clock, the Fretwork Hamper, the Tulip Time Desk Box, and the Victorian Bathroom Accessories

Nancy Burgan, for designing the Castle on a Cliff, the Cat-and-Dog Picture Frame, the Great American Skylines, the Picture-Perfect Panda, the Sitting Pretty Songbird, and the Towering Timepiece

James Downing, for providing drawings for the Music-Box Manger and designing the Old Oaken Clock

Kim Downing, for providing drawings for the Old Oaken Clock, the Salari Puzzle, the Season's Greetings Plate, the Towering Timepiece, and the Wetland Silhouette Clock

Owen Duvall, for providing text for the Bears Puzzle and One Fishy Puzzle

Karl Ehlers, for designing the Reindeer in Flight

Lee Gatzke, for designing the Tabletop Reindeer and the Bears Puzzle

Russel Greenslade, for designing One Fishy Puzzle

Steve Grimes, for designing Quail Country

Carol Hayda, for designing the Picture-Window Frame

John Hetherington, for providing photography for the Big Top, the Happy Holidays Tabletop Decoration, More Garden Markers, the Music-Box Manger, the Old

Oaken Clock, Quail Country, the Safari Puzzle, the Season's Greetings Plate, the Wetland Silhouette Clock, and the Wonderful Whatnot Shelf

Christi Lausly, for designing the Big Top

Brian Jensen, for providing drawings for Kid's First Car, the Land and Sea Combo, the Little Buddy Bulldozer, and the Over-the-Rug Hauler

Lorna Johnson, for providing drawings for the Big Top, More Garden Markers, the Music-Box Manger, the Old Oaken Clock, Quail Country, and Reindeer in Flight

Gunter Keil, for designing the Dangling Dinosaurs

King Au, for providing photography for the Towering Timepiece

Roxanne LeMoine, for providing drawings for Quail Country, the Happy Holidays Tabletop Decoration, More Garden Markers, the Romping Reptiles, and the Wonderful Whatnot Shelf

William Lewis, for providing photography for One Fishy Puzzle

Rick Longabaugh, for designing the Music-Box Manger

Angie Medici, for designing the Hair-Care Appliance Holder, the Lace-Edged Memento Box, and the Top-of-the-Morning Toast Rack

Mike Mittermeyer, for designing and providing illustrations for Reindeer in Flight

Nelson Designs, for designing the Wonderful Whatnot Shelf

Paula Nelson, for designing More Garden Markers

Judy Gale Roberts, for designing and providing drawings for the Season's Greetings Plate


Kim and Rob Russell, for designing the Happy Holidays Tabletop Decoration

Scroller, for designing the Angels Silhouette, the Colorful Kachina, and the Swans Silhouette

Dianne Shannon, for designing the Great Puzzle Fish

Jan Svec, for providing text for the Reindeer in Flight and Quail Country

Bill Zaun, for designing the Breakfast Blooms Napkin Holder, the Desktop Dolphin, the Prehistoric Puzzlers, the Tricky Clown Clock, the Wetland Silhouette Clock



## Only WOOD Magazine delivers the woodworking know-how you need, including ...

Over 50 new shop-tested projects a year
Time-saving tips and techniques
Ingenious jigs and fixtures
Full-size pull-out patterns
America's best tool reviews
Space-saving shop ideas



Apply glue bends 11 apart

Custom out corner clockly to width to fit inside of all




This seal is your assurance that we build every project, verify every fact, and test every reviewed tool in our workshop to guarantee our success and complete satisfaction.

> chamfer along top edge of doors

To get your best deal on WOOD, call 1-800-374-9663

or visit us online at www.woodonline.com

Материал, защищенный авторским правом



A goldmine of scrollsaw patterns for virtually every type of project developed by the experts at  $WOOD^{\otimes}$  magazine, this special collection has it all—more than 50 great designs that include animals and autos, birds and buildings, and people and places. Give your scrollsaw a workout on patterns that will take your craftsmanship to the next level and keep you smiling with every new project.







